Emulation of the SUMMIT Heart Failure Trial in Healthcare Claims Data

NCT06914154

2nd May 2025

1. Title Page

Title	Emulation of the SUMMIT Heart Failure Trial in Healthcare Claims Data
Research question & Objectives	The SUMMIT trial included an evaluation of the effect of tirzepatide vs placebo on all-cause mortality or worsening heart failure events among individuals with heart failure with preserved ejection fraction.
Protocol version	Version 2
Last update date	May 2, 2025
Contributors	**Primary investigators contact information:** Dr. Nils Krüger, nkruger1@bwh.harvard.edu Dr. Shirley Wang, swang1@bwh.harvard.edu **Contributor names:** Dr. Krüger implemented the study design in the Aetion Evidence Platform. He is responsible for the validity of the design and analytic choices. All implementation steps are recorded and the implementation history is archived in the platform.
Study registration	**Site:** clinicaltrials.gov **Identifier:** NCT06914154
Sponsor	**Organization:** N/A **Contact:** N/A
Conflict of interest	Dr. Krüger has no conflict of interest. Dr. Wang has consulted for Cytel Incs, Exponent Inc, and MITRE an FFRDC for Centers for Medicare and Medicaid for unrelated work.

Table of contents

1. Title Page **1**
2. Abstract **4**
3. Amendments and updates **4**
4. Rationale and background **5**
5. Research question and objectives **6**
Table 2. Primary and secondary research questions and objectives 6
6. Research methods **11**
6.1 Study design 11
6.2 Study design diagrams 12
6.3 Setting 13
6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population 13
6.3.2 Context and rationale for study inclusion criteria: 13
6.3.3 Context and rationale for study exclusion criteria 13
6.4 Variables 13
6.4.1 Context and rationale for exposure(s) of interest 13
6.4.2 Context and rationale for outcome(s) of interest 13
6.4.3 Context and rationale for follow-up 14
Table 1. Operational Definitions of follow-up 14
6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications) 15
Table 2. Operational Definitions of Covariates 16
6.5 Data analysis 34
6.5.1 Context and rationale for analysis plan 34
Table 3. Primary, secondary, and subgroup analysis specification 35
Table 4. Sensitivity analyses – rationale, strengths and limitations 39
6.5.2 Comparison of Results Between Database Studies and RCTs 40
6.6 Data sources 41
6.6.1 Context and rationale for data sources 41
Table 5. Metadata about data sources and software 41
6.7 Data management 42
6.8 Quality control 44
6.9 Study size and feasibility 44
7. Limitation of the methods **44**

8. Protection of human subjects **45**
9. References **45**
10. Appendices **47**
1[strict, relaxed] Target Trial Framework, Operational Definitions, and Data Fitness Assessment 47
2[strict, relaxed] Code algorithms 47
3[strict, relaxed] Flowchart for cohort assembly 48
4[strict, relaxed] 1st feasibility assessment 48
5[strict, relaxed] 2nd feasibility assessment 48
6[strict, relaxed] Balance Assessment - PS Distribution and C-Statistic 48
7[strict, relaxed] Balance Assessment - Table 1 48

2. Abstract

This is a non-randomized, non-interventional study that is part of the *Randomized Controlled Trials Duplicated Using Prospective Longitudinal Insurance Claims: Applying Techniques of Epidemiology* (RCT-DUPLICATE) initiative (www.rctduplicate.org) of the Brigham and Women's Hospital, Harvard Medical School. It is intended to emulate, as closely as is possible in healthcare insurance claims data, the SUMMIT trial described below. Although many features of the trial cannot be directly replicated in healthcare claims, key design features, including outcomes, exposures, and inclusion/exclusion criteria, were selected to proxy those features from the trial. In addition to closely emulating the trial population, this study also evaluates outcomes in a broader, less restrictive cohort to enhance generalizability to patients typically encountered in routine clinical practice. Randomization cannot be achieved in healthcare claims data but was proxied through a statistical balancing of measured covariates according to standard practice. Investigators assume that the RCT provides guidance on the reference standard treatment effect estimate. However, failure to replicate RCT findings is not necessarily indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons, as the end points examined in the database study were partly only of exploratory nature in the trial. Moreover, divergence from these end points do not provide information on the validity of the original RCT finding.

The SUMMIT trial is a superiority trial that included an evaluation of the effect of tirzepatide, a dual glucose-dependent insulinotropic polypeptide (GIP) and glucagon-like peptide-1 (GLP-1) receptor agonist (RA), vs placebo on all-cause mortality or worsening heart failure events among individuals with heart failure with preserved ejection fraction.

The database study designed to emulate the type 2 diabetes mellitus (T2DM) subgroup of the SUMMIT trial will be a new-user active-comparative study, conducted using 2 national United States claims databases, where we compare the effect of tirzepatide vs sitagliptin, a dipeptidyl peptidase-4 inhibitor (DPP4i) on the composite end point of all-cause mortality or heart failure hospitalization. While the SUMMIT trial was conducted in participants with and without T2DM, both subgroups showed similar effect estimates in their results. Furthermore, while the trial compared tirzepatide vs placebo, we chose to use sitagliptin as an active-comparator proxy for placebo in the T2DM subgroup. Sitagliptin was specifically chosen because a major randomized controlled trial on cardiovascular outcomes demonstrated that the drug does not affect the cardiovascular outcomes under investigation. Furthermore, clinical guidelines during the study period recommended both drug classes under investigation as second- or third-line options for glucose lowering and were similarly costly.

The study will use two data sources: Optum Clinformatics and Merative Marketscan.
Optum: Study period between May 13, 2022 to November 30, 2024.
Marketscan: Study period between May 13, 2022 to December 31, 2023.

3. Amendments and updates

Version date	Version number	Section of protocol	Amendment or update	Reason
May 2, 2025	2	6.2 Study diagram (Figure 1), 10 Appendices	Added pregnancy as exclusion criterion	The exclusion for pregnancy was in the RCT protocol. It was not used as an exclusion in the initial version of this protocol due to an oversight.

4. Rationale and background

The purpose of this protocol is to specify the emulation of the SUMMIT trial (NCT04847557). Tirzepatide became available on May 13, 2022, when it was approved to treat type 2 diabetes mellitus.[1] A year later, on November 8, 2023 tirzepatide was approved for chronic weight management in adults with obesity or overweight who also have at least one weight-related comorbid condition, such as hypertension, dyslipidemia, type 2 diabetes mellitus, obstructive sleep apnea, or cardiovascular disease. On December 20 2024, tirzepatide was approved to treat moderate to severe obstructive sleep apnea (OSA) in adults with obesity, to be used in combination with a reduced-calorie diet and increased physical activity.

The SUMMIT trial enrolled 731 participants between February 2, 2017 – April 26, 2021. The trial had a follow-up period of 104 weeks with 36 (9,9%) composite events occurring in the treatment group compared to 53 (14.4%) composite events of all-cause mortality or worsening heart failure events (exacerbated symptoms of heart failure resulting in hospitalization, intravenous diuretic therapy in an urgent care setting) occurring in the placebo group. The trial was not powered for this exploratory end point. It was conducted with 80% power for its first primary end points of the composite of adjudicated death from cardiovascular causes or a worsening heart-failure event and with 80% power for the change from baseline to 52 weeks in the Kansas City Cardiomyopathy Questionnaire clinical summary score with a 0.05 type I error rate to confirm superiority.

Sitagliptin was specifically chosen as an active comparator that could proxy for placebo because a major randomized controlled trial on cardiovascular outcomes demonstrated that it does not affect the cardiovascular outcomes under investigation.[2] This contrasts with other DPP4i such as saxagliptin, which has raised concerns regarding potential increased risks of heart failure, [3–6] and linagliptin, which is commonly prescribed for patients with renal impairment because it does not require dose modifications based on kidney function, potentially leading to increased confounding compared to sitagliptin.[7,8] Sodium-glucose cotransporter-2 (SGLT2) inhibitors would not be a neutral comparator, as they significantly reduce clinically important

kidney events, kidney failure, and cardiovascular events.[9–12] Sulfonylureas (SUs), though inexpensive and widely used, are a poor comparator in cardiovascular outcome studies due to their association with hypoglycemia, weight gain, and channeling bias, as they are often prescribed to elderly, lower socioeconomic status patients with higher baseline cardiovascular risk, making direct comparisons to GLP-1-RAs less reliable.[13]

5. Research question and objectives

Table 2. Primary and secondary research questions and objectives

A. Co-Primary research questions and objectives

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on all-cause mortality or heart failure hospitalization in patients with heart failure with preserved ejection fraction when following the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will be superior to sitagliptin in individuals with heart failure with preserved ejection fraction at preventing all-cause mortality or heart failure hospitalization.
Population (mention key inclusion-exclusion criteria):	Individuals aged 40 years or older with heart failure with preserved ejection fraction.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Composite of all-cause mortality or heart failure hospitalisation.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured from inpatient hospitalizations and death.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on all-cause mortality or heart failure hospitalization in patients with heart failure with preserved ejection fraction when relaxing the eligibility criteria of the SUMMIT trial.

Hypothesis:	We hypothesize that tirzepatide will be superior to sitagliptin in individuals with heart failure with preserved ejection fraction at preventing all-cause mortality or heart failure hospitalization.
Population (mention key inclusion-exclusion criteria):	Individuals aged 40 years or older with heart failure with preserved ejection fraction when relaxing the eligibility criteria of the SUMMIT trial (e.g., including patients with previous cardiovascular events, dyspnoea-related diagnoses, etc., to reflect a broader patient population from routine care).
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Composite of all-cause mortality or heart failure hospitalization.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured from inpatient hospitalizations, intravenous diuretic therapy in an outpatient setting, and death.
Main measure of effect:	Hazard ratio.

B. Secondary research questions and objectives

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on all-cause mortality or worsening heart failure events with heart failure with preserved ejection fraction in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will be superior to sitagliptin in individuals with heart failure with preserved ejection fraction at preventing all-cause mortality or worsening heart failure events.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 40 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT trial; and (2) individuals aged 40 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of the SUMMIT trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.

Outcome:	Composite of all-cause mortality or a worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization, intravenous diuretic therapy in an urgent care setting), and its respective individual end points.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured from inpatient hospitalizations, intravenous diuretic therapy in an outpatient setting, and death.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on the safety outcome of urinary tract infections in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 18 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT trial; and (2) individuals aged 18 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of the SUMMIT trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Urinary tract infections.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured using diagnosis codes in an inpatient or outpatient setting that are followed by a antibiotic prescription within 7 days of the diagnosis code.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on the safety outcome of serious bacterial infections in two populations: (1) patients meeting the eligibility criteria of the

	SUMMIT DM trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT DM trial.
Hypothesis:	We hypothesize that tirzepatide will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 18 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT DM trial; and (2) individuals aged 18 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of the SUMMIT DM trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Serious bacterial infections.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured using primary diagnosis codes in an inpatient setting.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the comparative effect of tirzepatide vs sitagliptin on the safety outcome of gastrointestinal adverse events in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will have more events compared to sitagliptin.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 18 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT trial; and (2) individuals aged 18 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of the SUMMIT trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Gastrointestinal adverse events.
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.

Setting:	The outcome will be measured using diagnosis codes in an inpatient and outpatient setting.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the effect of tirzepatide vs sitagliptin on a negative control outcome of hernia in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 40 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT trial; and (2) individuals aged 40 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of theSUMMIT trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.
Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Hernia (excluding patients with recent outcome prior to the follow-up time window (30 days)).
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured using diagnosis codes in an inpatient or outpatient setting.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the effect of tirzepatide vs sitagliptin on a negative control outcome of lumbar radiculopathy in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Hypothesis:	We hypothesize that tirzepatide will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Two populations: (1) individuals aged 40 years or older with heart failure with preserved ejection fraction meeting the strict eligibility criteria of the SUMMIT trial; and (2) individuals aged 40 years or older with heart failure with preserved ejection fraction identified using relaxed eligibility criteria of theSUMMIT trial (e.g., including patients with prior cardiovascular events, dyspnea-related diagnoses, or other comorbidities) to represent a broader patient population encountered in routine clinical practice.

Exposure:	Tirzepatide.
Comparator:	Sitagliptin.
Outcome:	Lumbar radiculopathy (excluding patients with recent outcome prior to the follow-up time window (30 days)).
Time (when follow-up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other GLP-1-RA.
Setting:	The outcome will be measured using diagnosis codes in an inpatient or outpatient setting.
Main measure of effect:	Hazard ratio.

6. Research methods

6.1 Study design

Research design (e.g. cohort, case-control, etc.): New user active-comparator cohort study.

Rationale for study design choice: The new user active-comparator design is a powerful design that may be able to address confounding by indication. It accomplishes this, in large part, through judicious selection of an appropriate active-comparator group.[14,15] While selection of an appropriate comparator in the design phase is crucial, cohort studies often require additional adjustment of measurable confounders. A common method for adjusting for confounding is via a propensity score.

6.2 Study design diagrams when following the eligibility criteria of the SUMMIT trial (Figure 1) and when relaxing the eligibility criteria of the SUMMIT trial (Figure 2).

Figure 1. Exposure-based cohort entry where the cohort entry date is selected after application of exclusion criteria



Figure 2. Exposure-based cohort entry where the cohort entry date is selected after application of exclusion criteria



6.3 Setting

6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population

Time 0 in the database study was defined to emulate randomization to tirzepatide vs sitagliptin in the trial design. See appendix tables 1[strict, relaxed] and 2a[strict, relaxed] for operational definitions and detailed code algorithms.

6.3.2 Context and rationale for study inclusion criteria:

Study inclusion criteria were defined to either emulate the inclusion criteria for the trial (strict), or broadened to reflect clinical routine care settings (relaxed). See appendix tables 1[strict, relaxed] and 2[strict, relaxed] for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in appendices 3[strict, relaxed].

6.3.3 Context and rationale for study exclusion criteria

Study exclusion criteria were defined to either emulate the exclusion criteria for the trial (strict), or broadened to reflect clinical routine care settings (relaxed). See appendix tables 1[strict, relaxed] and 2[strict, relaxed] for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in appendices 3[strict, relaxed].

6.4 Variables

6.4.1 Context and rationale for exposure(s) of interest

The exposure and comparator were defined to emulate the agents compared for the trial, tirzepatide vs sitagliptin (active-comparator placebo proxy). See appendix tables 1[strict, relaxed] and 2[strict, relaxed] for operational definitions and detailed code algorithms.

Algorithm to define duration of exposure effect:

Assuming the effect of the drug lasts for 45 days after the last day's supply, we allow a 45 days gap between the dispensation (grace period) and also add 45 days at the end of the last day's supply (exposure risk window).

6.4.2 Context and rationale for outcome(s) of interest

The secondary outcome for the database study was defined to benchmark to the composite end point of all-cause mortality or worsening heart failure events in the SUMMIT trial. See appendix tables 1[strict, relaxed] and 2d[strict, relaxed] for operational definitions and detailed code algorithms. Optum includes death information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. MarketScan includes information from the inpatient discharged dead status up until 2016. PPV for heart failure diagnosis using ICD9 codes was 87% and for HHF 98%.[16,17]

Secondary outcomes from the trial that will be evaluated include:

1. Composite of all-cause mortality or a worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization or intravenous diuretic therapy in an urgent care setting).
2. Worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization or intravenous diuretic therapy in an urgent care setting).
3. Intravenous diuretic therapy in an urgent care setting.
4. Hospitalization for heart failure.
5. All-cause mortality.

Safety outcomes of interest include:

1. Urinary tract infections.
2. Serious bacterial infections.
3. Gastrointestinal adverse events.

Control outcomes of interest include:

1. Hernia (excluding patients with recent outcome prior to the follow-up time window). This is a negative control outcome where no difference in effect is expected for semaglutide vs sitagliptin.
2. Lumbar radiculopathy (excluding patients with recent outcome prior to the follow-up time window). This is a negative control outcome where no difference in effect is expected for semaglutide vs sitagliptin.

6.4.3 Context and rationale for follow-up

Both on-treatment (OT) and intention-to-treat (ITT) analyses will be conducted. Adherence in clinical practice databases is expected to be much worse than in the trial, therefore the OT analysis will be the primary analysis. The OT analysis targets the relative hazard of outcomes while on treatment and may more closely emulate the effect observed in highly adherent trial participants. Both OT and ITT will be conducted at 1-year follow-up and compared to the hazard ratio of cumulative incidence rates observed in the trial.

Table 1. Operational Definitions of follow-up

follow-up start	Day 1	
follow-up end[1]	**Select all that apply**	**Specify**
Date of outcome	Yes	
Date of death	Yes	Part of the primary outcome.
End of observation in data	Yes	Date of disenrollment.
Day X following index date (specify day)	Yes	Day 365.
End of study period (specify date)	Yes	Different dates for different databases (Optum: November 30, 2024; Marketscan: December 31, 2023).
End of exposure (specify operational details, e.g. stockpiling algorithm, grace period)	Yes	45 days grace window and 45 days risk window.
Date of add to/switch from exposure (specify algorithm)	Yes	Date of augmentation or switching from an exposure to a comparator and vice versa.
Other date (specify)	Yes	Censor upon starting any other GLP-1-RA.

[1] follow-up ends at the first occurrence of any of the selected criteria that end follow-up.

6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications)

We identified a series of covariates that were likely confounders due to being strong risk factors for the primary outcome that were associated with choice of treatment. These include demographics, disease severity related variables, comorbid conditions, comedications, frailty, healthcare utilization and markers of health seeking behaviour.

Table 2. Operational Definitions of Covariates

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Demographics									
Age	Cohort entry year – year of birth, (last observed value in the baseline)	Continuous	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a
Gender	Male, Female (last observed value in the baseline)	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a
Race*	White, Black, Others/Unknown (last observed value in the baseline)	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a
Region	Northeast, Midwest/North central, South, West (last observed value in the baseline)	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a
Lifestyle risk factors									
Smoking / Tobacco use		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Overweight, if BMI is 27.0 to 29.9		Binary	[-730, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9		Binary	[-730, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9		Binary	[-730, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Class 3 (high-risk) obesity if BMI is equal to or greater than 40		Binary	[-730, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Unspecified obesity		Binary	[-730, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetes complications									
Diabetic retinopathy		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	
Diabetic neuropathy		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetic nephropathy		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetes with other ophthalmic complications		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Diabetes with peripheral circulatory disorders		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetic foot		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Erectile dysfunction		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypoglycemia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperglycemia/DKA/HONK		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Skin infections		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiovascular-related conditions									
Stable and unstable angina		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Hypertension		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypotension		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperlipidemia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Atrial fibrillation		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Myocardial infarction		Binary	[-365, 0]	Any	ICD-10-CM	Primary, Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiac conduction disorder		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Previous cardiac procedure (CABG, PTCA, Stent)		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Ischemic stroke		Binary	[-365, 0]	Any	ICD-10-CM	Primary	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
PVD diagnosis or surgery PVD		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other cardiac dysrhythmia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiomyopathy		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Valve disorders		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Valve replacement		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
TIA		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Edema		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Venous thromboembolism		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Pulmonary hypertension		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Implantable cardioverter defibrillator		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperkalemia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Coronary atherosclerosis		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cerebrovascular procedure		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Insertion of pacemakers / removal of cardiac lead		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Renal-related conditions									
CKD stage 1-2		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
CKD stage 3-4		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
							Reference: Sitagliptin		
Unspecified CKD		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Acute kidney injury		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypertensive nephropathy		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urinary tract infections		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Genial infections		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urolithiasis (kidney and urinary stones)		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other comorbidities									
COPD		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Asthma		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Obstructive sleep apnea		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Serious bacterial infections		Binary	[-365, 0]	Inpatient	ICD-10-CM	Primary	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pneumonia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Liver disease		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
MASH/MASLD		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Fractures / Falls		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Osteoporosis		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Depression		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Dementia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Delirium or psychosis		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Anemia		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Influenza		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperthyroidism and other thyroid gland disorders		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypothyroidism		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urinary incontinence		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Biliary disease		Binary	[-365, 0]	Inpatient	ICD-10-CM	Primary	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pancreatitis		Binary	[-365, 0]	Inpatient	ICD-10-CM	Primary	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Bowel obstruction		Binary	[-365, 0]	Inpatient	ICD-10-CM	Primary	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Gastroparesis		Binary	[-365, 0]	Any	ICD-10-CM	Any	Exposure: Semaglutide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetes medications									
Metformin		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Insulin		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Sulfonylureas		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
DPP4i (except sitagliptin)		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
SGLT2i		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Any use of other glucose-lowering drugs		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Heart failure medications									
ACEi / ARB		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
ARNI		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Thiazides		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Beta-Blockers		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Calcium channel blockers		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Digoxin / Digitoxin		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Loop diuretics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other diuretics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Intravenous diuretics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Nitrates		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other medications									
Anti-arrhythmics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Statins		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
PCSK9 inhibitors and other lipid-lowering drugs		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Antiplatelet agents		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Oral anticoagulants		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
COPD/Asthma medication		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
NSAIDs		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Oral corticosteroids		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Osteoporosis agents (incl. bisphosphonates)		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Opioids		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Anti-depressants		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Antipsychotics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Anxiolytics/hypnotics, benzodiazepines		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urinary tract infections antibiotics		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Laxatives		Binary	[-365, 0]	n/a	generic	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Healthcare utilization markers									
Number of distinct medications, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of emergency department visits, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of office visits, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Number of endocrinologist visits, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of cardiologist visits, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of internal medicine/family medicine visits, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of Electrocardiograms, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of Echocardiograms, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pharmacy out-of-pocket cost, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Unique brand medications, median (iqr), mean (sd)**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Unique generic medications, median (iqr), mean (sd)**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Ratio of unique brand to generic medications, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Healthy behavior markers									
Colonoscopy / Sigmoidoscopy		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Flu vaccine / Pneumococcal vaccine		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pap smear test		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
PSA test		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Fecal occult blood test		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Bone mineral density tests		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Mammograms		Binary	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Laboratory and diagnostic tests									
Number of HbA1c tests, median (iqr), mean (sd)		Continuous	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of lipid panels, median (iqr), mean (sd)		Continuous	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of creatinine tests, median (iqr), mean (sd)		Continuous	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Number of urine tests, median (iqr), mean (sd)		Continuous	[-365, 0]	Any	CPT/HCPCS	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Lab values									
HbA1c**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Glucose**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Creatinine**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Systolic blood pressure**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Heart rate**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
BMI**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
BNP**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
proBNP**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
eGFR**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Burden of comorbidities									

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Combined comorbidity score		Continuous	[-365, 0]	Any	ICD10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Gagne et al., Sun et al. [18,19]
Frailty score		Continuous	[-365, 0]	Any	ICD10-CM	Any	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Kim et al.[20]
Baseline hospitalizations and hospital metrics									
Number of any hospitalization, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
0, 1, >1 hospitalizations for heart failure		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
0, 1, >1 hospitalizations for other reason		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Calendar year of cohort entry									
2022		Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a
2023		Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a

Characteristics	Details	Type of variable	Assessment window	Care Settings[1]	Code Type[2]	Diagnosis Position[3]	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
2024		Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Tirzepatide Reference: Sitagliptin	n/a	n/a

[1] IP = inpatient, OP = outpatient, ED = emergency department, OT = other, n/a = not applicable
[2] See appendix for listing of clinical codes for each study parameter
[3] Specify whether a diagnosis code is required to be in the primary position (main reason for encounter)
*Available for Optum Clinformatics and Medicare
**Not used in the PS model

6.5 Data analysis

6.5.1 Context and rationale for analysis plan

The study will use a propensity score based overlap weighting method.[21] The propensity score will be estimated as the probability of initiating tirzepatide vs sitagliptin given the baseline patient characteristics using multivariable logistic regression models. As diagnostics for propensity score models, the study will evaluate distributional overlap, weight distribution, and covariate balance using standardized differences post-weighting. The study will estimate the hazard ratio for tirzepatide vs sitagliptin on the composite all-cause mortality or heart failure hospitalisation in the weighted population using a Cox proportional hazards model with robust standard errors.

Table 3. Primary, secondary, and subgroup analysis specification

A. Co-primary analyses

Hypothesis:	Tirzepatide decreases the risk of all-cause mortality or heart failure hospitalization in individuals with heart failure with preserved ejection fraction when following the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Composite of all-cause mortality or heart failure hospitalisation.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): (provide details or code)	Outcome model: Cox proportional hazards Follow-up time * status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**

	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	Individuals <70, Individuals ≥70, Male, Female (exploratory analyses).

Hypothesis:	Tirzepatide has a similar effect on all-cause mortality or heart failure hospitalization in individuals with heart failure with preserved ejection fraction when relaxing the eligibility criteria of the SUMMIT trial (e.g., including patients with previous cardiovascular events, dyspnoea-related diagnoses, etc., to reflect a broader patient population from routine care).
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Composite of all-cause mortality or heart failure hospitalization.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time * status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	Individuals <70, Individuals ≥70, Male, Female, BMI <40, BMI ≥40.

B. Secondary Analyses

Hypothesis:	Tirzepatide decreases the risk of all-cause mortality or worsening heart failure events and its individual end points (secondary outcomes) for individuals with heart failure with preserved ejection fraction in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.

Outcome:	Composite of all-cause mortality or a worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization, intravenous diuretic therapy in an urgent care setting), and its respective individual end points.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time * status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	N/A.

Hypothesis:	Tirzepatide has no increased or decreased risk of urinary tract infections (safety outcome) compared to sitagliptin in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Urinary tract infections.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	N/A.

Hypothesis:	Tirzepatide has no increased or decreased risk of serious bacterial infections (safety outcome) compared to sitagliptin in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Serious bacterial infections.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	N/A.

Hypothesis:	Tirzepatide has an increased risk of gastrointestinal adverse events (safety outcome) compared to sitagliptin in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Gastrointestinal adverse events.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	N/A.

Hypothesis:	Tirzepatide has no increased or decreased risk of hernia (control outcome) compared to sitagliptin in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Hernia (excluding patients with recent outcome prior to the follow-up time window (30 days)) (negative control outcome).
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**
	N/A.

Hypothesis:	Tirzepatide has no increased or decreased risk of radiculopathy (control outcome) compared to sitagliptin in two populations: (1) patients meeting the eligibility criteria of the SUMMIT trial, and (2) a broader patient population when relaxing the eligibility criteria of the SUMMIT trial.
Exposure contrast:	Tirzepatide vs sitagliptin.
Outcome:	Lumbar radiculopathy (excluding patients with recent outcome prior to the follow-up time window (30 days)) (negative control outcomes).
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): **(provide details or code)**	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure
Confounding adjustment method	**Name method and provide relevant details, e.g. bivariate, multivariable, propensity score weighting (specify weighting algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.**
	Overlap weighting based on the propensity score.
Missing data methods	**Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.**
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	**List all subgroups**

N/A.

Table 4. Sensitivity analyses – rationale, strengths and limitations

	What is being varied? How?	Why? (What do you expect to learn?)	Strengths of the sensitivity analysis compared to the primary	Limitations of the sensitivity analysis compared to the primary
Hernia as a negative control outcome.	We are changing the outcome to hernia for which there is expected to be no causal effect from tirzepatide.	We will evaluate the potential impact of residual confounding on this outcome for which there is not expected to be a causal effect.	Evaluates the robustness of the interpretation of the primary analysis by evaluating the potential magnitude of unmeasured confounding.	This analysis assumes that the confounding structure is the same or similar for the negative control outcome as the outcome of interest.
Lumbar radiculopathy as a negative control outcome.	We are changing the outcome to lumbar radiculopathy for which there is expected to be no causal effect from semaglutide.	We will evaluate the potential impact of residual confounding on this outcome for which there is not expected to be a causal effect.	Evaluates the robustness of the interpretation of the primary analysis by evaluating the potential magnitude of unmeasured confounding.	This analysis assumes that the confounding structure is the same or similar for the negative control outcome as the outcome of interest.
Broader definition of end point hospitalization for heart failure.	Instead of requiring an inpatient discharge diagnosis in the primary position for heart failure, we will allow an inpatient diagnosis in any position for heart failure.	Helps determine whether restricting to primary-position heart failure diagnoses omits relevant cases or whether including secondary diagnoses introduces misclassification.	Increases sensitivity for capturing hospitalizations for heart failure.	Some hospitalizations may primarily be for other conditions rather than heart failure itself.
Intention-to-treat analyses to address potential informative censoring.	To address potential informative censoring.	We will consider the first-used medication for 365 days without considering drug discontinuation or switching, mimicking an	Reflects follow-up regimen of RCT.	Persistence of drug use is shorter in clinical practice whereas adherence is typically higher in RCTs. Therefore, we expect the estimated effects will be diluted toward the null,

		"intention-to-treat" approach.		underestimating the true treatment effect had patients remained on therapy.
Apply eligibility criteria from the STEP-HFpEF DM trial[22]	To assess how variations in eligibility criteria influence the study population size and treatment effect estimates.	We will learn how slightly different eligibility criteria and their operationalization can influence treatment effect estimates.	Assesses the impact of treatment effect estimation due to differential cohort assembly.	Estimates will not be directly used to assess robustness of primary analysis.

6.5.2 Comparison of Results Between Database Studies and RCTs

We will attempt to benchmark the results of the secondary analysis from the database study against the composite end point of all-cause mortality or worsening heart failure events observed in the SUMMIT trial. It is important to note that this end point had few outcomes in the trial. Consequently, failure to replicate the RCT findings is not necessarily indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons, nor does failure to replicate provide information about the validity of the trial result.[23] Assessment of concordance in results between the database study-trial pair will use the metrics previously implemented in the RCT-DUPLICATE initiative, namely statistical significance agreement, estimate agreement, and standardized difference agreement. In this project, "full" statistical significance agreement was defined by estimates and confidence intervals on the same side of null; estimate agreement was defined by whether estimates for the trial emulation fell within the 95% CI for the trial results; standardized difference agreement between treatment effect estimates from trials and emulations was defined by standardized differences $|Z| < 1.96$ ($Z = \frac{(\theta_{RCT} - \theta_{RWE})}{(\sqrt{\hat{\sigma}^2_{RCT} + \hat{\sigma}^2_{RWE}})}$ where are the treatment effect estimates and the $\hat{\sigma}^2$ are associated variances). In addition, "partial" significance agreement was defined as meeting pre-specified non-inferiority criteria even though a more highly powered database study may have indicated superiority.[23,24]

6.6 Data sources

6.6.1 Context and rationale for data sources

Reason for selection: The study will be conducted in 2 US health care claims databases: Optum Clinformatics (2022-2024), and Merative Marketscan (2022-2023). Data from the Merative Marketscan database will only be included if sufficient sample size can be accrued.

Strengths of data source(s): Each data source contains deidentified, longitudinal, date-stamped information on patient enrollment, demographics, inpatient/outpatient diagnosis and procedures, admission and discharge dates, and medication dispensation. The death data is captured in the Optum database from inpatient discharge status, social security death master file, and deaths scraped from obituaries or other sources. The death data in MarketScan is captured from the social security death master file and inpatient discharge status. It is recognized that the social security death master

file has high specificity and positive predictive value for deaths. While this data resource has under captured deaths since 2011, the capture of deaths is not expected to be differential between compared exposure groups. The death data is captured in the Medicare database from inpatient discharge status, and social security death master file. [25–27]

Limitations of data source(s): Patient healthcare encounters are only observable when they are enrolled in an insurance plan that contributes to the database. Patients may change insurance plans for multiple reasons. Both Optum Clinformatics and Merative MarketScan are primarily employer based insurance databases where patients may disenroll with job changes. In claims data, dispensing data for inpatient medication is unavailable. Diagnoses reflect billing practices, therefore algorithms (preferably validated) are needed for accurate phenotyping of patient conditions. Services that are not covered by insurance do not appear in the data. The trial evaluated cardiovascular deaths, however we will evaluate all-cause mortality in the emulation because most deaths in this cohort of patients at high cardiovascular risk will be related to cardiovascular reasons, the cause of death is not recorded for databases not linked to NDI, and the performance of NDI at identifying cardiovascular causes of death may be suboptimal. [27]

Data source provenance/curation:

Information about Optum Clinformatics and Merative MarketScan can be found in data dictionaries and user guides that are provided to clients.

Table 5. Metadata about data sources and software

	Data 1	Data 2
Data Source(s):	Optum Clinformatics	Merative Marketscan
Study Period:	13th May 2022	13th May 2022
Eligible Cohort Entry Period:	November 30, 2024	December 31, 2023
Data Version (or date of last update):	April 2025	Mortality Cut Set A Received 2024-03-01
Data sampling/extraction criteria:	n/a	n/a
Type(s) of data:	Administrative claims	Administrative claims
Data linkage:	n/a	n/a
Conversion to CDM*:	n/a	n/a
Software for data management:	Aetion Evidence Platform® (2025)	Aetion Evidence Platform® (2025)

*CDM = Common Data Model

6.7 Data management

Tracking data: The Data Use Agreement (DUA) Custodian (Principal Investigator) and the Division Operations Manager (Winta Tekle) are responsible for receiving and creating a record of new data associated with the given request. The Operations Manager is responsible for all indexing and archiving of documents and electronic media related to data that the Division receives and will log data location, data contents, and associated DUA and Institutional Review Board (IRB) numbers in the Division's centralized tracking system.

Handling and storage: In-scope data will be stored utilizing Mass General Brigham approved information systems – i.e., Division servers and Mass General Brigham network storage.

Archiving: Data retention and any removal will be executed by the Division Operations Manager (Winta Tekle) and Data Manager (Todd MacGarvey). The Division follows Mass General Brigham enterprise record retention policies and follow the terms of the agreement through which the in-scope data was received.

Information security: The Division follows Mass General Brigham's Enterprise Information Security Program (EISP). The EISP helps by providing assurance that Mass General Brigham information and information systems are protected from unauthorized access, use, disclosure, duplication, modification, or destruction in order to maintain their confidentiality, integrity, and availability. To that end, the EISP policies, standards and procedures create an information security framework that is aligned with the recommendations of the International Organization for Standardization's (ISO) publication 27001 and the National Institute of Standards and Technology's (NIST) publication 800-53 Family of Controls and MGB regulatory and legal requirements (as a HIPAA covered entity).

Mass General Brigham workforce members are required to complete new workforce privacy and information security training upon hire and annually thereafter. Refresh training is provided as appropriate. Mass General Brigham workforce members are required to review and sign a Confidentiality Agreement upon hire and annually thereafter. Additionally, we follow Enterprise Information Security and Privacy policies, including Managing Workforce Members Information Security Responsibilities Policy, which was developed to help assure that Mass General Brigham workforce members are competent and eligible to support the information security responsibilities associated with their role. Mass General Brigham workforce, including Division staff, are required to comply with Enterprise Information Security and Privacy Policies.

Facilities: The research team uses a highly secure, state-of-the-art, computing facility housed at Mass General Brigham's Corporate Data Centers in Needham and Marlborough, Massachusetts as well as Amazon Web Services (AWS). We maintain redundant storage for maximal data integrity and high-speed data access.

The Division uses Mass General Brigham corporate provisioned servers to analyze and store data in connection with this project. There are strict access controls enforced by technical means to ensure that only study staff who have been approved to conduct data analyses and contracted data engineers are able to access data (e.g., Mass General Brigham Authentication (Active Directory) utilized; auditing, logging, and monitoring enabled; firewalls enabled; etc.). All Division servers used in this study are accessible to only authorized staff only through the MGB network and utilizing VPN as appropriate (i.e., users must be on the network and logged into VPN to access). Mass General Brigham has a network information security monitoring team and in-scope servers are enrolled in enterprise security tools (e.g., vulnerability scanning service, antivirus, etc.).

The Division also uses AWS. In-scope AWS services / resources have undergone review and assessment by Mass General Brigham's Information Security Risk Assessment Team/ InfoSec Risk Management Team as required and in alignment with NIST 800-30: Guide for Conducting Risk Assessments. In-scope AWS servers are for our exclusive use (reserved instances), are covered under our organization's Business Associate Agreement with AWS. In-scope servers are housed in anonymous facilities that are not branded as AWS facilities. Physical access is strictly controlled both at the perimeter and at building ingress points by professional security staff utilizing video surveillance, intrusion detection systems, and other electronic means.

Security attributes and controls for the Division's use of in-scope AWS in connection with this project include: encryption at rest and in transit (industry standard AES-256 encryption, SSL/TSL), anti-malware, latest OS updates and patches as well as anti-virus; multi-factor authentication (MFA), Identity and Access Management, including SSO; auditing and logging; principle of least privilege, including for traffic and ports (e.g., deny all default configurations), use of VPC enabled Step functions, etc.; separation between environments; minimum necessary (out of the box AWS roles are not used as they can be overly permissive); all data would reside in the US domestic regions – use only US east HIPAA compliant region; performance monitoring enabled and reviewed as per internal processes; passwords compliant with enterprise password policy and, as appropriate, more protective password requirements; etc. Our Division's AWS use is also subject to ongoing evaluation and monitoring as well – e.g., vulnerability scanning and management, access review, etc.

A data file list will be maintained in Amazon S3 and tracked through Cloudtrail and Cloudwatch. Reporting of data file availability for any file stored in an S3 bucket will be controlled by MGB.

Amazon EC2, Amazon EBS, and Amazon VPC are integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Amazon EC2, Amazon EBS, and Amazon VPC. CloudTrail captures all API calls for Amazon EC2, Amazon EBS, and Amazon VPC as events, including calls from the console and from code calls to the APIs. MGB IT/security staff have full access to CloudTrail to ensure that CloudTrail monitoring is available at all times. Amazon CloudWatch Events delivers a near-real-time stream of system events that describe changes in AWS resources. Amazon CloudTrail can log, continuously monitor, and retain account activity related to actions across the MGB AWS infrastructure. CloudTrail provides event history of MGB AWS account activity. This event history simplifies security analysis, resource change tracking, and troubleshooting and complies with requirements to ensure the data file inventory is controlled by MGB.

Backups: Backups are created using industry recognized Cryptographic mechanisms (e.g., 256-bit AES encryption) as appropriate and required. Data are backed up within the MGB network from the MGB Needham data center to the MGB Marlborough data center via replication/mirroring and volume-level snapshots. AWS Backup supports both instance-level backups as Amazon Machine Images (AMIs) and volume-level backups as separate snapshots based on the resource tags. AMIs allow MGB IT and security staff to create backups of all S3 and EC2 instances.

In addition to the safeguards listed above, the Division follows enterprise privacy and information security policies and maintains internally procedures in connection with this project to safeguard the data in connection with this project as appropriate and required including: Physical Security and Environmental Controls for Electronic Information Policy; IT Access Control Standards for Users policy; Safeguarding Fax Copiers Printers Telephone Use and Pagers; Physical Removal and Transport of Protected Health Information and Personal Information policy, etc.

6.8 Quality control

Senior Programmers and Research Specialists perform QA/QC on raw or common data model converted data via SAS/R/Aetion software. The protocol will be iteratively developed and pre-specified data checks including feasibility counts and balance on baseline covariates will be conducted with outputs reviewed by MGB team members. Team members will review code lists to ensure fidelity to intended algorithms.

6.9 Study size and feasibility

See appendices 4[strict, relaxed] and appendices 5[strict, relaxed] (feasibility, weighting on age, sex, comorbidity score as well as all predefined propensity score variables). Propensity score distribution plots with c-statistics are available in appendices 6[strict, relaxed]. Tables 1[strict, relaxed] showing prevalence of baseline characteristics and standardized differences in distribution are available in appendices 7[strict, relaxed]. Additional diagnostic evaluations, including balance assessments of laboratory and clinical examination test results not included in the propensity score as well as assessment of heart failure-related medication after follow-up, will be conducted to assess potential residual confounding and divergence of treatment over time.

7. Limitation of the methods

As we are using secondary data and the data were not collected for research purposes, some important variables may not be collected or will be measured imperfectly. We have selected validated algorithms when possible and we have created proxies for important variables that are not directly captured in the data to reduce confounding by unmeasured factors. One measurement difference is, for example, an inclusion criterion requiring left ventricular ejection fraction (LVEF). Since these measurements are not captured in claims, we proxied LVEF by applying a predictive algorithm for LVEF with high positive predictive value (PPV) of 91%. This has been a frequently used method in other database studies.[28,29,30]

When comparing results from an RCT to a database study that emulates the design, we assume that the findings from the single RCT are internally valid. However, as the end points we intend to emulate were partly only of exploratory nature and not sufficiently powered, there might be great variability, making it potentially difficult to compare to the effect estimates reported in the trial.

Although we plan to emulate the important features of each trial as closely as possible in healthcare claims, there may be some elements of the RCT design that are not emulable with a database study, which means that the real-world evidence obtained from the database study and trial will address slightly different clinical questions. For example, in routine clinical care, adherence to treatment is typically not as high as it is in an RCT with strong measures in place to encourage adherence to the study protocol. This means that there is more discontinuation and short-term medication use in the patients identified in claims databases than trial participants.

Apparent agreement between RCT and database study results could occur if the effects of multiple factors (chance, emulation differences, bias) cancel each other out.

8. Protection of human subjects

This study has been approved by the Brigham and Women's Hospital Institutional Review Board.

9. References

1. FDA approves Lilly's Mounjaro™ (tirzepatide) injection, the first and only GIP and GLP-1 receptor agonist for the treatment of adults with type 2 diabetes | Eli Lilly and Company. Accessed February 17, 2025. https://investor.lilly.com/news-releases/news-release-details/fda-approves-lillys-mounjarotm-tirzepatide-injection-first-and

2. Green JB, Bethel MA, Armstrong PW, et al. Effect of Sitagliptin on Cardiovascular Outcomes in Type 2 Diabetes. *N Engl J Med*. 2015;373(3):232-242. doi:10.1056/NEJMoa1501352

3. Scirica BM, Bhatt DL, Braunwald E, et al. Saxagliptin and Cardiovascular Outcomes in Patients with Type 2 Diabetes Mellitus. *N Engl J Med*. 2013;369(14):1317-1326. doi:10.1056/NEJMoa1307684

4. Heart Failure, Saxagliptin, and Diabetes Mellitus: Observations from the SAVOR-TIMI 53 Randomized Trial. doi:10.1161/CIRCULATIONAHA.114.010389

5. A Multicenter Observational Study of Incretin-based Drugs and Heart Failure | New England Journal of Medicine. Accessed December 2, 2024. https://www-nejm-org.emedien.ub.uni-muenchen.de/doi/10.1056/NEJMoa1506115

6. Risk for Hospitalized Heart Failure Among New Users of Saxagliptin, Sitagliptin, and Other Antihyperglycemic Drugs: A Retrospective Cohort Study: Annals of Internal Medicine: Vol 164, No 11. Accessed December 2, 2024. https://www.acpjournals.org/doi/10.7326/M15-2568

7. Patorno E, Gopalakrishnan C, Bartels DB, Brodovicz KG, Liu J, Schneeweiss S. Preferential prescribing and utilization trends of diabetes medications among patients with renal impairment: Emerging role of linagliptin and other dipeptidyl peptidase 4 inhibitors. *Endocrinol Diabetes Metab*. 2018;1(1):e00005. doi:10.1002/edm2.5

8. Gallwitz B. Safety and efficacy of linagliptin in type 2 diabetes patients with common renal and cardiovascular risk factors. *Ther Adv Endocrinol Metab*. 2013;4(3):95-105. doi:10.1177/2042018813486165

9. Packer M, Anker SD, Butler J, et al. Cardiovascular and Renal Outcomes with Empagliflozin in Heart Failure. *N Engl J Med*. 2020;383(15):1413-1424. doi:10.1056/NEJMoa2022190

10. McMurray JJV, Solomon SD, Inzucchi SE, et al. Dapagliflozin in Patients with Heart Failure and Reduced Ejection Fraction. *N Engl J Med*. 2019;381(21):1995-2008. doi:10.1056/NEJMoa1911303

11. Solomon SD, McMurray JJV, Claggett B, et al. Dapagliflozin in Heart Failure with Mildly Reduced or Preserved Ejection Fraction. *N Engl J Med*. 2022;387(12):1089-1098. doi:10.1056/NEJMoa2206286

12. Anker SD, Butler J, Filippatos G, et al. Empagliflozin in Heart Failure with a Preserved Ejection Fraction. *N Engl J Med*. 2021;385(16):1451-1461. doi:10.1056/NEJMoa2107038

13. Mohan V, Saboo B, Khader J, et al. Position of Sulfonylureas in the Current ERA: Review of National and International Guidelines. *Clin Med Insights Endocrinol*

Diabetes. 2022;15:11795514221074663. doi:10.1177/11795514221074663

14. Schneeweiss S. A basic study design for expedited safety signal evaluation based on electronic healthcare data. *Pharmacoepidemiol Drug Saf*. 2010;19(8):858-868. doi:10.1002/pds.1926

15. Ray WA. Evaluating medication effects outside of clinical trials: new-user designs. *Am J Epidemiol*. 2003;158(9):915-920. doi:10.1093/aje/kwg231

16. Bates BA, Akhabue E, Nahass MM, et al. Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced vs Preserved Ejection Fraction in a National Medicare Sample. *Circ Cardiovasc Qual Outcomes*. 2023;16(2):e009078. doi:10.1161/CIRCOUTCOMES.122.009078

17. McCormick N, Lacaille D, Bhole V, Avina-Zubieta JA. Validity of Heart Failure Diagnoses in Administrative Databases: A Systematic Review and Meta-Analysis. Guo Y, ed. *PLoS ONE*. 2014;9(8):e104519. doi:10.1371/journal.pone.0104519

18. Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A combined comorbidity score predicted mortality in elderly patients better than existing scores. *J Clin Epidemiol*. 2011;64(7):749-759. doi:10.1016/j.jclinepi.2010.10.004

19. Sun JW, Rogers JR, Her Q, et al. Adaptation and Validation of the Combined Comorbidity Score for ICD-10-CM. *Med Care*. 2017;55(12):1046-1051. doi:10.1097/MLR.0000000000000824

20. Measuring Frailty in Medicare Data: Development and Validation of a Claims-Based Frailty Index - PubMed. Accessed December 18, 2024. https://pubmed.ncbi.nlm.nih.gov/29244057/

21. Thomas LE, Li F, Pencina MJ. Overlap Weighting: A Propensity Score Method That Mimics Attributes of a Randomized Clinical Trial. *JAMA*. 2020;323(23):2417. doi:10.1001/jama.2020.7819

22. Kosiborod MN, Petrie MC, Borlaug BA, et al. Semaglutide in Patients with Obesity-Related Heart Failure and Type 2 Diabetes. *N Engl J Med*. 2024;390(15):1394-1407. doi:10.1056/NEJMoa2313917

23. Wang SV, Schneeweiss S, RCT-DUPLICATE Initiative. Emulation of Randomized Clinical Trials With Nonrandomized Database Analyses: Results of 32 Clinical Trials. *JAMA*. 2023;329(16):1376-1385. doi:10.1001/jama.2023.4221

24. Franklin JM, Pawar A, Martin D, et al. Nonrandomized Real-World Evidence to Support Regulatory Decision Making: Process for a Randomized Trial Replication Project. *Clin Pharmacol Ther*. 2020;107(4):817-826. doi:10.1002/cpt.1633

25. Hill ME, Rosenwaike I. The Social Security Administration’s Death Master File: the completeness of death reporting at older ages. *Soc Secur Bull*. 2001;64(1):45-51.

26. Death Information in the Research Identifiable Medicare Data | ResDAC. Accessed December 2, 2024. https://resdac.org/articles/death-information-research-identifiable-medicare-data

27. Olubowale OT, Safford MM, Brown TM, et al. Comparison of Expert Adjudicated Coronary Heart Disease and Cardiovascular Disease Mortality With the National Death Index: Results From the REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. *J Am Heart Assoc*. 2017;6(5):e004966. doi:10.1161/JAHA.116.004966

28. Desai RJ, Lin KJ, Patorno E, et al. Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure. *Circ Cardiovasc Qual Outcomes*. 2018;11(12):e004700. doi:10.1161/CIRCOUTCOMES.118.004700

29. Abdel Jawad M, Spertus JA, Ikeaba U, et al. Early Adoption of Sodium-Glucose Cotransporter-2 Inhibitor in Patients Hospitalized With Heart Failure With Mildly Reduced or Preserved Ejection Fraction. *JAMA Cardiol*. Published online November 18, 2024. doi:10.1001/jamacardio.2024.4489

30. Desai RJ, Solomon SD, Vaduganathan M. Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries. *Journal of Cardiac Failure*. 2022;28(6):1035-1039. doi:10.1016/j.cardfail.2022.01.012

10. Appendices

See accompanying excel files that specify the cohort studies (strict: patients meeting the eligibility criteria of the SUMMIT trial; relaxed: a broader patient population when relaxing the eligibility criteria of the SUMMIT trial).

1$^{\text{strict, relaxed}}$ **Target Trial Framework, Operational Definitions, and Data Fitness Assessment**

2$^{\text{strict, relaxed}}$ **Code algorithms**

- 2a$^{\text{strict, relaxed}}$ Exposure
- 2a$^{\text{strict, relaxed}}$ Inclusion
- 2c$^{\text{strict, relaxed}}$ Exclusion
- 2d$^{\text{strict, relaxed}}$ Outcome

3$^{\text{strict, relaxed}}$ **Flowchart for cohort assembly**

4$^{\text{strict, relaxed}}$ **1st feasibility assessment**

5$^{\text{strict, relaxed}}$ **2nd feasibility assessment**

6$^{\text{strict, relaxed}}$ **Balance Assessment - PS Distribution and C-Statistic**

7$^{\text{strict, relaxed}}$ **Balance Assessment - Table 1**

	Variable_name	Details
Demographics	Age	
	Gender	
	Race*	
	Region/State	
Lifestyle risk factors	Smoking / Tobacco use	
	Overweight, if BMI is 27.0 to 29.9	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	
	Unspecified obesity	
Diabetes complications	Diabetic retinopathy	
	Diabetic neuropathy	
	Diabetic nephropathy	
	Diabetes with other ophthalmic complications	
	Diabetes with peripheral circulatory disorders	
	Diabetic foot	
	Erectile dysfunction	
	Hypoglycemia	
	Hyperglycemia/DKA/HONK	
	Skin infections	
Cardiovascular-related conditions	Angina	
	Hypertension	
	Hypotension	
	Hyperlipidemia	
	Atrial fibrillation	
	Myocardial infarction	
	Cerebrovascular procedure	
	Coronary atherosclerosis	
	Cardiac conduction disorder	
	Previous cardiac procedure (CABG, PTCA, Stent)	
	Ischemic stroke	
	PVD diagnosis or surgery	
	Other cardiac dysrhythmia	
	Cardiomyopathy	
	Valve disorders	
	Valve replacement	
	TIA	
	Edema	
	Venous thromboembolism	
	Pulmonary hypertension	
	Insertion of pacemakers / removal of cardiac lead	
	Implantable cardioverter defibrillator	
	Hyperkalemia	
Renal-related conditions	CKD stage 1-2	
	CKD stage 3-4	
	Unspecified CKD	
	Acute kidney injury	
	Urolithiasis (kidney or urinary stones)	
	Hypertensive nephropathy	
	Urinary tract infections	
	Genital infections	
Other comorbidities	COPD	
	Asthma	
	Serious bacterial infections	
	Pneumonia	
	Influenza	
	Obstructive sleep apnea	
	Liver disease	
	MASH/MASLD	
	Hyperthyroidism and other thyroid gland disorders	
	Hypothyroidism	
	Fractures / Falls	
	Osteoporosis	
	Depression	
	Dementia	
	Delirium or psychosis	
	Anemia	
	Urinary incontinence	
	Biliary disease	
	Pancreatitis	
	Bowel obstruction	
	Gastroparesis	

Diabetes medications	Metformin	
	Insulin	
	Sulfonylureas	
	DPP4i (except sitagliptin)	
	SGLT2i	
	Other glucose-lowering drugs	
Heart failure medications	ACEi / ARB	
	ARNI	
	Thiazides	
	Beta-Blockers	
	Calcium channel blockers	
	Digoxin / Digitoxin	
	Loop diuretics	
	Other diuretics	
	Intravenous diuretics	
	Nitrates	
Other medications	Anti-arrhythmics	
	Statins	
	PCSK9 inhibitors and other lipid-lowering drugs	
	Antiplatelet agents	
	Oral anticoagulants	
	COPD/Asthma medication	
	NSAIDs	
	Oral corticosteroids	
	Osteoporosis agents (incl. bisphosphonates)	
	Opioids	
	Anti-depressants	
	Antipsychotics	
	Anxiolytics/hypnotics, benzodiazepines	
	Urinary tract infections antibiotics	
	Laxatives	
Healthcare utilization markers	Number of distinct medications, median (iqr), mean (sd)	
	Number of emergency department visit median (iqr), mean (sd)	
	Number of office visits median (iqr), mean (sd)	
	Number of endocrinologist visits, median (iqr), mean (sd)	
	Number of cardiologist visits, median (iqr), mean (sd)	
	Number of internal medicine/family medicine visits, median (iqr), mean (sd)	
	Number of electrocardiograms, median (iqr), mean (sd)	
	Number of echocardiograms, median (iqr), mean (sd)	
	Pharmacy out-of-pocket cost, median (iqr), mean (sd)	
	Unique brand medications, median (iqr), mean (sd)**	
	Unique generic medications, median (iqr), mean (sd)**	
	Ratio of unique brand to generic medications, median (iqr), mean (sd)	
Healthy behavior markers	Colonoscopy, Sigmoidoscopy	
	Flu vaccine / Pneumococcal vaccine	
	Pap smear	
	PSA test	
	Fecal Occult Blood Test	
	Bone mineral density tests	
	Mammograms	
Laboratory and diagnostic tests	Number of HbA1c tests, median (iqr), mean (sd)	
	Number of Lipid panels, median (iqr), mean (sd)	
	Number of Creatinine tests, median (iqr), mean (sd)	
	Number of Urine tests, median (iqr), mean (sd)	
Lab values	HbA1c**	If <2 or >20, then set to missing
	Glucose**	If <30, then set to missing
	Creatinine**	If <0.8, then 0.8 AND >30, then set to missing
	Systolic blood pressure**	If <30, then set to missing
	Heart rate**	If <30, then set to missing
	BMI**	If <10 or >100, then set to missing
	BNP**	If 0 or >10,000, then set to missing
	proBNP**	If 0 or >20,000, then set to missing
	eGFR**	If 0, then set to missing
Burden of comorbidities	Combined comorbidity score	
	Frailty score	
Baseline hospitalizations and hospital metrics	Number of any hospitalization, median (iqr), mean (sd)	
	0, 1, >1 hospitalizations for heart failure	
	0, 1, >1 hospitalizations for other reason	
Calendar year of cohort entry	Calendar year	

*Available for Optum Clinformatics and Medicare
**Not used in the PS model

	Variable_name	Code	Code_category	Description	Code_type	Notes
Demographics	Age					
	Gender	Male				
	Gender	Female				
	Race	White				
	Race	Black				
	Race	Other (Asian, Hispanic, North American Native)				
	Race	Unknown/missing				
	Region / State	Northwest				
	Region / State	South				
	Region / State	West				
	Region / State	Unknown/missing				
Lifestyle risk factors	Smoking / Tobacco use	F17.200	DX	NICOTINE DEPENDENCE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM	
	Smoking / Tobacco use	F17.201	DX	NICOTINE DEPENDENCE, UNSPECIFIED, IN REMISSION	ICD-10-CM	
	Smoking / Tobacco use	F17.203	DX	NICOTINE DEPENDENCE UNSPECIFIED, WITH WITHDRAWAL	ICD-10-CM	
	Smoking / Tobacco use	F17.208	DX	NICOTINE DEPENDENCE, UNSPECIFIED, WITH OTHER NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.209	DX	NICOTINE DEPENDENCE, UNSPECIFIED, WITH UNSPECIFIED NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.210	DX	NICOTINE DEPENDENCE, CIGARETTES, UNCOMPLICATED	ICD-10-CM	
	Smoking / Tobacco use	F17.211	DX	NICOTINE DEPENDENCE, CIGARETTES, IN REMISSION	ICD-10-CM	
	Smoking / Tobacco use	F17.213	DX	NICOTINE DEPENDENCE, CIGARETTES, WITH WITHDRAWAL	ICD-10-CM	
	Smoking / Tobacco use	F17.218	DX	NICOTINE DEPENDENCE, CIGARETTES, WITH OTHER NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.219	DX	NICOTINE DEPENDENCE, CIGARETTES, WITH UNSPECIFIED NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.220	DX	NICOTINE DEPENDENCE, CHEWING TOBACCO, UNCOMPLICATED	ICD-10-CM	
	Smoking / Tobacco use	F17.221	DX	NICOTINE DEPENDENCE, CHEWING TOBACCO, IN REMISSION	ICD-10-CM	
	Smoking / Tobacco use	F17.223	DX	NICOTINE DEPENDENCE, CHEWING TOBACCO, WITH WITHDRAWAL	ICD-10-CM	
	Smoking / Tobacco use	F17.228	DX	NICOTINE DEPENDENCE, CHEWING TOBACCO, WITH OTHER NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.229	DX	NICOTINE DEPENDENCE, CHEWING TOBACCO, WITH UNSPECIFIED NICOTINE-INDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.290	DX	NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, UNCOMPLICATED	ICD-10-CM	
	Smoking / Tobacco use	F17.291	DX	NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, IN REMISSION	ICD-10-CM	
	Smoking / Tobacco use	F17.293	DX	NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, WITH WITHDRAWAL	ICD-10-CM	
	Smoking / Tobacco use	F17.298	DX	NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, WITH OTHER NICOTINEINDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	F17.299	DX	NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, WITH UNSPECIFIED NICOTINEINDUCED DISORDERS	ICD-10-CM	
	Smoking / Tobacco use	O99.330	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	
	Smoking / Tobacco use	O99.331	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM	
	Smoking / Tobacco use	O99.332	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM	
	Smoking / Tobacco use	O99.333	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM	
	Smoking / Tobacco use	O99.334	DX	SMOKING (TOBACCO) COMPLICATING CHILDBIRTH	ICD-10-CM	
	Smoking / Tobacco use	O99.335	DX	SMOKING (TOBACCO) COMPLICATING THE PUERPERIUM	ICD-10-CM	
	Smoking / Tobacco use	T65.211A	DX	TOXIC EFFECT OF CHEWING TOBACCO, ACCIDENTAL (UNINTENTIONAL), INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.212A	DX	TOXIC EFFECT OF CHEWING TOBACCO, INTENTIONAL SELFHARM, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.213A	DX	TOXIC EFFECT OF CHEWING TOBACCO, ASSAULT, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.214A	DX	TOXIC EFFECT OF CHEWING TOBACCO, UNDETERMINED, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.221A	DX	TOXIC EFFECT OF TOBACCO CIGARETTES, ACCIDENTAL (UNINTENTIONAL), INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.222A	DX	TOXIC EFFECT OF TOBACCO CIGARETTES, INTENTIONAL SELFHARM, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.223A	DX	TOXIC EFFECT OF TOBACCO CIGARETTES, ASSAULT, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.224A	DX	TOXIC EFFECT OF TOBACCO CIGARETTES, UNDETERMINED, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.291A	DX	TOXIC EFFECT OF OTHER TOBACCO AND NICOTINE, ACCIDENTAL (UNINTENTIONAL), INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.292A	DX	TOXIC EFFECT OF OTHER TOBACCO AND NICOTINE, INTENTIONAL SELFHARM, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.293A	DX	TOXIC EFFECT OF OTHER TOBACCO AND NICOTINE, ASSAULT, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	T65.294A	DX	TOXIC EFFECT OF OTHER TOBACCO AND NICOTINE, UNDETERMINED, INITIAL ENCOUNTER	ICD-10-CM	
	Smoking / Tobacco use	Z72.0	DX	TOBACCO USE	ICD-10-CM	
	Smoking / Tobacco use	Z87.891	DX	PERSONAL HISTORY OF NICOTINE DEPENDENCE	ICD-10-CM	
	Smoking / Tobacco use	99406	PX	SMOKING AND TOBACCO USE CESSATION COUNSELING VISIT; INTERMEDIATE, GREATER THAN 3 MINUTES UP TO 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	99407	PX	SMOKING AND TOBACCO USE CESSATION COUNSELING VISIT; INTENSIVE, GREATER THAN 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	C9801	PX	SMOKING AND TOBACCO CESSATION COUNSELING VISIT FOR THE ASYMPTOMATIC PATIENT; INTERMEDIATE, GREATER THAN 3 MINUTES, UP TO 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	C9802	PX	SMOKING AND TOBACCO CESSATION COUNSELING VISIT FOR THE ASYMPTOMATIC PATIENT; INTENSIVE, GREATER THAN 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	D1320	PX	TOBACCO COUNSELING FOR THE CONTROL AND PREVENTION OF ORAL DISEASE	CPT/HCPCS	
	Smoking / Tobacco use	G0375	PX	SMOKING AND TOBACCO USE CESSATION COUNSELING VISIT; INTERMEDIATE, GREATER THAN 3 MINUTES UP TO 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	G0376	PX	SMOKING AND TOBACCO USE CESSATION COUNSELING VISIT; INTENSIVE, GREATER THAN 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	G0436	PX	SMOKING AND TOBACCO CESSATION COUNSELING VISIT FOR THE ASYMPTOMATIC PATIENT; INTERMEDIATE, GREATER THAN 3 MINUTES, UP TO 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	G0437	PX	SMOKING AND TOBACCO CESSATION COUNSELING VISIT FOR THE ASYMPTOMATIC PATIENT; INTENSIVE, GREATER THAN 10 MINUTES	CPT/HCPCS	
	Smoking / Tobacco use	G8093	PX	NEWLY DIAGNOSED CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) PATIENT DOCUMENTED TO HAVE RECEIVED SMOKING CESSATION INTERVENTION, WITHIN 3 MONTHS OF DIAGNOSIS	CPT/HCPCS	
	Smoking / Tobacco use	G8094	PX	NEWLY DIAGNOSED CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) PATIENT NOT DOCUMENTED TO HAVE RECEIVED SMOKING CESSATION INTERVENTION, WITHIN 3 MONTHS OF DIAGNOSIS / NEWLY DIAGNOSED CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) PATIENT NOT DOCUMENTED TO HAVE RECEIVED SMOKING CESSATION INTERVENTION, WITHIN 3 MONTHS OF DIAGNOSIS	CPT/HCPCS	
	Smoking / Tobacco use	G8402	PX	TOBACCO (SMOKE) USE CESSATION INTERVENTION, COUNSELING	CPT/HCPCS	
	Smoking / Tobacco use	G8403	PX	TOBACCO (SMOKE) USE CESSATION INTERVENTION NOT COUNSELED	CPT/HCPCS	
	Smoking / Tobacco use	G8453	PX	TOBACCO USE CESSATION INTERVENTION, COUNSELING	CPT/HCPCS	
	Smoking / Tobacco use	G8454	PX	TOBACCO USE CESSATION INTERVENTION NOT COUNSELED, REASON NOT SPECIFIED	CPT/HCPCS	
	Smoking / Tobacco use	G8455	PX	CURRENT TOBACCO SMOKER	CPT/HCPCS	
	Smoking / Tobacco use	G8456	PX	CURRENT SMOKELESS TOBACCO USER	CPT/HCPCS	
	Smoking / Tobacco use	G8688	PX	CURRENTLY A SMOKELESS TOBACCO USER (EG, CHEW, SNUFF) AND NO EXPOSURE TO SECONDHAND SMOKE	CPT/HCPCS	
	Smoking / Tobacco use	G8690	PX	CURRENT TOBACCO SMOKER OR CURRENT EXPOSURE TO SECONDHAND SMOKE	CPT/HCPCS	
	Smoking / Tobacco use	G8692	PX	CURRENT SMOKELESS TOBACCO USER (EG, CHEW, SNUFF) AND NO EXPOSURE TO SECONDHAND SMOKE	CPT/HCPCS	
	Smoking / Tobacco use	G9016	PX	SMOKING CESSATION COUNSELING, INDIVIDUAL, IN THE ABSENCE OF OR IN ADDITION TO ANY OTHER EVALUATION AND MANAGEMENT SERVICE, PER SESSION (6-10 MINUTES) [DEMO PROJECT CODE ONLY]	CPT/HCPCS	
	Smoking / Tobacco use	G9276	PX	DOCUMENTATION THAT PATIENT IS A CURRENT TOBACCO USER	CPT/HCPCS	
	Smoking / Tobacco use	G9458	PX	PATIENT DOCUMENTED AS TOBACCO USER AND RECEIVED TOBACCO CESSATION INTERVENTION (MUST INCLUDE AT LEAST ONE OF THE FOLLOWING: ADVICE GIVEN TO QUIT SMOKING OR TOBACCO USE, COUNSELING ON THE BENEFITS OF QUITTING SMOKING OR TOBACCO USE, ASSISTANCE WITH OR REFERRAL TO EXTERNAL SMOKING OR TOBACCO CESSATION SUPPORT PROGRAMS, OR CURRENT ENROLLMENT IN SMOKING OR TOBACCO USE CESSATION PROGRAM) IF IDENTIFIED AS A TOBACCO USER	CPT/HCPCS	
	Overweight, if BMI is 27.0 to 29.9	Z68.27	DX	BODY MASS INDEX [BMI] 27.0-27.9, ADULT	ICD-10-CM	
	Overweight, if BMI is 27.0 to 29.9	Z68.28	DX	BODY MASS INDEX [BMI] 28.0-28.9, ADULT	ICD-10-CM	
	Overweight, if BMI is 27.0 to 29.9	Z68.29	DX	BODY MASS INDEX [BMI] 29.0-29.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Z68.30	DX	BODY MASS INDEX [BMI] 30.0-30.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Z68.31	DX	BODY MASS INDEX [BMI] 31.0-31.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Z68.32	DX	BODY MASS INDEX [BMI] 32.0-32.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Z68.33	DX	BODY MASS INDEX [BMI] 33.0-33.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Z68.34	DX	BODY MASS INDEX [BMI] 34.0-34.9, ADULT	ICD-10-CM	
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	E66.811	DX	OBESITY, CLASS 1	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	Z68.35	DX	BODY MASS INDEX [BMI] 35.0-35.9, ADULT	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	Z68.36	DX	BODY MASS INDEX [BMI] 36.0-36.9, ADULT	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	Z68.37	DX	BODY MASS INDEX [BMI] 37.0-37.9, ADULT	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	Z68.38	DX	BODY MASS INDEX [BMI] 38.0-38.9, ADULT	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	Z68.39	DX	BODY MASS INDEX [BMI] 39.0-39.9, ADULT	ICD-10-CM	
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9	E66.812	DX	OBESITY, CLASS 2	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	E66.01	DX	MORBID (SEVERE) OBESITY DUE TO EXCESS CALORIES	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	E66.2	DX	MORBID (SEVERE) OBESITY WITH ALVEOLAR HYPOVENTILATION	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.4	DX	BODY MASS INDEX [BMI] 40 OR GREATER, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.41	DX	BODY MASS INDEX [BMI] 40.0-44.9, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.42	DX	BODY MASS INDEX [BMI] 45.0-49.9, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.43	DX	BODY MASS INDEX [BMI] 50.0-59.9, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.44	DX	BODY MASS INDEX [BMI] 60.0-69.9, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	Z68.45	DX	BODY MASS INDEX [BMI] 70 OR GREATER, ADULT	ICD-10-CM	
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40	E66.813	DX	OBESITY, CLASS 3	ICD-10-CM	
	Unspecified obesity	E66.0	DX	OBESITY DUE TO EXCESS CALORIES	ICD-10-CM	
	Unspecified obesity	E66.09	DX	OTHER OBESITY DUE TO EXCESS CALORIES	ICD-10-CM	
	Unspecified obesity	E66.1	DX	DRUG-INDUCED OBESITY	ICD-10-CM	
	Unspecified obesity	E66.8	DX	OTHER OBESITY	ICD-10-CM	
	Unspecified obesity	E66.89	DX	OTHER OBESITY NOT ELSEWHERE CLASSIFIED	ICD-10-CM	
	Unspecified obesity	E66.9	DX	OBESITY, UNSPECIFIED	ICD-10-CM	
Diabetes complications	Diabetic retinopathy	E10.3	DX	TYPE 1 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM	
	Diabetic retinopathy	E10.31	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM	
	Diabetic retinopathy	E10.311	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
	Diabetic retinopathy	E10.319	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
	Diabetic retinopathy	E10.32	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
	Diabetic retinopathy	E10.321	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
	Diabetic retinopathy	E10.3211	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
	Diabetic retinopathy	E10.3212	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
	Diabetic retinopathy	E10.3213	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
	Diabetic retinopathy	E10.3219	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
	Diabetic retinopathy	E10.329	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
	Diabetic retinopathy	E10.3291	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
	Diabetic retinopathy	E10.3292	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM	
	Diabetic retinopathy	E10.3293	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM	

Diabetic retinopathy	E10.3299	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.33	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E10.331	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3311	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3312	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3313	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3319	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.339	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3391	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3392	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3393	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3399	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.34	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E10.341	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3411	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3412	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3413	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3419	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.349	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3491	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3492	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3493	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3499	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.35	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E10.351	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3511	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3512	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3513	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3519	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.352	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E10.3521	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3522	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3523	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3529	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.353	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E10.3531	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3532	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3533	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3539	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.354	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
Diabetic retinopathy	E10.3541	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3542	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3543	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3549	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.355	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E10.3551	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3552	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3553	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3559	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.359	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E10.3591	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.3592	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.3593	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.3599	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E10.37	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
Diabetic retinopathy	E10.37X1	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E10.37X2	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E10.37X3	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
Diabetic retinopathy	E10.37X9	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.3	DX	TYPE 2 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM
Diabetic retinopathy	E11.31	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.311	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.319	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.32	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.321	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3211	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3212	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3213	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3219	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.329	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3291	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3292	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3293	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3299	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.33	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.331	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3311	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3312	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3313	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3319	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.339	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3391	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3392	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3393	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3399	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.34	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.341	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3411	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3412	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3413	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3419	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.349	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3491	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3492	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3493	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM

Diabetic retinopathy	E11.3499	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.35	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.351	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3511	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3512	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3513	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3519	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.352	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E11.3521	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3522	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3523	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3529	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.353	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E11.3531	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3532	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3533	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3539	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.354	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
Diabetic retinopathy	E11.3541	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3542	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3543	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3549	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.355	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E11.3551	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3552	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3553	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3559	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.359	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E11.3591	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.3592	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.3593	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.3599	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E11.37	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
Diabetic retinopathy	E11.37X1	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E11.37X2	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E11.37X3	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
Diabetic retinopathy	E11.37X9	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.3	DX	OTHER SPECIFIED DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM
Diabetic retinopathy	E13.31	DX	OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.311	DX	OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.319	DX	OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.32	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.321	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3211	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3212	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3213	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3219	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.329	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3291	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3292	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3293	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3299	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.33	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.331	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3311	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3312	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3313	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3319	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.339	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3391	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3392	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3393	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3399	DX	OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.34	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.341	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3411	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3412	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3413	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3419	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.349	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3491	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3492	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3493	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3499	DX	OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.35	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.351	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3511	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3512	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3513	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3519	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.352	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E13.3521	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3522	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3523	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3529	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.353	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
Diabetic retinopathy	E13.3531	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3532	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3533	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3539	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.354	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
Diabetic retinopathy	E13.3541	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3542	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3543	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM

Diabetic retinopathy	E13.3549	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.355	DX	OTHER SPECIFIED DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
Diabetic retinopathy	E13.3551	DX	OTHER SPECIFIED DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3552	DX	OTHER SPECIFIED DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3553	DX	OTHER SPECIFIED DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3559	DX	OTHER SPECIFIED DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.359	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
Diabetic retinopathy	E13.3591	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.3592	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.3593	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.3599	DX	OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	E13.37	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
Diabetic retinopathy	E13.37X1	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	E13.37X2	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
Diabetic retinopathy	E13.37X3	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
Diabetic retinopathy	E13.37X9	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	H43.1	DX	VITREOUS HEMORRHAGE	ICD-10-CM
Diabetic retinopathy	H43.10	DX	VITREOUS HEMORRHAGE, UNSPECIFIED EYE	ICD-10-CM
Diabetic retinopathy	H43.11	DX	VITREOUS HEMORRHAGE, RIGHT EYE	ICD-10-CM
Diabetic retinopathy	H43.12	DX	VITREOUS HEMORRHAGE, LEFT EYE	ICD-10-CM
Diabetic retinopathy	H43.13	DX	VITREOUS HEMORRHAGE, BILATERAL	ICD-10-CM
Diabetic retinopathy	67036	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH;	CPT/HCPCS
Diabetic retinopathy	67039	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH; WITH FOCAL ENDOLASER PHOTOCOAGULATION	CPT/HCPCS
Diabetic retinopathy	67040	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH; WITH ENDOLASER PANRETINAL PHOTOCOAGULATION	CPT/HCPCS
Diabetic retinopathy	67041	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH; WITH REMOVAL OF PRERETINAL CELLULAR MEMBRANE (EG, MACULAR PUCKER)	CPT/HCPCS
Diabetic retinopathy	67042	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH; WITH REMOVAL OF INTERNAL LIMITING MEMBRANE OF RETINA (EG, FOR REPAIR OF MACULAR HOLE, DIABETIC MACULAR EDEMA), INCLUDES, IF PERFORMED, INTRAOCULAR TAMPONADE (IE, AIR, GAS OR SILICONE OIL)	CPT/HCPCS
Diabetic retinopathy	67043	PX	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH; WITH REMOVAL OF SUBRETINAL MEMBRANE (EG, CHOROIDAL NEOVASCULARIZATION), INCLUDES, IF PERFORMED, INTRAOCULAR TAMPONADE (IE, AIR, GAS OR SILICONE OIL) AND LASER PHOTOCOAGULATION	CPT/HCPCS
Diabetic retinopathy	67113	PX	REPAIR OF COMPLEX RETINAL DETACHMENT (EG, PROLIFERATIVE VITREORETINOPATHY, STAGE C-1 OR GREATER, DIABETIC TRACTION RETINAL DETACHMENT, RETINOPATHY OF PREMATURITY, RETINAL TEAR OF GREATER THAN 90 DEGREES), WITH VITRECTOMY AND MEMBRANE PEELING, INCLUDING, WHEN PERFORMED, AIR, GAS, OR SILICONE OIL TAMPONADE, CRYOTHERAPY, ENDOLASER PHOTOCOAGULATION, DRAINAGE OF SUBRETINAL FLUID, SCLERAL BUCKLING, AND/OR REMOVAL OF LENS	CPT/HCPCS
Diabetic retinopathy	67228	PX	TREATMENT OF EXTENSIVE OR PROGRESSIVE RETINOPATHY (EG, DIABETIC RETINOPATHY), PHOTOCOAGULATION	CPT/HCPCS
Diabetic retinopathy	67229	PX	TREATMENT OF EXTENSIVE OR PROGRESSIVE RETINOPATHY, 1 OR MORE SESSIONS, PRETERM INFANT (LESS THAN 37 WEEKS GESTATION AT BIRTH), PERFORMED FROM BIRTH UP TO 1 YEAR OF AGE (EG, RETINOPATHY OF PREMATURITY), PHOTOCOAGULATION OR CRYOTHERAPY	CPT/HCPCS
Diabetic neuropathy	E10.610	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
Diabetic neuropathy	E11.610	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
Diabetic neuropathy	E13.610	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
Diabetic neuropathy	E10.4	DX	TYPE 1 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
Diabetic neuropathy	E10.40	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
Diabetic neuropathy	E10.41	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
Diabetic neuropathy	E10.42	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
Diabetic neuropathy	E10.43	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
Diabetic neuropathy	E10.44	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
Diabetic neuropathy	E10.49	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
Diabetic neuropathy	E11.4	DX	TYPE 2 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
Diabetic neuropathy	E11.40	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
Diabetic neuropathy	E11.41	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
Diabetic neuropathy	E11.42	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
Diabetic neuropathy	E11.43	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
Diabetic neuropathy	E11.44	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
Diabetic neuropathy	E11.49	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
Diabetic neuropathy	E13.4	DX	OTHER SPECIFIED DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
Diabetic neuropathy	E13.40	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
Diabetic neuropathy	E13.41	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
Diabetic neuropathy	E13.42	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
Diabetic neuropathy	E13.43	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
Diabetic neuropathy	E13.44	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
Diabetic neuropathy	E13.49	DX	OTHER SPECIFIED DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
Diabetic nephropathy	E10.2	DX	TYPE 1 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM
Diabetic nephropathy	E10.21	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
Diabetic nephropathy	E10.22	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
Diabetic nephropathy	E10.29	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM
Diabetic nephropathy	E11.2	DX	TYPE 2 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM
Diabetic nephropathy	E11.21	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
Diabetic nephropathy	E11.22	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
Diabetic nephropathy	E11.29	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM
Diabetic nephropathy	E13.2	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM
Diabetic nephropathy	E13.21	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
Diabetic nephropathy	E13.22	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
Diabetic nephropathy	E13.29	DX	OTHER SPECIFIED DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM
Diabetes with other opthalmic complications	E08.36	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC CATARACT	ICD-10-CM
Diabetes with other opthalmic complications	E09.36	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
Diabetes with other opthalmic complications	E13.36	DX	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
Diabetes with other opthalmic complications	H35.81	DX	RETINAL EDEMA	ICD-10-CM
Diabetes with other opthalmic complications	H42	DX	GLAUCOMA IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Diabetes with other opthalmic complications	E10.39	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
Diabetes with other opthalmic complications	E13.39	DX	OTHER SPECIFIED DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
Diabetes with other opthalmic complications	E11.39	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
Diabetes with other opthalmic complications	E10.36	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
Diabetes with other opthalmic complications	E11.36	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
Diabetes with peripheral circulatory disorders	E11.5	DX	TYPE 2 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
Diabetes with peripheral circulatory disorders	E11.51	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
Diabetes with peripheral circulatory disorders	E11.52	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM
Diabetes with peripheral circulatory disorders	E11.59	DX	TYPE 2 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
Diabetes with peripheral circulatory disorders	E10.5	DX	TYPE 1 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
Diabetes with peripheral circulatory disorders	E10.51	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
Diabetes with peripheral circulatory disorders	E10.52	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM
Diabetes with peripheral circulatory disorders	E10.59	DX	TYPE 1 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
Diabetic foot	Z89.41	DX	ACQUIRED ABSENCE OF GREAT TOE	ICD-10-CM
Diabetic foot	Z89.411	DX	ACQUIRED ABSENCE OF RIGHT GREAT TOE	ICD-10-CM
Diabetic foot	Z89.412	DX	ACQUIRED ABSENCE OF LEFT GREAT TOE	ICD-10-CM
Diabetic foot	Z89.419	DX	ACQUIRED ABSENCE OF UNSPECIFIED GREAT TOE	ICD-10-CM
Diabetic foot	Z89.42	DX	ACQUIRED ABSENCE OF OTHER TOE(S)	ICD-10-CM
Diabetic foot	Z89.421	DX	ACQUIRED ABSENCE OF OTHER RIGHT TOE(S)	ICD-10-CM
Diabetic foot	Z89.422	DX	ACQUIRED ABSENCE OF OTHER LEFT TOE(S)	ICD-10-CM
Diabetic foot	Z89.429	DX	ACQUIRED ABSENCE OF OTHER TOE(S), UNSPECIFIED SIDE	ICD-10-CM
Diabetic foot	Z89.43	DX	ACQUIRED ABSENCE OF FOOT	ICD-10-CM
Diabetic foot	Z89.431	DX	ACQUIRED ABSENCE OF RIGHT FOOT	ICD-10-CM
Diabetic foot	Z89.432	DX	ACQUIRED ABSENCE OF LEFT FOOT	ICD-10-CM
Diabetic foot	Z89.439	DX	ACQUIRED ABSENCE OF UNSPECIFIED FOOT	ICD-10-CM
Diabetic foot	Z89.44	DX	ACQUIRED ABSENCE OF ANKLE	ICD-10-CM
Diabetic foot	Z89.441	DX	ACQUIRED ABSENCE OF RIGHT ANKLE	ICD-10-CM
Diabetic foot	Z89.442	DX	ACQUIRED ABSENCE OF LEFT ANKLE	ICD-10-CM
Diabetic foot	Z89.449	DX	ACQUIRED ABSENCE OF UNSPECIFIED ANKLE	ICD-10-CM
Diabetic foot	Z89.5	DX	ACQUIRED ABSENCE OF LEG BELOW KNEE	ICD-10-CM
Diabetic foot	Z89.51	DX	ACQUIRED ABSENCE OF LEG BELOW KNEE	ICD-10-CM
Diabetic foot	Z89.511	DX	ACQUIRED ABSENCE OF RIGHT LEG BELOW KNEE	ICD-10-CM
Diabetic foot	Z89.512	DX	ACQUIRED ABSENCE OF LEFT LEG BELOW KNEE	ICD-10-CM
Diabetic foot	Z89.519	DX	ACQUIRED ABSENCE OF UNSPECIFIED LEG BELOW KNEE	ICD-10-CM
Diabetic foot	Z89.52	DX	ACQUIRED ABSENCE OF KNEE	ICD-10-CM
Diabetic foot	Z89.521	DX	ACQUIRED ABSENCE OF RIGHT KNEE	ICD-10-CM
Diabetic foot	Z89.522	DX	ACQUIRED ABSENCE OF LEFT KNEE	ICD-10-CM
Diabetic foot	Z89.529	DX	ACQUIRED ABSENCE OF UNSPECIFIED KNEE	ICD-10-CM
Diabetic foot	L03.019	DX	CELLULITIS OF UNSPECIFIED FINGER	ICD-10-CM
Diabetic foot	L03.029	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER	ICD-10-CM
Diabetic foot	L03.039	DX	CELLULITIS OF UNSPECIFIED TOE	ICD-10-CM
Diabetic foot	L03.049	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED TOE	ICD-10-CM
Diabetic foot	L03.119	DX	CELLULITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
Diabetic foot	L03.129	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
Diabetic foot	L97.309	DX	NONPRESSURE CHRONIC ULCER OF UNSPECIFIED ANKLE WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L97.409	DX	NONPRESSURE CHRONIC ULCER OF UNSPECIFIED HEEL AND MIDFOOT WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L97.509	DX	NONPRESSURE CHRONIC ULCER OF OTHER PART OF UNSPECIFIED FOOT WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L97.909	DX	NONPRESSURE CHRONIC ULCER OF UNSPECIFIED PART OF UNSPECIFIED LOWER LEG WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L98.419	DX	NONPRESSURE CHRONIC ULCER OF BUTTOCK WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L98.429	DX	NONPRESSURE CHRONIC ULCER OF BACK WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	L98.499	DX	NONPRESSURE CHRONIC ULCER OF SKIN OF OTHER SITES WITH UNSPECIFIED SEVERITY	ICD-10-CM
Diabetic foot	M46.20	DX	OSTEOMYELITIS OF VERTEBRA, SITE UNSPECIFIED	ICD-10-CM
Diabetic foot	M86.169	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM

Diabetic foot	M86.179	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Diabetic foot	M86.18	DX	OTHER ACUTE OSTEOMYELITIS, OTHER SITE	ICD-10-CM
Diabetic foot	M86.19	DX	OTHER ACUTE OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Diabetic foot	M86.269	DX	SUBACUTE OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM
Diabetic foot	M86.279	DX	SUBACUTE OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Diabetic foot	M86.28	DX	SUBACUTE OSTEOMYELITIS, OTHER SITE	ICD-10-CM
Diabetic foot	M86.29	DX	SUBACUTE OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Diabetic foot	M86.669	DX	OTHER CHRONIC OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM
Diabetic foot	M86.679	DX	OTHER CHRONIC OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Diabetic foot	M86.69	DX	OTHER CHRONIC OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Diabetic foot	M86.9	DX	OSTEOMYELITIS, UNSPECIFIED	ICD-10-CM
Erectile dysfunction	N52.01	DX	ERECTILE DYSFUNCTION DUE TO ARTERIAL INSUFFICIENCY	ICD-10-CM
Erectile dysfunction	N52.02	DX	CORPORO-VENOUS OCCLUSIVE ERECTILE DYSFUNCTION	ICD-10-CM
Erectile dysfunction	N52.03	DX	COMBINED ARTERIAL INSUFFICIENCY AND CORPORO-VENOUS OCCLUSIVE ERECTILE DYSFUNCTION	ICD-10-CM
Erectile dysfunction	N52.1	DX	ERECTILE DYSFUNCTION DUE TO DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Erectile dysfunction	N52.8	DX	OTHER MALE ERECTILE DYSFUNCTION	ICD-10-CM
Erectile dysfunction	N52.9	DX	MALE ERECTILE DYSFUNCTION, UNSPECIFIED	ICD-10-CM
Hypoglycemia	E10.641	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
Hypoglycemia	E10.649	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
Hypoglycemia	E10.69	DX	TYPE 1 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Hypoglycemia	E11.641	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
Hypoglycemia	E11.649	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
Hypoglycemia	E11.69	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Hypoglycemia	E13.641	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
Hypoglycemia	E13.649	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
Hypoglycemia	E13.69	DX	OTHER SPECIFIED DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Hypoglycemia	E15	DX	NONDIABETIC HYPOGLYCEMIC COMA	ICD-10-CM
Hypoglycemia	E16.0	DX	DRUG-INDUCED HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
Hypoglycemia	E16.1	DX	OTHER HYPOGLYCEMIA	ICD-10-CM
Hypoglycemia	E16.2	DX	HYPOGLYCEMIA, UNSPECIFIED	ICD-10-CM
Hypoglycemia	T38.3X1A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), INITIAL ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X1D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), SUBSEQUENT ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X1S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), SEQUELA	ICD-10-CM
Hypoglycemia	T38.3X2A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM
Hypoglycemia	T38.3X2D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM
Hypoglycemia	T38.3X2S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM
Hypoglycemia	T38.3X3	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT	ICD-10-CM
Hypoglycemia	T38.3X3A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, INITIAL ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X3D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X3S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, SEQUELA	ICD-10-CM
Hypoglycemia	T38.3X4	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED	ICD-10-CM
Hypoglycemia	T38.3X4A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, INITIAL ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X4D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, SUBSEQUENT ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X4S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, SEQUELA	ICD-10-CM
Hypoglycemia	T38.3X5	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS	ICD-10-CM
Hypoglycemia	T38.3X5A	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INITIAL ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X5D	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Hypoglycemia	T38.3X5S	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, SEQUELA	ICD-10-CM
Hyperglycemia/DKA/HONK	E10.65	DX	TYPE 1 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.65	DX	TYPE 2 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.65	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
Hyperglycemia/DKA/HONK	R73.09	DX	OTHER ABNORMAL GLUCOSE	ICD-10-CM
Hyperglycemia/DKA/HONK	R73.9	DX	HYPERGLYCEMIA, UNSPECIFIED	ICD-10-CM
Hyperglycemia/DKA/HONK	E10.10	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.10	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E10.1	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM
Hyperglycemia/DKA/HONK	E10.11	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.1	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.1	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.11	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.0	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY	ICD-10-CM
Hyperglycemia/DKA/HONK	E08.00	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH HYPEROSMOLARITY WITHOUT NONKETOTICHYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM
Hyperglycemia/DKA/HONK	E08.01	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E09.00	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM
Hyperglycemia/DKA/HONK	E09.01	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.00	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM
Hyperglycemia/DKA/HONK	E11.01	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.00	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM
Hyperglycemia/DKA/HONK	E13.01	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM
Skin infections	B78.1	DX	CUTANEOUS STRONGYLOIDIASIS	ICD-10-CM
Skin infections	K12.2	DX	CELLULITIS AND ABSCESS OF MOUTH	ICD-10-CM
Skin infections	L01.00	DX	IMPETIGO, UNSPECIFIED	ICD-10-CM
Skin infections	L01.01	DX	NON-BULLOUS IMPETIGO	ICD-10-CM
Skin infections	L01.02	DX	BOCKHART'S IMPETIGO	ICD-10-CM
Skin infections	L01.03	DX	BULLOUS IMPETIGO	ICD-10-CM
Skin infections	L01.09	DX	OTHER IMPETIGO	ICD-10-CM
Skin infections	L01.1	DX	IMPETIGINIZATION OF OTHER DERMATOSES	ICD-10-CM
Skin infections	L02.01	DX	CUTANEOUS ABSCESS OF FACE	ICD-10-CM
Skin infections	L02.02	DX	FURUNCLE OF FACE	ICD-10-CM
Skin infections	L02.03	DX	CARBUNCLE OF FACE	ICD-10-CM
Skin infections	L02.11	DX	CUTANEOUS ABSCESS OF NECK	ICD-10-CM
Skin infections	L02.12	DX	FURUNCLE OF NECK	ICD-10-CM
Skin infections	L02.13	DX	CARBUNCLE OF NECK	ICD-10-CM
Skin infections	L02.211	DX	CUTANEOUS ABSCESS OF ABDOMINAL WALL	ICD-10-CM
Skin infections	L02.212	DX	CUTANEOUS ABSCESS OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM
Skin infections	L02.213	DX	CUTANEOUS ABSCESS OF CHEST WALL	ICD-10-CM
Skin infections	L02.214	DX	CUTANEOUS ABSCESS OF GROIN	ICD-10-CM
Skin infections	L02.215	DX	CUTANEOUS ABSCESS OF PERINEUM	ICD-10-CM
Skin infections	L02.216	DX	CUTANEOUS ABSCESS OF UMBILICUS	ICD-10-CM
Skin infections	L02.219	DX	CUTANEOUS ABSCESS OF TRUNK, UNSPECIFIED	ICD-10-CM
Skin infections	L02.221	DX	FURUNCLE OF ABDOMINAL WALL	ICD-10-CM
Skin infections	L02.222	DX	FURUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM
Skin infections	L02.223	DX	FURUNCLE OF CHEST WALL	ICD-10-CM
Skin infections	L02.224	DX	FURUNCLE OF GROIN	ICD-10-CM
Skin infections	L02.225	DX	FURUNCLE OF PERINEUM	ICD-10-CM
Skin infections	L02.226	DX	FURUNCLE OF UMBILICUS	ICD-10-CM
Skin infections	L02.229	DX	FURUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM
Skin infections	L02.231	DX	CARBUNCLE OF ABDOMINAL WALL	ICD-10-CM
Skin infections	L02.232	DX	CARBUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM
Skin infections	L02.233	DX	CARBUNCLE OF CHEST WALL	ICD-10-CM
Skin infections	L02.234	DX	CARBUNCLE OF GROIN	ICD-10-CM
Skin infections	L02.235	DX	CARBUNCLE OF PERINEUM	ICD-10-CM
Skin infections	L02.236	DX	CARBUNCLE OF UMBILICUS	ICD-10-CM
Skin infections	L02.239	DX	CARBUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM
Skin infections	L02.31	DX	CUTANEOUS ABSCESS OF BUTTOCK	ICD-10-CM
Skin infections	L02.32	DX	FURUNCLE OF BUTTOCK	ICD-10-CM
Skin infections	L02.33	DX	CARBUNCLE OF BUTTOCK	ICD-10-CM
Skin infections	L02.411	DX	CUTANEOUS ABSCESS OF RIGHT AXILLA	ICD-10-CM
Skin infections	L02.412	DX	CUTANEOUS ABSCESS OF LEFT AXILLA	ICD-10-CM
Skin infections	L02.413	DX	CUTANEOUS ABSCESS OF RIGHT UPPER LIMB	ICD-10-CM
Skin infections	L02.414	DX	CUTANEOUS ABSCESS OF LEFT UPPER LIMB	ICD-10-CM
Skin infections	L02.415	DX	CUTANEOUS ABSCESS OF RIGHT LOWER LIMB	ICD-10-CM
Skin infections	L02.416	DX	CUTANEOUS ABSCESS OF LEFT LOWER LIMB	ICD-10-CM
Skin infections	L02.419	DX	CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED	ICD-10-CM
Skin infections	L02.421	DX	FURUNCLE OF RIGHT AXILLA	ICD-10-CM
Skin infections	L02.422	DX	FURUNCLE OF LEFT AXILLA	ICD-10-CM
Skin infections	L02.423	DX	FURUNCLE OF RIGHT UPPER LIMB	ICD-10-CM
Skin infections	L02.424	DX	FURUNCLE OF LEFT UPPER LIMB	ICD-10-CM
Skin infections	L02.425	DX	FURUNCLE OF RIGHT LOWER LIMB	ICD-10-CM
Skin infections	L02.426	DX	FURUNCLE OF LEFT LOWER LIMB	ICD-10-CM
Skin infections	L02.429	DX	FURUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM
Skin infections	L02.431	DX	CARBUNCLE OF RIGHT AXILLA	ICD-10-CM
Skin infections	L02.432	DX	CARBUNCLE OF LEFT AXILLA	ICD-10-CM
Skin infections	L02.433	DX	CARBUNCLE OF RIGHT UPPER LIMB	ICD-10-CM
Skin infections	L02.434	DX	CARBUNCLE OF LEFT UPPER LIMB	ICD-10-CM
Skin infections	L02.435	DX	CARBUNCLE OF RIGHT LOWER LIMB	ICD-10-CM
Skin infections	L02.436	DX	CARBUNCLE OF LEFT LOWER LIMB	ICD-10-CM
Skin infections	L02.439	DX	CARBUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM
Skin infections	L02.511	DX	CUTANEOUS ABSCESS OF RIGHT HAND	ICD-10-CM
Skin infections	L02.512	DX	CUTANEOUS ABSCESS OF LEFT HAND	ICD-10-CM
Skin infections	L02.519	DX	CUTANEOUS ABSCESS OF UNSPECIFIED HAND	ICD-10-CM
Skin infections	L02.521	DX	FURUNCLE RIGHT HAND	ICD-10-CM
Skin infections	L02.522	DX	FURUNCLE LEFT HAND	ICD-10-CM
Skin infections	L02.529	DX	FURUNCLE UNSPECIFIED HAND	ICD-10-CM
Skin infections	L02.531	DX	CARBUNCLE OF RIGHT HAND	ICD-10-CM
Skin infections	L02.532	DX	CARBUNCLE OF LEFT HAND	ICD-10-CM
Skin infections	L02.539	DX	CARBUNCLE OF UNSPECIFIED HAND	ICD-10-CM
Skin infections	L02.611	DX	CUTANEOUS ABSCESS OF RIGHT FOOT	ICD-10-CM
Skin infections	L02.612	DX	CUTANEOUS ABSCESS OF LEFT FOOT	ICD-10-CM
Skin infections	L02.619	DX	CUTANEOUS ABSCESS OF UNSPECIFIED FOOT	ICD-10-CM
Skin infections	L02.621	DX	FURUNCLE OF RIGHT FOOT	ICD-10-CM
Skin infections	L02.622	DX	FURUNCLE OF LEFT FOOT	ICD-10-CM
Skin infections	L02.629	DX	FURUNCLE OF UNSPECIFIED FOOT	ICD-10-CM
Skin infections	L02.631	DX	CARBUNCLE OF RIGHT FOOT	ICD-10-CM
Skin infections	L02.632	DX	CARBUNCLE OF LEFT FOOT	ICD-10-CM
Skin infections	L02.639	DX	CARBUNCLE OF UNSPECIFIED FOOT	ICD-10-CM
Skin infections	L02.811	DX	CUTANEOUS ABSCESS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Skin infections	L02.818	DX	CUTANEOUS ABSCESS OF OTHER SITES	ICD-10-CM
Skin infections	L02.821	DX	FURUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Skin infections	L02.828	DX	FURUNCLE OF OTHER SITES	ICD-10-CM
Skin infections	L02.831	DX	CARBUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Skin infections	L02.838	DX	CARBUNCLE OF OTHER SITES	ICD-10-CM
Skin infections	L02.91	DX	CUTANEOUS ABSCESS, UNSPECIFIED	ICD-10-CM
Skin infections	L02.92	DX	FURUNCLE, UNSPECIFIED	ICD-10-CM

	Skin infections	L02.93	DX	CARBUNCLE, UNSPECIFIED	ICD-10-CM
	Skin infections	L03.011	DX	CELLULITIS OF RIGHT FINGER	ICD-10-CM
	Skin infections	L03.012	DX	CELLULITIS OF LEFT FINGER	ICD-10-CM
	Skin infections	L03.019	DX	CELLULITIS OF UNSPECIFIED FINGER	ICD-10-CM
	Skin infections	L03.021	DX	ACUTE LYMPHANGITIS OF RIGHT FINGER	ICD-10-CM
	Skin infections	L03.022	DX	ACUTE LYMPHANGITIS OF LEFT FINGER	ICD-10-CM
	Skin infections	L03.029	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER	ICD-10-CM
	Skin infections	L03.031	DX	CELLULITIS OF RIGHT TOE	ICD-10-CM
	Skin infections	L03.032	DX	CELLULITIS OF LEFT TOE	ICD-10-CM
	Skin infections	L03.039	DX	CELLULITIS OF UNSPECIFIED TOE	ICD-10-CM
	Skin infections	L03.041	DX	ACUTE LYMPHANGITIS OF RIGHT TOE	ICD-10-CM
	Skin infections	L03.042	DX	ACUTE LYMPHANGITIS OF LEFT TOE	ICD-10-CM
	Skin infections	L03.049	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED TOE	ICD-10-CM
	Skin infections	L03.111	DX	CELLULITIS OF RIGHT AXILLA	ICD-10-CM
	Skin infections	L03.112	DX	CELLULITIS OF LEFT AXILLA	ICD-10-CM
	Skin infections	L03.113	DX	CELLULITIS OF RIGHT UPPER LIMB	ICD-10-CM
	Skin infections	L03.114	DX	CELLULITIS OF LEFT UPPER LIMB	ICD-10-CM
	Skin infections	L03.115	DX	CELLULITIS OF RIGHT LOWER LIMB	ICD-10-CM
	Skin infections	L03.116	DX	CELLULITIS OF LEFT LOWER LIMB	ICD-10-CM
	Skin infections	L03.119	DX	CELLULITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
	Skin infections	L03.121	DX	ACUTE LYMPHANGITIS OF RIGHT AXILLA	ICD-10-CM
	Skin infections	L03.122	DX	ACUTE LYMPHANGITIS OF LEFT AXILLA	ICD-10-CM
	Skin infections	L03.123	DX	ACUTE LYMPHANGITIS OF RIGHT UPPER LIMB	ICD-10-CM
	Skin infections	L03.124	DX	ACUTE LYMPHANGITIS OF LEFT UPPER LIMB	ICD-10-CM
	Skin infections	L03.125	DX	ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB	ICD-10-CM
	Skin infections	L03.126	DX	ACUTE LYMPHANGITIS OF LEFT LOWER LIMB	ICD-10-CM
	Skin infections	L03.129	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
	Skin infections	L03.211	DX	CELLULITIS OF FACE	ICD-10-CM
	Skin infections	L03.212	DX	ACUTE LYMPHANGITIS OF FACE	ICD-10-CM
	Skin infections	L03.213	DX	PERIORBITAL CELLULITIS	ICD-10-CM
	Skin infections	L03.221	DX	CELLULITIS OF NECK	ICD-10-CM
	Skin infections	L03.222	DX	ACUTE LYMPHANGITIS OF NECK	ICD-10-CM
	Skin infections	L03.311	DX	CELLULITIS OF ABDOMINAL WALL	ICD-10-CM
	Skin infections	L03.312	DX	CELLULITIS OF BACK [ANY PART EXCEPT BUTTOCK]	ICD-10-CM
	Skin infections	L03.313	DX	CELLULITIS OF CHEST WALL	ICD-10-CM
	Skin infections	L03.314	DX	CELLULITIS OF GROIN	ICD-10-CM
	Skin infections	L03.315	DX	CELLULITIS OF PERINEUM	ICD-10-CM
	Skin infections	L03.316	DX	CELLULITIS OF UMBILICUS	ICD-10-CM
	Skin infections	L03.317	DX	CELLULITIS OF BUTTOCK	ICD-10-CM
	Skin infections	L03.319	DX	CELLULITIS OF TRUNK, UNSPECIFIED	ICD-10-CM
	Skin infections	L03.321	DX	ACUTE LYMPHANGITIS OF ABDOMINAL WALL	ICD-10-CM
	Skin infections	L03.322	DX	ACUTE LYMPHANGITIS OF BACK [ANY PART EXCEPT BUTTOCK]	ICD-10-CM
	Skin infections	L03.323	DX	ACUTE LYMPHANGITIS OF CHEST WALL	ICD-10-CM
	Skin infections	L03.324	DX	ACUTE LYMPHANGITIS OF GROIN	ICD-10-CM
	Skin infections	L03.325	DX	ACUTE LYMPHANGITIS OF PERINEUM	ICD-10-CM
	Skin infections	L03.326	DX	ACUTE LYMPHANGITIS OF UMBILICUS	ICD-10-CM
	Skin infections	L03.327	DX	ACUTE LYMPHANGITIS OF BUTTOCK	ICD-10-CM
	Skin infections	L03.329	DX	ACUTE LYMPHANGITIS OF TRUNK, UNSPECIFIED	ICD-10-CM
	Skin infections	L03.811	DX	CELLULITIS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
	Skin infections	L03.818	DX	CELLULITIS OF OTHER SITES	ICD-10-CM
	Skin infections	L03.891	DX	ACUTE LYMPHANGITIS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
	Skin infections	L03.898	DX	ACUTE LYMPHANGITIS OF OTHER SITES	ICD-10-CM
	Skin infections	L03.90	DX	CELLULITIS, UNSPECIFIED	ICD-10-CM
	Skin infections	L03.91	DX	ACUTE LYMPHANGITIS, UNSPECIFIED	ICD-10-CM
	Skin infections	L05.01	DX	PILONIDAL CYST WITH ABSCESS	ICD-10-CM
	Skin infections	L05.02	DX	PILONIDAL SINUS WITH ABSCESS	ICD-10-CM
	Skin infections	L05.91	DX	PILONIDAL CYST WITHOUT ABSCESS	ICD-10-CM
	Skin infections	L05.92	DX	PILONIDAL SINUS WITHOUT ABSCESS	ICD-10-CM
	Skin infections	L08.0	DX	PYODERMA	ICD-10-CM
	Skin infections	L08.81	DX	PYODERMA VEGETANS	ICD-10-CM
	Skin infections	L08.82	DX	OMPHALITIS NOT OF NEWBORN	ICD-10-CM
	Skin infections	L08.89	DX	OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM
	Skin infections	L08.9	DX	LOCAL INFECTION OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED	ICD-10-CM
Cardiovascular-related conditions	Angina	I20.0	DX	UNSTABLE ANGINA	ICD-10-CM
	Angina	I24.0	DX	ACUTE CORONARY THROMBOSIS NOT RESULTING IN MYOCARDIAL INFARCTION	ICD-10-CM
	Angina	I24.9	DX	ACUTE ISCHEMIC HEART DISEASE, UNSPECIFIED	ICD-10-CM
	Angina	I25.110	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I25.700	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S), UNSPECIFIED, WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I25.710	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I25.720	DX	ATHEROSCLEROSIS OF AUTOLOGOUS ARTERY CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I25.730	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I25.750	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSTABLE ANGINA	ICD-10-CM
	Angina	I25.760	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSTABLE ANGINA	ICD-10-CM
	Angina	I25.790	DX	ATHEROSCLEROSIS OF OTHER CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
	Angina	I24.8	DX	OTHER FORMS OF ACUTE ISCHEMIC HEART DISEASE	ICD-10-CM
	Angina	I25.111	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.118	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.119	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.701	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S), UNSPECIFIED, WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.708	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S), UNSPECIFIED, WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.709	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S), UNSPECIFIED, WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.711	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN CORONARY ARTERY BYPASS GRAFT(S) WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.718	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN CORONARY ARTERY BYPASS GRAFT(S) WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.719	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN CORONARY ARTERY BYPASS GRAFT(S) WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.721	DX	ATHEROSCLEROSIS OF AUTOLOGOUS ARTERY CORONARY ARTERY BYPASS GRAFT(S) WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.728	DX	ATHEROSCLEROSIS OF AUTOLOGOUS ARTERY CORONARY ARTERY BYPASS GRAFT(S) WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.729	DX	ATHEROSCLEROSIS OF AUTOLOGOUS ARTERY CORONARY ARTERY BYPASS GRAFT(S) WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.731	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL CORONARY ARTERY BYPASS GRAFT(S) WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.738	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL CORONARY ARTERY BYPASS GRAFT(S) WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.739	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL CORONARY ARTERY BYPASS GRAFT(S) WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.751	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.758	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.759	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.761	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.768	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.769	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Angina	I25.791	DX	ATHEROSCLEROSIS OF OTHER CORONARY ARTERY BYPASS GRAFT(S) WITH ANGINA PECTORIS WITH DOCUMENTED SPASM	ICD-10-CM
	Angina	I25.798	DX	ATHEROSCLEROSIS OF OTHER CORONARY ARTERY BYPASS GRAFT(S) WITH OTHER FORMS OF ANGINA PECTORIS	ICD-10-CM
	Angina	I25.799	DX	ATHEROSCLEROSIS OF OTHER CORONARY ARTERY BYPASS GRAFT(S) WITH UNSPECIFIED ANGINA PECTORIS	ICD-10-CM
	Hypertension	I10	DX	ESSENTIAL (PRIMARY) HYPERTENSION	ICD-10-CM
	Hypertension	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM
	Hypertension	I11.9	DX	HYPERTENSIVE HEART DISEASE WITHOUT HEART FAILURE	ICD-10-CM
	Hypertension	I12.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5 CHRONIC KIDNEY DISEASE OR END STAGE RENAL DISEASE	ICD-10-CM
	Hypertension	I12.9	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertension	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertension	I13.10	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITHOUT HEART FAILURE, WITH STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertension	I13.11	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITHOUT HEART FAILURE, WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
	Hypertension	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
	Hypertension	I15.0	DX	RENOVASCULAR HYPERTENSION	ICD-10-CM
	Hypertension	I15.1	DX	HYPERTENSION SECONDARY TO OTHER RENAL DISORDERS	ICD-10-CM
	Hypertension	I15.2	DX	HYPERTENSION SECONDARY TO ENDOCRINE DISORDERS	ICD-10-CM
	Hypertension	I15.8	DX	OTHER SECONDARY HYPERTENSION	ICD-10-CM
	Hypertension	I15.9	DX	SECONDARY HYPERTENSION, UNSPECIFIED	ICD-10-CM
	Hypertension	I16.0	DX	HYPERTENSIVE URGENCY	ICD-10-CM
	Hypertension	I16.1	DX	HYPERTENSIVE EMERGENCY	ICD-10-CM
	Hypertension	I16.9	DX	HYPERTENSIVE CRISIS, UNSPECIFIED	ICD-10-CM
	Hypotension	I95	DX	HYPOTENSION	ICD-10-CM
	Hypotension	I95.0	DX	IDIOPATHIC HYPOTENSION	ICD-10-CM
	Hypotension	I95.1	DX	ORTHOSTATIC HYPOTENSION	ICD-10-CM
	Hypotension	I95.2	DX	HYPOTENSION DUE TO DRUGS	ICD-10-CM
	Hypotension	I95.3	DX	HYPOTENSION OF HEMODIALYSIS	ICD-10-CM
	Hypotension	I95.8	DX	OTHER HYPOTENSION	ICD-10-CM
	Hypotension	I95.81	DX	POSTPROCEDURAL HYPOTENSION	ICD-10-CM
	Hypotension	I95.89	DX	OTHER HYPOTENSION	ICD-10-CM
	Hypotension	I95.9	DX	HYPOTENSION, UNSPECIFIED	ICD-10-CM
	Hyperlipidemia	E78.0	DX	PURE HYPERCHOLESTEROLEMIA	ICD-10-CM
	Hyperlipidemia	E78.00	DX	PURE HYPERCHOLESTEROLEMIA, UNSPECIFIED	ICD-10-CM
	Hyperlipidemia	E78.01	DX	FAMILIAL HYPERCHOLESTEROLEMIA	ICD-10-CM
	Hyperlipidemia	E78.1	DX	PURE HYPERGLYCERIDEMIA	ICD-10-CM
	Hyperlipidemia	E78.2	DX	MIXED HYPERLIPIDEMIA	ICD-10-CM
	Hyperlipidemia	E78.3	DX	HYPERCHYLOMICRONEMIA	ICD-10-CM
	Hyperlipidemia	E78.4	DX	OTHER HYPERLIPIDEMIA	ICD-10-CM
	Hyperlipidemia	E78.41	DX	ELEVATED LIPOPROTEIN(A)	ICD-10-CM
	Hyperlipidemia	E78.49	DX	OTHER HYPERLIPIDEMIA	ICD-10-CM

Hyperlipidemia	E78.5	DX	HYPERLIPIDEMIA, UNSPECIFIED	ICD-10-CM
Atrial fibrillation	I48.0	DX	PAROXYSMAL ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.1	DX	PERSISTENT ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.2	DX	CHRONIC ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.3	DX	TYPICAL ATRIAL FLUTTER	ICD-10-CM
Atrial fibrillation	I48.4	DX	ATYPICAL ATRIAL FLUTTER	ICD-10-CM
Atrial fibrillation	I48.91	DX	UNSPECIFIED ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.92	DX	UNSPECIFIED ATRIAL FLUTTER	ICD-10-CM
Atrial fibrillation	I48	DX	ATRIAL FIBRILLATION AND FLUTTER	ICD-10-CM
Atrial fibrillation	I48.11	DX	LONGSTANDING PERSISTENT ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.19	DX	OTHER PERSISTENT ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.20	DX	CHRONIC ATRIAL FIBRILLATION, UNSPECIFIED	ICD-10-CM
Atrial fibrillation	I48.21	DX	PERMANENT ATRIAL FIBRILLATION	ICD-10-CM
Atrial fibrillation	I48.9	DX	UNSPECIFIED ATRIAL FIBRILLATION AND ATRIAL FLUTTER	ICD-10-CM
Myocardial infarction	I21.0	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL	ICD-10-CM
Myocardial infarction	I21.01	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT MAIN CORONARY ARTERY	ICD-10-CM
Myocardial infarction	I21.02	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT ANTERIOR DESCENDING CORONARY ARTERY	ICD-10-CM
Myocardial infarction	I21.09	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF ANTERIOR WALL	ICD-10-CM
Myocardial infarction	I21	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM
Myocardial infarction	I21.1	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL	ICD-10-CM
Myocardial infarction	I21.11	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING RIGHT CORONARY ARTERY	ICD-10-CM
Myocardial infarction	I21.19	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF INFERIOR WALL	ICD-10-CM
Myocardial infarction	I21.2	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM
Myocardial infarction	I21.21	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT CIRCUMFLEX CORONARY ARTERY	ICD-10-CM
Myocardial infarction	I21.29	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER SITES	ICD-10-CM
Myocardial infarction	I21.3	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM
Myocardial infarction	I21.4	DX	NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I21.9	DX	ACUTE MYOCARDIAL INFARCTION, UNSPECIFIED	ICD-10-CM
Myocardial infarction	I21.A	DX	OTHER TYPE OF MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I21.A1	DX	MYOCARDIAL INFARCTION TYPE 2	ICD-10-CM
Myocardial infarction	I21.A9	DX	OTHER MYOCARDIAL INFARCTION TYPE	ICD-10-CM
Myocardial infarction	I22	DX	SUBSEQUENT ST ELEVATION (STEMI) AND NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I22.0	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL	ICD-10-CM
Myocardial infarction	I22.1	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL	ICD-10-CM
Myocardial infarction	I22.2	DX	SUBSEQUENT NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I22.8	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM
Myocardial infarction	I22.9	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM
Myocardial infarction	I23.0	DX	HEMOPERICARDIUM AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.1	DX	ATRIAL SEPTAL DEFECT AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.2	DX	VENTRICULAR SEPTAL DEFECT AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.3	DX	RUPTURE OF CARDIAC WALL WITHOUT HEMOPERICARDIUM AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.4	DX	RUPTURE OF CHORDAE TENDINEAE AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.5	DX	RUPTURE OF PAPILLARY MUSCLE AS CURRENT COMPLICATION FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.6	DX	THROMBOSIS OF ATRIUM, AURICULAR APPENDAGE, AND VENTRICLE AS CURRENT COMPLICATIONS FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I23.7	DX	POSTINFARCTION ANGINA	ICD-10-CM
Myocardial infarction	I23.8	DX	OTHER CURRENT COMPLICATIONS FOLLOWING ACUTE MYOCARDIAL INFARCTION	ICD-10-CM
Myocardial infarction	I25.2	DX	OLD MYOCARDIAL INFARCTION	ICD-10-CM
Cerebrovascular procedure	031H09G	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031H0AG	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031H0JG	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031H0KG	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031H0ZG	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031J09G	PX	BYPASS LEFT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031J0AG	PX	BYPASS LEFT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031J0JG	PX	BYPASS LEFT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031J0KG	PX	BYPASS LEFT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	031J0ZG	PX	BYPASS LEFT COMMON CAROTID ARTERY TO INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G04Z	PX	DILATION OF INTRACRANIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G05Z	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G06Z	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G07Z	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G0DZ	PX	DILATION OF INTRACRANIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G0EZ	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G0FZ	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G0GZ	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G0ZZ	PX	DILATION OF INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037G346	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G34Z	PX	DILATION OF INTRACRANIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G356	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G35Z	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G366	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G36Z	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G376	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G37Z	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3D6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3DZ	PX	DILATION OF INTRACRANIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3E6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3EZ	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3F6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3FZ	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3G6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3GZ	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3Z6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G3ZZ	PX	DILATION OF INTRACRANIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037G446	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G44Z	PX	DILATION OF INTRACRANIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G456	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G45Z	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G466	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G46Z	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G476	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G47Z	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4D6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4DZ	PX	DILATION OF INTRACRANIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4E6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4EZ	PX	DILATION OF INTRACRANIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4F6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4FZ	PX	DILATION OF INTRACRANIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4G6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4GZ	PX	DILATION OF INTRACRANIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4Z6	PX	DILATION OF INTRACRANIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037G4ZZ	PX	DILATION OF INTRACRANIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H04Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H05Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H06Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H07Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H0DZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H0EZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H0FZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H0GZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H0ZZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037H346	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H34Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H356	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H35Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H366	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H36Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H376	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM

Cerebrovascular procedure	037H37Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3D6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3DZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3E6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3EZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3F6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3FZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3G6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3GZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3Z6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H3ZZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037H446	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H44Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H456	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H45Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H466	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H46Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H476	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H47Z	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4D6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4DZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4E6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4EZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4F6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4FZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4G6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4GZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4Z6	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037H4ZZ	PX	DILATION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J04Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J05Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J06Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J07Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J0DZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J0EZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J0FZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J0GZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J0ZZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037J346	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J34Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J356	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J35Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J366	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J36Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J376	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J37Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3D6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3DZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3E6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3EZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3F6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3FZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3G6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3GZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3Z6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J3ZZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037J446	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J44Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J456	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J45Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J466	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J46Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J476	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J47Z	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4D6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4DZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4E6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4EZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4F6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4FZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4G6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4GZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4Z6	PX	DILATION OF LEFT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037J4ZZ	PX	DILATION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K04Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K05Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K06Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K07Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K0DZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K0EZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K0FZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K0GZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K0ZZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037K346	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K34Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K356	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K35Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K366	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K36Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K376	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K37Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3D6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3DZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3E6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM

Cerebrovascular procedure	037K3EZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3F6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3FZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3G6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3GZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3Z6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K3ZZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037K446	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K44Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K456	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K45Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K466	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K46Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K476	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K47Z	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4D6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4DZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4E6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4EZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4F6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4FZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4G6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4GZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4Z6	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037K4ZZ	PX	DILATION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L04Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L05Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L06Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L07Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L0DZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L0EZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L0FZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L0GZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L0ZZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	037L346	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L34Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L356	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L35Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L366	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L36Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L376	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L37Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3D6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3DZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3E6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3EZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3F6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3FZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3G6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3GZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3Z6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L3ZZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	037L446	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L44Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L456	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L45Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L466	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L46Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L476	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L47Z	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4D6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4DZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4E6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4EZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4F6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4FZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4G6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4GZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4Z6	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	037L4ZZ	PX	DILATION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG0ZZ	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG0ZZ	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG3Z7	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY USING STENT RETRIEVER, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG3ZZ	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG4Z6	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CG4ZZ	PX	EXTIRPATION OF MATTER FROM INTRACRANIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH3Z7	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY USING STENT RETRIEVER, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CH4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ0Z6	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ3Z6	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ3Z7	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY USING STENT RETRIEVER, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ4Z6	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CJ4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK3Z7	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY USING STENT RETRIEVER, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CK4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL0Z6	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL3Z6	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL3Z7	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY USING STENT RETRIEVER, PERCUTANEOUS APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

Cerebrovascular procedure	03CL4Z6	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	03CL4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Cerebrovascular procedure	T82.311A	DX	BREAKDOWN (MECHANICAL) OF CAROTID ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.311D	DX	BREAKDOWN (MECHANICAL) OF CAROTID ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.311S	DX	BREAKDOWN (MECHANICAL) OF CAROTID ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
Cerebrovascular procedure	T82.321A	DX	DISPLACEMENT OF CAROTID ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.321D	DX	DISPLACEMENT OF CAROTID ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.321S	DX	DISPLACEMENT OF CAROTID ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
Cerebrovascular procedure	T82.331A	DX	LEAKAGE OF CAROTID ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.331D	DX	LEAKAGE OF CAROTID ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.331S	DX	LEAKAGE OF CAROTID ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
Cerebrovascular procedure	T82.391A	DX	OTHER MECHANICAL COMPLICATION OF CAROTID ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.391D	DX	OTHER MECHANICAL COMPLICATION OF CAROTID ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
Cerebrovascular procedure	T82.391S	DX	OTHER MECHANICAL COMPLICATION OF CAROTID ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
Coronary atherosclerosis	I25.10	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITHOUT ANGINA PECTORIS	ICD-10-CM
Coronary atherosclerosis	I25.41	DX	CORONARY ARTERY ANEURYSM	ICD-10-CM
Coronary atherosclerosis	I25.42	DX	CORONARY ARTERY DISSECTION	ICD-10-CM
Coronary atherosclerosis	I25.5	DX	ISCHEMIC CARDIOMYOPATHY	ICD-10-CM
Coronary atherosclerosis	I25.83	DX	CORONARY ATHEROSCLEROSIS DUE TO LIPID RICH PLAQUE	ICD-10-CM
Coronary atherosclerosis	I25.3	DX	ANEURYSM OF HEART	ICD-10-CM
Coronary atherosclerosis	I25.6	DX	SILENT MYOCARDIAL ISCHEMIA	ICD-10-CM
Coronary atherosclerosis	I25.810	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S) WITHOUT ANGINA PECTORIS	ICD-10-CM
Coronary atherosclerosis	I25.811	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITHOUT ANGINA PECTORIS	ICD-10-CM
Coronary atherosclerosis	I25.812	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITHOUT ANGINA PECTORIS	ICD-10-CM
Coronary atherosclerosis	I25.82	DX	CHRONIC TOTAL OCCLUSION OF CORONARY ARTERY	ICD-10-CM
Coronary atherosclerosis	I25.84	DX	CORONARY ATHEROSCLEROSIS DUE TO CALCIFIED CORONARY LESION	ICD-10-CM
Coronary atherosclerosis	I25.89	DX	OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	ICD-10-CM
Coronary atherosclerosis	I25.9	DX	CHRONIC ISCHEMIC HEART DISEASE, UNSPECIFIED	ICD-10-CM
Cardiac conduction disorder	I44.0	DX	ATRIOVENTRICULAR BLOCK, FIRST DEGREE	ICD-10-CM
Cardiac conduction disorder	I44.1	DX	ATRIOVENTRICULAR BLOCK, SECOND DEGREE	ICD-10-CM
Cardiac conduction disorder	I44.2	DX	ATRIOVENTRICULAR BLOCK, COMPLETE	ICD-10-CM
Cardiac conduction disorder	I44.3	DX	OTHER AND UNSPECIFIED ATRIOVENTRICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.30	DX	UNSPECIFIED ATRIOVENTRICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.39	DX	OTHER ATRIOVENTRICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.4	DX	LEFT ANTERIOR FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.5	DX	LEFT POSTERIOR FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.6	DX	OTHER AND UNSPECIFIED FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.60	DX	UNSPECIFIED FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.69	DX	OTHER FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I44.7	DX	LEFT BUNDLE-BRANCH BLOCK, UNSPECIFIED	ICD-10-CM
Cardiac conduction disorder	I45.0	DX	RIGHT FASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.1	DX	OTHER AND UNSPECIFIED RIGHT BUNDLE-BRANCH BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.10	DX	UNSPECIFIED RIGHT BUNDLE-BRANCH BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.19	DX	OTHER RIGHT BUNDLE-BRANCH BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.2	DX	BIFASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.3	DX	TRIFASCICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.4	DX	NONSPECIFIC INTRAVENTRICULAR BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.5	DX	OTHER SPECIFIED HEART BLOCK	ICD-10-CM
Cardiac conduction disorder	I45.6	DX	PRE-EXCITATION SYNDROME	ICD-10-CM
Cardiac conduction disorder	I45.8	DX	OTHER SPECIFIED CONDUCTION DISORDERS	ICD-10-CM
Cardiac conduction disorder	I45.81	DX	LONG QT SYNDROME	ICD-10-CM
Cardiac conduction disorder	I45.89	DX	OTHER SPECIFIED CONDUCTION DISORDERS	ICD-10-CM
Cardiac conduction disorder	I45.9	DX	CONDUCTION DISORDER, UNSPECIFIED	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100B3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100B8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100B9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100BC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100BF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100BW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210093	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210098	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210099	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021009C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021009F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021009W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02100ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210344	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02103D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210444	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210483	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210488	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210489	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021048C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021048F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021048W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210493	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210498	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0210499	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021049C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021049F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021049W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	02104AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02104ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110B3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110B8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110B9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110BC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110BF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110BW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02110ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02113J4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02113D4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114J4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114B3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114B8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114B9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114BC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114BF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114BW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	02114JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02114ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120B3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120B8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120B9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120BC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120BF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120BW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120KB	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02120ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212344	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02123D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212444	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212483	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212488	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212489	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021248C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021248F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021248W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212493	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212498	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0212499	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021249C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021249F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021249W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124A3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124A8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124A9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124AC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124AF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124AW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124K8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	02124Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02124ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130B3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130B8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130B9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130BC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130BF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130BW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213093	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213098	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213099	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021309C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021309F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021309W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02130ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213344	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02133D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213444	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134B3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134B8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134B9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134BC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134BF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134BW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213493	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213498	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0213499	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021349C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021349F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021349W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02134ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021K0Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021K4Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021L0Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	021L4Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	0270046	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027004Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270056	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027005Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270066	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027006Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270076	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027007Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700D6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700DZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700E6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700EZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700F6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700FZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700G6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700GZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700T6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700TZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700Z6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02700ZZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270346	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027034Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270356	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027035Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270366	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027036Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270376	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027037Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703D6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703DZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703E6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703EZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703F6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703FZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703G6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703GZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703T6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703TZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703Z6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02703ZZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270446	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027044Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270456	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027045Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270466	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027046Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0270476	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027047Z	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704D6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704DZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704E6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704EZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704F6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704FZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704G6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704GZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704T6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704TZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704Z6	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02704ZZ	PX	DILATION OF CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271046	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027104Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271056	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027105Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271066	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027106Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271076	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027107Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710D6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710DZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710E6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710EZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710F6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710FZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710G6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710GZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710T6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710TZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710Z6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02710ZZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271346	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027134Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	0271356	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027135Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271366	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027136Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271376	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027137Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713D6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713DZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713E6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713EZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713F6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713FZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713G6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713GZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713T6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713TZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713Z6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02713ZZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271446	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027144Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271456	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027145Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271466	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027146Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0271476	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027147Z	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714D6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714DZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714E6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714EZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714F6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714FZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714G6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714GZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714T6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714TZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714Z6	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02714ZZ	PX	DILATION OF CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272046	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027204Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272056	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027205Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272066	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027206Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272076	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027207Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720D6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720DZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720E6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720EZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720F6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720FZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720G6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720GZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720T6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720TZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720Z6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02720ZZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272346	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027234Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272356	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027235Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272366	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027236Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272376	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027237Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723D6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723DZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723E6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723EZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723F6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723FZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723G6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723GZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723T6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723TZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723Z6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02723ZZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272446	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027244Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272456	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027245Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	0272466	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027246Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272476	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0272477Z	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724D6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724DZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724E6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724EZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724F6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724FZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724G6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724GZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724T6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724TZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724Z6	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02724ZZ	PX	DILATION OF CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273046	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027304Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273056	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027305Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273066	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027306Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273076	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027307Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730D6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730DZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730E6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730EZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730F6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730FZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730G6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730GZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730T6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730TZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730Z6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02730ZZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273346	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027334Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273356	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027335Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273366	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027336Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273376	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027337Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733D6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733DZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733E6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733EZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733F6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733FZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733G6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733GZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733T6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733TZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733Z6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02733ZZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273446	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027344Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273456	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027345Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273466	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027346Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	0273476	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	027347Z	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734D6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734DZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734E6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734EZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734F6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734FZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734G6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734GZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734T6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734TZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES WITH RADIOACTIVE INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734Z6	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02734ZZ	PX	DILATION OF CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C00Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C00ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C03Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C03ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C04Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C04ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Previous cardiac procedure (CABG, PTCA, Stent)	02C10Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C10ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C13Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C13ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C14Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C14ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C20Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C20ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C23Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C23ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C24Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C24ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C30Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C30ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C33Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C33ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C34Z6	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02C34ZZ	PX	EXTIRPATION OF MATTER FROM CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QA0ZZ	PX	REPAIR HEART, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QA3ZZ	PX	REPAIR HEART, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QA4ZZ	PX	REPAIR HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QB0ZZ	PX	REPAIR RIGHT HEART, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QB3ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QB4ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QC0ZZ	PX	REPAIR LEFT HEART, OPEN APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QC3ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	02QC4ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Previous cardiac procedure (CABG, PTCA, Stent)	33141	PX	TRANSMYOCARDIAL LASER REVASCULARIZATION, BY THORACOTOMY; PERFORMED AT THE TIME OF OTHER OPEN CARDIAC PROCEDURE(S) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33545	PX	REPAIR OF POSTINFARCTION VENTRICULAR SEPTAL DEFECT, WITH OR WITHOUT MYOCARDIAL RESECTION	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92920	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ANGIOPLASTY; SINGLE MAJOR CORONARY ARTERY OR BRANCH	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92925	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, WITH CORONARY ANGIOPLASTY WHEN PERFORMED; EACH ADDITIONAL BRANCH OF A MAJOR CORONARY ARTERY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92929	PX	PERCUTANEOUS TRANSCATHETER PLACEMENT OF INTRACORONARY STENT(S), WITH CORONARY ANGIOPLASTY WHEN PERFORMED; EACH ADDITIONAL BRANCH OF A MAJOR CORONARY ARTERY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92934	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, WITH INTRACORONARY STENT, WITH CORONARY ANGIOPLASTY WHEN PERFORMED; EACH ADDITIONAL BRANCH OF A MAJOR CORONARY ARTERY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92938	PX	PERCUTANEOUS TRANSLUMINAL REVASCULARIZATION OF OR THROUGH CORONARY ARTERY BYPASS GRAFT (INTERNAL MAMMARY, FREE ARTERIAL, VENOUS), ANY COMBINATION OF INTRACORONARY STENT, ATHERECTOMY AND ANGIOPLASTY, INCLUDING DISTAL PROTECTION WHEN PERFORMED; EACH ADDITIONAL BRANCH SUBTENDED BY THE BYPASS GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92941	PX	PERCUTANEOUS TRANSLUMINAL REVASCULARIZATION OF ACUTE TOTAL/SUBTOTAL OCCLUSION DURING ACUTE MYOCARDIAL INFARCTION, CORONARY ARTERY OR CORONARY ARTERY BYPASS GRAFT, ANY COMBINATION OF INTRACORONARY STENT, ATHERECTOMY AND ANGIOPLASTY, INCLUDING ASPIRATION THROMBECTOMY WHEN PERFORMED, SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92943	PX	PERCUTANEOUS TRANSLUMINAL REVASCULARIZATION OF CHRONIC TOTAL OCCLUSION, CORONARY ARTERY, CORONARY ARTERY BRANCH, OR CORONARY ARTERY BYPASS GRAFT, ANY COMBINATION OF INTRACORONARY STENT, ATHERECTOMY AND ANGIOPLASTY; SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92980	PX	TRANSCATHETER PLACEMENT OF AN INTRACORONARY STENT(S), PERCUTANEOUS, WITH OR WITHOUT OTHER THERAPEUTIC INTERVENTION, ANY METHOD; SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92984	PX	PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92996	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, BY MECHANICAL OR OTHER METHOD, WITH OR WITHOUT BALLOON ANGIOPLASTY; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33140	PX	TRANSMYOCARDIAL LASER REVASCULARIZATION, BY THORACOTOMY (SEPARATE PROCEDURE) / TRANSMYOCARDIAL LASER REVASCULARIZATION, BY THORACOTOMY; (SEPARATE PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33572	PX	CORONARY ENDARTERECTOMY, OPEN, ANY METHOD, OF LEFT ANTERIOR DESCENDING, CIRCUMFLEX, OR RIGHT CORONARY ARTERY PERFORMED IN CONJUNCTION WITH CORONARY ARTERY BYPASS GRAFT PROCEDURE, EACH VESSEL (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92921	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ANGIOPLASTY; EACH ADDITIONAL BRANCH OF A MAJOR CORONARY ARTERY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92924	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, WITH CORONARY ANGIOPLASTY WHEN PERFORMED; SINGLE MAJOR CORONARY ARTERY OR BRANCH	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92928	PX	PERCUTANEOUS TRANSCATHETER PLACEMENT OF INTRACORONARY STENT(S), WITH CORONARY ANGIOPLASTY WHEN PERFORMED; SINGLE MAJOR CORONARY ARTERY OR BRANCH	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92933	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, WITH INTRACORONARY STENT, WITH CORONARY ANGIOPLASTY WHEN PERFORMED; SINGLE MAJOR CORONARY ARTERY OR BRANCH	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92937	PX	PERCUTANEOUS TRANSLUMINAL REVASCULARIZATION OF OR THROUGH CORONARY ARTERY BYPASS GRAFT (INTERNAL MAMMARY, FREE ARTERIAL, VENOUS), ANY COMBINATION OF INTRACORONARY STENT, ATHERECTOMY AND ANGIOPLASTY, INCLUDING DISTAL PROTECTION WHEN PERFORMED; SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92944	PX	PERCUTANEOUS TRANSLUMINAL REVASCULARIZATION OF CHRONIC TOTAL OCCLUSION, CORONARY ARTERY, CORONARY ARTERY BRANCH, OR CORONARY ARTERY BYPASS GRAFT, ANY COMBINATION OF INTRACORONARY STENT, ATHERECTOMY AND ANGIOPLASTY; EACH ADDITIONAL CORONARY ARTERY, CORONARY ARTERY BRANCH, OR BYPASS GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92973	PX	PERCUTANEOUS TRANSLUMINAL CORONARY THROMBECTOMY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / PERCUTANEOUS TRANSLUMINAL CORONARY THROMBECTOMY MECHANICAL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92981	PX	TRANSCATHETER PLACEMENT OF AN INTRACORONARY STENT(S), PERCUTANEOUS, WITH OR WITHOUT OTHER THERAPEUTIC INTERVENTION, ANY METHOD; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92982	PX	PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	92995	PX	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, BY MECHANICAL OR OTHER METHOD, WITH OR WITHOUT BALLOON ANGIOPLASTY; SINGLE VESSEL	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33510	PX	CORONARY ARTERY BYPASS, VEIN ONLY; SINGLE CORONARY VENOUS GRAFT	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33511	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 2 CORONARY VENOUS GRAFTS / CORONARY ARTERY BYPASS, VEIN ONLY; TWO CORONARY VENOUS GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33512	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 3 CORONARY VENOUS GRAFTS / CORONARY ARTERY BYPASS, VEIN ONLY; THREE CORONARY VENOUS GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33513	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 4 CORONARY VENOUS GRAFTS / CORONARY ARTERY BYPASS, VEIN ONLY; FOUR CORONARY VENOUS GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33514	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 5 CORONARY VENOUS GRAFTS / CORONARY ARTERY BYPASS, VEIN ONLY; FIVE CORONARY VENOUS GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33516	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 6 OR MORE CORONARY VENOUS GRAFTS / CORONARY ARTERY BYPASS, VEIN ONLY; SIX OR MORE CORONARY VENOUS GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33517	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33518	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFTS); 2 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); TWO VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) ANDARTERIAL GRAFT(S); TWO VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33519	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFTS); 3 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); THREE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); THREE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33521	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFTS); 4 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FOUR VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FOUR VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33522	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFTS); 5 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FIVE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FIVE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33523	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFTS); 6 OR MORE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SIX OR MORE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT) / CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SIX OR MORE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33530	PX	REOPERATION, CORONARY ARTERY BYPASS PROCEDURE OR VALVE PROCEDURE, MORE THAN 1 MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / REOPERATION, CORONARY ARTERY BYPASS PROCEDURE OR VALVE PROCEDURE, MORE THAN ONE MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS

Previous cardiac procedure (CABG, PTCA, Stent)	33533	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); SINGLE ARTERIAL GRAFT	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33534	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 2 CORONARY ARTERIAL GRAFTS / CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); TWO CORONARY ARTERIAL GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33535	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 3 CORONARY ARTERIAL GRAFTS / CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); THREE CORONARY ARTERIAL GRAFTS	CPT/HCPCS
Previous cardiac procedure (CABG, PTCA, Stent)	33536	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 4 OR MORE CORONARY ARTERIAL GRAFTS / CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); FOUR OR MORE CORONARY ARTERIAL GRAFTS	CPT/HCPCS
Ischemic stroke	G43.609	DX	PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, NOT INTRACTABLE, WITHOUT STATUS MIGRAINOSUS	ICD-10-CM
Ischemic stroke	G43.619	DX	PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, INTRACTABLE, WITHOUT STATUS MIGRAINOSUS	ICD-10-CM
Ischemic stroke	G46.3	DX	BRAIN STEM STROKE SYNDROME	ICD-10-CM
Ischemic stroke	G46.4	DX	CEREBELLAR STROKE SYNDROME	ICD-10-CM
Ischemic stroke	I63.0	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.00	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED PRECEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.01	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.011	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.012	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.013	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.019	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.02	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BASILAR ARTERY	ICD-10-CM
Ischemic stroke	I63.03	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.031	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.032	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.033	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.039	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.09	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.1	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.10	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED PRECEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.11	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.111	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.112	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.113	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.119	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.12	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BASILAR ARTERY	ICD-10-CM
Ischemic stroke	I63.13	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.131	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.132	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.133	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.139	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.19	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.2	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.20	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.21	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF VERTEBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.211	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.212	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.213	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.219	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.22	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BASILAR ARTERY	ICD-10-CM
Ischemic stroke	I63.23	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.231	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.232	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.233	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I63.239	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I63.29	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.3	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.30	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.31	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.311	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.312	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.313	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.319	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.32	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.321	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.322	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.323	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.329	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.33	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.331	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.332	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.333	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.339	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.34	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.341	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.342	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.343	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
Ischemic stroke	I63.349	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.39	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.4	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.40	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.41	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.411	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.412	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.413	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.419	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.42	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.421	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.422	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.423	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.429	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.43	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.431	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.432	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.433	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.439	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.44	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.441	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.442	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.443	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
Ischemic stroke	I63.449	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.49	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.5	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.50	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.51	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.511	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.512	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.513	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.519	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.52	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.521	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.522	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.523	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.529	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.53	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.531	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.532	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.533	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I63.539	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.54	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.541	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.542	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.543	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
Ischemic stroke	I63.549	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
Ischemic stroke	I63.59	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I63.6	DX	CEREBRAL INFARCTION DUE TO CEREBRAL VENOUS THROMBOSIS, NONPYOGENIC	ICD-10-CM
Ischemic stroke	I63.8	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
Ischemic stroke	I63.81	DX	OTHER CEREBRAL INFARCTION DUE TO OCCLUSION OR STENOSIS OF SMALL ARTERY	ICD-10-CM
Ischemic stroke	I63.89	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
Ischemic stroke	I63.9	DX	CEREBRAL INFARCTION, UNSPECIFIED	ICD-10-CM
Ischemic stroke	I65.0	DX	OCCLUSION AND STENOSIS OF VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I65.01	DX	OCCLUSION AND STENOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I65.02	DX	OCCLUSION AND STENOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I65.03	DX	OCCLUSION AND STENOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I65.09	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
Ischemic stroke	I65.1	DX	OCCLUSION AND STENOSIS OF BASILAR ARTERY	ICD-10-CM
Ischemic stroke	I65.2	DX	OCCLUSION AND STENOSIS OF CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I65.21	DX	OCCLUSION AND STENOSIS OF RIGHT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I65.22	DX	OCCLUSION AND STENOSIS OF LEFT CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I65.23	DX	OCCLUSION AND STENOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
Ischemic stroke	I65.29	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
Ischemic stroke	I65.8	DX	OCCLUSION AND STENOSIS OF OTHER PRECEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I65.9	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.0	DX	OCCLUSION AND STENOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.01	DX	OCCLUSION AND STENOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.02	DX	OCCLUSION AND STENOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.03	DX	OCCLUSION AND STENOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I66.09	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.1	DX	OCCLUSION AND STENOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.11	DX	OCCLUSION AND STENOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.12	DX	OCCLUSION AND STENOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.13	DX	OCCLUSION AND STENOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I66.19	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.2	DX	OCCLUSION AND STENOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.21	DX	OCCLUSION AND STENOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.22	DX	OCCLUSION AND STENOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.23	DX	OCCLUSION AND STENOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I66.29	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
Ischemic stroke	I66.3	DX	OCCLUSION AND STENOSIS OF CEREBELLAR ARTERIES	ICD-10-CM

Ischemic stroke	I66.8	DX	OCCLUSION AND STENOSIS OF OTHER CEREBRAL ARTERIES	ICD-10-CM
Ischemic stroke	I66.9	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
PVD diagnosis or surgery	I70.201	DX	UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.202	DX	UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.203	DX	UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.208	DX	UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.209	DX	UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.211	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.212	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.213	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.218	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.219	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.221	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.222	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.223	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.228	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.229	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.231	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.232	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.233	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.234	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.235	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.238	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.239	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.241	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.242	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.243	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.244	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.245	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.248	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.249	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.25	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF OTHER EXTREMITIES WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.261	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.262	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.263	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.268	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.269	DX	ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.291	DX	OTHER ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.292	DX	OTHER ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.293	DX	OTHER ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.298	DX	OTHER ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.299	DX	OTHER ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.301	DX	UNSPECIFIED ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.302	DX	UNSPECIFIED ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.303	DX	UNSPECIFIED ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.308	DX	UNSPECIFIED ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.309	DX	UNSPECIFIED ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.311	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.312	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.313	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.318	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.319	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.321	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.322	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.323	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.328	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.329	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.331	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.332	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.333	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.334	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.335	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.338	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.339	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.341	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.342	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.343	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.344	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.345	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.348	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.349	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.35	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF OTHER EXTREMITY WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.361	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.362	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.363	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.368	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.369	DX	ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.391	DX	OTHER ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.392	DX	OTHER ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.393	DX	OTHER ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.398	DX	OTHER ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.399	DX	OTHER ATHEROSCLEROSIS OF UNSPECIFIED TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.401	DX	UNSPECIFIED ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.402	DX	UNSPECIFIED ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.403	DX	UNSPECIFIED ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.408	DX	UNSPECIFIED ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.409	DX	UNSPECIFIED ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.411	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.412	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.413	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.418	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.419	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.421	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.422	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.423	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.428	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.429	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.431	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.432	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.433	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.434	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.435	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.438	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.439	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.441	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.442	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.443	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.444	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.445	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.448	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.449	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.45	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF OTHER EXTREMITY WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.461	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.462	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.463	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM

PVD diagnosis or surgery	I70.468	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.469	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.491	DX	OTHER ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.492	DX	OTHER ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.493	DX	OTHER ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.498	DX	OTHER ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.499	DX	OTHER ATHEROSCLEROSIS OF AUTOLOGOUS VEIN BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.501	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.502	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.503	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.508	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.509	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.511	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.512	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.513	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.518	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.519	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.521	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.522	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.523	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.528	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.529	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.531	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.532	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.533	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.534	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.535	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.538	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.539	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.541	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.542	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.543	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.544	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.545	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.548	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.549	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.55	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF OTHER EXTREMITY WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.561	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.562	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.563	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.568	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.569	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.591	DX	OTHER ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.592	DX	OTHER ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.593	DX	OTHER ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.598	DX	OTHER ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.599	DX	OTHER ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.601	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.602	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.603	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.608	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.609	DX	UNSPECIFIED ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.611	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.612	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.613	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.618	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.619	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.621	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.622	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.623	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.628	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.629	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.631	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.632	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.633	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.634	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.635	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.638	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.639	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.641	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.642	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.643	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.644	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.645	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.648	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.649	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.65	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF OTHER EXTREMITY WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.661	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.662	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.663	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.668	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.669	DX	ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.691	DX	OTHER ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.692	DX	OTHER ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.693	DX	OTHER ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.698	DX	OTHER ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.699	DX	OTHER ATHEROSCLEROSIS OF NONBIOLOGICAL BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.701	DX	UNSPECIFIED ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.702	DX	UNSPECIFIED ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.703	DX	UNSPECIFIED ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.708	DX	UNSPECIFIED ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.709	DX	UNSPECIFIED ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.711	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.712	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.713	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.718	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.719	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH INTERMITTENT CLAUDICATION, UNSPECIFIED EXTREMITY	ICD-10-CM

PVD diagnosis or surgery	I70.721	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.722	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.723	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.728	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.729	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH REST PAIN, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.731	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.732	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.733	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.734	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.735	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.738	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.739	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE RIGHT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.741	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF THIGH	ICD-10-CM
PVD diagnosis or surgery	I70.742	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF CALF	ICD-10-CM
PVD diagnosis or surgery	I70.743	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF ANKLE	ICD-10-CM
PVD diagnosis or surgery	I70.744	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF HEEL AND MIDFOOT	ICD-10-CM
PVD diagnosis or surgery	I70.745	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF FOOT	ICD-10-CM
PVD diagnosis or surgery	I70.748	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF OTHER PART OF LOWER LEG	ICD-10-CM
PVD diagnosis or surgery	I70.749	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE LEFT LEG WITH ULCERATION OF UNSPECIFIED SITE	ICD-10-CM
PVD diagnosis or surgery	I70.75	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF OTHER EXTREMITY WITH ULCERATION	ICD-10-CM
PVD diagnosis or surgery	I70.761	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.762	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.763	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.768	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.769	DX	ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES WITH GANGRENE, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.791	DX	OTHER ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, RIGHT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.792	DX	OTHER ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, LEFT LEG	ICD-10-CM
PVD diagnosis or surgery	I70.793	DX	OTHER ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, BILATERAL LEGS	ICD-10-CM
PVD diagnosis or surgery	I70.798	DX	OTHER ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, OTHER EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.799	DX	OTHER ATHEROSCLEROSIS OF OTHER TYPE OF BYPASS GRAFT(S) OF THE EXTREMITIES, UNSPECIFIED EXTREMITY	ICD-10-CM
PVD diagnosis or surgery	I70.92	DX	CHRONIC TOTAL OCCLUSION OF ARTERY OF THE EXTREMITIES	ICD-10-CM
PVD diagnosis or surgery	I73.89	DX	OTHER SPECIFIED PERIPHERAL VASCULAR DISEASES	ICD-10-CM
PVD diagnosis or surgery	I73.9	DX	PERIPHERAL VASCULAR DISEASE, UNSPECIFIED	ICD-10-CM
PVD diagnosis or surgery	T82.310A	DX	BREAKDOWN (MECHANICAL) OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.310D	DX	BREAKDOWN (MECHANICAL) OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.310S	DX	BREAKDOWN (MECHANICAL) OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.312A	DX	BREAKDOWN (MECHANICAL) OF FEMORAL ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.312D	DX	BREAKDOWN (MECHANICAL) OF FEMORAL ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.312S	DX	BREAKDOWN (MECHANICAL) OF FEMORAL ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.320A	DX	DISPLACEMENT OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.320D	DX	DISPLACEMENT OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.320S	DX	DISPLACEMENT OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.322A	DX	DISPLACEMENT OF FEMORAL ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.322D	DX	DISPLACEMENT OF FEMORAL ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.322S	DX	DISPLACEMENT OF FEMORAL ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.330A	DX	LEAKAGE OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.330D	DX	LEAKAGE OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.330S	DX	LEAKAGE OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.332A	DX	LEAKAGE OF FEMORAL ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.332D	DX	LEAKAGE OF FEMORAL ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.332S	DX	LEAKAGE OF FEMORAL ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.390A	DX	OTHER MECHANICAL COMPLICATION OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.390D	DX	OTHER MECHANICAL COMPLICATION OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.390S	DX	OTHER MECHANICAL COMPLICATION OF AORTIC (BIFURCATION) GRAFT (REPLACEMENT), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.392A	DX	OTHER MECHANICAL COMPLICATION OF FEMORAL ARTERIAL GRAFT (BYPASS), INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.392D	DX	OTHER MECHANICAL COMPLICATION OF FEMORAL ARTERIAL GRAFT (BYPASS), SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.392S	DX	OTHER MECHANICAL COMPLICATION OF FEMORAL ARTERIAL GRAFT (BYPASS), SEQUELA	ICD-10-CM
PVD diagnosis or surgery	T82.856A	DX	STENOSIS OF PERIPHERAL VASCULAR STENT, INITIAL ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.856D	DX	STENOSIS OF PERIPHERAL VASCULAR STENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
PVD diagnosis or surgery	T82.856S	DX	STENOSIS OF PERIPHERAL VASCULAR STENT, SEQUELA	ICD-10-CM
PVD diagnosis or surgery	Z98.62	DX	PERIPHERAL VASCULAR ANGIOPLASTY STATUS	ICD-10-CM
PVD diagnosis or surgery	0410096	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410097	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410098	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410099	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009G	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009H	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009J	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009K	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009Q	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041009R	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100A6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100A7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100A8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100A9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100AR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100J6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100J7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100J8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100J9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100JR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100K6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100K7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100K8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100K9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	04100KH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100KR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100Z6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100Z7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100Z8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100Z9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04100ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410496	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410497	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049B	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0410499	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049G	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049H	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049J	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049K	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049Q	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041049R	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104A6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104A7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104A8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104A9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104AR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104J6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104J7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104J8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104J9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104JR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104K6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104K7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104K8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104K9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104KR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104Z6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104Z7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104Z8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104Z9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04104ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C09H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C09J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C09K	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0AH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0AJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0AK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0JH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	041C0JJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0JK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0KH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0KJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0KK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0ZH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0ZJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C0ZK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C49H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C49J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C49K	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4AH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4AJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4AK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4JH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4JJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4JK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4KH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4KJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4KK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4ZH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4ZJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041C4ZK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D09H	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D09J	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D09K	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0AH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0AJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0AK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0JH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0JJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0JK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0KH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0KJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0KK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0ZH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D0ZK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D49H	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D49J	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D49K	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4AH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4AJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4AK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4JH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4JJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4JK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4KH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4KJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4KK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4ZH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041D4ZK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E09H	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E09J	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E09K	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0AH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0AJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0AK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0JH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0JJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0JK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0KH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0KJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0KK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0ZH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0ZJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E0ZK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E49H	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E49J	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E49K	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4AH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4AJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4AK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4JH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4JJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4JK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4KH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4KJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4KK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4ZH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4ZJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041E4ZK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F09H	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F09J	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F09K	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0AH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0AJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0AK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	041F0JH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0JJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0JK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0KH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0KJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0KK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0ZH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0ZJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F0ZK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F49H	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F49J	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F49K	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4AH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4AJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4AK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4JH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4JJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4JK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4KH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4KJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4KK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4ZH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4ZJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041F4ZK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H09H	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H09J	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H09K	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0AH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0AJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0AK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0JH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0JJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0JK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0KH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0KJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0KK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0ZH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0ZJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H0ZK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H49H	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H49J	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H49K	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4AH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4AJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4AK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4JH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4JJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4JK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4KH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4KJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4KK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4ZH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4ZJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041H4ZK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J09H	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J09J	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J09K	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0AH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0AJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0AK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0JH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0JJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0JK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0KH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0KJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0KK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0ZH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0ZJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J0ZK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J49H	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J49J	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J49K	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4AH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4AJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4AK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4JH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4JJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4JK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4KH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4KJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4KK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4ZH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4ZJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041J4ZK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	041K09Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K09S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0AS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0JS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0KS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K0ZS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K49S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4AS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4JS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4KS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041K4ZS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09H	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09J	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09K	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09L	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09M	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09N	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09P	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09Q	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L09S	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	041L0AN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0AS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0JS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0KS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L0ZS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49H	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49J	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49K	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49L	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49M	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49N	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49P	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49Q	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L49S	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4AS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4JS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4KS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041L4ZS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M09L	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M09M	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M09P	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M09Q	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M09S	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0AL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0AM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0AP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0AQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0AS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0JL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0JM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0JP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0JQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0JS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0KL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0KM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0KP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0KQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0KS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0ZL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0ZM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0ZP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M0ZQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	041M0ZS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M49L	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M49M	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M49P	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M49Q	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M49S	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4AL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4AM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4AP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4AQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4AS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4JL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4JM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4JP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4JQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4JS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4KL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4KM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4KP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4KQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4KS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4ZL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4ZM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4ZP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4ZQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041M4ZS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N09L	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N09M	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N09P	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N09Q	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N09S	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0AL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0AM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0AP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0AQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0AS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0JL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0JM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0JP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0JQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0JS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0KL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0KM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0KP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0KQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0KS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0ZL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0ZM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0ZP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0ZQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N0ZS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N49L	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N49M	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N49P	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N49Q	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N49S	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4AL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4AM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4AP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4AQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4AS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4JL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4JM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4JP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4JQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4JS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4KL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4KM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4KP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4KQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4KS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4ZL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4ZM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4ZP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4ZQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	041N4ZS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470046	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047004Z	PX	DILATION OF ABDOMINAL AORTA WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470056	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047005Z	PX	DILATION OF ABDOMINAL AORTA WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470066	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047006Z	PX	DILATION OF ABDOMINAL AORTA WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470076	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047007Z	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700D6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700DZ	PX	DILATION OF ABDOMINAL AORTA WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700E6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700EZ	PX	DILATION OF ABDOMINAL AORTA WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700F6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700FZ	PX	DILATION OF ABDOMINAL AORTA WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700G6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700GZ	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700Z6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04700ZZ	PX	DILATION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470346	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047034Z	PX	DILATION OF ABDOMINAL AORTA WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470356	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047035Z	PX	DILATION OF ABDOMINAL AORTA WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470366	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047036Z	PX	DILATION OF ABDOMINAL AORTA WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470376	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM

PVD diagnosis or surgery	047037Z	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703D6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703DZ	PX	DILATION OF ABDOMINAL AORTA WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703E6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703EZ	PX	DILATION OF ABDOMINAL AORTA WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703F6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703FZ	PX	DILATION OF ABDOMINAL AORTA WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703G6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703GZ	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703Z6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04703ZZ	PX	DILATION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470446	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047044Z	PX	DILATION OF ABDOMINAL AORTA WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470456	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047045Z	PX	DILATION OF ABDOMINAL AORTA WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470466	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047046Z	PX	DILATION OF ABDOMINAL AORTA WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	0470476	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047047Z	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704D6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704DZ	PX	DILATION OF ABDOMINAL AORTA WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704E6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704EZ	PX	DILATION OF ABDOMINAL AORTA WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704F6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704FZ	PX	DILATION OF ABDOMINAL AORTA WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704G6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704GZ	PX	DILATION OF ABDOMINAL AORTA WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704Z6	PX	DILATION OF ABDOMINAL AORTA, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04704ZZ	PX	DILATION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C046	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C04Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C056	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C05Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C066	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C06Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C076	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C07Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0D6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0DZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0E6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0EZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0F6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0FZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0G6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0GZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0Z6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C0ZZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C346	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C34Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C356	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C35Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C366	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C36Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C376	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C37Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3D6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3DZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3E6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3EZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3F6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3FZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3G6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3GZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3Z6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C3ZZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C446	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C44Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C456	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C45Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C466	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C46Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C476	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C47Z	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4D6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4DZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4E6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4EZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4F6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4FZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4G6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4GZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4Z6	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047C4ZZ	PX	DILATION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D046	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D04Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D056	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D05Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D066	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D06Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D076	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D07Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0D6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0DZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0E6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0EZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0F6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0FZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0G6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0GZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D0Z6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047D0ZZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D346	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D34Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D356	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D35Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D366	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D36Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D376	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D37Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3D6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3DZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3E6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3EZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3F6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3FZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3G6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3GZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3Z6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D3ZZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D446	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D44Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D456	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D45Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D466	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D46Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D476	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D47Z	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4D6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4DZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4E6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4EZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4F6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4FZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4G6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4GZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4Z6	PX	DILATION OF LEFT COMMON ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047D4ZZ	PX	DILATION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E046	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E04Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E056	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E05Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E066	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E06Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E076	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E07Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0D6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0DZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0E6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0EZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0F6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0FZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0G6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0GZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0Z6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E0ZZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E346	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E34Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E356	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E35Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E366	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E36Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E376	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E37Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3D6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3DZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3E6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3EZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3F6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3FZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3G6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3GZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3Z6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E3ZZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E446	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E44Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E456	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E45Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E466	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E46Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E476	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E47Z	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4D6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4DZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4E6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4EZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4F6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4FZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4G6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4GZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4Z6	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047E4ZZ	PX	DILATION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F046	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F04Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F056	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047F05Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F066	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F06Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F076	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F07Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0D6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0DZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0E6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0EZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0F6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0FZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0G6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0GZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0Z6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F0ZZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F346	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F34Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F356	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F35Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F366	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F36Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F376	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F37Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3D6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3DZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3E6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3EZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3F6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3FZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3G6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3GZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3Z6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F3ZZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F446	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F44Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F456	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F45Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F466	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F46Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F476	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F47Z	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4D6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4DZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4E6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4EZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4F6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4FZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4G6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4GZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4Z6	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047F4ZZ	PX	DILATION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H046	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H04Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H056	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H05Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H066	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H06Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H076	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H07Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0D6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0DZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0E6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0EZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0F6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0FZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0G6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0GZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0Z6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H0ZZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H346	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H34Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H356	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H35Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H366	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H36Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H376	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H37Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3D6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3DZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3E6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3EZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3F6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3FZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3G6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3GZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3Z6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H3ZZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H446	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H44Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H456	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H45Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H466	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H46Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H476	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H47Z	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4D6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

PVD diagnosis or surgery	047H4DZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4E6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4EZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4F6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4FZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4G6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4GZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4Z6	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047H4ZZ	PX	DILATION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J046	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J04Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J056	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J05Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J066	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J06Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J076	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J07Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0D6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0DZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0E6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0EZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0F6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0FZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0G6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0GZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0Z6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J0ZZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J346	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J34Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J356	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J35Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J366	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J36Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J376	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J37Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3D6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3DZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3E6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3EZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3F6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3FZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3G6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3GZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3Z6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J3ZZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J446	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J44Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J456	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J45Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J466	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J46Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J476	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J47Z	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4D6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4DZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4E6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4EZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4F6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4FZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4G6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4GZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4Z6	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047J4ZZ	PX	DILATION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K041	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K046	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K04Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K056	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K05Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K066	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K06Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K076	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K07Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0D1	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0D6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0DZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0E6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0EZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0F6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0FZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0G6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0GZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0Z1	PX	DILATION OF RIGHT FEMORAL ARTERY USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0Z6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K0ZZ	PX	DILATION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K341	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K346	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K34Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K356	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K35Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K366	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K36Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K376	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K37Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3D1	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3D6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3DZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3E6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3EZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3F6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3FZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM

PVD diagnosis or surgery	047K3G6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3GZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3Z1	PX	DILATION OF RIGHT FEMORAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3Z6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K3ZZ	PX	DILATION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K441	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K446	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K44Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K456	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K45Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K466	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K46Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K476	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K47Z	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4D1	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4D6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4DZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4E6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4EZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4F6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4FZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4G6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4GZ	PX	DILATION OF RIGHT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4Z1	PX	DILATION OF RIGHT FEMORAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4Z6	PX	DILATION OF RIGHT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047K4ZZ	PX	DILATION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L041	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L046	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L04Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L056	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L05Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L066	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L06Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L076	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L07Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0D1	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0D6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0DZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0E6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0EZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0F6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0FZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0G6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0GZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0Z1	PX	DILATION OF LEFT FEMORAL ARTERY USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0Z6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L0ZZ	PX	DILATION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L341	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L346	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L34Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L356	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L35Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L366	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L36Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L376	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L37Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3D1	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3D6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3DZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3E6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3EZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3F6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3FZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3G6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3GZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3Z1	PX	DILATION OF LEFT FEMORAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3Z6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L3ZZ	PX	DILATION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L441	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L446	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L44Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L456	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L45Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L466	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L46Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L476	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L47Z	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4D1	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4D6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4DZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4E6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4EZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4F6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4FZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4G6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4GZ	PX	DILATION OF LEFT FEMORAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4Z1	PX	DILATION OF LEFT FEMORAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4Z6	PX	DILATION OF LEFT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047L4ZZ	PX	DILATION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M041	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M046	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M04Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M056	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M05Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M066	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M06Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M076	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M07Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0D1	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0D6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047M0DZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0E6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0EZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0F6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0FZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0G6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0GZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0Z1	PX	DILATION OF RIGHT POPLITEAL ARTERY USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0Z6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M0ZZ	PX	DILATION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M341	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M346	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M34Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M356	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M35Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M366	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M36Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M376	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M37Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3D1	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3D6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3DZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3E6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3EZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3F6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3FZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3G6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3GZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3Z1	PX	DILATION OF RIGHT POPLITEAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3Z6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M3ZZ	PX	DILATION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M441	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M446	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M44Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M456	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M45Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M466	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M46Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M476	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M47Z	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4D1	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4D6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4DZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4E6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4EZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4F6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4FZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4G6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4GZ	PX	DILATION OF RIGHT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4Z1	PX	DILATION OF RIGHT POPLITEAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4Z6	PX	DILATION OF RIGHT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047M4ZZ	PX	DILATION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N041	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N046	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N04Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N056	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N05Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N066	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N06Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N076	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N07Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0D1	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0D6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0DZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0E6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0EZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0F6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0FZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0G6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0GZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0Z1	PX	DILATION OF LEFT POPLITEAL ARTERY USING DRUG-COATED BALLOON, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0Z6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N0ZZ	PX	DILATION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N341	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N346	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N34Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N356	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N35Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N366	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N36Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N376	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N37Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3D1	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3D6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3DZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3E6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3EZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3F6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3FZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3G6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3GZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3Z1	PX	DILATION OF LEFT POPLITEAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3Z6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N3ZZ	PX	DILATION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N441	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N446	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N44Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N456	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N45Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N466	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N46Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N476	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

PVD diagnosis or surgery	047N47Z	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4D1	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4D6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4DZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4E6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4EZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4F6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4FZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4G6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4GZ	PX	DILATION OF LEFT POPLITEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4Z1	PX	DILATION OF LEFT POPLITEAL ARTERY USING DRUG-COATED BALLOON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4Z6	PX	DILATION OF LEFT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047N4ZZ	PX	DILATION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P046	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P04Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P056	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P05Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P066	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P06Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P076	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P07Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0D6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0DZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0E6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0EZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0F6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0FZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0G6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0GZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0Z6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P0ZZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P346	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P34Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P356	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P35Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P366	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P36Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P376	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P37Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3D6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3DZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3E6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3EZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3F6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3FZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3G6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3GZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3Z6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P3ZZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P446	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P44Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P456	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P45Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P466	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P46Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P476	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P47Z	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4D6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4DZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4E6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4EZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4F6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4FZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4G6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4GZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4Z6	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047P4ZZ	PX	DILATION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q046	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q04Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q056	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q05Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q066	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q06Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q076	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q07Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0D6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0DZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0E6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0EZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0F6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0FZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0G6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0GZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0Z6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q0ZZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q346	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q34Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q356	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q35Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q366	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q36Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q376	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q37Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3D6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3DZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

PVD diagnosis or surgery	047Q3E6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3EZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3F6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3FZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3G6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3GZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3Z6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q3ZZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q446	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q44Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q456	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q45Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q466	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q46Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q476	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q47Z	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4D6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4DZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4E6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4EZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4F6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4FZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4G6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4GZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4Z6	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Q4ZZ	PX	DILATION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R046	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R04Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R056	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R05Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R066	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R06Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R076	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R07Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0D6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0DZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0E6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0EZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0F6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0FZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0G6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0GZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0Z6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R0ZZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R346	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R34Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R356	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R35Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R366	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R36Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R376	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R37Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3D6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3DZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3E6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3EZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3F6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3FZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3G6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3GZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3Z6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R3ZZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R446	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R44Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R456	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R45Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R466	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R46Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R476	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R47Z	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4D6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4DZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4E6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4EZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4F6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4FZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4G6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4GZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4Z6	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047R4ZZ	PX	DILATION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S046	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S04Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S056	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S05Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S066	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S06Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S076	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S07Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0D6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0DZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0E6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0EZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0F6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0FZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047S0G6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0GZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0Z6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S0ZZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S346	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S34Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S356	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S35Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S366	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S36Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S376	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S37Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3D6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3DZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3E6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3EZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3F6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3FZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3G6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3GZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3Z6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S3ZZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S446	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S44Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S456	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S45Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S466	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S46Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S476	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S47Z	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4D6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4DZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4E6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4EZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4F6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4FZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4G6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4GZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4Z6	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047S4ZZ	PX	DILATION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T046	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T04Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T056	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T05Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T066	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T06Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T076	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T07Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0D6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0DZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0E6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0EZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0F6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0FZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0G6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0GZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0Z6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T0ZZ	PX	DILATION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T346	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T34Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T356	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T35Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T366	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T36Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T376	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T37Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3D6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3DZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3E6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3EZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3F6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3FZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3G6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3GZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3Z6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T3ZZ	PX	DILATION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T446	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T44Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T456	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T45Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T466	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T46Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T476	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T47Z	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4D6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4DZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4E6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4EZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4F6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4FZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4G6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4GZ	PX	DILATION OF RIGHT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4Z6	PX	DILATION OF RIGHT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047T4ZZ	PX	DILATION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U046	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U04Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U056	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U05Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047U066	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U06Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U076	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U07Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0D6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0DZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0E6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0EZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0F6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0FZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0G6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0GZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0Z6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U0ZZ	PX	DILATION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U346	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U34Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U356	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U35Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U366	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U36Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U376	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U37Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3D6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3DZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3E6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3EZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3F6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3FZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3G6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3GZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3Z6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U3ZZ	PX	DILATION OF LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U446	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U44Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U456	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U45Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U466	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U46Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U476	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U47Z	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4D6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4DZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4E6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4EZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4F6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4FZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4G6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4GZ	PX	DILATION OF LEFT PERONEAL ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4Z6	PX	DILATION OF LEFT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047U4ZZ	PX	DILATION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V046	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V04Z	PX	DILATION OF RIGHT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V056	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V05Z	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V066	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V06Z	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V076	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V07Z	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0D6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0DZ	PX	DILATION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0E6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0EZ	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0F6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0FZ	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0G6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0GZ	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0Z6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V0ZZ	PX	DILATION OF RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V346	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V34Z	PX	DILATION OF RIGHT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V356	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V35Z	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V366	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V36Z	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V376	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V37Z	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3D6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3DZ	PX	DILATION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3E6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3EZ	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3F6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3FZ	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3G6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3GZ	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3Z6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V3ZZ	PX	DILATION OF RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V446	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V44Z	PX	DILATION OF RIGHT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V456	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V45Z	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V466	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V46Z	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V476	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V47Z	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4D6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4DZ	PX	DILATION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4E6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4EZ	PX	DILATION OF RIGHT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4F6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4FZ	PX	DILATION OF RIGHT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4G6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4GZ	PX	DILATION OF RIGHT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4Z6	PX	DILATION OF RIGHT FOOT ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047V4ZZ	PX	DILATION OF RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W046	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	047W04Z	PX	DILATION OF LEFT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W056	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W05Z	PX	DILATION OF LEFT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W066	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W06Z	PX	DILATION OF LEFT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W076	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W07Z	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0D6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0DZ	PX	DILATION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0E6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0EZ	PX	DILATION OF LEFT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0F6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0FZ	PX	DILATION OF LEFT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0G6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0GZ	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0Z6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W0ZZ	PX	DILATION OF LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W346	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W34Z	PX	DILATION OF LEFT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W356	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W35Z	PX	DILATION OF LEFT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W366	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W36Z	PX	DILATION OF LEFT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W376	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W37Z	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3D6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3DZ	PX	DILATION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3E6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3EZ	PX	DILATION OF LEFT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3F6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3FZ	PX	DILATION OF LEFT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3G6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3GZ	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3Z6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W3ZZ	PX	DILATION OF LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W446	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W44Z	PX	DILATION OF LEFT FOOT ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W456	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W45Z	PX	DILATION OF LEFT FOOT ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W466	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W46Z	PX	DILATION OF LEFT FOOT ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W476	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W47Z	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4D6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4DZ	PX	DILATION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4E6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4EZ	PX	DILATION OF LEFT FOOT ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4F6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4FZ	PX	DILATION OF LEFT FOOT ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4G6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4GZ	PX	DILATION OF LEFT FOOT ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4Z6	PX	DILATION OF LEFT FOOT ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047W4ZZ	PX	DILATION OF LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y046	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y04Z	PX	DILATION OF LOWER ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y056	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y05Z	PX	DILATION OF LOWER ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y066	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y06Z	PX	DILATION OF LOWER ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y076	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y07Z	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0D6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0DZ	PX	DILATION OF LOWER ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0E6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0EZ	PX	DILATION OF LOWER ARTERY WITH TWO INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0F6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0FZ	PX	DILATION OF LOWER ARTERY WITH THREE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0G6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0GZ	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0Z6	PX	DILATION OF LOWER ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y0ZZ	PX	DILATION OF LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y346	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y34Z	PX	DILATION OF LOWER ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y356	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y35Z	PX	DILATION OF LOWER ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y366	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y36Z	PX	DILATION OF LOWER ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y376	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y37Z	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3D6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3DZ	PX	DILATION OF LOWER ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3E6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3EZ	PX	DILATION OF LOWER ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3F6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3FZ	PX	DILATION OF LOWER ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3G6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3GZ	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3Z6	PX	DILATION OF LOWER ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y3ZZ	PX	DILATION OF LOWER ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y446	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y44Z	PX	DILATION OF LOWER ARTERY WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y456	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y45Z	PX	DILATION OF LOWER ARTERY WITH TWO DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y466	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y46Z	PX	DILATION OF LOWER ARTERY WITH THREE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y476	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y47Z	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE DRUG-ELUTING INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4D6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4DZ	PX	DILATION OF LOWER ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4E6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4EZ	PX	DILATION OF LOWER ARTERY WITH TWO INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4F6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4FZ	PX	DILATION OF LOWER ARTERY WITH THREE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4G6	PX	DILATION OF LOWER ARTERY, BIFURCATION, WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4GZ	PX	DILATION OF LOWER ARTERY WITH FOUR OR MORE INTRALUMINAL DEVICES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4Z6	PX	DILATION OF LOWER ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	047Y4ZZ	PX	DILATION OF LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CK4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CL0Z6	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM

PVD diagnosis or surgery	04CL0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CL3Z6	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CL4Z6	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CL4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CM4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN0Z6	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN3Z6	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN4Z6	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CN4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CP4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ0Z6	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ3Z6	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ4Z6	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CQ4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CR4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS0Z6	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS3Z6	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS4Z6	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CS4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CT4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU0Z6	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU3Z6	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU4Z6	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CU4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV0Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV3Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV4Z6	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CV4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW0Z6	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW3Z6	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW4Z6	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CW4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY0Z6	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, BIFURCATION, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY0ZZ	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY3Z6	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, BIFURCATION, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY3ZZ	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY4Z6	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, BIFURCATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04CY4ZZ	PX	EXTIRPATION OF MATTER FROM LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FC3Z0	PX	FRAGMENTATION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FC3ZZ	PX	FRAGMENTATION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FD3Z0	PX	FRAGMENTATION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FD3ZZ	PX	FRAGMENTATION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FE3Z0	PX	FRAGMENTATION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FE3ZZ	PX	FRAGMENTATION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FF3Z0	PX	FRAGMENTATION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FF3ZZ	PX	FRAGMENTATION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FH3Z0	PX	FRAGMENTATION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FH3ZZ	PX	FRAGMENTATION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FJ3Z0	PX	FRAGMENTATION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FJ3ZZ	PX	FRAGMENTATION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FK3Z0	PX	FRAGMENTATION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FK3ZZ	PX	FRAGMENTATION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FL3Z0	PX	FRAGMENTATION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FL3ZZ	PX	FRAGMENTATION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FM3Z0	PX	FRAGMENTATION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FM3ZZ	PX	FRAGMENTATION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FN3Z0	PX	FRAGMENTATION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FN3ZZ	PX	FRAGMENTATION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FP3Z0	PX	FRAGMENTATION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FP3ZZ	PX	FRAGMENTATION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FQ3Z0	PX	FRAGMENTATION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FQ3ZZ	PX	FRAGMENTATION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FR3Z0	PX	FRAGMENTATION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FR3ZZ	PX	FRAGMENTATION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FS3Z0	PX	FRAGMENTATION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FS3ZZ	PX	FRAGMENTATION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FT3Z0	PX	FRAGMENTATION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FT3ZZ	PX	FRAGMENTATION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FU3Z0	PX	FRAGMENTATION OF LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FU3ZZ	PX	FRAGMENTATION OF LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04FY3Z0	PX	FRAGMENTATION OF LOWER ARTERY, PERCUTANEOUS APPROACH, ULTRASONIC	ICD-10-CM
PVD diagnosis or surgery	04FY3ZZ	PX	FRAGMENTATION OF LOWER ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HC0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HC3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HC4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HD0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HD3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HD4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HE0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HE3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HE4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HF0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HF3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HF4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HH0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HH3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HH4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HJ0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HJ3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HJ4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HK0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HK3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HK4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HL0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HL3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HL4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HM0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HM3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HM4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HN0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HN3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HN4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HP0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HP3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HP4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HQ0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HQ3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HQ4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HR0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HR3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HR4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HS0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HS3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

PVD diagnosis or surgery	04HS4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HT0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HT3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HT4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HU0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HU3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HU4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HV0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HV3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HV4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HW0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HW3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HW4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HY0ZZ	PX	INSERTION OF MONITORING DEVICE INTO LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HY0DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HY3DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LOWER ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HY4ZZ	PX	INSERTION OF MONITORING DEVICE INTO LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04HY4DZ	PX	INSERTION OF INTRALUMINAL DEVICE INTO LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NC0ZZ	PX	RELEASE RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NC3ZZ	PX	RELEASE RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NC4ZZ	PX	RELEASE RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04ND0ZZ	PX	RELEASE LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04ND3ZZ	PX	RELEASE LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04ND4ZZ	PX	RELEASE LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NE0ZZ	PX	RELEASE RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NE3ZZ	PX	RELEASE RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NE4ZZ	PX	RELEASE RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NF0ZZ	PX	RELEASE LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NF3ZZ	PX	RELEASE LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NF4ZZ	PX	RELEASE LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NH0ZZ	PX	RELEASE RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NH3ZZ	PX	RELEASE RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NH4ZZ	PX	RELEASE RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NJ0ZZ	PX	RELEASE LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NJ3ZZ	PX	RELEASE LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NJ4ZZ	PX	RELEASE LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NK0ZZ	PX	RELEASE RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NK3ZZ	PX	RELEASE RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NK4ZZ	PX	RELEASE RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NL0ZZ	PX	RELEASE LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NL3ZZ	PX	RELEASE LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NL4ZZ	PX	RELEASE LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NM0ZZ	PX	RELEASE RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NM3ZZ	PX	RELEASE RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NM4ZZ	PX	RELEASE RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NN0ZZ	PX	RELEASE LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NN3ZZ	PX	RELEASE LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NN4ZZ	PX	RELEASE LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NP0ZZ	PX	RELEASE RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NP3ZZ	PX	RELEASE RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NP4ZZ	PX	RELEASE RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NQ0ZZ	PX	RELEASE LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NQ3ZZ	PX	RELEASE LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NQ4ZZ	PX	RELEASE LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NR0ZZ	PX	RELEASE RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NR3ZZ	PX	RELEASE RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NR4ZZ	PX	RELEASE RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NS0ZZ	PX	RELEASE LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NS3ZZ	PX	RELEASE LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NS4ZZ	PX	RELEASE LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NT0ZZ	PX	RELEASE RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NT3ZZ	PX	RELEASE RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NT4ZZ	PX	RELEASE RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NU0ZZ	PX	RELEASE LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NU3ZZ	PX	RELEASE LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NU4ZZ	PX	RELEASE LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NV0ZZ	PX	RELEASE RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NV3ZZ	PX	RELEASE RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NV4ZZ	PX	RELEASE RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NW0ZZ	PX	RELEASE LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NW3ZZ	PX	RELEASE LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NW4ZZ	PX	RELEASE LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NY0ZZ	PX	RELEASE LOWER ARTERY, OPEN APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NY3ZZ	PX	RELEASE LOWER ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
PVD diagnosis or surgery	04NY4ZZ	PX	RELEASE LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
PVD diagnosis or surgery	35256	PX	REPAIR BLOOD VESSEL WITH VEIN GRAFT; LOWER EXTREMITY	CPT/HCPCS
PVD diagnosis or surgery	35286	PX	REPAIR BLOOD VESSEL WITH GRAFT OTHER THAN VEIN; LOWER EXTREMITY	CPT/HCPCS
PVD diagnosis or surgery	35351	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; ILIAC / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35355	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; ILIOFEMORAL / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; ILIOFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35361	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; COMBINED AORTOILIAC / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; COMBINED AORTOILIAC	CPT/HCPCS
PVD diagnosis or surgery	35363	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; COMBINED AORTOILIOFEMORAL / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; COMBINED AORTOILIOFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35371	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; COMMON FEMORAL / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; COMMON FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35372	PX	THROMBOENDARTERECTOMY, INCLUDING PATCH GRAFT, IF PERFORMED; DEEP (PROFUNDA) FEMORAL / THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; DEEP (PROFUNDA) FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35381	PX	THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; FEMORAL AND/OR POPLITEAL, AND/OR TIBIOPERONEAL	CPT/HCPCS
PVD diagnosis or surgery	35454	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35456	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35459	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; TIBIOPERONEAL TRUNK AND BRANCHES	CPT/HCPCS
PVD diagnosis or surgery	35470	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, PERCUTANEOUS; TIBIOPERONEAL TRUNK OR BRANCHES, EACH VESSEL	CPT/HCPCS
PVD diagnosis or surgery	35473	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, PERCUTANEOUS; ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35474	PX	TRANSLUMINAL BALLOON ANGIOPLASTY, PERCUTANEOUS; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35482	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35483	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35485	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; TIBIOPERONEAL TRUNK AND BRANCHES	CPT/HCPCS
PVD diagnosis or surgery	35492	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, PERCUTANEOUS; ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35493	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, PERCUTANEOUS; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35495	PX	TRANSLUMINAL PERIPHERAL ATHERECTOMY, PERCUTANEOUS; TIBIOPERONEAL TRUNK AND BRANCHES	CPT/HCPCS
PVD diagnosis or surgery	35521	PX	BYPASS GRAFT, WITH VEIN; AXILLARY-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35533	PX	BYPASS GRAFT, WITH VEIN; AXILLARY-FEMORAL-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35541	PX	BYPASS GRAFT, WITH VEIN; AORTOILIAC OR BI-ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35546	PX	BYPASS GRAFT, WITH VEIN; AORTOFEMORAL OR BIFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35548	PX	BYPASS GRAFT, WITH VEIN; AORTOILIOFEMORAL, UNILATERAL	CPT/HCPCS
PVD diagnosis or surgery	35549	PX	BYPASS GRAFT, WITH VEIN; AORTOILIOFEMORAL, BILATERAL	CPT/HCPCS
PVD diagnosis or surgery	35551	PX	BYPASS GRAFT, WITH VEIN; AORTOFEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35556	PX	BYPASS GRAFT, WITH VEIN; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35558	PX	BYPASS GRAFT, WITH VEIN; FEMORAL-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35563	PX	BYPASS GRAFT, WITH VEIN; ILIOILIAC	CPT/HCPCS
PVD diagnosis or surgery	35565	PX	BYPASS GRAFT, WITH VEIN; ILIOFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35566	PX	BYPASS GRAFT, WITH VEIN; FEMORAL-ANTERIOR TIBIAL, POSTERIOR TIBIAL, PERONEAL ARTERY OR OTHER DISTAL VESSELS	CPT/HCPCS
PVD diagnosis or surgery	35570	PX	BYPASS GRAFT, WITH VEIN; TIBIAL-TIBIAL, PERONEAL-TIBIAL, OR TIBIAL/PERONEAL TRUNK-TIBIAL	CPT/HCPCS
PVD diagnosis or surgery	35571	PX	BYPASS GRAFT, WITH VEIN; POPLITEAL-TIBIAL, -PERONEAL ARTERY OR OTHER DISTAL VESSELS	CPT/HCPCS
PVD diagnosis or surgery	35582	PX	IN-SITU VEIN BYPASS; AORTOFEMORAL-POPLITEAL (ONLY FEMORAL-POPLITEAL PORTION IN-SITU)	CPT/HCPCS
PVD diagnosis or surgery	35583	PX	IN-SITU VEIN BYPASS; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35585	PX	IN-SITU VEIN BYPASS; FEMORAL-ANTERIOR TIBIAL, POSTERIOR TIBIAL, OR PERONEAL ARTERY	CPT/HCPCS
PVD diagnosis or surgery	35587	PX	IN-SITU VEIN BYPASS; POPLITEAL-TIBIAL, PERONEAL	CPT/HCPCS
PVD diagnosis or surgery	35621	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AXILLARY-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35623	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AXILLARY-POPLITEAL OR -TIBIAL	CPT/HCPCS
PVD diagnosis or surgery	35637	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOILIAC	CPT/HCPCS
PVD diagnosis or surgery	35638	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOBI-ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35641	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOILIAC OR BI-ILIAC	CPT/HCPCS
PVD diagnosis or surgery	35646	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOBIFEMORAL / BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOFEMORAL OR BIFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35647	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOFEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35650	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AXILLARY-AXILLARY	CPT/HCPCS
PVD diagnosis or surgery	35651	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AORTOFEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35654	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; AXILLARY-FEMORAL-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35656	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; FEMORAL-POPLITEAL	CPT/HCPCS
PVD diagnosis or surgery	35661	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; FEMORAL-FEMORAL	CPT/HCPCS
PVD diagnosis or surgery	35663	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; ILIOILIAC	CPT/HCPCS
PVD diagnosis or surgery	35666	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; FEMORAL-ANTERIOR TIBIAL, POSTERIOR TIBIAL, OR PERONEAL ARTERY	CPT/HCPCS
PVD diagnosis or surgery	35671	PX	BYPASS GRAFT, WITH OTHER THAN VEIN; POPLITEAL-TIBIAL OR -PERONEAL ARTERY	CPT/HCPCS
PVD diagnosis or surgery	35681	PX	BYPASS GRAFT; COMPOSITE, PROSTHETIC AND VEIN (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	35682	PX	BYPASS GRAFT; AUTOGENOUS COMPOSITE, 2 SEGMENTS OF VEINS FROM 2 LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / BYPASS GRAFT; AUTOGENOUS COMPOSITE, TWO SEGMENTS OF VEINS FROM TWO LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	35683	PX	BYPASS GRAFT; AUTOGENOUS COMPOSITE, 3 OR MORE SEGMENTS OF VEIN FROM 2 OR MORE LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / BYPASS GRAFT; AUTOGENOUS COMPOSITE, THREE OR MORE SEGMENTS OF VEIN FROM TWO OR MORE LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	35879	PX	REVISION, LOWER EXTREMITY ARTERIAL BYPASS, WITHOUT THROMBECTOMY, OPEN; WITH VEIN PATCH ANGIOPLASTY	CPT/HCPCS
PVD diagnosis or surgery	37207	PX	TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S) (EXCEPT CORONARY, CAROTID, VERTEBRAL, ILIAC AND LOWER EXTREMITY ARTERIES), OPEN; INITIAL VESSEL / TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S) (NON-CORONARY VESSEL), OPEN; INITIAL VESSEL / TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S), (NON-CORONARY VESSEL), OPEN; INITIAL VESSEL	CPT/HCPCS
PVD diagnosis or surgery	37208	PX	TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S) (EXCEPT CORONARY, CAROTID, VERTEBRAL, ILIAC AND LOWER EXTREMITY ARTERIES), OPEN; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S) (NON-CORONARY VESSEL), OPEN; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S), (NON-CORONARY VESSEL), OPEN; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37220	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, ILIAC ARTERY, UNILATERAL, INITIAL VESSEL; WITH TRANSLUMINAL ANGIOPLASTY	CPT/HCPCS

PVD diagnosis or surgery	37221	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, ILIAC ARTERY, UNILATERAL, INITIAL VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S), INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37222	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, ILIAC ARTERY, EACH ADDITIONAL IPSILATERAL ILIAC VESSEL; WITH TRANSLUMINAL ANGIOPLASTY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37223	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, ILIAC ARTERY, EACH ADDITIONAL IPSILATERAL ILIAC VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S), INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37224	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, FEMORAL, POPLITEAL ARTERY(S), UNILATERAL; WITH TRANSLUMINAL ANGIOPLASTY	CPT/HCPCS
PVD diagnosis or surgery	37225	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, FEMORAL, POPLITEAL ARTERY(S), UNILATERAL; WITH ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37226	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, FEMORAL, POPLITEAL ARTERY(S), UNILATERAL; WITH TRANSLUMINAL STENT PLACEMENT(S), INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37227	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, FEMORAL, POPLITEAL ARTERY(S), UNILATERAL; WITH TRANSLUMINAL STENT PLACEMENT(S) AND ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37228	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL, PERONEAL ARTERY, UNILATERAL, INITIAL VESSEL; WITH TRANSLUMINAL ANGIOPLASTY	CPT/HCPCS
PVD diagnosis or surgery	37229	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL, PERONEAL ARTERY, UNILATERAL, INITIAL VESSEL; WITH ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37230	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL, PERONEAL ARTERY, UNILATERAL, INITIAL VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S), INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37231	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL, PERONEAL ARTERY, UNILATERAL, INITIAL VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S) AND ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED	CPT/HCPCS
PVD diagnosis or surgery	37232	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL/PERONEAL ARTERY, UNILATERAL, EACH ADDITIONAL VESSEL; WITH TRANSLUMINAL ANGIOPLASTY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37233	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL/PERONEAL ARTERY, UNILATERAL, EACH ADDITIONAL VESSEL; WITH ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37234	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL/PERONEAL ARTERY, UNILATERAL, EACH ADDITIONAL VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S), INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
PVD diagnosis or surgery	37235	PX	REVASCULARIZATION, ENDOVASCULAR, OPEN OR PERCUTANEOUS, TIBIAL/PERONEAL ARTERY, UNILATERAL, EACH ADDITIONAL VESSEL; WITH TRANSLUMINAL STENT PLACEMENT(S) AND ATHERECTOMY, INCLUDES ANGIOPLASTY WITHIN THE SAME VESSEL, WHEN PERFORMED (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Other cardiac dysrhythmia	I47	DX	PAROXYSMAL TACHYCARDIA	ICD-10-CM
Other cardiac dysrhythmia	I47.20	DX	VENTRICULAR TACHYCARDIA, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	I47.21	DX	TORSADES DE POINTES	ICD-10-CM
Other cardiac dysrhythmia	I47.29	DX	OTHER VENTRICULAR TACHYCARDIA	ICD-10-CM
Other cardiac dysrhythmia	I49	DX	OTHER CARDIAC ARRHYTHMIAS	ICD-10-CM
Other cardiac dysrhythmia	I49.0	DX	VENTRICULAR FIBRILLATION AND FLUTTER	ICD-10-CM
Other cardiac dysrhythmia	I49.4	DX	OTHER AND UNSPECIFIED PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	R00	DX	ABNORMALITIES OF HEART BEAT	ICD-10-CM
Other cardiac dysrhythmia	R00.8	DX	OTHER ABNORMALITIES OF HEART BEAT	ICD-10-CM
Other cardiac dysrhythmia	R00.9	DX	UNSPECIFIED ABNORMALITIES OF HEART BEAT	ICD-10-CM
Other cardiac dysrhythmia	I44.0	DX	ATRIOVENTRICULAR BLOCK, FIRST DEGREE	ICD-10-CM
Other cardiac dysrhythmia	I44.1	DX	ATRIOVENTRICULAR BLOCK, SECOND DEGREE	ICD-10-CM
Other cardiac dysrhythmia	I44.2	DX	ATRIOVENTRICULAR BLOCK, COMPLETE	ICD-10-CM
Other cardiac dysrhythmia	I44.30	DX	UNSPECIFIED ATRIOVENTRICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.39	DX	OTHER ATRIOVENTRICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.4	DX	LEFT ANTERIOR FASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.5	DX	LEFT POSTERIOR FASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.60	DX	UNSPECIFIED FASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.69	DX	OTHER FASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I44.7	DX	LEFT BUNDLE-BRANCH BLOCK, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	I45.0	DX	RIGHT FASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.10	DX	UNSPECIFIED RIGHT BUNDLE-BRANCH BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.19	DX	OTHER RIGHT BUNDLE-BRANCH BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.2	DX	BIFASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.3	DX	TRIFASCICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.4	DX	NONSPECIFIC INTRAVENTRICULAR BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.5	DX	OTHER SPECIFIED HEART BLOCK	ICD-10-CM
Other cardiac dysrhythmia	I45.6	DX	PRE-EXCITATION SYNDROME	ICD-10-CM
Other cardiac dysrhythmia	I45.81	DX	LONG QT SYNDROME	ICD-10-CM
Other cardiac dysrhythmia	I45.89	DX	OTHER SPECIFIED CONDUCTION DISORDERS	ICD-10-CM
Other cardiac dysrhythmia	I45.9	DX	CONDUCTION DISORDER, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	I47.0	DX	RE-ENTRY VENTRICULAR ARRHYTHMIA	ICD-10-CM
Other cardiac dysrhythmia	I47.1	DX	SUPRAVENTRICULAR TACHYCARDIA	ICD-10-CM
Other cardiac dysrhythmia	I47.2	DX	VENTRICULAR TACHYCARDIA	ICD-10-CM
Other cardiac dysrhythmia	I47.9	DX	PAROXYSMAL TACHYCARDIA, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	I49.01	DX	VENTRICULAR FIBRILLATION	ICD-10-CM
Other cardiac dysrhythmia	I49.02	DX	VENTRICULAR FLUTTER	ICD-10-CM
Other cardiac dysrhythmia	I49.1	DX	ATRIAL PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	I49.2	DX	JUNCTIONAL PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	I49.3	DX	VENTRICULAR PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	I49.40	DX	UNSPECIFIED PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	I49.49	DX	OTHER PREMATURE DEPOLARIZATION	ICD-10-CM
Other cardiac dysrhythmia	I49.5	DX	SICK SINUS SYNDROME	ICD-10-CM
Other cardiac dysrhythmia	I49.8	DX	OTHER SPECIFIED CARDIAC ARRHYTHMIAS	ICD-10-CM
Other cardiac dysrhythmia	I49.9	DX	CARDIAC ARRHYTHMIA, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	R00.0	DX	TACHYCARDIA, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	R00.1	DX	BRADYCARDIA, UNSPECIFIED	ICD-10-CM
Other cardiac dysrhythmia	R00.2	DX	PALPITATIONS	ICD-10-CM
Cardiomyopathy	A18.84	DX	TUBERCULOSIS OF HEART	ICD-10-CM
Cardiomyopathy	A36.81	DX	DIPHTHERITIC CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	B33.24	DX	VIRAL CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I25.5	DX	ISCHEMIC CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.0	DX	DILATED CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.1	DX	OBSTRUCTIVE HYPERTROPHIC CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.2	DX	OTHER HYPERTROPHIC CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.5	DX	OTHER RESTRICTIVE CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.6	DX	ALCOHOLIC CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.7	DX	CARDIOMYOPATHY DUE TO DRUG AND EXTERNAL AGENT	ICD-10-CM
Cardiomyopathy	I42.8	DX	OTHER CARDIOMYOPATHIES	ICD-10-CM
Cardiomyopathy	I42.9	DX	CARDIOMYOPATHY, UNSPECIFIED	ICD-10-CM
Cardiomyopathy	I42	DX	CARDIOMYOPATHY	ICD-10-CM
Cardiomyopathy	I42.3	DX	ENDOMYOCARDIAL (EOSINOPHILIC) DISEASE	ICD-10-CM
Cardiomyopathy	I42.4	DX	ENDOCARDIAL FIBROELASTOSIS	ICD-10-CM
Cardiomyopathy	I43	DX	CARDIOMYOPATHY IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Valve disorders	I05.0	DX	RHEUMATIC MITRAL STENOSIS (MITRAL VALVE OBSTRUCTION, RHEUMATIC)	ICD-10-CM
Valve disorders	I05.1	DX	RHEUMATIC MITRAL INSUFFICIENCY (RHEUMATIC MITRAL INCOMPETENCE, RHEUMATIC MITRAL REGURGITATION)	ICD-10-CM
Valve disorders	I05.2	DX	RHEUMATIC MITRAL STENOSIS WITH INSUFFICIENCY (RHEUMATIC MITRAL STENOSIS WITH INCOMPETENCE OR REGURGITATION)	ICD-10-CM
Valve disorders	I05.8	DX	OTHER RHEUMATIC MITRAL VALVE DISEASES (RHEUMATIC MITRAL VALVE FAILURE)	ICD-10-CM
Valve disorders	I05.9	DX	RHEUMATIC MITRAL VALVE DISEASE, UNSPECIFIED (RHEUMATIC MITRAL VALVE DISORDER (CHRONIC) NOS)	ICD-10-CM
Valve disorders	I06	DX	RHEUMATIC AORTIC VALVE DISEASES	ICD-10-CM
Valve disorders	I06.0	DX	RHEUMATIC AORTIC STENOSIS (RHEUMATIC AORTIC VALVE OBSTRUCTION)	ICD-10-CM
Valve disorders	I06.1	DX	RHEUMATIC AORTIC INSUFFICIENCY (RHEUMATIC AORTIC INCOMPETENCE OR REGURGITATION)	ICD-10-CM
Valve disorders	I06.2	DX	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY (INCOMPETENCE OR REGURGITATION)	ICD-10-CM
Valve disorders	I06.8	DX	OTHER RHEUMATIC AORTIC VALVE DISEASES	ICD-10-CM
Valve disorders	I06.9	DX	RHEUMATIC AORTIC VALVE DISEASE, UNSPECIFIED (RHEUMATIC AORTIC VALVE DISEASE NOS)	ICD-10-CM
Valve disorders	I07	DX	RHEUMATIC TRICUSPID VALVE DISEASES	ICD-10-CM
Valve disorders	I07.0	DX	RHEUMATIC TRICUSPID STENOSIS (TRICUSPID VALVE STENOSIS, RHEUMATIC)	ICD-10-CM
Valve disorders	I07.1	DX	RHEUMATIC TRICUSPID INSUFFICIENCY (TRICUSPID VALVE INSUFFICIENCY, RHEUMATIC)	ICD-10-CM
Valve disorders	I07.2	DX	RHEUMATIC TRICUSPID STENOSIS AND INSUFFICIENCY	ICD-10-CM
Valve disorders	I07.8	DX	OTHER RHEUMATIC TRICUSPID VALVE DISEASES	ICD-10-CM
Valve disorders	I07.9	DX	RHEUMATIC TRICUSPID VALVE DISEASE, UNSPECIFIED (RHEUMATIC TRICUSPID VALVE DISORDER NOS)	ICD-10-CM
Valve disorders	I08	DX	MULTIPLE VALVE DISEASES	ICD-10-CM
Valve disorders	I08.0	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND AORTIC VALVES	ICD-10-CM
Valve disorders	I08.1	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND TRICUSPID VALVES	ICD-10-CM
Valve disorders	I08.2	DX	RHEUMATIC DISORDERS OF BOTH AORTIC AND TRICUSPID VALVES	ICD-10-CM
Valve disorders	I08.3	DX	COMBINED RHEUMATIC DISORDERS OF MITRAL, AORTIC, AND TRICUSPID VALVES	ICD-10-CM
Valve disorders	I08.8	DX	OTHER RHEUMATIC MULTIPLE VALVE DISEASES	ICD-10-CM
Valve disorders	I08.9	DX	RHEUMATIC MULTIPLE VALVE DISEASE, UNSPECIFIED	ICD-10-CM
Valve disorders	I09.1	DX	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED	ICD-10-CM
Valve disorders	I34	DX	NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
Valve disorders	I34.0	DX	NONRHEUMATIC MITRAL (VALVE) INSUFFICIENCY	ICD-10-CM
Valve disorders	I34.1	DX	NONRHEUMATIC MITRAL (VALVE) PROLAPSE	ICD-10-CM
Valve disorders	I34.2	DX	NONRHEUMATIC MITRAL (VALVE) STENOSIS	ICD-10-CM
Valve disorders	I34.8	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
Valve disorders	I34.81	DX	NONRHEUMATIC MITRAL (VALVE) ANNULUS CALCIFICATION	ICD-10-CM
Valve disorders	I34.89	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
Valve disorders	I34.9	DX	NONRHEUMATIC MITRAL VALVE DISORDER, UNSPECIFIED	ICD-10-CM
Valve disorders	I35	DX	NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
Valve disorders	I35.0	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS	ICD-10-CM
Valve disorders	I35.1	DX	NONRHEUMATIC AORTIC (VALVE) INSUFFICIENCY	ICD-10-CM
Valve disorders	I35.2	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
Valve disorders	I35.8	DX	OTHER NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
Valve disorders	I35.9	DX	NONRHEUMATIC AORTIC VALVE DISORDER, UNSPECIFIED	ICD-10-CM
Valve disorders	I36	DX	NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
Valve disorders	I36.0	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS	ICD-10-CM
Valve disorders	I36.1	DX	NONRHEUMATIC TRICUSPID (VALVE) INSUFFICIENCY	ICD-10-CM
Valve disorders	I36.2	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
Valve disorders	I36.8	DX	OTHER NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
Valve disorders	I36.9	DX	NONRHEUMATIC TRICUSPID VALVE DISORDER, UNSPECIFIED	ICD-10-CM
Valve disorders	I37	DX	NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
Valve disorders	I37.0	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS	ICD-10-CM
Valve disorders	I37.1	DX	NONRHEUMATIC PULMONARY VALVE INSUFFICIENCY	ICD-10-CM
Valve disorders	I37.2	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS WITH INSUFFICIENCY	ICD-10-CM
Valve disorders	I37.8	DX	OTHER NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
Valve disorders	I37.9	DX	NONRHEUMATIC PULMONARY VALVE DISORDER, UNSPECIFIED	ICD-10-CM
Valve disorders	I38	DX	ENDOCARDITIS, VALVE UNSPECIFIED	ICD-10-CM
Valve disorders	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Valve disorders	Q22.0	DX	PULMONARY VALVE ATRESIA	ICD-10-CM
Valve disorders	Q22.1	DX	CONGENITAL PULMONARY VALVE STENOSIS	ICD-10-CM
Valve disorders	Q22.2	DX	CONGENITAL PULMONARY VALVE INSUFFICIENCY (CONGENITAL PULMONARY VALVE REGURGITATION)	ICD-10-CM

Valve disorders	Q22.3	DX	OTHER CONGENITAL MALFORMATIONS OF PULMONARY VALVE (SUPERNUMERARY CUSPS OF PULMONARY VALVE)	ICD-10-CM
Valve disorders	Q22.4	DX	CONGENITAL TRICUSPID STENOSIS (CONGENITAL TRICUSPID ATRESIA)	ICD-10-CM
Valve disorders	Q22.5	DX	EBSTEIN'S ANOMALY	ICD-10-CM
Valve disorders	Q22.6	DX	HYPOPLASTIC RIGHT HEART SYNDROME	ICD-10-CM
Valve disorders	Q22.8	DX	OTHER CONGENITAL MALFORMATIONS OF TRICUSPID VALVE	ICD-10-CM
Valve disorders	Q22.9	DX	CONGENITAL MALFORMATION OF TRICUSPID VALVE, UNSPECIFIED	ICD-10-CM
Valve disorders	Q23	DX	CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
Valve disorders	Q23.0	DX	CONGENITAL STENOSIS OF AORTIC VALVE (CONGENITAL AORTIC ATRESIA)	ICD-10-CM
Valve disorders	Q23.1	DX	CONGENITAL INSUFFICIENCY OF AORTIC VALVE (CONGENITAL AORTIC INSUFFICIENCY)	ICD-10-CM
Valve disorders	Q23.2	DX	CONGENITAL MITRAL STENOSIS (CONGENITAL MITRAL ATRESIA)	ICD-10-CM
Valve disorders	Q23.3	DX	CONGENITAL MITRAL INSUFFICIENCY	ICD-10-CM
Valve disorders	Q23.8	DX	OTHER CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
Valve disorders	Q23.9	DX	CONGENITAL MALFORMATION OF AORTIC AND MITRAL VALVES, UNSPECIFIED	ICD-10-CM
Valve replacement	Z95.2	DX	PRESENCE OF PROSTHETIC HEART VALVE	ICD-10-CM
Valve replacement	Z95.3	DX	PRESENCE OF XENOGENIC HEART VALVE	ICD-10-CM
Valve replacement	Z95.4	DX	PRESENCE OF OTHER HEART-VALVE REPLACEMENT	ICD-10-CM
Valve replacement	T82.0	DX	MECHANICAL COMPLICATION OF HEART VALVE PROSTHESIS	ICD-10-CM
Valve replacement	T82.01	DX	BREAKDOWN (MECHANICAL) OF HEART VALVE PROSTHESIS	ICD-10-CM
Valve replacement	T82.02	DX	DISPLACEMENT OF HEART VALVE PROSTHESIS	ICD-10-CM
Valve replacement	T82.03	DX	LEAKAGE OF HEART VALVE PROSTHESIS	ICD-10-CM
Valve replacement	T82.09	DX	OTHER MECHANICAL COMPLICATION OF HEART VALVE PROSTHESIS	ICD-10-CM
Valve replacement	T82.22	DX	MECHANICAL COMPLICATION OF BIOLOGICAL HEART VALVE GRAFT	ICD-10-CM
Valve replacement	T82.221	DX	BREAKDOWN (MECHANICAL) OF BIOLOGICAL HEART VALVE GRAFT	ICD-10-CM
Valve replacement	T82.222	DX	DISPLACEMENT OF BIOLOGICAL HEART VALVE GRAFT	ICD-10-CM
Valve replacement	T82.223	DX	LEAKAGE OF BIOLOGICAL HEART VALVE GRAFT	ICD-10-CM
Valve replacement	T82.228	DX	OTHER MECHANICAL COMPLICATION OF BIOLOGICAL HEART VALVE GRAFT	ICD-10-CM
Valve replacement	02NF0ZZ	PX	RELEASE AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02NF3ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02NF4ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02NG0ZZ	PX	RELEASE MITRAL VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02NG3ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02NG4ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02NH0ZZ	PX	RELEASE PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02NH3ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02NH4ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02NJ0ZZ	PX	RELEASE TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02NJ3ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02NJ4ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QF0ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QF3ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QF3ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QF4ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QF4ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QG0ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QG3ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QG3ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QG4ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QG4ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QJ0ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QJ3ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QJ3ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QJ4ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QJ4ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02QH3ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02QH4ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF07Z	PX	SUPPLEMENT AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF08J	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF08Z	PX	SUPPLEMENT AORTIC VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF0JJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF0JZ	PX	SUPPLEMENT AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF0KJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF0KZ	PX	SUPPLEMENT AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UF37J	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF37Z	PX	SUPPLEMENT AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF38J	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF38Z	PX	SUPPLEMENT AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF3JJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF3JZ	PX	SUPPLEMENT AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF3KJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF3KZ	PX	SUPPLEMENT AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UF47J	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF47Z	PX	SUPPLEMENT AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF48J	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF48Z	PX	SUPPLEMENT AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF4JJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF4JZ	PX	SUPPLEMENT AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UF4KJ	PX	SUPPLEMENT AORTIC VALVE CREATED FROM TRUNCAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG07E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG07Z	PX	SUPPLEMENT MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG08E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG08Z	PX	SUPPLEMENT MITRAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG0JE	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG0JZ	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG0KE	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG0KZ	PX	SUPPLEMENT MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UG37E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG37Z	PX	SUPPLEMENT MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG38E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG38Z	PX	SUPPLEMENT MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG3JE	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG3JH	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG3JZ	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG3KE	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG3KZ	PX	SUPPLEMENT MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UG47E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG47Z	PX	SUPPLEMENT MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG48E	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG48Z	PX	SUPPLEMENT MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG4JE	PX	SUPPLEMENT MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UG4JZ	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ07G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ07Z	PX	SUPPLEMENT TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ08G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ08Z	PX	SUPPLEMENT TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ0JG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ0JZ	PX	SUPPLEMENT TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ0KG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ0KZ	PX	SUPPLEMENT TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UJ37G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ37Z	PX	SUPPLEMENT TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ38G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ38Z	PX	SUPPLEMENT TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ3JG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ3JZ	PX	SUPPLEMENT TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ3KG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ3KZ	PX	SUPPLEMENT TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UJ47G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ47Z	PX	SUPPLEMENT TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ48G	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ48Z	PX	SUPPLEMENT TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ4JG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UJ4JZ	PX	SUPPLEMENT TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Valve replacement	02UJ4KG	PX	SUPPLEMENT TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UH07Z	PX	SUPPLEMENT PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UH08Z	PX	SUPPLEMENT PULMONARY VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UH0JZ	PX	SUPPLEMENT PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UH0KZ	PX	SUPPLEMENT PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02UH37Z	PX	SUPPLEMENT PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UH38Z	PX	SUPPLEMENT PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UH3JZ	PX	SUPPLEMENT PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UH3KZ	PX	SUPPLEMENT PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02UH47Z	PX	SUPPLEMENT PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UH48Z	PX	SUPPLEMENT PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UH4JZ	PX	SUPPLEMENT PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02UH4KZ	PX	SUPPLEMENT PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RF07Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RF0BN	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, USING RAPID DEPLOYMENT TECHNIQUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RF08Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RF0JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RF0KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RF37H	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF37Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF38H	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF38N	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, USING RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF38Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF3JH	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF3JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF3KH	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF3KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RF48N	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, USING RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RF48Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RF4JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RF4KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RF47Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RG07Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RG08Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RG0JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RG0KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RG37H	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG37Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG3JH	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG3JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG3KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG47Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RG48Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RG4JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RG4KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RG38H	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG38Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RG3KH	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ07Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RJ08Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RJ0JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RJ0KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RJ37H	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ37Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ38H	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ38Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ3JH	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ3JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ3KH	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ3KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RJ47Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RJ48Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RJ4JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RJ4KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RH07Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RH08Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RH0JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RH0KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Valve replacement	02RH37H	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH37Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH38H	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH38L	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, IN EXISTING CONDUIT, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH38M	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, NATIVE SITE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH38Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH3JH	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH3JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH3KH	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH3KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02RH47Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RH48Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RH4JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02RH4KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027F04Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027F0DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027F0ZZ	PX	DILATION OF AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	027F34Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027F3DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027F3ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027F44Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027F4DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027F4ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027G0DZ	PX	DILATION OF MITRAL VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027G0ZZ	PX	DILATION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	027G04Z	PX	DILATION OF MITRAL VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027J04Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027J0DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027J0ZZ	PX	DILATION OF TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	027J34Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027J3DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027J3ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027J44Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027J4DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027J4ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027H04Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027H0DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
Valve replacement	027H0ZZ	PX	DILATION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	027H34Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027H3DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027H3ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	027H44Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027H4DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	027H4ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	X2RF332	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
Valve replacement	X2RF032	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, OPEN APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
Valve replacement	X2RF432	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS ENDOSCOPIC APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
Valve replacement	02VG0ZZ	PX	RESTRICTION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02VG3ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02VG4ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02WF07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02WF08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02WF0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02WF0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
Valve replacement	02WF37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02WF38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02WF3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02WF3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
Valve replacement	02WF47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02WF48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02WF4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	02WF4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Valve replacement	33361	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; PERCUTANEOUS FEMORAL ARTERY APPROACH	CPT/HCPCS

Valve replacement	33362		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN FEMORAL ARTERY APPROACH	CPT/HCPCS
Valve replacement	33363		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN AXILLARY ARTERY APPROACH	CPT/HCPCS
Valve replacement	33364		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN ILIAC ARTERY APPROACH	CPT/HCPCS
Valve replacement	33365		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; TRANSAORTIC APPROACH (E.G., MEDIAN STERNOTOMY, MEDIASTINOTOMY)	CPT/HCPCS
Valve replacement	33367		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH PERCUTANEOUS PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Valve replacement	33368		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH OPEN PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL, ILIAC, AXILLARY VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Valve replacement	33369		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH CENTRAL ARTERIAL AND VENOUS CANNULATION (E.G., AORTA, RIGHT ATRIUM, PULMONARY ARTERY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Valve replacement	33477		PX	TRANSCATHETER PULMONARY VALVE IMPLANTATION, PERCUTANEOUS APPROACH, INCLUDING PRE-STENTING OF THE VALVE DELIVERY SITE, WHEN PERFORMED	CPT/HCPCS
Valve replacement	33418		PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS	CPT/HCPCS
Valve replacement	33419		PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS	CPT/HCPCS
Valve replacement	33400		PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement	33401		PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH INFLOW OCCLUSION	CPT/HCPCS
Valve replacement	33403		PX		CPT/HCPCS
Valve replacement	33405		PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement	33406		PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH ALLOGRAFT VALVE (FREEHAND)	CPT/HCPCS
Valve replacement	33410		PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH STENTLESS TISSUE VALVE	CPT/HCPCS
Valve replacement		33420	PX	VALVOTOMY, MITRAL VALVE; CLOSED HEART	CPT/HCPCS
Valve replacement		33422	PX	VALVOTOMY, MITRAL VALVE; OPEN HEART, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement		33425	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS;	CPT/HCPCS
Valve replacement		33426	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS; WITH PROSTHETIC RING	CPT/HCPCS
Valve replacement		33427	PX	UNDER SURGICAL PROCEDURES ON THE MITRAL VALVE	CPT/HCPCS
Valve replacement		33430	PX	REPLACEMENT, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement		33460	PX	VALVECTOMY, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS;	CPT/HCPCS
Valve replacement		33665	PX	REPAIR OF INTERMEDIATE OR TRANSITIONAL ATRIOVENTRICULAR CANAL, WITH OR WITHOUT ATRIOVENTRICULAR VALVE REPAIR	CPT/HCPCS
Valve replacement		33463	PX	VALVULOPLASTY, TRICUSPID VALVE, WITHOUT RING INSERTION	CPT/HCPCS
Valve replacement		33464	PX	VALVULOPLASTY, TRICUSPID VALVE, WITH RING INSERTION	CPT/HCPCS
Valve replacement		33465	PX	REPLACEMENT, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement		33468	PX	TRICUSPID VALVE REPOSITIONING AND PLICATION FOR EBSTEIN ANOMALY	CPT/HCPCS
Valve replacement		33496	PX	REPAIR OF NON-STRUCTURAL PROSTHETIC VALVE DYSFUNCTION WITH CARDIOPULMONARY BYPASS (SEPARATE PROCEDURE)	CPT/HCPCS
Valve replacement		33475	PX	REPLACEMENT, PULMONARY VALVE	CPT/HCPCS
Valve replacement	0257T		PX	IMPLANTATION OF CATHETER-DELIVERED PROSTHETIC AORTIC HEART VALVE; OPEN THORACIC APPROACH (EG, TRANSAPICAL, TRANSVENTRICULAR)	CPT/HCPCS
Valve replacement	0258T		PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER- DELIVERED AORTIC VALVE REPLACEMENT; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
Valve replacement	0259T		PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETERDELIVERED AORTIC VALVE REPLACEMENT; WITH CARDIOPULMONARY BYPASS.	CPT/HCPCS
Valve replacement	0262T		PX	MELODY TRANSCATHETER PULMONARY VALVE.	CPT/HCPCS
Valve replacement	0343T		PX		CPT/HCPCS
Valve replacement	0344T		PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS (ES) DURING SAME SESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) BEFORE 1/1/2015 (EXCLUDE IF NOT PRESENT WITH 0343T)	CPT/HCPCS
TIA	G45.0		DX	VERTEBRO-BASILAR ARTERY SYNDROME	ICD-10-CM
TIA	G45.1		DX	CAROTID ARTERY SYNDROME (HEMISPHERIC)	ICD-10-CM
TIA	G45.2		DX	MULTIPLE AND BILATERAL PRECEREBRAL ARTERY SYNDROMES	ICD-10-CM
TIA	G45.8		DX	OTHER TRANSIENT CEREBRAL ISCHEMIC ATTACKS AND RELATED SYNDROMES	ICD-10-CM
TIA	G45.9		DX	TRANSIENT CEREBRAL ISCHEMIC ATTACK, UNSPECIFIED	ICD-10-CM
TIA	G46.0		DX	MIDDLE CEREBRAL ARTERY SYNDROME	ICD-10-CM
TIA	G46.1		DX	ANTERIOR CEREBRAL ARTERY SYNDROME	ICD-10-CM
TIA	G46.2		DX	POSTERIOR CEREBRAL ARTERY SYNDROME	ICD-10-CM
Edema	R60.0		DX	LOCALIZED EDEMA	ICD-10-CM
Edema	R60.1		DX	GENERALIZED EDEMA	ICD-10-CM
Edema	R60.9		DX	EDEMA, UNSPECIFIED	ICD-10-CM
Edema	I87.1		DX	CHRONIC VENOUS HYPERTENSION (IDIOPATHIC) WITH INFLAMMATION AND EDEMA	ICD-10-CM
Edema	I87.8		DX	OTHER SPECIFIED DISORDERS OF VEINS WITH EDEMA	ICD-10-CM
Venous thromboembolism	I80.01		DX	Phlebitis and thrombophlebitis of superficial vessels of right lower extremity	ICD-10-CM
Venous thromboembolism	I80.02		DX	Phlebitis and thrombophlebitis of superficial vessels of left lower extremity	ICD-10-CM
Venous thromboembolism	I80.03		DX	Phlebitis and thrombophlebitis of superficial vessels of lower extremities, bilateral	ICD-10-CM
Venous thromboembolism	I80.1		DX	Phlebitis and thrombophlebitis of femoral vein	ICD-10-CM
Venous thromboembolism	I80.10		DX	Phlebitis and thrombophlebitis of unspecified femoral vein	ICD-10-CM
Venous thromboembolism	I80.11		DX	Phlebitis and thrombophlebitis of right femoral vein	ICD-10-CM
Venous thromboembolism	I80.12		DX	Phlebitis and thrombophlebitis of left femoral vein	ICD-10-CM
Venous thromboembolism	I80.13		DX	Phlebitis and thrombophlebitis of femoral vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.2		DX	Phlebitis and thrombophlebitis of other and unspecified deep vessels of lower extremities	ICD-10-CM
Venous thromboembolism	I80.20		DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities	ICD-10-CM
Venous thromboembolism	I80.201		DX	Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity	ICD-10-CM
Venous thromboembolism	I80.202		DX	Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity	ICD-10-CM
Venous thromboembolism	I80.203		DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral	ICD-10-CM
Venous thromboembolism	I80.209		DX	Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I80.21		DX	Phlebitis and thrombophlebitis of iliac vein	ICD-10-CM
Venous thromboembolism	I80.211		DX	Phlebitis and thrombophlebitis of right iliac vein	ICD-10-CM
Venous thromboembolism	I80.212		DX	Phlebitis and thrombophlebitis of left iliac vein	ICD-10-CM
Venous thromboembolism	I80.213		DX	Phlebitis and thrombophlebitis of iliac vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.219		DX	Phlebitis and thrombophlebitis of unspecified iliac vein	ICD-10-CM
Venous thromboembolism	I80.22		DX	Phlebitis and thrombophlebitis of popliteal vein	ICD-10-CM
Venous thromboembolism	I80.221		DX	Phlebitis and thrombophlebitis of right popliteal vein	ICD-10-CM
Venous thromboembolism	I80.222		DX	Phlebitis and thrombophlebitis of left popliteal vein	ICD-10-CM
Venous thromboembolism	I80.223		DX	Phlebitis and thrombophlebitis of popliteal vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.229		DX	Phlebitis and thrombophlebitis of unspecified popliteal vein	ICD-10-CM
Venous thromboembolism	I80.23		DX	Phlebitis and thrombophlebitis of tibial vein	ICD-10-CM
Venous thromboembolism	I80.231		DX	Phlebitis and thrombophlebitis of right tibial vein	ICD-10-CM
Venous thromboembolism	I80.232		DX	Phlebitis and thrombophlebitis of left tibial vein	ICD-10-CM
Venous thromboembolism	I80.233		DX	Phlebitis and thrombophlebitis of tibial vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.239		DX	Phlebitis and thrombophlebitis of unspecified tibial vein	ICD-10-CM
Venous thromboembolism	I80.24		DX	Phlebitis and thrombophlebitis of peroneal vein	ICD-10-CM
Venous thromboembolism	I80.241		DX	Phlebitis and thrombophlebitis of right peroneal vein	ICD-10-CM
Venous thromboembolism	I80.242		DX	Phlebitis and thrombophlebitis of left peroneal vein	ICD-10-CM
Venous thromboembolism	I80.243		DX	Phlebitis and thrombophlebitis of peroneal vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.249		DX	Phlebitis and thrombophlebitis of unspecified peroneal vein	ICD-10-CM
Venous thromboembolism	I80.25		DX	Phlebitis and thrombophlebitis of calf muscular vein	ICD-10-CM
Venous thromboembolism	I80.251		DX	Phlebitis and thrombophlebitis of right calf muscular vein	ICD-10-CM
Venous thromboembolism	I80.252		DX	Phlebitis and thrombophlebitis of left calf muscular vein	ICD-10-CM
Venous thromboembolism	I80.253		DX	Phlebitis and thrombophlebitis of calf muscular vein, bilateral	ICD-10-CM
Venous thromboembolism	I80.259		DX	Phlebitis and thrombophlebitis of unspecified calf muscular vein	ICD-10-CM
Venous thromboembolism	I80.29		DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremities	ICD-10-CM
Venous thromboembolism	I80.291		DX	Phlebitis and thrombophlebitis of other deep vessels of right lower extremity	ICD-10-CM
Venous thromboembolism	I80.292		DX	Phlebitis and thrombophlebitis of other deep vessels of left lower extremity	ICD-10-CM
Venous thromboembolism	I80.293		DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I80.299		DX	Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I80.3		DX	Phlebitis and thrombophlebitis of lower extremities, unspecified	ICD-10-CM
Venous thromboembolism	I80.8		DX	Phlebitis and thrombophlebitis of other sites	ICD-10-CM
Venous thromboembolism	I80.9		DX	Phlebitis and thrombophlebitis of unspecified site	ICD-10-CM
Venous thromboembolism	I81		DX	Portal vein thrombosis	ICD-10-CM
Venous thromboembolism	I82		DX	Other venous embolism and thrombosis	ICD-10-CM
Venous thromboembolism	I82.2		DX	Embolism and thrombosis of vena cava and other thoracic veins	ICD-10-CM
Venous thromboembolism	I82.21		DX	Embolism and thrombosis of superior vena cava	ICD-10-CM
Venous thromboembolism	I82.210		DX	Acute embolism and thrombosis of superior vena cava	ICD-10-CM
Venous thromboembolism	I82.211		DX	Chronic embolism and thrombosis of superior vena cava	ICD-10-CM
Venous thromboembolism	I82.22		DX	Embolism and thrombosis of inferior vena cava	ICD-10-CM
Venous thromboembolism	I82.220		DX	Acute embolism and thrombosis of inferior vena cava	ICD-10-CM
Venous thromboembolism	I82.221		DX	Chronic embolism and thrombosis of inferior vena cava	ICD-10-CM
Venous thromboembolism	I82.29		DX	Embolism and thrombosis of other thoracic veins	ICD-10-CM
Venous thromboembolism	I82.290		DX	Acute embolism and thrombosis of other thoracic veins	ICD-10-CM
Venous thromboembolism	I82.291		DX	Chronic embolism and thrombosis of other thoracic veins	ICD-10-CM
Venous thromboembolism	I82.3		DX	Embolism and thrombosis of renal vein	ICD-10-CM
Venous thromboembolism	I82.4		DX	Acute embolism and thrombosis of deep veins of lower extremity	ICD-10-CM
Venous thromboembolism	I82.40		DX	Acute embolism and thrombosis of unspecified deep veins of lower extremity	ICD-10-CM
Venous thromboembolism	I82.401		DX	Acute embolism and thrombosis of unspecified deep veins of right lower extremity	ICD-10-CM
Venous thromboembolism	I82.402		DX	Acute embolism and thrombosis of unspecified deep veins of left lower extremity	ICD-10-CM
Venous thromboembolism	I82.403		DX	Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.409		DX	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I82.41		DX	Acute embolism and thrombosis of femoral vein	ICD-10-CM
Venous thromboembolism	I82.411		DX	Acute embolism and thrombosis of right femoral vein	ICD-10-CM
Venous thromboembolism	I82.412		DX	Acute embolism and thrombosis of left femoral vein	ICD-10-CM
Venous thromboembolism	I82.413		DX	Acute embolism and thrombosis of femoral vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.419		DX	Acute embolism and thrombosis of unspecified femoral vein	ICD-10-CM
Venous thromboembolism	I82.42		DX	Acute embolism and thrombosis of iliac vein	ICD-10-CM
Venous thromboembolism	I82.421		DX	Acute embolism and thrombosis of right iliac vein	ICD-10-CM
Venous thromboembolism	I82.422		DX	Acute embolism and thrombosis of left iliac vein	ICD-10-CM
Venous thromboembolism	I82.423		DX	Acute embolism and thrombosis of iliac vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.429		DX	Acute embolism and thrombosis of unspecified iliac vein	ICD-10-CM
Venous thromboembolism	I82.43		DX	Acute embolism and thrombosis of popliteal vein	ICD-10-CM
Venous thromboembolism	I82.431		DX	Acute embolism and thrombosis of right popliteal vein	ICD-10-CM
Venous thromboembolism	I82.432		DX	Acute embolism and thrombosis of left popliteal vein	ICD-10-CM
Venous thromboembolism	I82.433		DX	Acute embolism and thrombosis of popliteal vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.439		DX	Acute embolism and thrombosis of unspecified popliteal vein	ICD-10-CM
Venous thromboembolism	I82.44		DX	Acute embolism and thrombosis of tibial vein	ICD-10-CM
Venous thromboembolism	I82.441		DX	Acute embolism and thrombosis of right tibial vein	ICD-10-CM
Venous thromboembolism	I82.442		DX	Acute embolism and thrombosis of left tibial vein	ICD-10-CM
Venous thromboembolism	I82.443		DX	Acute embolism and thrombosis of tibial vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.449		DX	Acute embolism and thrombosis of unspecified tibial vein	ICD-10-CM
Venous thromboembolism	I82.45		DX	Acute embolism and thrombosis of peroneal vein	ICD-10-CM
Venous thromboembolism	I82.451		DX	Acute embolism and thrombosis of right peroneal vein	ICD-10-CM
Venous thromboembolism	I82.452		DX	Acute embolism and thrombosis of left peroneal vein	ICD-10-CM
Venous thromboembolism	I82.453		DX	Acute embolism and thrombosis of peroneal vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.459		DX	Acute embolism and thrombosis of unspecified peroneal vein	ICD-10-CM
Venous thromboembolism	I82.46		DX	Acute embolism and thrombosis of calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.461		DX	Acute embolism and thrombosis of right calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.462		DX	Acute embolism and thrombosis of left calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.463		DX	Acute embolism and thrombosis of calf muscular vein, bilateral	ICD-10-CM

Venous thromboembolism	I82.469	DX	Acute embolism and thrombosis of unspecified calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.49	DX	Acute embolism and thrombosis of other specified deep vein of lower extremity	ICD-10-CM
Venous thromboembolism	I82.491	DX	Acute embolism and thrombosis of other specified deep vein of right lower extremity	ICD-10-CM
Venous thromboembolism	I82.492	DX	Acute embolism and thrombosis of other specified deep vein of left lower extremity	ICD-10-CM
Venous thromboembolism	I82.493	DX	Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.499	DX	Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Y	DX	Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Y1	DX	Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Y2	DX	Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Y3	DX	Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.4Y9	DX	Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Z	DX	Acute embolism and thrombosis of unspecified deep veins of distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Z1	DX	Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Z2	DX	Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.4Z3	DX	Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.4Z9	DX	Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5	DX	Chronic embolism and thrombosis of deep veins of lower extremity	ICD-10-CM
Venous thromboembolism	I82.50	DX	Chronic embolism and thrombosis of unspecified deep veins of lower extremity	ICD-10-CM
Venous thromboembolism	I82.501	DX	Chronic embolism and thrombosis of unspecified deep veins of right lower extremity	ICD-10-CM
Venous thromboembolism	I82.502	DX	Chronic embolism and thrombosis of unspecified deep veins of left lower extremity	ICD-10-CM
Venous thromboembolism	I82.503	DX	Chronic embolism and thrombosis of unspecified deep veins of lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.509	DX	Chronic embolism and thrombosis of unspecified deep veins of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I82.51	DX	Chronic embolism and thrombosis of femoral vein	ICD-10-CM
Venous thromboembolism	I82.511	DX	Chronic embolism and thrombosis of right femoral vein	ICD-10-CM
Venous thromboembolism	I82.512	DX	Chronic embolism and thrombosis of left femoral vein	ICD-10-CM
Venous thromboembolism	I82.513	DX	Chronic embolism and thrombosis of femoral vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.519	DX	Chronic embolism and thrombosis of unspecified femoral vein	ICD-10-CM
Venous thromboembolism	I82.52	DX	Chronic embolism and thrombosis of iliac vein	ICD-10-CM
Venous thromboembolism	I82.521	DX	Chronic embolism and thrombosis of right iliac vein	ICD-10-CM
Venous thromboembolism	I82.522	DX	Chronic embolism and thrombosis of left iliac vein	ICD-10-CM
Venous thromboembolism	I82.523	DX	Chronic embolism and thrombosis of iliac vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.529	DX	Chronic embolism and thrombosis of unspecified iliac vein	ICD-10-CM
Venous thromboembolism	I82.53	DX	Chronic embolism and thrombosis of popliteal vein	ICD-10-CM
Venous thromboembolism	I82.531	DX	Chronic embolism and thrombosis of right popliteal vein	ICD-10-CM
Venous thromboembolism	I82.532	DX	Chronic embolism and thrombosis of left popliteal vein	ICD-10-CM
Venous thromboembolism	I82.533	DX	Chronic embolism and thrombosis of popliteal vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.539	DX	Chronic embolism and thrombosis of unspecified popliteal vein	ICD-10-CM
Venous thromboembolism	I82.54	DX	Chronic embolism and thrombosis of tibial vein	ICD-10-CM
Venous thromboembolism	I82.541	DX	Chronic embolism and thrombosis of right tibial vein	ICD-10-CM
Venous thromboembolism	I82.542	DX	Chronic embolism and thrombosis of left tibial vein	ICD-10-CM
Venous thromboembolism	I82.543	DX	Chronic embolism and thrombosis of tibial vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.549	DX	Chronic embolism and thrombosis of unspecified tibial vein	ICD-10-CM
Venous thromboembolism	I82.55	DX	Chronic embolism and thrombosis of peroneal vein	ICD-10-CM
Venous thromboembolism	I82.551	DX	Chronic embolism and thrombosis of right peroneal vein	ICD-10-CM
Venous thromboembolism	I82.552	DX	Chronic embolism and thrombosis of left peroneal vein	ICD-10-CM
Venous thromboembolism	I82.553	DX	Chronic embolism and thrombosis of peroneal vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.559	DX	Chronic embolism and thrombosis of unspecified peroneal vein	ICD-10-CM
Venous thromboembolism	I82.56	DX	Chronic embolism and thrombosis of calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.561	DX	Chronic embolism and thrombosis of right calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.562	DX	Chronic embolism and thrombosis of left calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.563	DX	Chronic embolism and thrombosis of calf muscular vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.569	DX	Chronic embolism and thrombosis of unspecified calf muscular vein	ICD-10-CM
Venous thromboembolism	I82.59	DX	Chronic embolism and thrombosis of other specified deep vein of lower extremity	ICD-10-CM
Venous thromboembolism	I82.591	DX	Chronic embolism and thrombosis of other specified deep vein of right lower extremity	ICD-10-CM
Venous thromboembolism	I82.592	DX	Chronic embolism and thrombosis of other specified deep vein of left lower extremity	ICD-10-CM
Venous thromboembolism	I82.593	DX	Chronic embolism and thrombosis of other specified deep vein of lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.599	DX	Chronic embolism and thrombosis of other specified deep vein of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Y	DX	Chronic embolism and thrombosis of unspecified deep veins of proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Y1	DX	Chronic embolism and thrombosis of unspecified deep veins of right proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Y2	DX	Chronic embolism and thrombosis of unspecified deep veins of left proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Y3	DX	Chronic embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.5Y9	DX	Chronic embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Z	DX	Chronic embolism and thrombosis of unspecified deep veins of distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Z1	DX	Chronic embolism and thrombosis of unspecified deep veins of right distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Z2	DX	Chronic embolism and thrombosis of unspecified deep veins of left distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.5Z3	DX	Chronic embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.5Z9	DX	Chronic embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity	ICD-10-CM
Venous thromboembolism	I82.6	DX	Acute embolism and thrombosis of veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.60	DX	Acute embolism and thrombosis of unspecified veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.601	DX	Acute embolism and thrombosis of unspecified veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.602	DX	Acute embolism and thrombosis of unspecified veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.603	DX	Acute embolism and thrombosis of unspecified veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.609	DX	Acute embolism and thrombosis of unspecified veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.61	DX	Acute embolism and thrombosis of superficial veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.611	DX	Acute embolism and thrombosis of superficial veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.612	DX	Acute embolism and thrombosis of superficial veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.613	DX	Acute embolism and thrombosis of superficial veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.619	DX	Acute embolism and thrombosis of superficial veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.62	DX	Acute embolism and thrombosis of deep veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.621	DX	Acute embolism and thrombosis of deep veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.622	DX	Acute embolism and thrombosis of deep veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.623	DX	Acute embolism and thrombosis of deep veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.629	DX	Acute embolism and thrombosis of deep veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.7	DX	Chronic embolism and thrombosis of veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.70	DX	Chronic embolism and thrombosis of unspecified veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.701	DX	Chronic embolism and thrombosis of unspecified veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.702	DX	Chronic embolism and thrombosis of unspecified veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.703	DX	Chronic embolism and thrombosis of unspecified veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.709	DX	Chronic embolism and thrombosis of unspecified veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.71	DX	Chronic embolism and thrombosis of superficial veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.711	DX	Chronic embolism and thrombosis of superficial veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.712	DX	Chronic embolism and thrombosis of superficial veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.713	DX	Chronic embolism and thrombosis of superficial veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.719	DX	Chronic embolism and thrombosis of superficial veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.72	DX	Chronic embolism and thrombosis of deep veins of upper extremity	ICD-10-CM
Venous thromboembolism	I82.721	DX	Chronic embolism and thrombosis of deep veins of right upper extremity	ICD-10-CM
Venous thromboembolism	I82.722	DX	Chronic embolism and thrombosis of deep veins of left upper extremity	ICD-10-CM
Venous thromboembolism	I82.723	DX	Chronic embolism and thrombosis of deep veins of upper extremity, bilateral	ICD-10-CM
Venous thromboembolism	I82.729	DX	Chronic embolism and thrombosis of deep veins of unspecified upper extremity	ICD-10-CM
Venous thromboembolism	I82.A	DX	Embolism and thrombosis of axillary vein	ICD-10-CM
Venous thromboembolism	I82.A1	DX	Acute embolism and thrombosis of axillary vein	ICD-10-CM
Venous thromboembolism	I82.A11	DX	Acute embolism and thrombosis of right axillary vein	ICD-10-CM
Venous thromboembolism	I82.A12	DX	Acute embolism and thrombosis of left axillary vein	ICD-10-CM
Venous thromboembolism	I82.A13	DX	Acute embolism and thrombosis of axillary vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.A19	DX	Acute embolism and thrombosis of unspecified axillary vein	ICD-10-CM
Venous thromboembolism	I82.A2	DX	Chronic embolism and thrombosis of axillary vein	ICD-10-CM
Venous thromboembolism	I82.A21	DX	Chronic embolism and thrombosis of right axillary vein	ICD-10-CM
Venous thromboembolism	I82.A22	DX	Chronic embolism and thrombosis of left axillary vein	ICD-10-CM
Venous thromboembolism	I82.A23	DX	Chronic embolism and thrombosis of axillary vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.A29	DX	Chronic embolism and thrombosis of unspecified axillary vein	ICD-10-CM
Venous thromboembolism	I82.B	DX	Embolism and thrombosis of subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B1	DX	Acute embolism and thrombosis of subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B11	DX	Acute embolism and thrombosis of right subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B12	DX	Acute embolism and thrombosis of left subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B13	DX	Acute embolism and thrombosis of subclavian vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.B19	DX	Acute embolism and thrombosis of unspecified subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B2	DX	Chronic embolism and thrombosis of subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B21	DX	Chronic embolism and thrombosis of right subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B22	DX	Chronic embolism and thrombosis of left subclavian vein	ICD-10-CM
Venous thromboembolism	I82.B23	DX	Chronic embolism and thrombosis of subclavian vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.B29	DX	Chronic embolism and thrombosis of unspecified subclavian vein	ICD-10-CM
Venous thromboembolism	I82.C	DX	Embolism and thrombosis of internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C1	DX	Acute embolism and thrombosis of internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C11	DX	Acute embolism and thrombosis of right internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C12	DX	Acute embolism and thrombosis of left internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C13	DX	Acute embolism and thrombosis of internal jugular vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.C19	DX	Acute embolism and thrombosis of unspecified internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C2	DX	Chronic embolism and thrombosis of internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C21	DX	Chronic embolism and thrombosis of right internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C22	DX	Chronic embolism and thrombosis of left internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.C23	DX	Chronic embolism and thrombosis of internal jugular vein, bilateral	ICD-10-CM
Venous thromboembolism	I82.C29	DX	Chronic embolism and thrombosis of unspecified internal jugular vein	ICD-10-CM
Venous thromboembolism	I82.8	DX	Embolism and thrombosis of other specified veins	ICD-10-CM
Venous thromboembolism	I82.81	DX	Embolism and thrombosis of superficial veins of lower extremities	ICD-10-CM
Venous thromboembolism	I82.811	DX	Embolism and thrombosis of superficial veins of right lower extremity	ICD-10-CM
Venous thromboembolism	I82.812	DX	Embolism and thrombosis of superficial veins of left lower extremity	ICD-10-CM
Venous thromboembolism	I82.813	DX	Embolism and thrombosis of superficial veins of lower extremities, bilateral	ICD-10-CM
Venous thromboembolism	I82.819	DX	Embolism and thrombosis of superficial veins of unspecified lower extremity	ICD-10-CM
Venous thromboembolism	I82.89	DX	Embolism and thrombosis of other specified veins	ICD-10-CM
Venous thromboembolism	I82.890	DX	Acute embolism and thrombosis of other specified veins	ICD-10-CM
Venous thromboembolism	I82.891	DX	Chronic embolism and thrombosis of other specified veins	ICD-10-CM
Venous thromboembolism	I82.9	DX	Embolism and thrombosis of unspecified vein	ICD-10-CM
Venous thromboembolism	I82.90	DX	Acute embolism and thrombosis of unspecified vein	ICD-10-CM
Venous thromboembolism	I82.91	DX	Chronic embolism and thrombosis of unspecified vein	ICD-10-CM
Pulmonary hypertension	I27	DX	OTHER PULMONARY HEART DISEASES	ICD-10-CM
Pulmonary hypertension	I27.0	DX	PRIMARY PULMONARY HYPERTENSION	ICD-10-CM
Pulmonary hypertension	I27.1	DX	KYPHOSCOLIOTIC HEART DISEASE	ICD-10-CM
Pulmonary hypertension	I27.2	DX	OTHER SECONDARY PULMONARY HYPERTENSION	ICD-10-CM
Pulmonary hypertension	I27.20	DX	PULMONARY HYPERTENSION, UNSPECIFIED	ICD-10-CM
Pulmonary hypertension	I27.21	DX	SECONDARY PULMONARY ARTERIAL HYPERTENSION	ICD-10-CM
Pulmonary hypertension	I27.22	DX	PULMONARY HYPERTENSION DUE TO LEFT HEART DISEASE	ICD-10-CM
Pulmonary hypertension	I27.23	DX	PULMONARY HYPERTENSION DUE TO LUNG DISEASES AND HYPOXIA	ICD-10-CM
Pulmonary hypertension	I27.24	DX	CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION	ICD-10-CM
Pulmonary hypertension	I27.29	DX	OTHER SECONDARY PULMONARY HYPERTENSION	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	Z95.0	DX	PRESENCE OF CARDIAC PACEMAKER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	Z45.010	DX	ENCOUNTER FOR CHECKING AND TESTING OF CARDIAC PACEMAKER PULSE GENERATOR [BATTERY]	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	Z45.018	DX	ENCOUNTER FOR ADJUSTMENT AND MANAGEMENT OF OTHER PART OF CARDIAC PACEMAKER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	T82.110A	DX	BREAKDOWN (MECHANICAL) OF CARDIAC ELECTRODE, INITIAL ENCOUNTER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	T82.111A	DX	BREAKDOWN (MECHANICAL) OF CARDIAC PULSE GENERATOR (BATTERY), INITIAL ENCOUNTER	ICD-10-CM

Insertion of pacemakers / removal of cardiac lead	T82.120A	DX	DISPLACEMENT OF CARDIAC ELECTRODE, INITIAL ENCOUNTER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	T82.121A	DX	DISPLACEMENT OF CARDIAC PULSE GENERATOR (BATTERY), INITIAL ENCOUNTER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	T82.190A	DX	OTHER MECHANICAL COMPLICATION OF CARDIAC ELECTRODE, INITIAL ENCOUNTER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	T82.191A	DX	OTHER MECHANICAL COMPLICATION OF CARDIAC PULSE GENERATOR (BATTERY), INITIAL ENCOUNTER	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H44JZ	PX	INSERTION OF PACEMAKER LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H60JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H63JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H64JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK0JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK3JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK4JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL0JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL3JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL4JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H43JZ	PX	INSERTION OF PACEMAKER LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H44JZ	PX	INSERTION OF PACEMAKER LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H60JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H63JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H64JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK0JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK3JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HK4JZ	PX	INSERTION OF PACEMAKER LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL0JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL3JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02HL4JZ	PX	INSERTION OF PACEMAKER LEAD INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA0MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA3MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA4MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PAXMZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, EXTERNAL APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H43MZ	PX	INSERTION OF CARDIAC LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02H43MZ	PX	INSERTION OF CARDIAC LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA0MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, OPEN APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA3MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, PERCUTANEOUS APPROACH	ICD-10-CM
Insertion of pacemakers / removal of cardiac lead	02PA4MZ	PX	REMOVAL OF CARDIAC LEAD FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Implantable cardioverter defibrillator	02H40JZ	PX	INSERTION OF PACEMAKER LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H40KZ	DX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H43JZ	PX	INSERTION OF PACEMAKER LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H43KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H44KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H60KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H63KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H64KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H70KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H73KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02H74KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HK0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HK3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HK4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HL0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HL3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HL4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HN0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HN3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	02HN4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH608Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH60FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH638Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH63FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH808Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JH838Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JPT0FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	0JPT3FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
Implantable cardioverter defibrillator	33223	PX	RELOCATION OF SKIN POCKET FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	CPT/HCPSC
Implantable cardioverter defibrillator	33230	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING DUAL LEADS	CPT/HCPSC
Implantable cardioverter defibrillator	33231	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING MULTIPLE LEADS	CPT/HCPSC
Implantable cardioverter defibrillator	33240	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING SINGLE LEAD	CPT/HCPSC
Implantable cardioverter defibrillator	33241	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY	CPT/HCPSC
Implantable cardioverter defibrillator	33243	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY THORACOTOMY	CPT/HCPSC
Implantable cardioverter defibrillator	33244	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY TRANSVENOUS EXTRACTION	CPT/HCPSC
Implantable cardioverter defibrillator	33249	PX	INSERTION OR REPLACEMENT OF PERMANENT IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH TRANSVENOUS LEAD(S), SINGLE OR DUAL CHAMBER	CPT/HCPSC
Implantable cardioverter defibrillator	33262	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; SINGLE LEAD SYSTEM	CPT/HCPSC
Implantable cardioverter defibrillator	33263	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; DUAL LEAD SYSTEM	CPT/HCPSC
Implantable cardioverter defibrillator	33264	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; MULTIPLE LEAD SYSTEM	CPT/HCPSC
Implantable cardioverter defibrillator	33270	PX	INSERTION OR REPLACEMENT OF PERMANENT SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH SUBCUTANEOUS ELECTRODE, INCLUDING DEFIBRILLATION THRESHOLD EVALUATION, INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING FOR ARRHYTHMIA TERMINATION, AND PROGRAMMING OR REPROGRAMMING OF SENSING OR THERAPEUTIC PARAMETERS, WHEN PERFORMED	CPT/HCPSC
Implantable cardioverter defibrillator	33271	PX	INSERTION OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC

	Implantable cardioverter defibrillator	33272	PX	REMOVAL OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC
	Implantable cardioverter defibrillator	33273	PX	REPOSITIONING OF PREVIOUSLY IMPLANTED SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC
	Hyperkalemia	E87.5	DX	Hyperkalemia	ICD-10-CM
Renal-related conditions	CKD stage 1-2	N18.1	DX	CHRONIC KIDNEY DISEASE, STAGE 1	ICD-10-CM
	CKD stage 1-2	N18.2	DX	CHRONIC KIDNEY DISEASE, STAGE 2 (MILD)	ICD-10-CM
	CKD stage 3-4	N18.3	DX	CHRONIC KIDNEY DISEASE, STAGE 3 (MODERATE)	ICD-10-CM
	CKD stage 3-4	N18.30	DX	CHRONIC KIDNEY DISEASE, STAGE 3 UNSPECIFIED	ICD-10-CM
	CKD stage 3-4	N18.31	DX	CHRONIC KIDNEY DISEASE, STAGE 3A	ICD-10-CM
	CKD stage 3-4	N18.32	DX	CHRONIC KIDNEY DISEASE, STAGE 3B	ICD-10-CM
	CKD stage 3-4	N18.4	DX	CHRONIC KIDNEY DISEASE, STAGE 4 (SEVERE)	ICD-10-CM
	Unspecified CKD	N18.9	DX	CHRONIC KIDNEY DISEASE, UNSPECIFIED	ICD-10-CM
	Acute kidney injury	N17.0	DX	ACUTE KIDNEY FAILURE WITH TUBULAR NECROSIS	ICD-10-CM
	Acute kidney injury	N17.1	DX	ACUTE KIDNEY FAILURE WITH ACUTE CORTICAL NECROSIS	ICD-10-CM
	Acute kidney injury	N17.2	DX	ACUTE KIDNEY FAILURE WITH MEDULLARY NECROSIS	ICD-10-CM
	Acute kidney injury	N17.8	DX	OTHER ACUTE KIDNEY FAILURE	ICD-10-CM
	Acute kidney injury	N17.9	DX	ACUTE KIDNEY FAILURE, UNSPECIFIED	ICD-10-CM
	Acute kidney injury	Z49.01	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER	ICD-10-CM
	Acute kidney injury	Z49.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-10-CM
	Acute kidney injury	Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
	Acute kidney injury	Z99.2	DX	DEPENDENCE ON RENAL DIALYSIS	ICD-10-CM
	Urolithiasis (kidney or urinary stones)	N20.0	DX	CALCULUS OF KIDNEY	
	Urolithiasis (kidney or urinary stones)	N20.1	DX	CALCULUS OF URETER	
	Urolithiasis (kidney or urinary stones)	N20.2	DX	CALCULUS OF KIDNEY WITH CALCULUS OF URETER	
	Urolithiasis (kidney or urinary stones)	N20.9	DX	URINARY CALCULUS, UNSPECIFIED	
	Urolithiasis (kidney or urinary stones)	N21.0	DX	CALCULUS IN BLADDER	
	Urolithiasis (kidney or urinary stones)	N21.1	DX	CALCULUS IN URETHRA	
	Urolithiasis (kidney or urinary stones)	N21.8	DX	OTHER LOWER URINARY TRACT CALCULUS	
	Urolithiasis (kidney or urinary stones)	N21.9	DX	CALCULUS OF LOWER URINARY TRACT, UNSPECIFIED	
	Urolithiasis (kidney or urinary stones)	N22	DX	CALCULUS OF URINARY TRACT IN DISEASES CLASSIFIED ELSEWHERE	
	Hypertensive nephropathy	I12.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5 CHRONIC KIDNEY DISEASE OR END STAGE RENAL DISEASE	ICD-10-CM
	Hypertensive nephropathy	I12.9	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertensive nephropathy	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONICKIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertensive nephropathy	I13.10	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITHOUT HEART FAILURE, WITH STAGE 1 THROUGH STAGE 4CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	Hypertensive nephropathy	I13.11	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITHOUT HEART FAILURE, WITH STAGE 5 CHRONIC KIDNEYDISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
	Hypertensive nephropathy	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEYDISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
	Kidney and urinary stone	N20.0	DX	CALCULUS OF KIDNEY	ICD-10-CM
	Urinary tract infections	O86.03	DX	INFECTION OF OBSTETRIC SURGICAL WOUND, ORGAN AND SPACE SITE	ICD-10-CM
	Urinary tract infections	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM
	Urinary tract infections	N10	DX	ACUTE PYELONEPHRITIS	ICD-10-CM
	Urinary tract infections	N11.0	DX	NONOBSTRUCTIVE REFLUX ASSOCIATED CHRONIC PYELONEPHRITIS	ICD-10-CM
	Urinary tract infections	N11.1	DX	CHRONIC OBSTRUCTIVE PYELONEPHRITIS	ICD-10-CM
	Urinary tract infections	N13.6	DX	PYONEPHROSIS	ICD-10-CM
	Urinary tract infections	N30	DX	CYSTITIS	ICD-10-CM
	Urinary tract infections	N30.0	DX	ACUTE CYSTITIS	ICD-10-CM
	Urinary tract infections	N30.00	DX	ACUTE CYSTITIS WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.01	DX	ACUTE CYSTITIS WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.1	DX	INTERSTITIAL CYSTITIS (CHRONIC)	ICD-10-CM
	Urinary tract infections	N30.10	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.11	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.2	DX	OTHER CHRONIC CYSTITIS	ICD-10-CM
	Urinary tract infections	N30.20	DX	OTHER CHRONIC CYSTITIS WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.21	DX	OTHER CHRONIC CYSTITIS WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.3	DX	TRIGONITIS	ICD-10-CM
	Urinary tract infections	N30.30	DX	TRIGONITIS WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.31	DX	TRIGONITIS WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.40	DX	IRRADIATION CYSTITIS WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.8	DX	OTHER CYSTITIS	ICD-10-CM
	Urinary tract infections	N30.80	DX	OTHER CYSTITIS WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.81	DX	OTHER CYSTITIS WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.9	DX	CYSTITIS, UNSPECIFIED	ICD-10-CM
	Urinary tract infections	N30.90	DX	CYSTITIS, UNSPECIFIED WITHOUT HEMATURIA	ICD-10-CM
	Urinary tract infections	N30.91	DX	CYSTITIS, UNSPECIFIED WITH HEMATURIA	ICD-10-CM
	Urinary tract infections	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM
	Urinary tract infections	N41.3	DX	PROSTATOCYSTITIS	ICD-10-CM
	Urinary tract infections	N99.521	DX	INFECTION OF INCONTINENT EXTERNAL STOMA OF URINARY TRACT	ICD-10-CM
	Urinary tract infections	N99.531	DX	INFECTION OF CONTINENT STOMA OF URINARY TRACT	ICD-10-CM
	Urinary tract infections	O03.38	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
	Urinary tract infections	O03.88	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
	Urinary tract infections	O04.88	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
	Urinary tract infections	O07.38	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
	Urinary tract infections	O08.83	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
	Urinary tract infections	O23	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.0	DX	INFECTIONS OF KIDNEY IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.00	DX	INFECTIONS OF KIDNEY IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.01	DX	INFECTIONS OF KIDNEY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.02	DX	INFECTIONS OF KIDNEY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.03	DX	INFECTIONS OF KIDNEY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.1	DX	INFECTIONS OF BLADDER IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.10	DX	INFECTIONS OF BLADDER IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.11	DX	INFECTIONS OF BLADDER IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.12	DX	INFECTIONS OF BLADDER IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.13	DX	INFECTIONS OF BLADDER IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.20	DX	INFECTIONS OF URETHRA IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.3	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.30	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.31	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.32	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.33	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.4	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.40	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.41	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.42	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.43	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.5	DX	INFECTIONS OF THE GENITAL TRACT IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.51	DX	INFECTION OF CERVIX IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.511	DX	INFECTIONS OF CERVIX IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.512	DX	INFECTIONS OF CERVIX IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.513	DX	INFECTIONS OF CERVIX IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.519	DX	INFECTIONS OF CERVIX IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.59	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.591	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.592	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.593	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.599	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.9	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY	ICD-10-CM
	Urinary tract infections	O23.90	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.91	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.92	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
	Urinary tract infections	O23.93	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Urinary tract infections	O86.1	DX	OTHER INFECTION OF GENITAL TRACT FOLLOWING DELIVERY	ICD-10-CM
	Urinary tract infections	O86.2	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM
	Urinary tract infections	O86.20	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY, UNSPECIFIED	ICD-10-CM
	Urinary tract infections	O86.21	DX	INFECTION OF KIDNEY FOLLOWING DELIVERY	ICD-10-CM
	Urinary tract infections	O86.22	DX	INFECTION OF BLADDER FOLLOWING DELIVERY	ICD-10-CM
	Urinary tract infections	O86.29	DX	OTHER URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM
	Urinary tract infections	R82.71	DX	BACTERIURIA	ICD-10-CM
	Urinary tract infections	R82.81	DX	PYURIA	ICD-10-CM
	Genital infections	B37.3			ICD-10-CM
	Genital infections	B37.42			ICD-10-CM
	Genital infections	B37.49			ICD-10-CM
	Genital infections	N47.1			ICD-10-CM
	Genital infections	N47.2			ICD-10-CM
	Genital infections	N47.3			ICD-10-CM
	Genital infections	N47.4			ICD-10-CM
	Genital infections	N47.5			ICD-10-CM
	Genital infections	N47.6			ICD-10-CM
	Genital infections	N47.7			ICD-10-CM
	Genital infections	N47.8			ICD-10-CM
	Genital infections	N48.1			ICD-10-CM
	Genital infections	N76.0			ICD-10-CM
	Genital infections	N76.1			ICD-10-CM
	Genital infections	N76.2			ICD-10-CM
	Genital infections	N76.3			ICD-10-CM
	Genital infections	N77.1			ICD-10-CM
Other comorbidities	COPD	J41.0	DX	SIMPLE CHRONIC BRONCHITIS	ICD-10-CM
	COPD	J41.1	DX	MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM
	COPD	J41.8	DX	MIXED SIMPLE AND MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM
	COPD	J42	DX	UNSPECIFIED CHRONIC BRONCHITIS	ICD-10-CM
	COPD	J43	DX	EMPHYSEMA	ICD-10-CM
	COPD	J43.0	DX	UNILATERAL PULMONARY EMPHYSEMA [MACLEOD'S SYNDROME]	ICD-10-CM
	COPD	J43.1	DX	PANLOBULAR EMPHYSEMA	ICD-10-CM
	COPD	J43.2	DX	CENTRILOBULAR EMPHYSEMA	ICD-10-CM
	COPD	J43.8	DX	OTHER EMPHYSEMA	ICD-10-CM
	COPD	J43.9	DX	EMPHYSEMA, UNSPECIFIED	ICD-10-CM
	COPD	J44	DX	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE	ICD-10-CM
	COPD	J44.0	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) LOWER RESPIRATORY INFECTION	ICD-10-CM
	COPD	J44.1	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) EXACERBATION	ICD-10-CM

COPD	J44.9	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE, UNSPECIFIED	ICD-10-CM
Asthma	J45	DX	ASTHMA	ICD-10-CM
Asthma	J45.2	DX	MILD INTERMITTENT ASTHMA	ICD-10-CM
Asthma	J45.3	DX	MILD PERSISTENT ASTHMA	ICD-10-CM
Asthma	J45.4	DX	MODERATE PERSISTENT ASTHMA	ICD-10-CM
Asthma	J45.5	DX	SEVERE PERSISTENT ASTHMA	ICD-10-CM
Asthma	J45.9	DX	OTHER AND UNSPECIFIED ASTHMA	ICD-10-CM
Asthma	J45.90	DX	UNSPECIFIED ASTHMA	ICD-10-CM
Asthma	J45.99	DX	OTHER ASTHMA	ICD-10-CM
Asthma	J45.20	DX	MILD INTERMITTENT ASTHMA, UNCOMPLICATED	ICD-10-CM
Asthma	J45.21	DX	MILD INTERMITTENT ASTHMA WITH (ACUTE) EXACERBATION	ICD-10-CM
Asthma	J45.22	DX	MILD INTERMITTENT ASTHMA WITH STATUS ASTHMATICUS	ICD-10-CM
Asthma	J45.30	DX	MILD PERSISTENT ASTHMA, UNCOMPLICATED	ICD-10-CM
Asthma	J45.31	DX	MILD PERSISTENT ASTHMA WITH (ACUTE) EXACERBATION	ICD-10-CM
Asthma	J45.32	DX	MILD PERSISTENT ASTHMA WITH STATUS ASTHMATICUS	ICD-10-CM
Asthma	J45.40	DX	MODERATE PERSISTENT ASTHMA, UNCOMPLICATED	ICD-10-CM
Asthma	J45.41	DX	MODERATE PERSISTENT ASTHMA WITH (ACUTE) EXACERBATION	ICD-10-CM
Asthma	J45.42	DX	MODERATE PERSISTENT ASTHMA WITH STATUS ASTHMATICUS	ICD-10-CM
Asthma	J45.50	DX	SEVERE PERSISTENT ASTHMA, UNCOMPLICATED	ICD-10-CM
Asthma	J45.51	DX	SEVERE PERSISTENT ASTHMA WITH (ACUTE) EXACERBATION	ICD-10-CM
Asthma	J45.52	DX	SEVERE PERSISTENT ASTHMA WITH STATUS ASTHMATICUS	ICD-10-CM
Asthma	J45.901	DX	UNSPECIFIED ASTHMA WITH (ACUTE) EXACERBATION	ICD-10-CM
Asthma	J45.902	DX	UNSPECIFIED ASTHMA WITH STATUS ASTHMATICUS	ICD-10-CM
Asthma	J45.909	DX	UNSPECIFIED ASTHMA, UNCOMPLICATED	ICD-10-CM
Asthma	J45.990	DX	EXERCISE INDUCED BRONCHOSPASM	ICD-10-CM
Asthma	J45.991	DX	COUGH VARIANT ASTHMA	ICD-10-CM
Asthma	J45.998	DX	OTHER ASTHMA	ICD-10-CM
Asthma	J82.83	DX	EOSINOPHILIC ASTHMA	ICD-10-CM
Serious bacterial infections	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM
Serious bacterial infections	A04.71	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, RECURRENT	ICD-10-CM
Serious bacterial infections	A04.72	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, NOT SPECIFIED AS RECURRENT	ICD-10-CM
Serious bacterial infections	A01.01	DX	TYPHOID MENINGITIS	ICD-10-CM
Serious bacterial infections	A02.21	DX	SALMONELLA MENINGITIS	ICD-10-CM
Serious bacterial infections	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM
Serious bacterial infections	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM
Serious bacterial infections	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A27.81	DX	ASEPTIC MENINGITIS IN LEPTOSPIROSIS	ICD-10-CM
Serious bacterial infections	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM
Serious bacterial infections	A39.0	DX	MENINGOCOCCAL MENINGITIS	ICD-10-CM
Serious bacterial infections	A39.81	DX	MENINGOCOCCAL ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A51.41	DX	SECONDARY SYPHILITIC MENINGITIS	ICD-10-CM
Serious bacterial infections	A52.13	DX	LATE SYPHILITIC MENINGITIS	ICD-10-CM
Serious bacterial infections	A54.81	DX	GONOCOCCAL MENINGITIS	ICD-10-CM
Serious bacterial infections	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM
Serious bacterial infections	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM
Serious bacterial infections	G00.0	DX	HEMOPHILUS MENINGITIS	ICD-10-CM
Serious bacterial infections	G00.1	DX	PNEUMOCOCCAL MENINGITIS	ICD-10-CM
Serious bacterial infections	G00.2	DX	STREPTOCOCCAL MENINGITIS	ICD-10-CM
Serious bacterial infections	G00.3	DX	STAPHYLOCOCCAL MENINGITIS	ICD-10-CM
Serious bacterial infections	G00.9	DX	BACTERIAL MENINGITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	G01	DX	MENINGITIS IN BACTERIAL DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Serious bacterial infections	G02	DX	MENINGITIS IN OTHER INFECTIOUS AND PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Serious bacterial infections	G04.2	DX	BACTERIAL MENINGOENCEPHALITIS AND MENINGOMYELITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Serious bacterial infections	G00.8	DX	OTHER BACTERIAL MENINGITIS	ICD-10-CM
Serious bacterial infections	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	A39.51	DX	MENINGOCOCCAL ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	A52.03	DX	SYPHILITIC ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	I33.0	DX	ACUTE AND SUBACUTE INFECTIVE ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	I33.9	DX	ACUTE AND SUBACUTE ENDOCARDITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Serious bacterial infections	H70.001	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, RIGHT EAR	ICD-10-CM
Serious bacterial infections	H70.002	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, LEFT EAR	ICD-10-CM
Serious bacterial infections	H70.003	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, BILATERAL	ICD-10-CM
Serious bacterial infections	H70.009	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM
Serious bacterial infections	H70.011	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, RIGHT EAR	ICD-10-CM
Serious bacterial infections	H70.012	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, LEFT EAR	ICD-10-CM
Serious bacterial infections	H70.013	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, BILATERAL	ICD-10-CM
Serious bacterial infections	H70.019	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, UNSPECIFIED EAR	ICD-10-CM
Serious bacterial infections	H70.091	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, RIGHT EAR	ICD-10-CM
Serious bacterial infections	H70.092	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, LEFT EAR	ICD-10-CM
Serious bacterial infections	H70.093	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, BILATERAL	ICD-10-CM
Serious bacterial infections	H70.099	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM
Serious bacterial infections	H70.90	DX	UNSPECIFIED MASTOIDITIS, UNSPECIFIED EAR	ICD-10-CM
Serious bacterial infections	H70.91	DX	UNSPECIFIED MASTOIDITIS, RIGHT EAR	ICD-10-CM
Serious bacterial infections	H70.92	DX	UNSPECIFIED MASTOIDITIS, LEFT EAR	ICD-10-CM
Serious bacterial infections	H70.93	DX	UNSPECIFIED MASTOIDITIS, BILATERAL	ICD-10-CM
Serious bacterial infections	A01.05	DX	TYPHOID OSTEOMYELITIS	ICD-10-CM
Serious bacterial infections	A02.24	DX	SALMONELLA OSTEOMYELITIS	ICD-10-CM
Serious bacterial infections	A54.43	DX	GONOCOCCAL OSTEOMYELITIS	ICD-10-CM
Serious bacterial infections	H05.021	DX	OSTEOMYELITIS OF RIGHT ORBIT	ICD-10-CM
Serious bacterial infections	H05.022	DX	OSTEOMYELITIS OF LEFT ORBIT	ICD-10-CM
Serious bacterial infections	H05.023	DX	OSTEOMYELITIS OF BILATERAL ORBITS	ICD-10-CM
Serious bacterial infections	H05.029	DX	OSTEOMYELITIS OF UNSPECIFIED ORBIT	ICD-10-CM
Serious bacterial infections	M46.20	DX	OSTEOMYELITIS OF VERTEBRA, SITE UNSPECIFIED	ICD-10-CM
Serious bacterial infections	M46.21	DX	OSTEOMYELITIS OF VERTEBRA, OCCIPITO-ATLANTO-AXIAL REGION	ICD-10-CM
Serious bacterial infections	M46.22	DX	OSTEOMYELITIS OF VERTEBRA, CERVICAL REGION	ICD-10-CM
Serious bacterial infections	M46.23	DX	OSTEOMYELITIS OF VERTEBRA, CERVICOTHORACIC REGION	ICD-10-CM
Serious bacterial infections	M46.24	DX	OSTEOMYELITIS OF VERTEBRA, THORACIC REGION	ICD-10-CM
Serious bacterial infections	M46.25	DX	OSTEOMYELITIS OF VERTEBRA, THORACOLUMBAR REGION	ICD-10-CM
Serious bacterial infections	M46.26	DX	OSTEOMYELITIS OF VERTEBRA, LUMBAR REGION	ICD-10-CM
Serious bacterial infections	M46.27	DX	OSTEOMYELITIS OF VERTEBRA, LUMBOSACRAL REGION	ICD-10-CM
Serious bacterial infections	M46.28	DX	OSTEOMYELITIS OF VERTEBRA, SACRAL AND SACROCOCCYGEAL REGION	ICD-10-CM
Serious bacterial infections	M86.00	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM
Serious bacterial infections	M86.011	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M86.012	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M86.019	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M86.021	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM
Serious bacterial infections	M86.022	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM
Serious bacterial infections	M86.029	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM
Serious bacterial infections	M86.031	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.032	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.039	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.041	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M86.042	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HAND	ICD-10-CM
Serious bacterial infections	M86.049	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M86.051	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM
Serious bacterial infections	M86.052	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM
Serious bacterial infections	M86.059	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM
Serious bacterial infections	M86.061	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.062	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.069	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.071	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.072	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.079	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.08	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, OTHER SITES	ICD-10-CM
Serious bacterial infections	M86.09	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Serious bacterial infections	M86.10	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM
Serious bacterial infections	M86.111	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M86.112	DX	OTHER ACUTE OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M86.119	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M86.121	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM
Serious bacterial infections	M86.122	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM
Serious bacterial infections	M86.129	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM
Serious bacterial infections	M86.131	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.132	DX	OTHER ACUTE OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.139	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM
Serious bacterial infections	M86.141	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M86.142	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HAND	ICD-10-CM
Serious bacterial infections	M86.149	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M86.151	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM
Serious bacterial infections	M86.152	DX	OTHER ACUTE OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM
Serious bacterial infections	M86.159	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM
Serious bacterial infections	M86.161	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.162	DX	OTHER ACUTE OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.169	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM
Serious bacterial infections	M86.171	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.172	DX	OTHER ACUTE OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.179	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.18	DX	OTHER ACUTE OSTEOMYELITIS, OTHER SITE	ICD-10-CM
Serious bacterial infections	M86.19	DX	OTHER ACUTE OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Serious bacterial infections	M86.8X0	DX	OTHER OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM
Serious bacterial infections	M86.8X1	DX	OTHER OSTEOMYELITIS, SHOULDER	ICD-10-CM
Serious bacterial infections	M86.8X2	DX	OTHER OSTEOMYELITIS, UPPER ARM	ICD-10-CM
Serious bacterial infections	M86.8X3	DX	OTHER OSTEOMYELITIS, FOREARM	ICD-10-CM
Serious bacterial infections	M86.8X4	DX	OTHER OSTEOMYELITIS, HAND	ICD-10-CM
Serious bacterial infections	M86.8X5	DX	OTHER OSTEOMYELITIS, THIGH	ICD-10-CM
Serious bacterial infections	M86.8X6	DX	OTHER OSTEOMYELITIS, LOWER LEG	ICD-10-CM
Serious bacterial infections	M86.8X7	DX	OTHER OSTEOMYELITIS, ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M86.8X8	DX	OTHER OSTEOMYELITIS, OTHER SITE	ICD-10-CM
Serious bacterial infections	M86.8X9	DX	OTHER OSTEOMYELITIS, UNSPECIFIED SITES	ICD-10-CM
Serious bacterial infections	M86.9	DX	OSTEOMYELITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A01.03	DX	TYPHOID PNEUMONIA	ICD-10-CM
Serious bacterial infections	A02.22	DX	SALMONELLA PNEUMONIA	ICD-10-CM
Serious bacterial infections	A37.01	DX	WHOOPING COUGH DUE TO BORDETELLA PERTUSSIS WITH PNEUMONIA	ICD-10-CM
Serious bacterial infections	A37.11	DX	WHOOPING COUGH DUE TO BORDETELLA PARAPERTUSSIS WITH PNEUMONIA	ICD-10-CM
Serious bacterial infections	A37.81	DX	WHOOPING COUGH DUE TO OTHER BORDETELLA SPECIES WITH PNEUMONIA	ICD-10-CM
Serious bacterial infections	A37.91	DX	WHOOPING COUGH, UNSPECIFIED SPECIES WITH PNEUMONIA	ICD-10-CM
Serious bacterial infections	A48.1	DX	LEGIONNAIRES' DISEASE	ICD-10-CM
Serious bacterial infections	A54.84	DX	GONOCOCCAL PNEUMONIA	ICD-10-CM
Serious bacterial infections	J13	DX	PNEUMONIA DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM
Serious bacterial infections	J14	DX	PNEUMONIA DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM
Serious bacterial infections	J15.0	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM
Serious bacterial infections	J15.1	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM
Serious bacterial infections	J15.20	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS, UNSPECIFIED	ICD-10-CM

Serious bacterial infections	J15.211	DX	PNEUMONIA DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM
Serious bacterial infections	J15.212	DX	PNEUMONIA DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM
Serious bacterial infections	J15.29	DX	PNEUMONIA DUE TO OTHER STAPHYLOCOCCUS	ICD-10-CM
Serious bacterial infections	J15.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM
Serious bacterial infections	J15.4	DX	PNEUMONIA DUE TO OTHER STREPTOCOCCI	ICD-10-CM
Serious bacterial infections	J15.5	DX	PNEUMONIA DUE TO ESCHERICHIA COLI	ICD-10-CM
Serious bacterial infections	J15.6	DX	PNEUMONIA DUE TO OTHER GRAM-NEGATIVE BACTERIA	ICD-10-CM
Serious bacterial infections	J15.7	DX	PNEUMONIA DUE TO MYCOPLASMA PNEUMONIAE	ICD-10-CM
Serious bacterial infections	J15.8	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM
Serious bacterial infections	J15.9	DX	UNSPECIFIED BACTERIAL PNEUMONIA	ICD-10-CM
Serious bacterial infections	J16.0	DX	PNEUMONIA DUE TO GRAM-POSITIVE BACTERIA	ICD-10-CM
Serious bacterial infections	J16.8	DX	PNEUMONIA DUE TO OTHER INFECTIOUS ORGANISMS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Serious bacterial infections	J17	DX	PNEUMONIA IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Serious bacterial infections	J18.0	DX	BRONCHOPNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Serious bacterial infections	J18.1	DX	LOBAR PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Serious bacterial infections	J18.8	DX	OTHER PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Serious bacterial infections	J18.9	DX	PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Serious bacterial infections	J86.0	DX	PYOTHORAX WITH FISTULA	ICD-10-CM
Serious bacterial infections	J86.9	DX	PYOTHORAX WITHOUT FISTULA	ICD-10-CM
Serious bacterial infections	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM
Serious bacterial infections	A39.2	DX	ACUTE MENINGOCOCCEMIA	ICD-10-CM
Serious bacterial infections	A39.4	DX	MENINGOCOCCEMIA, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A40.0	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP A	ICD-10-CM
Serious bacterial infections	A40.1	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM
Serious bacterial infections	A40.3	DX	SEPSIS DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM
Serious bacterial infections	A40.8	DX	OTHER STREPTOCOCCAL SEPSIS	ICD-10-CM
Serious bacterial infections	A40.9	DX	STREPTOCOCCAL SEPSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A41.01	DX	SEPSIS DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM
Serious bacterial infections	A41.02	DX	SEPSIS DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM
Serious bacterial infections	A41.1	DX	SEPSIS DUE TO OTHER SPECIFIED STAPHYLOCOCCUS	ICD-10-CM
Serious bacterial infections	A41.2	DX	SEPSIS DUE TO UNSPECIFIED STAPHYLOCOCCUS	ICD-10-CM
Serious bacterial infections	A41.3	DX	SEPSIS DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM
Serious bacterial infections	A41.4	DX	SEPSIS DUE TO ANAEROBES	ICD-10-CM
Serious bacterial infections	A41.50	DX	GRAM-NEGATIVE SEPSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A41.51	DX	SEPSIS DUE TO ESCHERICHIA COLI [E. COLI]	ICD-10-CM
Serious bacterial infections	A41.52	DX	SEPSIS DUE TO PSEUDOMONAS	ICD-10-CM
Serious bacterial infections	A41.53	DX	SEPSIS DUE TO SERRATIA	ICD-10-CM
Serious bacterial infections	A41.59	DX	OTHER GRAM-NEGATIVE SEPSIS	ICD-10-CM
Serious bacterial infections	A41.81	DX	SEPSIS DUE TO ENTEROCOCCUS	ICD-10-CM
Serious bacterial infections	A41.89	DX	OTHER SPECIFIED SEPSIS	ICD-10-CM
Serious bacterial infections	A41.9	DX	SEPSIS, UNSPECIFIED ORGANISM	ICD-10-CM
Serious bacterial infections	A48.3	DX	TOXIC SHOCK SYNDROME	ICD-10-CM
Serious bacterial infections	A54.86	DX	GONOCOCCAL SEPSIS	ICD-10-CM
Serious bacterial infections	R78.81	DX	BACTEREMIA	ICD-10-CM
Serious bacterial infections	A02.1	DX	SALMONELLA SEPSIS	ICD-10-CM
Serious bacterial infections	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM
Serious bacterial infections	N10	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM
Serious bacterial infections	N13.6	DX	PYONEPHROSIS	ICD-10-CM
Serious bacterial infections	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM
Serious bacterial infections	M60.009	DX	INFECTIVE MYOSITIS, UNSPECIFIED SITE	ICD-10-CM
Serious bacterial infections	J36	DX	PERITONSILLAR ABSCESS	ICD-10-CM
Serious bacterial infections	J39.0	DX	RETROPHARYNGEAL AND PARAPHARYNGEAL ABSCESS	ICD-10-CM
Serious bacterial infections	J39.1	DX	OTHER ABSCESS OF PHARYNX	ICD-10-CM
Serious bacterial infections	M00.00	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM
Serious bacterial infections	M00.011	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.012	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.019	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M00.021	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM
Serious bacterial infections	M00.022	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM
Serious bacterial infections	M00.029	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM
Serious bacterial infections	M00.031	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM
Serious bacterial infections	M00.032	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM
Serious bacterial infections	M00.039	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM
Serious bacterial infections	M00.041	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M00.042	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM
Serious bacterial infections	M00.049	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M00.051	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM
Serious bacterial infections	M00.052	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM
Serious bacterial infections	M00.059	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM
Serious bacterial infections	M00.061	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM
Serious bacterial infections	M00.062	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM
Serious bacterial infections	M00.069	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM
Serious bacterial infections	M00.071	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.072	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.079	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.08	DX	STAPHYLOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM
Serious bacterial infections	M00.09	DX	STAPHYLOCOCCAL POLYARTHRITIS	ICD-10-CM
Serious bacterial infections	M00.10	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM
Serious bacterial infections	M00.111	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.112	DX	PNEUMOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.119	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M00.121	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM
Serious bacterial infections	M00.122	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM
Serious bacterial infections	M00.129	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM
Serious bacterial infections	M00.131	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM
Serious bacterial infections	M00.132	DX	PNEUMOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM
Serious bacterial infections	M00.139	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM
Serious bacterial infections	M00.141	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M00.142	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM
Serious bacterial infections	M00.149	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M00.151	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM
Serious bacterial infections	M00.152	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM
Serious bacterial infections	M00.159	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM
Serious bacterial infections	M00.161	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM
Serious bacterial infections	M00.162	DX	PNEUMOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM
Serious bacterial infections	M00.169	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM
Serious bacterial infections	M00.171	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.172	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.179	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.18	DX	PNEUMOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM
Serious bacterial infections	M00.19	DX	PNEUMOCOCCAL POLYARTHRITIS	ICD-10-CM
Serious bacterial infections	M00.20	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM
Serious bacterial infections	M00.211	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.212	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.219	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M00.221	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM
Serious bacterial infections	M00.222	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM
Serious bacterial infections	M00.229	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM
Serious bacterial infections	M00.231	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM
Serious bacterial infections	M00.232	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM
Serious bacterial infections	M00.239	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM
Serious bacterial infections	M00.241	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M00.242	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM
Serious bacterial infections	M00.249	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M00.251	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM
Serious bacterial infections	M00.252	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM
Serious bacterial infections	M00.259	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM
Serious bacterial infections	M00.261	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM
Serious bacterial infections	M00.262	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM
Serious bacterial infections	M00.269	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM
Serious bacterial infections	M00.271	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.272	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.279	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.28	DX	OTHER STREPTOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM
Serious bacterial infections	M00.29	DX	OTHER STREPTOCOCCAL POLYARTHRITIS	ICD-10-CM
Serious bacterial infections	M00.80	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED JOINT	ICD-10-CM
Serious bacterial infections	M00.811	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.812	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT SHOULDER	ICD-10-CM
Serious bacterial infections	M00.819	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED SHOULDER	ICD-10-CM
Serious bacterial infections	M00.821	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ELBOW	ICD-10-CM
Serious bacterial infections	M00.822	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ELBOW	ICD-10-CM
Serious bacterial infections	M00.829	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ELBOW	ICD-10-CM
Serious bacterial infections	M00.831	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT WRIST	ICD-10-CM
Serious bacterial infections	M00.832	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT WRIST	ICD-10-CM
Serious bacterial infections	M00.839	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED WRIST	ICD-10-CM
Serious bacterial infections	M00.841	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HAND	ICD-10-CM
Serious bacterial infections	M00.842	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HAND	ICD-10-CM
Serious bacterial infections	M00.849	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	M00.851	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HIP	ICD-10-CM
Serious bacterial infections	M00.852	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HIP	ICD-10-CM
Serious bacterial infections	M00.859	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HIP	ICD-10-CM
Serious bacterial infections	M00.861	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT KNEE	ICD-10-CM
Serious bacterial infections	M00.862	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT KNEE	ICD-10-CM
Serious bacterial infections	M00.869	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED KNEE	ICD-10-CM
Serious bacterial infections	M00.871	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.872	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.879	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM
Serious bacterial infections	M00.88	DX	ARTHRITIS DUE TO OTHER BACTERIA, VERTEBRAE	ICD-10-CM
Serious bacterial infections	M00.89	DX	POLYARTHRITIS DUE TO OTHER BACTERIA	ICD-10-CM
Serious bacterial infections	M00.9	DX	PYOGENIC ARTHRITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A46	DX	ERYSIPELAS	ICD-10-CM
Serious bacterial infections	A48.0	DX	GAS GANGRENE	ICD-10-CM
Serious bacterial infections	H05.011	DX	CELLULITIS OF RIGHT ORBIT	ICD-10-CM
Serious bacterial infections	H05.012	DX	CELLULITIS OF LEFT ORBIT	ICD-10-CM
Serious bacterial infections	H05.013	DX	CELLULITIS OF BILATERAL ORBITS	ICD-10-CM
Serious bacterial infections	H05.019	DX	CELLULITIS OF UNSPECIFIED ORBIT	ICD-10-CM
Serious bacterial infections	K12.2	DX	CELLULITIS AND ABSCESS OF MOUTH	ICD-10-CM
Serious bacterial infections	L01.00	DX	IMPETIGO, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L01.01	DX	NON-BULLOUS IMPETIGO	ICD-10-CM
Serious bacterial infections	L01.02	DX	BOCKHART'S IMPETIGO	ICD-10-CM
Serious bacterial infections	L01.03	DX	BULLOUS IMPETIGO	ICD-10-CM
Serious bacterial infections	L01.09	DX	OTHER IMPETIGO	ICD-10-CM
Serious bacterial infections	L01.1	DX	IMPETIGINIZATION OF OTHER DERMATOSES	ICD-10-CM
Serious bacterial infections	L02.01	DX	CUTANEOUS ABSCESS OF FACE	ICD-10-CM

Serious bacterial infections	L02.02	DX	FURUNCLE OF FACE	ICD-10-CM
Serious bacterial infections	L02.03	DX	CARBUNCLE OF FACE	ICD-10-CM
Serious bacterial infections	L02.11	DX	CUTANEOUS ABSCESS OF NECK	ICD-10-CM
Serious bacterial infections	L02.12	DX	FURUNCLE OF NECK	ICD-10-CM
Serious bacterial infections	L02.13	DX	CARBUNCLE OF NECK	ICD-10-CM
Serious bacterial infections	L02.213	DX	CUTANEOUS ABSCESS OF CHEST WALL	ICD-10-CM
Serious bacterial infections	L02.214	DX	CUTANEOUS ABSCESS OF GROIN	ICD-10-CM
Serious bacterial infections	L02.215	DX	CUTANEOUS ABSCESS OF PERINEUM	ICD-10-CM
Serious bacterial infections	L02.219	DX	CUTANEOUS ABSCESS OF TRUNK, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.221	DX	FURUNCLE OF ABDOMINAL WALL	ICD-10-CM
Serious bacterial infections	L02.222	DX	FURUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM
Serious bacterial infections	L02.223	DX	FURUNCLE OF CHEST WALL	ICD-10-CM
Serious bacterial infections	L02.224	DX	FURUNCLE OF GROIN	ICD-10-CM
Serious bacterial infections	L02.225	DX	FURUNCLE OF PERINEUM	ICD-10-CM
Serious bacterial infections	L02.226	DX	FURUNCLE OF UMBILICUS	ICD-10-CM
Serious bacterial infections	L02.229	DX	FURUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.231	DX	CARBUNCLE OF ABDOMINAL WALL	ICD-10-CM
Serious bacterial infections	L02.232	DX	CARBUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM
Serious bacterial infections	L02.233	DX	CARBUNCLE OF CHEST WALL	ICD-10-CM
Serious bacterial infections	L02.234	DX	CARBUNCLE OF GROIN	ICD-10-CM
Serious bacterial infections	L02.235	DX	CARBUNCLE OF PERINEUM	ICD-10-CM
Serious bacterial infections	L02.236	DX	CARBUNCLE OF UMBILICUS	ICD-10-CM
Serious bacterial infections	L02.239	DX	CARBUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.31	DX	CUTANEOUS ABSCESS OF BUTTOCK	ICD-10-CM
Serious bacterial infections	L02.32	DX	FURUNCLE OF BUTTOCK	ICD-10-CM
Serious bacterial infections	L02.33	DX	CARBUNCLE OF BUTTOCK	ICD-10-CM
Serious bacterial infections	L02.411	DX	CUTANEOUS ABSCESS OF RIGHT AXILLA	ICD-10-CM
Serious bacterial infections	L02.412	DX	CUTANEOUS ABSCESS OF LEFT AXILLA	ICD-10-CM
Serious bacterial infections	L02.413	DX	CUTANEOUS ABSCESS OF RIGHT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.414	DX	CUTANEOUS ABSCESS OF LEFT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.415	DX	CUTANEOUS ABSCESS OF RIGHT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.416	DX	CUTANEOUS ABSCESS OF LEFT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.419	DX	CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.421	DX	FURUNCLE OF RIGHT AXILLA	ICD-10-CM
Serious bacterial infections	L02.422	DX	FURUNCLE OF LEFT AXILLA	ICD-10-CM
Serious bacterial infections	L02.423	DX	FURUNCLE OF RIGHT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.424	DX	FURUNCLE OF LEFT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.425	DX	FURUNCLE OF RIGHT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.426	DX	FURUNCLE OF LEFT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.429	DX	FURUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.431	DX	CARBUNCLE OF RIGHT AXILLA	ICD-10-CM
Serious bacterial infections	L02.432	DX	CARBUNCLE OF LEFT AXILLA	ICD-10-CM
Serious bacterial infections	L02.433	DX	CARBUNCLE OF RIGHT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.434	DX	CARBUNCLE OF LEFT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L02.435	DX	CARBUNCLE OF RIGHT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.436	DX	CARBUNCLE OF LEFT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L02.439	DX	CARBUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.511	DX	CUTANEOUS ABSCESS OF RIGHT HAND	ICD-10-CM
Serious bacterial infections	L02.512	DX	CUTANEOUS ABSCESS OF LEFT HAND	ICD-10-CM
Serious bacterial infections	L02.519	DX	CUTANEOUS ABSCESS OF UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	L02.521	DX	FURUNCLE OF RIGHT HAND	ICD-10-CM
Serious bacterial infections	L02.522	DX	FURUNCLE OF LEFT HAND	ICD-10-CM
Serious bacterial infections	L02.529	DX	FURUNCLE OF UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	L02.531	DX	CARBUNCLE OF RIGHT HAND	ICD-10-CM
Serious bacterial infections	L02.532	DX	CARBUNCLE OF LEFT HAND	ICD-10-CM
Serious bacterial infections	L02.539	DX	CARBUNCLE OF UNSPECIFIED HAND	ICD-10-CM
Serious bacterial infections	L02.611	DX	CUTANEOUS ABSCESS OF RIGHT FOOT	ICD-10-CM
Serious bacterial infections	L02.612	DX	CUTANEOUS ABSCESS OF LEFT FOOT	ICD-10-CM
Serious bacterial infections	L02.619	DX	CUTANEOUS ABSCESS OF UNSPECIFIED FOOT	ICD-10-CM
Serious bacterial infections	L02.621	DX	FURUNCLE OF RIGHT FOOT	ICD-10-CM
Serious bacterial infections	L02.622	DX	FURUNCLE OF LEFT FOOT	ICD-10-CM
Serious bacterial infections	L02.629	DX	FURUNCLE OF UNSPECIFIED FOOT	ICD-10-CM
Serious bacterial infections	L02.631	DX	CARBUNCLE OF RIGHT FOOT	ICD-10-CM
Serious bacterial infections	L02.632	DX	CARBUNCLE OF LEFT FOOT	ICD-10-CM
Serious bacterial infections	L02.639	DX	CARBUNCLE OF UNSPECIFIED FOOT	ICD-10-CM
Serious bacterial infections	L02.811	DX	CUTANEOUS ABSCESS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Serious bacterial infections	L02.818	DX	CUTANEOUS ABSCESS OF OTHER SITES	ICD-10-CM
Serious bacterial infections	L02.821	DX	FURUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Serious bacterial infections	L02.828	DX	FURUNCLE OF OTHER SITES	ICD-10-CM
Serious bacterial infections	L02.831	DX	CARBUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Serious bacterial infections	L02.838	DX	CARBUNCLE OF OTHER SITES	ICD-10-CM
Serious bacterial infections	L02.91	DX	CUTANEOUS ABSCESS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.92	DX	FURUNCLE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L02.93	DX	CARBUNCLE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L03.011	DX	CELLULITIS OF RIGHT FINGER	ICD-10-CM
Serious bacterial infections	L03.012	DX	CELLULITIS OF LEFT FINGER	ICD-10-CM
Serious bacterial infections	L03.019	DX	CELLULITIS OF UNSPECIFIED FINGER	ICD-10-CM
Serious bacterial infections	L03.021	DX	ACUTE LYMPHANGITIS OF RIGHT FINGER	ICD-10-CM
Serious bacterial infections	L03.022	DX	ACUTE LYMPHANGITIS OF LEFT FINGER	ICD-10-CM
Serious bacterial infections	L03.029	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER	ICD-10-CM
Serious bacterial infections	L03.031	DX	CELLULITIS OF RIGHT TOE	ICD-10-CM
Serious bacterial infections	L03.032	DX	CELLULITIS OF LEFT TOE	ICD-10-CM
Serious bacterial infections	L03.039	DX	CELLULITIS OF UNSPECIFIED TOE	ICD-10-CM
Serious bacterial infections	L03.041	DX	ACUTE LYMPHANGITIS OF RIGHT TOE	ICD-10-CM
Serious bacterial infections	L03.042	DX	ACUTE LYMPHANGITIS OF LEFT TOE	ICD-10-CM
Serious bacterial infections	L03.049	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED TOE	ICD-10-CM
Serious bacterial infections	L03.111	DX	CELLULITIS OF RIGHT AXILLA	ICD-10-CM
Serious bacterial infections	L03.112	DX	CELLULITIS OF LEFT AXILLA	ICD-10-CM
Serious bacterial infections	L03.113	DX	CELLULITIS OF RIGHT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L03.114	DX	CELLULITIS OF LEFT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L03.115	DX	CELLULITIS OF RIGHT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L03.116	DX	CELLULITIS OF LEFT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L03.119	DX	CELLULITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
Serious bacterial infections	L03.121	DX	ACUTE LYMPHANGITIS OF RIGHT AXILLA	ICD-10-CM
Serious bacterial infections	L03.122	DX	ACUTE LYMPHANGITIS OF LEFT AXILLA	ICD-10-CM
Serious bacterial infections	L03.123	DX	ACUTE LYMPHANGITIS OF RIGHT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L03.124	DX	ACUTE LYMPHANGITIS OF LEFT UPPER LIMB	ICD-10-CM
Serious bacterial infections	L03.125	DX	ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L03.126	DX	ACUTE LYMPHANGITIS OF LEFT LOWER LIMB	ICD-10-CM
Serious bacterial infections	L03.129	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM
Serious bacterial infections	L03.211	DX	CELLULITIS OF FACE	ICD-10-CM
Serious bacterial infections	L03.212	DX	ACUTE LYMPHANGITIS OF FACE	ICD-10-CM
Serious bacterial infections	L03.221	DX	CELLULITIS OF NECK	ICD-10-CM
Serious bacterial infections	L03.222	DX	ACUTE LYMPHANGITIS OF NECK	ICD-10-CM
Serious bacterial infections	L03.311	DX	CELLULITIS OF ABDOMINAL WALL	ICD-10-CM
Serious bacterial infections	L03.312	DX	CELLULITIS OF BACK	ICD-10-CM
Serious bacterial infections	L03.313	DX	CELLULITIS OF CHEST WALL	ICD-10-CM
Serious bacterial infections	L03.314	DX	CELLULITIS OF GROIN	ICD-10-CM
Serious bacterial infections	L03.315	DX	CELLULITIS OF PERINEUM	ICD-10-CM
Serious bacterial infections	L03.316	DX	CELLULITIS OF UMBILICUS	ICD-10-CM
Serious bacterial infections	L03.317	DX	CELLULITIS OF OTHER PARTS OF TRUNK	ICD-10-CM
Serious bacterial infections	L03.319	DX	CELLULITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM
Serious bacterial infections	L03.321	DX	ACUTE LYMPHANGITIS OF ABDOMINAL WALL	ICD-10-CM
Serious bacterial infections	L03.322	DX	ACUTE LYMPHANGITIS OF BACK	ICD-10-CM
Serious bacterial infections	L03.323	DX	ACUTE LYMPHANGITIS OF CHEST WALL	ICD-10-CM
Serious bacterial infections	L03.324	DX	ACUTE LYMPHANGITIS OF GROIN	ICD-10-CM
Serious bacterial infections	L03.325	DX	ACUTE LYMPHANGITIS OF PERINEUM	ICD-10-CM
Serious bacterial infections	L03.326	DX	ACUTE LYMPHANGITIS OF UMBILICUS	ICD-10-CM
Serious bacterial infections	L03.327	DX	ACUTE LYMPHANGITIS OF OTHER PARTS OF TRUNK	ICD-10-CM
Serious bacterial infections	L03.329	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM
Serious bacterial infections	L03.811	DX	CELLULITIS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM
Serious bacterial infections	L03.818	DX	CELLULITIS OF OTHER SITES	ICD-10-CM
Serious bacterial infections	L03.891	DX	OTHER ACUTE LYMPHANGITIS	ICD-10-CM
Serious bacterial infections	L03.898	DX	OTHER SPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM
Serious bacterial infections	L03.90	DX	CELLULITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L03.91	DX	ACUTE LYMPHANGITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	L08.1	DX	ERYTHRASMA	ICD-10-CM
Serious bacterial infections	L08.89	DX	OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM
Serious bacterial infections	L08.9	DX	LOCAL INFECTION OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	M72.6	DX	NECROTIZING FASCIITIS	ICD-10-CM
Serious bacterial infections	J09.X1	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH PNEUMONIA	ICD-10-CM
Serious bacterial infections	J09.X2	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J09.X3	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J09.X9	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J10.00	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
Serious bacterial infections	J10.01	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH THE SAME OTHER IDENTIFIED INFLUENZA VIRUS PNEUMONIA	ICD-10-CM
Serious bacterial infections	J10.08	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER SPECIFIED PNEUMONIA	ICD-10-CM
Serious bacterial infections	J10.1	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J10.2	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J10.81	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM
Serious bacterial infections	J10.82	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM
Serious bacterial infections	J10.83	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM
Serious bacterial infections	J10.89	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J11.00	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
Serious bacterial infections	J11.08	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH SPECIFIED PNEUMONIA	ICD-10-CM
Serious bacterial infections	J11.1	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J11.2	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J11.81	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM
Serious bacterial infections	J11.82	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM
Serious bacterial infections	J11.83	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM
Serious bacterial infections	J11.89	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
Serious bacterial infections	J12.2	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM
Serious bacterial infections	J12.0	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM
Serious bacterial infections	J12.1	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS	ICD-10-CM
Serious bacterial infections	J12.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS	ICD-10-CM
Serious bacterial infections	J12.81	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM
Serious bacterial infections	J12.89	DX	OTHER VIRAL PNEUMONIA	ICD-10-CM
Serious bacterial infections	J12.9	DX	VIRAL PNEUMONIA, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A32.12	DX	LISTERIAL MENINGITIS AND MENINGOENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.0	DX	JAPANESE ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.1	DX	WESTERN EQUINE ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.2	DX	EASTERN EQUINE ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.3	DX	ST. LOUIS ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.4	DX	AUSTRALIAN ENCEPHALITIS	ICD-10-CM

Serious bacterial infections	A83.5	DX	CALIFORNIA ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.6	DX	ROCIO VIRUS DISEASE	ICD-10-CM
Serious bacterial infections	A83.8	DX	OTHER MOSQUITO-BORNE VIRAL ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A83.9	DX	MOSQUITO-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A84.0	DX	FAR EASTERN TICK-BORNE ENCEPHALITIS [RUSSIAN SPRING-SUMMER ENCEPHALITIS]	ICD-10-CM
Serious bacterial infections	A84.1	DX	CENTRAL EUROPEAN TICK-BORNE ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A84.8	DX	OTHER TICK-BORNE VIRAL ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A84.9	DX	TICK-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A85.2	DX	ARTHROPOD-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A92.31	DX	WEST NILE VIRUS WITH ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B01.1	DX	VARICELLA ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS	ICD-10-CM
Serious bacterial infections	B01.11	DX	VARICELLA ENCEPHALITIS AND ENCEPHALOMYELITIS	ICD-10-CM
Serious bacterial infections	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B06.01	DX	RUBELLA ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B10.01	DX	HUMAN HERPESVIRUS 6 ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B10.09	DX	OTHER HUMAN HERPESVIRUS ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B26.2	DX	MUMPS ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B27.02	DX	GAMMAHERPESVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM
Serious bacterial infections	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM
Serious bacterial infections	G04.90	DX	ENCEPHALITIS AND ENCEPHALOMYELITIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	G05.3	DX	ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS IN PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Serious bacterial infections	A60.00	DX	HERPESVIRAL INFECTION OF UROGENITAL SYSTEM, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A60.01	DX	HERPESVIRAL INFECTION OF PENIS	ICD-10-CM
Serious bacterial infections	A60.02	DX	HERPESVIRAL INFECTION OF OTHER MALE GENITAL ORGANS	ICD-10-CM
Serious bacterial infections	A60.03	DX	HERPESVIRAL INFECTION OF VULVA	ICD-10-CM
Serious bacterial infections	A60.04	DX	HERPESVIRAL INFECTION OF VAGINA AND VULVA	ICD-10-CM
Serious bacterial infections	A60.09	DX	HERPESVIRAL INFECTION OF OTHER UROGENITAL TRACT	ICD-10-CM
Serious bacterial infections	A60.1	DX	HERPESVIRAL INFECTION OF PERIANAL SKIN AND RECTUM	ICD-10-CM
Serious bacterial infections	A60.9	DX	ANOGENITAL HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B00.0	DX	ECZEMA HERPETICUM	ICD-10-CM
Serious bacterial infections	B00.1	DX	HERPESVIRAL VESICULAR DERMATITIS	ICD-10-CM
Serious bacterial infections	B00.2	DX	HERPESVIRAL GINGIVOSTOMATITIS AND PHARYNGOTONSILLITIS	ICD-10-CM
Serious bacterial infections	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM
Serious bacterial infections	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B00.50	DX	HERPESVIRAL OCULAR DISEASE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B00.51	DX	HERPESVIRAL IRIDOCYCLITIS	ICD-10-CM
Serious bacterial infections	B00.52	DX	HERPESVIRAL KERATITIS	ICD-10-CM
Serious bacterial infections	B00.53	DX	HERPESVIRAL CONJUNCTIVITIS	ICD-10-CM
Serious bacterial infections	B00.59	DX	OTHER HERPESVIRAL DISEASE OF EYE	ICD-10-CM
Serious bacterial infections	B00.7	DX	DISSEMINATED HERPESVIRAL DISEASE	ICD-10-CM
Serious bacterial infections	B00.81	DX	HERPESVIRAL HEPATITIS	ICD-10-CM
Serious bacterial infections	B00.82	DX	HERPES SIMPLEX MYELITIS	ICD-10-CM
Serious bacterial infections	B00.89	DX	OTHER FORMS OF HERPESVIRAL INFECTIONS	ICD-10-CM
Serious bacterial infections	B00.9	DX	HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM
Serious bacterial infections	B02.30	DX	POSTHERPETIC GENICULATE GANGLIONITIS	ICD-10-CM
Serious bacterial infections	B02.31	DX	POSTHERPETIC TRIGEMINAL NEURALGIA	ICD-10-CM
Serious bacterial infections	B02.32	DX	POSTHERPETIC POLYNEUROPATHY	ICD-10-CM
Serious bacterial infections	B02.33	DX	POSTHERPETIC MYELITIS	ICD-10-CM
Serious bacterial infections	B02.34	DX	POSTHERPETIC MENINGITIS	ICD-10-CM
Serious bacterial infections	B02.39	DX	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT	ICD-10-CM
Serious bacterial infections	B02.7	DX	DISSEMINATED ZOSTER	ICD-10-CM
Serious bacterial infections	B02.8	DX	ZOSTER WITH OTHER COMPLICATIONS	ICD-10-CM
Serious bacterial infections	B02.9	DX	ZOSTER WITHOUT COMPLICATIONS	ICD-10-CM
Serious bacterial infections	A15.0	DX	TUBERCULOSIS OF LUNG	ICD-10-CM
Serious bacterial infections	A15.4	DX	TUBERCULOSIS OF INTRATHORACIC LYMPH NODES	ICD-10-CM
Serious bacterial infections	A15.5	DX	TUBERCULOSIS OF LARYNX, TRACHEA AND BRONCHUS	ICD-10-CM
Serious bacterial infections	A15.6	DX	TUBERCULOUS PLEURISY	ICD-10-CM
Serious bacterial infections	A15.7	DX	PRIMARY RESPIRATORY TUBERCULOSIS	ICD-10-CM
Serious bacterial infections	A15.8	DX	OTHER RESPIRATORY TUBERCULOSIS	ICD-10-CM
Serious bacterial infections	A15.9	DX	RESPIRATORY TUBERCULOSIS UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM
Serious bacterial infections	A17.1	DX	MENINGEAL TUBERCULOMA	ICD-10-CM
Serious bacterial infections	A17.81	DX	TUBERCULOMA OF BRAIN AND SPINAL CORD	ICD-10-CM
Serious bacterial infections	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A17.83	DX	TUBERCULOUS NEURITIS	ICD-10-CM
Serious bacterial infections	A17.89	DX	OTHER TUBERCULOSIS OF NERVOUS SYSTEM	ICD-10-CM
Serious bacterial infections	A17.9	DX	TUBERCULOSIS OF NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A18.01	DX	TUBERCULOSIS OF SPINE	ICD-10-CM
Serious bacterial infections	A18.03	DX	TUBERCULOSIS OF OTHER BONES	ICD-10-CM
Serious bacterial infections	A18.2	DX	TUBERCULOSIS OF PERIPHERAL LYMPH NODES	ICD-10-CM
Serious bacterial infections	A18.31	DX	TUBERCULOUS PERITONITIS	ICD-10-CM
Serious bacterial infections	A18.32	DX	TUBERCULOUS ENTERITIS	ICD-10-CM
Serious bacterial infections	A18.39	DX	RETROPERITONEAL TUBERCULOSIS	ICD-10-CM
Serious bacterial infections	A18.4	DX	TUBERCULOSIS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM
Serious bacterial infections	A18.50	DX	TUBERCULOSIS OF EYE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A18.51	DX	TUBERCULOUS EPISCLERITIS	ICD-10-CM
Serious bacterial infections	A18.52	DX	TUBERCULOUS KERATITIS	ICD-10-CM
Serious bacterial infections	A18.53	DX	TUBERCULOUS CHORIORETINITIS	ICD-10-CM
Serious bacterial infections	A18.54	DX	TUBERCULOUS IRIDOCYCLITIS	ICD-10-CM
Serious bacterial infections	A18.59	DX	OTHER TUBERCULOSIS OF EYE	ICD-10-CM
Serious bacterial infections	A18.6	DX	TUBERCULOSIS OF INNER/MIDDLE EAR	ICD-10-CM
Serious bacterial infections	A18.7	DX	TUBERCULOSIS OF ADRENAL GLANDS	ICD-10-CM
Serious bacterial infections	A18.81	DX	TUBERCULOSIS OF THYROID GLAND	ICD-10-CM
Serious bacterial infections	A18.82	DX	TUBERCULOSIS OF OTHER ENDOCRINE GLANDS	ICD-10-CM
Serious bacterial infections	A18.83	DX	TUBERCULOSIS OF DIGESTIVE TRACT ORGANS	ICD-10-CM
Serious bacterial infections	A18.84	DX	TUBERCULOSIS OF HEART	ICD-10-CM
Serious bacterial infections	A18.85	DX	TUBERCULOSIS OF SPLEEN	ICD-10-CM
Serious bacterial infections	A18.89	DX	TUBERCULOSIS OF OTHER SITES	ICD-10-CM
Serious bacterial infections	A19.0	DX	ACUTE MILIARY TUBERCULOSIS OF A SINGLE SPECIFIED SITE	ICD-10-CM
Serious bacterial infections	A19.1	DX	ACUTE MILIARY TUBERCULOSIS OF MULTIPLE SITES	ICD-10-CM
Serious bacterial infections	A19.2	DX	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A19.8	DX	OTHER MILIARY TUBERCULOSIS	ICD-10-CM
Serious bacterial infections	A19.9	DX	MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A31.0	DX	PULMONARY MYCOBACTERIAL INFECTION	ICD-10-CM
Serious bacterial infections	A31.1	DX	CUTANEOUS MYCOBACTERIAL INFECTION	ICD-10-CM
Serious bacterial infections	A31.2	DX	DISSEMINATED MYCOBACTERIAL INFECTION	ICD-10-CM
Serious bacterial infections	A31.8	DX	OTHER MYCOBACTERIAL INFECTIONS	ICD-10-CM
Serious bacterial infections	A31.9	DX	MYCOBACTERIAL INFECTION, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A32.0	DX	CUTANEOUS LISTERIOSIS	ICD-10-CM
Serious bacterial infections	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM
Serious bacterial infections	A32.12	DX	LISTERIAL MENINGOENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM
Serious bacterial infections	A32.81	DX	OCULAR LISTERIOSIS	ICD-10-CM
Serious bacterial infections	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	A32.89	DX	OTHER FORMS OF LISTERIOSIS	ICD-10-CM
Serious bacterial infections	A32.9	DX	LISTERIOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A81.2	DX	PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY	ICD-10-CM
Serious bacterial infections	B39.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B39.2	DX	ACUTE DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B39.3	DX	CHRONIC PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B39.4	DX	CHRONIC DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B39.5	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM
Serious bacterial infections	B39.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	A42.0	DX	PULMONARY ACTINOMYCOSIS	ICD-10-CM
Serious bacterial infections	A42.1	DX	ABDOMINAL ACTINOMYCOSIS	ICD-10-CM
Serious bacterial infections	A42.2	DX	CERVICOFACIAL ACTINOMYCOSIS	ICD-10-CM
Serious bacterial infections	A42.7	DX	ACTINOMYCOTIC SEPSIS	ICD-10-CM
Serious bacterial infections	A42.81	DX	ACTINOMYCOTIC MENINGITIS	ICD-10-CM
Serious bacterial infections	A42.82	DX	ACTINOMYCOTIC ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	A42.89	DX	OTHER FORMS OF ACTINOMYCOSIS	ICD-10-CM
Serious bacterial infections	A42.9	DX	ACTINOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B47.1	DX	CUTANEOUS PHAEOHYPHOMYCOSIS	ICD-10-CM
Serious bacterial infections	B48.0	DX	LOBOMYCOSIS	ICD-10-CM
Serious bacterial infections	B58.01	DX	ACUTE TOXOPLASMA MENINGITIS	ICD-10-CM
Serious bacterial infections	B58.09	DX	OTHER TOXOPLASMA MENINGITIS	ICD-10-CM
Serious bacterial infections	B58.2	DX	TOXOPLASMA ENCEPHALITIS	ICD-10-CM
Serious bacterial infections	B58.3	DX	PULMONARY TOXOPLASMOSIS	ICD-10-CM
Serious bacterial infections	B58.81	DX	TOXOPLASMA OCULOPATHY	ICD-10-CM
Serious bacterial infections	B58.82	DX	TOXOPLASMA MYOCARDITIS	ICD-10-CM
Serious bacterial infections	B58.89	DX	OTHER TOXOPLASMOSIS	ICD-10-CM
Serious bacterial infections	A43.0	DX	PULMONARY NOCARDIOSIS	ICD-10-CM
Serious bacterial infections	A43.1	DX	CUTANEOUS NOCARDIOSIS	ICD-10-CM
Serious bacterial infections	A43.8	DX	OTHER FORMS OF NOCARDIOSIS	ICD-10-CM
Serious bacterial infections	A43.9	DX	NOCARDIOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B40.0	DX	ACUTE PULMONARY BLASTOMYCOSIS	ICD-10-CM
Serious bacterial infections	B40.2	DX	PULMONARY BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B40.3	DX	CUTANEOUS BLASTOMYCOSIS	ICD-10-CM
Serious bacterial infections	B40.7	DX	DISSEMINATED BLASTOMYCOSIS	ICD-10-CM
Serious bacterial infections	B40.81	DX	BLASTOMYCOTIC MENINGITIS	ICD-10-CM
Serious bacterial infections	B40.89	DX	OTHER FORMS OF BLASTOMYCOSIS	ICD-10-CM
Serious bacterial infections	B40.9	DX	BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B45.0	DX	PULMONARY CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.1	DX	CEREBRAL CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.2	DX	CUTANEOUS CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.3	DX	OSSEOUS CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.7	DX	DISSEMINATED CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.8	DX	OTHER FORMS OF CRYPTOCOCCOSIS	ICD-10-CM
Serious bacterial infections	B45.9	DX	CRYPTOCOCCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B38.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B38.2	DX	PULMONARY COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B38.3	DX	CUTANEOUS COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B38.4	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM
Serious bacterial infections	B38.7	DX	DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B38.81	DX	PRIMARY COCCIDIOIDOMYCOSIS INFECTION	ICD-10-CM
Serious bacterial infections	B38.89	DX	OTHER FORMS OF COCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B38.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B41.0	DX	PULMONARY PARACOCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B41.7	DX	DISSEMINATED PARACOCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B41.8	DX	OTHER FORMS OF PARACOCCIDIOIDOMYCOSIS	ICD-10-CM
Serious bacterial infections	B41.9	DX	PARACOCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B59	DX	PNEUMOCYSTOSIS	ICD-10-CM

Serious bacterial infections	B37.1	DX	PULMONARY CANDIDIASIS	ICD-10-CM
Serious bacterial infections	B37.2	DX	CANDIDIASIS OF SKIN AND NAIL	ICD-10-CM
Serious bacterial infections	B37.41	DX	CANDIDAL PARONYCHIA	ICD-10-CM
Serious bacterial infections	B37.5	DX	CANDIDAL MENINGITIS	ICD-10-CM
Serious bacterial infections	B37.6	DX	CANDIDAL ENDOCARDITIS	ICD-10-CM
Serious bacterial infections	B37.7	DX	CANDIDAL SEPTICEMIA	ICD-10-CM
Serious bacterial infections	B37.82	DX	CANDIDAL ESOPHAGITIS	ICD-10-CM
Serious bacterial infections	B37.84	DX	CANDIDAL CHEILITIS	ICD-10-CM
Serious bacterial infections	B46.0	DX	PULMONARY MUCORMYCOSIS	ICD-10-CM
Serious bacterial infections	B46.1	DX	RHINOCEREBRAL MUCORMYCOSIS	ICD-10-CM
Serious bacterial infections	B46.2	DX	CUTANEOUS MUCORMYCOSIS	ICD-10-CM
Serious bacterial infections	B46.3	DX	GASTROINTESTINAL MUCORMYCOSIS	ICD-10-CM
Serious bacterial infections	B46.4	DX	DISSEMINATED MUCORMYCOSIS	ICD-10-CM
Serious bacterial infections	B46.5	DX	MUCORMYCOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B44.0	DX	INVASIVE PULMONARY ASPERGILLOSIS	ICD-10-CM
Serious bacterial infections	B44.1	DX	OTHER PULMONARY ASPERGILLOSIS	ICD-10-CM
Serious bacterial infections	B44.2	DX	TONSILLAR ASPERGILLOSIS	ICD-10-CM
Serious bacterial infections	B44.7	DX	DISSEMINATED ASPERGILLOSIS	ICD-10-CM
Serious bacterial infections	B44.89	DX	OTHER FORMS OF ASPERGILLOSIS	ICD-10-CM
Serious bacterial infections	B44.9	DX	ASPERGILLOSIS, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B25	DX	CYTOMEGALOVIRAL DISEASE	ICD-10-CM
Serious bacterial infections	B25.0	DX	CYTOMEGALOVIRAL PNEUMONITIS	ICD-10-CM
Serious bacterial infections	B25.1	DX	CYTOMEGALOVIRAL HEPATITIS	ICD-10-CM
Serious bacterial infections	B25.2	DX	CYTOMEGALOVIRAL PANCREATITIS	ICD-10-CM
Serious bacterial infections	B25.8	DX	OTHER CYTOMEGALOVIRAL DISEASES	ICD-10-CM
Serious bacterial infections	B25.9	DX	CYTOMEGALOVIRAL DISEASE, UNSPECIFIED	ICD-10-CM
Serious bacterial infections	B27.1	DX	CYTOMEGALOVIRAL MONONUCLEOSIS	ICD-10-CM
Serious bacterial infections	B27.10	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITHOUT COMPLICATIONS	ICD-10-CM
Serious bacterial infections	B27.11	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH POLYNEUROPATHY	ICD-10-CM
Serious bacterial infections	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM
Serious bacterial infections	B27.19	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH OTHER COMPLICATIONS	ICD-10-CM
Serious bacterial infections	B78.1	DX	INTESTINAL STRONGYLOIDIASIS	ICD-10-CM
Serious bacterial infections	B77.81	DX	VISCERAL LARVA MIGRANS	ICD-10-CM
Serious bacterial infections	B37.81	DX	CANDIDAL OTITIS EXTERNA	ICD-10-CM
Serious bacterial infections	B37.83	DX	CANDIDAL CYSTITIS AND URETHRITIS	ICD-10-CM
Serious bacterial infections	B37.0	DX	CANDIDAL STOMATITIS	ICD-10-CM
Obstructive sleep apnea	G47.3	DX	SLEEP APNEA	ICD-10-CM
Obstructive sleep apnea	G47.30	DX	SLEEP APNEA, UNSPECIFIED	ICD-10-CM
Obstructive sleep apnea	G47.31	DX	PRIMARY CENTRAL SLEEP APNEA	ICD-10-CM
Obstructive sleep apnea	G47.32	DX	HIGH ALTITUDE PERIODIC BREATHING	ICD-10-CM
Obstructive sleep apnea	G47.33	DX	OBSTRUCTIVE SLEEP APNEA (ADULT) (PEDIATRIC)	ICD-10-CM
Obstructive sleep apnea	G47.34	DX	IDIOPATHIC SLEEP RELATED NONOBSTRUCTIVE ALVEOLAR HYPOVENTILATION	ICD-10-CM
Obstructive sleep apnea	G47.35	DX	CONGENITAL CENTRAL ALVEOLAR HYPOVENTILATION SYNDROME	ICD-10-CM
Obstructive sleep apnea	G47.36	DX	SLEEP RELATED HYPOVENTILATION IN CONDITIONS CLASSIFIED ELSEWHERE	ICD-10-CM
Obstructive sleep apnea	G47.37	DX	CENTRAL SLEEP APNEA IN CONDITIONS CLASSIFIED ELSEWHERE	ICD-10-CM
Obstructive sleep apnea	G47.39	DX	OTHER SLEEP APNEA	ICD-10-CM
Pneumonia	J10.0	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH PNEUMONIA	ICD-10-CM
Pneumonia	J10.00	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
Pneumonia	J10.01	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH THE SAME OTHER IDENTIFIED INFLUENZA VIRUS PNEUMONIA	ICD-10-CM
Pneumonia	J10.08	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER SPECIFIED PNEUMONIA	ICD-10-CM
Pneumonia	J11.0	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH PNEUMONIA	ICD-10-CM
Pneumonia	J11.00	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
Pneumonia	J11.08	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH SPECIFIED PNEUMONIA	ICD-10-CM
Pneumonia	J12	DX	VIRAL PNEUMONIA, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Pneumonia	J12.0	DX	ADENOVIRAL PNEUMONIA	ICD-10-CM
Pneumonia	J12.1	DX	RESPIRATORY SYNCYTIAL VIRUS PNEUMONIA	ICD-10-CM
Pneumonia	J12.2	DX	PARAINFLUENZA VIRUS PNEUMONIA	ICD-10-CM
Pneumonia	J12.3	DX	HUMAN METAPNEUMOVIRUS PNEUMONIA	ICD-10-CM
Pneumonia	J12.8	DX	OTHER VIRAL PNEUMONIA	ICD-10-CM
Pneumonia	J12.81	DX	PNEUMONIA DUE TO SARS-ASSOCIATED CORONAVIRUS	ICD-10-CM
Pneumonia	J12.82	DX	PNEUMONIA DUE TO CORONAVIRUS DISEASE 2019	ICD-10-CM
Pneumonia	J12.89	DX	OTHER VIRAL PNEUMONIA	ICD-10-CM
Pneumonia	J12.9	DX	VIRAL PNEUMONIA, UNSPECIFIED	ICD-10-CM
Pneumonia	J13	DX	PNEUMONIA DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM
Pneumonia	J14	DX	PNEUMONIA DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM
Pneumonia	J15	DX	BACTERIAL PNEUMONIA, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Pneumonia	J15.0	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM
Pneumonia	J15.1	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM
Pneumonia	J15.2	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS	ICD-10-CM
Pneumonia	J15.20	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS, UNSPECIFIED	ICD-10-CM
Pneumonia	J15.21	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS AUREUS	ICD-10-CM
Pneumonia	J15.211	DX	PNEUMONIA DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM
Pneumonia	J15.212	DX	PNEUMONIA DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM
Pneumonia	J15.29	DX	PNEUMONIA DUE TO OTHER STAPHYLOCOCCUS	ICD-10-CM
Pneumonia	J15.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM
Pneumonia	J15.4	DX	PNEUMONIA DUE TO OTHER STREPTOCOCCI	ICD-10-CM
Pneumonia	J15.5	DX	PNEUMONIA DUE TO ESCHERICHIA COLI	ICD-10-CM
Pneumonia	J15.6	DX	PNEUMONIA DUE TO OTHER GRAM-NEGATIVE BACTERIA	ICD-10-CM
Pneumonia	J15.7	DX	PNEUMONIA DUE TO MYCOPLASMA PNEUMONIAE	ICD-10-CM
Pneumonia	J15.8	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM
Pneumonia	J15.9	DX	UNSPECIFIED BACTERIAL PNEUMONIA	ICD-10-CM
Pneumonia	J16	DX	PNEUMONIA DUE TO OTHER INFECTIOUS ORGANISMS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Pneumonia	J16.0	DX	CHLAMYDIAL PNEUMONIA	ICD-10-CM
Pneumonia	J16.8	DX	PNEUMONIA DUE TO OTHER SPECIFIED INFECTIOUS ORGANISMS	ICD-10-CM
Pneumonia	J17	DX	PNEUMONIA IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Pneumonia	J18	DX	PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Pneumonia	J18.0	DX	BRONCHOPNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Pneumonia	J18.1	DX	LOBAR PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Pneumonia	J18.2	DX	HYPOSTATIC PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Pneumonia	J18.8	DX	OTHER PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Pneumonia	J18.9	DX	PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM
Liver disease	K70.3	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K74	DX	FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K74.6	DX	OTHER AND UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K75.8	DX	OTHER SPECIFIED INFLAMMATORY LIVER DISEASES	ICD-10-CM
Liver disease	K70	DX	ALCOHOLIC LIVER DISEASE	ICD-10-CM
Liver disease	K70.1	DX	ALCOHOLIC HEPATITIS	ICD-10-CM
Liver disease	K70.4	DX	ALCOHOLIC HEPATIC FAILURE	ICD-10-CM
Liver disease	B16	DX	ACUTE HEPATITIS B	ICD-10-CM
Liver disease	B17	DX	OTHER ACUTE VIRAL HEPATITIS	ICD-10-CM
Liver disease	B17.1	DX	ACUTE HEPATITIS C	ICD-10-CM
Liver disease	B18	DX	CHRONIC VIRAL HEPATITIS	ICD-10-CM
Liver disease	B19	DX	UNSPECIFIED VIRAL HEPATITIS	ICD-10-CM
Liver disease	B19.1	DX	UNSPECIFIED VIRAL HEPATITIS B	ICD-10-CM
Liver disease	B19.2	DX	UNSPECIFIED VIRAL HEPATITIS C	ICD-10-CM
Liver disease	K73.2	DX	CHRONIC ACTIVE HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Liver disease	K73.9	DX	CHRONIC HEPATITIS, UNSPECIFIED	ICD-10-CM
Liver disease	K75.4	DX	AUTOIMMUNE HEPATITIS	ICD-10-CM
Liver disease	K83.01	DX	PRIMARY SCLEROSING CHOLANGITIS	ICD-10-CM
Liver disease	E83.01	DX	WILSON'S DISEASE	ICD-10-CM
Liver disease	E88.01	DX	ALPHA-1-ANTITRYPSIN DEFICIENCY	ICD-10-CM
Liver disease	E83.0	DX	DISORDERS OF COPPER METABOLISM	ICD-10-CM
Liver disease	E83.00	DX	DISORDER OF COPPER METABOLISM, UNSPECIFIED	ICD-10-CM
Liver disease	E83.09	DX	OTHER DISORDERS OF COPPER METABOLISM	ICD-10-CM
Liver disease	E83.1	DX	DISORDERS OF IRON METABOLISM	ICD-10-CM
Liver disease	E83.10	DX	DISORDER OF IRON METABOLISM, UNSPECIFIED	ICD-10-CM
Liver disease	E83.11	DX	HEMOCHROMATOSIS	ICD-10-CM
Liver disease	E83.110	DX	HEREDITARY HEMOCHROMATOSIS	ICD-10-CM
Liver disease	E83.111	DX	HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL TRANSFUSIONS	ICD-10-CM
Liver disease	E83.118	DX	OTHER HEMOCHROMATOSIS	ICD-10-CM
Liver disease	E83.119	DX	HEMOCHROMATOSIS, UNSPECIFIED	ICD-10-CM
Liver disease	E83.19	DX	OTHER DISORDERS OF IRON METABOLISM	ICD-10-CM
Liver disease	E83.2	DX	DISORDERS OF ZINC METABOLISM	ICD-10-CM
Liver disease	E83.3	DX	DISORDERS OF PHOSPHORUS METABOLISM AND PHOSPHATASES	ICD-10-CM
Liver disease	E83.30	DX	DISORDER OF PHOSPHORUS METABOLISM, UNSPECIFIED	ICD-10-CM
Liver disease	E83.31	DX	FAMILIAL HYPOPHOSPHATEMIA	ICD-10-CM
Liver disease	E83.32	DX	HEREDITARY VITAMIN D-DEPENDENT RICKETS (TYPE 1) (TYPE 2)	ICD-10-CM
Liver disease	E83.39	DX	OTHER DISORDERS OF PHOSPHORUS METABOLISM	ICD-10-CM
Liver disease	E83.4	DX	DISORDERS OF MAGNESIUM METABOLISM	ICD-10-CM
Liver disease	E83.40	DX	DISORDERS OF MAGNESIUM METABOLISM, UNSPECIFIED	ICD-10-CM
Liver disease	E83.41	DX	HYPERMAGNESEMIA	ICD-10-CM
Liver disease	E83.42	DX	HYPOMAGNESEMIA	ICD-10-CM
Liver disease	E83.49	DX	OTHER DISORDERS OF MAGNESIUM METABOLISM	ICD-10-CM
Liver disease	E83.5	DX	DISORDERS OF CALCIUM METABOLISM	ICD-10-CM
Liver disease	E83.50	DX	UNSPECIFIED DISORDER OF CALCIUM METABOLISM	ICD-10-CM
Liver disease	E83.51	DX	HYPOCALCEMIA	ICD-10-CM
Liver disease	E83.52	DX	HYPERCALCEMIA	ICD-10-CM
Liver disease	E83.59	DX	OTHER DISORDERS OF CALCIUM METABOLISM	ICD-10-CM
Liver disease	E83.8	DX	OTHER DISORDERS OF MINERAL METABOLISM	ICD-10-CM
Liver disease	E83.81	DX	HUNGRY BONE SYNDROME	ICD-10-CM
Liver disease	E83.89	DX	OTHER DISORDERS OF MINERAL METABOLISM	ICD-10-CM
Liver disease	E83.9	DX	DISORDER OF MINERAL METABOLISM, UNSPECIFIED	ICD-10-CM
Liver disease	K70.0	DX	ALCOHOLIC FATTY LIVER	ICD-10-CM
Liver disease	K70.10	DX	ALCOHOLIC HEPATITIS WITHOUT ASCITES	ICD-10-CM
Liver disease	K70.11	DX	ALCOHOLIC HEPATITIS WITH ASCITES	ICD-10-CM
Liver disease	K70.2	DX	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	ICD-10-CM
Liver disease	K70.30	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	ICD-10-CM
Liver disease	K70.31	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	ICD-10-CM
Liver disease	K70.40	DX	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
Liver disease	K70.41	DX	ALCOHOLIC HEPATIC FAILURE WITH COMA	ICD-10-CM
Liver disease	K70.9	DX	ALCOHOLIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
Liver disease	K71.0	DX	TOXIC LIVER DISEASE WITH CHOLESTASIS	ICD-10-CM
Liver disease	K71.11	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITH COMA	ICD-10-CM
Liver disease	K71.7	DX	TOXIC LIVER DISEASE WITH FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K71.8	DX	TOXIC LIVER DISEASE WITH OTHER DISORDERS OF LIVER	ICD-10-CM
Liver disease	K71.9	DX	TOXIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
Liver disease	K72.00	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
Liver disease	K72.01	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITH COMA	ICD-10-CM
Liver disease	K72.10	DX	CHRONIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
Liver disease	K72.11	DX	CHRONIC HEPATIC FAILURE WITH COMA	ICD-10-CM
Liver disease	K72.90	DX	HEPATIC FAILURE, UNSPECIFIED WITHOUT COMA	ICD-10-CM
Liver disease	K72.91	DX	HEPATIC FAILURE, UNSPECIFIED WITH COMA	ICD-10-CM
Liver disease	K74.0	DX	HEPATIC FIBROSIS	ICD-10-CM

Liver disease	K74.00	DX	HEPATIC FIBROSIS, UNSPECIFIED	ICD-10-CM
Liver disease	K74.01	DX	HEPATIC FIBROSIS, EARLY FIBROSIS	ICD-10-CM
Liver disease	K74.02	DX	HEPATIC FIBROSIS, ADVANCED FIBROSIS	ICD-10-CM
Liver disease	K74.1	DX	HEPATIC SCLEROSIS	ICD-10-CM
Liver disease	K74.2	DX	HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS	ICD-10-CM
Liver disease	K74.3	DX	PRIMARY BILIARY CIRRHOSIS	ICD-10-CM
Liver disease	K74.4	DX	SECONDARY BILIARY CIRRHOSIS	ICD-10-CM
Liver disease	K74.5	DX	BILIARY CIRRHOSIS, UNSPECIFIED	ICD-10-CM
Liver disease	K74.60	DX	UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K74.69	DX	OTHER CIRRHOSIS OF LIVER	ICD-10-CM
Liver disease	K75.0	DX	ABSCESS OF LIVER	ICD-10-CM
Liver disease	K75.1	DX	PHLEBITIS OF PORTAL VEIN	ICD-10-CM
Liver disease	K75.81	DX	NONALCOHOLIC STEATOHEPATITIS (NASH)	ICD-10-CM
Liver disease	K75.89	DX	OTHER SPECIFIED INFLAMMATORY LIVER DISEASES	ICD-10-CM
Liver disease	K75.9	DX	INFLAMMATORY LIVER DISEASE, UNSPECIFIED	ICD-10-CM
Liver disease	K76.0	DX	FATTY (CHANGE OF) LIVER, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Liver disease	K76.1	DX	CHRONIC PASSIVE CONGESTION OF LIVER	ICD-10-CM
Liver disease	K76.2	DX	CENTRAL HEMORRHAGIC NECROSIS OF LIVER	ICD-10-CM
Liver disease	K76.3	DX	INFARCTION OF LIVER	ICD-10-CM
Liver disease	K76.5	DX	HEPATIC VENO-OCCLUSIVE DISEASE	ICD-10-CM
Liver disease	K76.6	DX	PORTAL HYPERTENSION	ICD-10-CM
Liver disease	K76.7	DX	HEPATORENAL SYNDROME	ICD-10-CM
Liver disease	K76.81	DX	HEPATOPULMONARY SYNDROME	ICD-10-CM
Liver disease	K76.82	DX	HEPATIC ENCEPHALOPATHY	ICD-10-CM
Liver disease	K76.89	DX	OTHER SPECIFIED DISEASES OF LIVER	ICD-10-CM
Liver disease	K76.9	DX	LIVER DISEASE, UNSPECIFIED	ICD-10-CM
Liver disease	K77	DX	LIVER DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Liver disease	K80.30	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM
Liver disease	K80.31	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM
Liver disease	K80.32	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
Liver disease	K80.33	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
Liver disease	K80.34	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
Liver disease	K80.35	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
Liver disease	K80.36	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
Liver disease	K80.37	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
Liver disease	K83.0	DX	CHOLANGITIS	ICD-10-CM
Liver disease	R16.0	DX	HEPATOMEGALY, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Liver disease	R16.2	DX	HEPATOMEGALY WITH SPLENOMEGALY, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Liver disease	Z48.23	DX	ENCOUNTER FOR AFTERCARE FOLLOWING LIVER TRANSPLANT	ICD-10-CM
Liver disease	Z94.4	DX	LIVER TRANSPLANT STATUS	ICD-10-CM
Liver disease	B15.0	DX	HEPATITIS A WITH HEPATIC COMA	ICD-10-CM
Liver disease	B15.9	DX	HEPATITIS A WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B16.0	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITH HEPATIC COMA	ICD-10-CM
Liver disease	B16.1	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B16.2	DX	ACUTE HEPATITIS B WITHOUT DELTA-AGENT WITH HEPATIC COMA	ICD-10-CM
Liver disease	B16.9	DX	ACUTE HEPATITIS B WITHOUT DELTA-AGENT AND WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B17.0	DX	ACUTE DELTA-(SUPER) INFECTION OF HEPATITIS B CARRIER	ICD-10-CM
Liver disease	B17.10	DX	ACUTE HEPATITIS C WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B17.11	DX	ACUTE HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
Liver disease	B17.2	DX	ACUTE HEPATITIS E	ICD-10-CM
Liver disease	B17.8	DX	OTHER SPECIFIED ACUTE VIRAL HEPATITIS	ICD-10-CM
Liver disease	B17.9	DX	ACUTE VIRAL HEPATITIS, UNSPECIFIED	ICD-10-CM
Liver disease	B18.0	DX	CHRONIC VIRAL HEPATITIS B WITH DELTA-AGENT	ICD-10-CM
Liver disease	B18.1	DX	CHRONIC VIRAL HEPATITIS B WITHOUT DELTA-AGENT	ICD-10-CM
Liver disease	B18.2	DX	CHRONIC VIRAL HEPATITIS C	ICD-10-CM
Liver disease	B18.8	DX	OTHER CHRONIC VIRAL HEPATITIS	ICD-10-CM
Liver disease	B18.9	DX	CHRONIC VIRAL HEPATITIS, UNSPECIFIED	ICD-10-CM
Liver disease	B19.0	DX	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-10-CM
Liver disease	B19.10	DX	UNSPECIFIED VIRAL HEPATITIS B WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B19.11	DX	UNSPECIFIED VIRAL HEPATITIS B WITH HEPATIC COMA	ICD-10-CM
Liver disease	B19.20	DX	UNSPECIFIED VIRAL HEPATITIS C WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	B19.21	DX	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
Liver disease	B19.9	DX	UNSPECIFIED VIRAL HEPATITIS WITHOUT HEPATIC COMA	ICD-10-CM
Liver disease	Z22.50	DX	CARRIER OF UNSPECIFIED VIRAL HEPATITIS	ICD-10-CM
Liver disease	Z22.51	DX	CARRIER OF VIRAL HEPATITIS B	ICD-10-CM
Liver disease	Z22.52	DX	CARRIER OF VIRAL HEPATITIS C	ICD-10-CM
Liver disease	Z22.59	DX	CARRIER OF OTHER VIRAL HEPATITIS	ICD-10-CM
MASH/MASLD	K76.0	DX	FATTY (CHANGE OF) LIVER, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
MASH/MASLD	K75.81	DX	NONALCOHOLIC STEATOHEPATITIS (NASH)	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05	DX	THYROTOXICOSIS [HYPERTHYROIDISM]	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.0	DX	THYROTOXICOSIS WITH DIFFUSE GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.00	DX	THYROTOXICOSIS WITH DIFFUSE GOITER WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.01	DX	THYROTOXICOSIS WITH DIFFUSE GOITER WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.1	DX	THYROTOXICOSIS WITH TOXIC SINGLE THYROID NODULE	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.10	DX	THYROTOXICOSIS WITH TOXIC SINGLE THYROID NODULE WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.11	DX	THYROTOXICOSIS WITH TOXIC SINGLE THYROID NODULE WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.2	DX	THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.20	DX	THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.21	DX	THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.3	DX	THYROTOXICOSIS FROM ECTOPIC THYROID TISSUE	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.30	DX	THYROTOXICOSIS FROM ECTOPIC THYROID TISSUE WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.31	DX	THYROTOXICOSIS FROM ECTOPIC THYROID TISSUE WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.4	DX	THYROTOXICOSIS FACTITIA	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.8	DX	OTHER THYROTOXICOSIS	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.9	DX	THYROTOXICOSIS, UNSPECIFIED	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E02	DX	SUBCLINICAL IODINE-DEFICIENCY HYPOTHYROIDISM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.0	DX	CONGENITAL HYPOTHYROIDISM WITH DIFFUSE GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.1	DX	CONGENITAL HYPOTHYROIDISM WITHOUT GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.2	DX	HYPOTHYROIDISM DUE TO MEDICAMENTS AND OTHER EXOGENOUS SUBSTANCES	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.3	DX	POSTINFECTIOUS HYPOTHYROIDISM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.4	DX	ATROPHY OF THYROID (ACQUIRED)	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.5	DX	MYXEDEMA COMA	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.8	DX	OTHER SPECIFIED HYPOTHYROIDISM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E03.9	DX	HYPOTHYROIDISM, UNSPECIFIED	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E04.0	DX	NONTOXIC DIFFUSE GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E04.1	DX	NONTOXIC SINGLE THYROID NODULE	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E04.2	DX	NONTOXIC MULTINODULAR GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E04.8	DX	OTHER SPECIFIED NONTOXIC GOITER	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E04.9	DX	NONTOXIC GOITER, UNSPECIFIED	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.00	DX	THYROTOXICOSIS WITH DIFFUSE GOITER WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.01	DX	THYROTOXICOSIS WITH DIFFUSE GOITER WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.10	DX	THYROTOXICOSIS WITH TOXIC SINGLE THYROID NODULE WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.11	DX	THYROTOXICOSIS WITH TOXIC SINGLE THYROID NODULE WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.20	DX	THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.21	DX	THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.30	DX	THYROTOXICOSIS FROM ECTOPIC THYROID TISSUE WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.31	DX	THYROTOXICOSIS FROM ECTOPIC THYROID TISSUE WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.40	DX	THYROTOXICOSIS FACTITIA WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.41	DX	THYROTOXICOSIS FACTITIA WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.80	DX	OTHER THYROTOXICOSIS WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.81	DX	OTHER THYROTOXICOSIS WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.90	DX	THYROTOXICOSIS, UNSPECIFIED WITHOUT THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E05.91	DX	THYROTOXICOSIS, UNSPECIFIED WITH THYROTOXIC CRISIS OR STORM	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E06.0	DX	ACUTE THYROIDITIS	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E06.1	DX	SUBACUTE THYROIDITIS	ICD-10-CM
Hyperthyroidism and other thyroid gland disorders	E06.2	DX	CHRONIC THYROIDITIS WITH TRANSIENT THYROTOXICOSIS	ICD-10-CM

Hyperthyroidism and other thyroid gland disorders	E06.3	DX	AUTOIMMUNE THYROIDITIS	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E06.4	DX	DRUG-INDUCED THYROIDITIS	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E06.5	DX	OTHER CHRONIC THYROIDITIS	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E06.9	DX	THYROIDITIS, UNSPECIFIED	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E07.0	DX	HYPERSECRETION OF CALCITONIN	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E07.1	DX	DYSHORMOGENETIC GOITER	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E07.81	DX	SICK-EUTHYROID SYNDROME	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E07.89	DX	OTHER SPECIFIED DISORDERS OF THYROID	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E07.9	DX	DISORDER OF THYROID, UNSPECIFIED	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	R94.6	DX	ABNORMAL RESULTS OF THYROID FUNCTION STUDIES	ICD-10-CM		
Hyperthyroidism and other thyroid gland disorders	E89.0	DX	POSTPROCEDURAL HYPOTHYROIDISM	ICD-10-CM		
Hypothyroidism	E01.8	DX	OTHER IODINE-DEFICIENCY RELATED THYROID DISORDERS AND ALLIED CONDITIONS	ICD-10-CM		
Hypothyroidism	E02	DX	SUBCLINICAL IODINE-DEFICIENCY HYPOTHYROIDISM	ICD-10-CM		
Hypothyroidism	E03.2	DX	HYPOTHYROIDISM DUE TO MEDICAMENTS AND OTHER EXOGENOUS SUBSTANCES	ICD-10-CM		
Hypothyroidism	E03.3	DX	POSTINFECTIOUS HYPOTHYROIDISM	ICD-10-CM		
Hypothyroidism	E03.8	DX	OTHER SPECIFIED HYPOTHYROIDISM	ICD-10-CM		
Hypothyroidism	E03.9	DX	HYPOTHYROIDISM, UNSPECIFIED	ICD-10-CM		
Hypothyroidism	E89.0	DX	POSTPROCEDURAL HYPOTHYROIDISM	ICD-10-CM		
Fractures / Falls	S22.3	DX	FRACTURE OF ONE RIB	ICD-10-CM	S22.3	FRACTURE OF ONE RIB
Fractures / Falls	S22.31	DX	FRACTURE OF ONE RIB, RIGHT SIDE	ICD-10-CM	S22.31	FRACTURE OF ONE RIB, RIGHT SIDE
Fractures / Falls	S22.31XA	DX	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.31XA	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.31XB	DX	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.31XB	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.31XD	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.31XD	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.31XG	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.31XG	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.31XK	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.31XK	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.31XS	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SEQUELA	ICD-10-CM	S22.31XS	FRACTURE OF ONE RIB, RIGHT SIDE, SEQUELA
Fractures / Falls	S22.32	DX	FRACTURE OF ONE RIB, LEFT SIDE	ICD-10-CM	S22.32	FRACTURE OF ONE RIB, LEFT SIDE
Fractures / Falls	S22.32XA	DX	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.32XA	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.32XB	DX	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.32XB	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.32XD	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.32XD	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.32XG	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.32XG	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.32XK	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.32XK	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.32XS	DX	FRACTURE OF ONE RIB, LEFT SIDE, SEQUELA	ICD-10-CM	S22.32XS	FRACTURE OF ONE RIB, LEFT SIDE, SEQUELA
Fractures / Falls	S22.39	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE	ICD-10-CM	S22.39	FRACTURE OF ONE RIB, UNSPECIFIED SIDE
Fractures / Falls	S22.39XA	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.39XA	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.39XB	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.39XB	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.39XD	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.39XD	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.39XG	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.39XG	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.39XK	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.39XK	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.39XS	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SEQUELA	ICD-10-CM	S22.39XS	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SEQUELA
Fractures / Falls	S22.4	DX	MULTIPLE FRACTURES OF RIBS	ICD-10-CM	S22.4	MULTIPLE FRACTURES OF RIBS
Fractures / Falls	S22.41	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE	ICD-10-CM	S22.41	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE
Fractures / Falls	S22.41XA	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.41XA	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.41XB	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.41XB	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.41XD	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.41XD	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.41XG	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.41XG	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.41XK	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.41XK	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.41XS	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SEQUELA	ICD-10-CM	S22.41XS	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SEQUELA
Fractures / Falls	S22.42	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE	ICD-10-CM	S22.42	MULTIPLE FRACTURES OF RIBS, LEFT SIDE
Fractures / Falls	S22.42XA	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.42XA	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.42XB	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.42XB	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.42XD	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.42XD	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.42XG	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.42XG	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.42XK	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.42XK	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S22.42XS	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SEQUELA	ICD-10-CM	S22.42XS	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SEQUELA
Fractures / Falls	S22.43	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL	ICD-10-CM	S22.43	MULTIPLE FRACTURES OF RIBS, BILATERAL
Fractures / Falls	S22.43XA	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.43XA	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.43XB	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.43XB	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.43XD	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.43XD	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.43XG	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.43XG	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.43XK	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.43XK	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.43XS	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SEQUELA	ICD-10-CM	S22.43XS	MULTIPLE FRACTURES OF RIBS, BILATERAL, SEQUELA
Fractures / Falls	S22.49	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE	ICD-10-CM	S22.49	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE
Fractures / Falls	S22.49XA	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.49XA	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.49XB	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.49XB	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.49XD	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.49XD	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.49XG	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.49XG	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.49XK	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.49XK	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.49XS	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SEQUELA	ICD-10-CM	S22.49XS	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SEQUELA
Fractures / Falls	S42.0	DX	FRACTURE OF CLAVICLE	ICD-10-CM	S42.0	FRACTURE OF CLAVICLE
Fractures / Falls	S42.00	DX	FRACTURE OF UNSPECIFIED PART OF CLAVICLE	ICD-10-CM	S42.00	FRACTURE OF UNSPECIFIED PART OF CLAVICLE
Fractures / Falls	S42.001	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE	ICD-10-CM	S42.001	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE
Fractures / Falls	S42.001A	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.001A	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.001B	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.001B	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.001D	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.001D	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.001G	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.001G	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.001K	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.001K	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.001P	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.001P	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.001S	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.001S	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.002	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE	ICD-10-CM	S42.002	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE
Fractures / Falls	S42.002A	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.002A	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.002B	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.002B	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.002D	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.002D	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.002G	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.002G	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.002K	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.002K	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.002P	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.002P	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.002S	DX	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.002S	FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.009	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.009	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.009A	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.009A	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.009B	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.009B	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.009D	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.009D	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.009G	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.009G	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.009K	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.009K	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.009P	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.009P	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.009S	DX	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.009S	FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, SEQUELA

Fractures / Falls	S42.01	DX	FRACTURE OF STERNAL END OF CLAVICLE	ICD-10-CM	S42.01	FRACTURE OF STERNAL END OF CLAVICLE
Fractures / Falls	S42.011	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE	ICD-10-CM	S42.011	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE
Fractures / Falls	S42.011A	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.011A	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.011B	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.011B	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.011D	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.011D	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.011G	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.011G	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.011K	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.011K	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.011P	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.011P	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.011S	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.011S	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.012	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE	ICD-10-CM	S42.012	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE
Fractures / Falls	S42.012A	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.012A	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.012B	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.012B	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.012D	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.012D	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.012G	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.012G	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.012K	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.012K	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.012P	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.012P	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.012S	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.012S	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.013	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.013	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.013A	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.013A	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.013B	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.013B	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.013D	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.013D	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.013G	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.013G	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.013K	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.013K	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.013P	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.013P	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.013S	DX	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.013S	ANTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.014	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE	ICD-10-CM	S42.014	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE
Fractures / Falls	S42.014A	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.014A	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.014B	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.014B	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.014D	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.014D	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.014G	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.014G	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.014K	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.014K	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.014P	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.014P	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.014S	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.014S	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.015	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE	ICD-10-CM	S42.015	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE
Fractures / Falls	S42.015A	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.015A	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.015B	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.015B	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.015D	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.015D	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.015G	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.015G	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.015K	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.015K	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.015P	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.015P	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.015S	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.015S	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.016	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.016	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.016A	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.016A	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.016B	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.016B	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.016D	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.016D	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.016G	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.016G	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.016K	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.016K	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.016P	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.016P	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.016S	DX	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.016S	POSTERIOR DISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.017	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE	ICD-10-CM	S42.017	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE
Fractures / Falls	S42.017A	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.017A	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.017B	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.017B	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.017D	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.017D	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.017G	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.017G	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.017K	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.017K	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.017P	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.017P	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.017S	DX	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.017S	NONDISPLACED FRACTURE OF STERNAL END OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.018	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE	ICD-10-CM	S42.018	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE
Fractures / Falls	S42.018A	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.018A	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.018B	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.018B	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.018D	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.018D	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.018G	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.018G	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING

Fractures / Falls	S42.018K	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.018K	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.018P	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.018P	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.018S	DX	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.018S	NONDISPLACED FRACTURE OF STERNAL END OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.019	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.019	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.019A	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.019A	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.019B	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.019B	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.019D	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.019D	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.019G	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.019G	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.019K	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.019K	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.019P	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.019P	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.019S	DX	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.019S	NONDISPLACED FRACTURE OF STERNAL END OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.02	DX	FRACTURE OF SHAFT OF CLAVICLE	ICD-10-CM	S42.02	FRACTURE OF SHAFT OF CLAVICLE
Fractures / Falls	S42.021	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE	ICD-10-CM	S42.021	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE
Fractures / Falls	S42.021A	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.021A	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.021B	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.021B	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.021D	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.021D	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.021G	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.021G	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.021K	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.021K	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.021P	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.021P	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.021S	DX	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.021S	DISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.022	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE	ICD-10-CM	S42.022	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE
Fractures / Falls	S42.022A	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.022A	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.022B	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.022B	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.022D	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.022D	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.022G	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.022G	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.022K	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.022K	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.022P	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.022P	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.022S	DX	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.022S	DISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.023	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.023	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.023A	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.023A	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.023B	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.023B	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.023D	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.023D	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.023G	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.023G	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.023K	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.023K	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.023P	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.023P	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.023S	DX	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.023S	DISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.024	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE	ICD-10-CM	S42.024	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE

Fractures / Falls	S42.024A	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.024A	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.024B	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.024B	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.024D	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.024D	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.024G	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.024G	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.024K	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.024K	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.024P	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.024P	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.024S	DX	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.024S	NONDISPLACED FRACTURE OF SHAFT OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.025	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE	ICD-10-CM	S42.025	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE
Fractures / Falls	S42.025A	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.025A	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.025B	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.025B	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.025D	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.025D	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.025G	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.025G	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.025K	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.025K	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.025P	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.025P	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.025S	DX	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.025S	NONDISPLACED FRACTURE OF SHAFT OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.026	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.026	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.026A	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.026A	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.026B	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.026B	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.026D	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.026D	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.026G	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.026G	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.026K	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.026K	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.026P	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.026P	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.026S	DX	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.026S	NONDISPLACED FRACTURE OF SHAFT OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.03	DX	FRACTURE OF LATERAL END OF CLAVICLE	ICD-10-CM	S42.03	FRACTURE OF LATERAL END OF CLAVICLE
Fractures / Falls	S42.031	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE	ICD-10-CM	S42.031	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE
Fractures / Falls	S42.031A	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.031A	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.031B	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.031B	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.031D	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.031D	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.031G	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.031G	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.031K	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.031K	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.031P	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.031P	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.031S	DX	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.031S	DISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.032	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE	ICD-10-CM	S42.032	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE
Fractures / Falls	S42.032A	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.032A	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.032B	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.032B	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.032D	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.032D	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.032G	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.032G	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.032K	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.032K	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.032P	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.032P	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.032S	DX	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.032S	DISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.033	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.033	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.033A	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.033A	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.033B	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.033B	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.033D	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.033D	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.033G	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.033G	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.033K	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.033K	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.033P	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.033P	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.033S	DX	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.033S	DISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.034	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE	ICD-10-CM	S42.034	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE
Fractures / Falls	S42.034A	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.034A	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.034B	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.034B	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.034D	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.034D	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.034G	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.034G	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.034K	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.034K	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.034P	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.034P	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.034S	DX	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SEQUELA	ICD-10-CM	S42.034S	NONDISPLACED FRACTURE OF LATERAL END OF RIGHT CLAVICLE, SEQUELA
Fractures / Falls	S42.035	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE	ICD-10-CM	S42.035	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE
Fractures / Falls	S42.035A	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.035A	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.035B	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.035B	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.035D	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.035D	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.035G	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.035G	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.035K	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.035K	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.035P	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.035P	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.035S	DX	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SEQUELA	ICD-10-CM	S42.035S	NONDISPLACED FRACTURE OF LATERAL END OF LEFT CLAVICLE, SEQUELA
Fractures / Falls	S42.036	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE	ICD-10-CM	S42.036	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE
Fractures / Falls	S42.036A	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.036A	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.036B	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.036B	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.036D	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.036D	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.036G	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.036G	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.036K	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.036K	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.036P	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.036P	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.036S	DX	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SEQUELA	ICD-10-CM	S42.036S	NONDISPLACED FRACTURE OF LATERAL END OF UNSPECIFIED CLAVICLE, SEQUELA
Fractures / Falls	S42.1	DX	FRACTURE OF SCAPULA	ICD-10-CM	S42.1	FRACTURE OF SCAPULA
Fractures / Falls	S42.10	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA	ICD-10-CM	S42.10	FRACTURE OF UNSPECIFIED PART OF SCAPULA
Fractures / Falls	S42.101	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.101	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.101A	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.101A	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.101B	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.101B	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.101D	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.101D	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.101G	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.101G	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.101K	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.101K	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.101P	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.101P	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.101S	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.101S	FRACTURE OF UNSPECIFIED PART OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.102	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.102	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.102A	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.102A	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.102B	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.102B	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.102D	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.102D	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.102G	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.102G	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.102K	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.102K	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.102P	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.102P	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.102S	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.102S	FRACTURE OF UNSPECIFIED PART OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.109	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.109	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.109A	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.109A	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.109B	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.109B	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.109D	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.109D	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.109G	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.109G	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.109K	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.109K	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.109P	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.109P	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.109S	DX	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.109S	FRACTURE OF UNSPECIFIED PART OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.11	DX	FRACTURE OF BODY OF SCAPULA	ICD-10-CM	S42.11	FRACTURE OF BODY OF SCAPULA
Fractures / Falls	S42.111	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.111	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.111A	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.111A	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.111B	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.111B	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.111D	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.111D	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.111G	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.111G	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.111K	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.111K	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.111P	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.111P	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.111S	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.111S	DISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.112	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.112	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.112A	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.112A	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.112B	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.112B	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.112D	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.112D	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.112G	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.112G	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.112K	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.112K	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.112P	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.112P	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.112S	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.112S	DISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.113	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.113	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.113A	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.113A	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.113B	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.113B	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.113D	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.113D	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.113G	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.113G	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.113K	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.113K	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.113P	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.113P	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.113S	DX	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.113S	DISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.114	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.114	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.114A	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.114A	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.114B	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.114B	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.114D	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.114D	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.114G	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.114G	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.114K	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.114K	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.114P	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.114P	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.114S	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.114S	NONDISPLACED FRACTURE OF BODY OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.115	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.115	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.115A	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.115A	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.115B	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.115B	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.115D	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.115D	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.115G	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.115G	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING

Fractures / Falls	S42.115K	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.115K	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.115P	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.115P	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.115S	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.115S	NONDISPLACED FRACTURE OF BODY OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.116	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.116	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.116A	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.116A	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.116B	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.116B	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.116D	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.116D	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.116G	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.116G	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.116K	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.116K	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.116P	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.116P	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.116S	DX	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.116S	NONDISPLACED FRACTURE OF BODY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.12	DX	FRACTURE OF ACROMIAL PROCESS	ICD-10-CM	S42.12	FRACTURE OF ACROMIAL PROCESS
Fractures / Falls	S42.121	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER	ICD-10-CM	S42.121	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER
Fractures / Falls	S42.121A	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.121A	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.121B	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.121B	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.121D	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.121D	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.121G	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.121G	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.121K	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.121K	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.121P	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.121P	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.121S	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.121S	DISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.122	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER	ICD-10-CM	S42.122	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER
Fractures / Falls	S42.122A	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.122A	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.122B	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.122B	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.122D	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.122D	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.122G	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.122G	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.122K	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.122K	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.122P	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.122P	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.122S	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.122S	DISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.123	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER	ICD-10-CM	S42.123	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER
Fractures / Falls	S42.123A	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.123A	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.123B	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.123B	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.123D	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.123D	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.123G	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.123G	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.123K	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.123K	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.123P	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.123P	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.123S	DX	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.123S	DISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.124	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER	ICD-10-CM	S42.124	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER
Fractures / Falls	S42.124A	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.124A	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.124B	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.124B	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.124D	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.124D	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.124G	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.124G	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.124K	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.124K	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.124P	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.124P	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.124S	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.124S	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.125	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER	ICD-10-CM	S42.125	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER
Fractures / Falls	S42.125A	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.125A	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.125B	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.125B	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.125D	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.125D	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.125G	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.125G	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.125K	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.125K	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.125P	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.125P	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.125S	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.125S	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.126	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER	ICD-10-CM	S42.126	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER
Fractures / Falls	S42.126A	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.126A	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.126B	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.126B	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.126D	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.126D	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.126G	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.126G	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.126K	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.126K	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.126P	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.126P	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.126S	DX	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.126S	NONDISPLACED FRACTURE OF ACROMIAL PROCESS, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.13	DX	FRACTURE OF CORACOID PROCESS	ICD-10-CM	S42.13	FRACTURE OF CORACOID PROCESS
Fractures / Falls	S42.131	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER	ICD-10-CM	S42.131	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER
Fractures / Falls	S42.131A	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.131A	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.131B	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.131B	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.131D	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.131D	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.131G	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.131G	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.131K	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.131K	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.131P	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.131P	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.131S	DX	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.131S	DISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.132	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER	ICD-10-CM	S42.132	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER
Fractures / Falls	S42.132A	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.132A	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.132B	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.132B	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.132D	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.132D	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.132G	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.132G	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.132K	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.132K	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.132P	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.132P	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.132S	DX	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.132S	DISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.133	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER	ICD-10-CM	S42.133	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER
Fractures / Falls	S42.133A	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.133A	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.133B	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.133B	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.133D	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.133D	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.133G	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.133G	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.133K	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.133K	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.133P	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.133P	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.133S	DX	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.133S	DISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.134	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER	ICD-10-CM	S42.134	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER
Fractures / Falls	S42.134A	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.134A	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.134B	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.134B	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.134D	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.134D	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.134G	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.134G	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.134K	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.134K	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.134P	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.134P	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.134S	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.134S	NONDISPLACED FRACTURE OF CORACOID PROCESS, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.135	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER	ICD-10-CM	S42.135	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER
Fractures / Falls	S42.135A	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.135A	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.135B	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.135B	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.135D	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.135D	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.135G	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.135G	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.135K	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.135K	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.135P	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.135P	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.135S	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.135S	NONDISPLACED FRACTURE OF CORACOID PROCESS, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.136	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER	ICD-10-CM	S42.136	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER
Fractures / Falls	S42.136A	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.136A	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.136B	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.136B	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.136D	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.136D	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.136G	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.136G	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.136K	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.136K	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.136P	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.136P	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.136S	DX	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.136S	NONDISPLACED FRACTURE OF CORACOID PROCESS, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.14	DX	FRACTURE OF GLENOID CAVITY OF SCAPULA	ICD-10-CM	S42.14	FRACTURE OF GLENOID CAVITY OF SCAPULA
Fractures / Falls	S42.141	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.141	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.141A	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.141A	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.141B	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.141B	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.141D	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.141D	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.141G	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.141G	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.141K	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.141K	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.141P	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.141P	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.141S	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.141S	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.142	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.142	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.142A	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.142A	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.142B	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.142B	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.142D	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.142D	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.142G	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.142G	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.142K	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.142K	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.142P	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.142P	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.142S	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.142S	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.143	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.143	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.143A	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.143A	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.143B	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.143B	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.143D	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.143D	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.143G	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.143G	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.143K	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.143K	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.143P	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.143P	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.143S	DX	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.143S	DISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.144	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.144	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.144A	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.144A	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.144B	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.144B	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.144D	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.144D	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.144G	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.144G	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.144K	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.144K	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.144P	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.144P	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.144S	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.144S	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.145	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.145	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.145A	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.145A	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.145B	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.145B	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.145D	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.145D	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.145G	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.145G	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.145K	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.145K	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.145P	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.145P	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.145S	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.145S	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.146	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.146	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.146A	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.146A	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.146B	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.146B	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.146D	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.146D	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.146G	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.146G	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.146K	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.146K	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.146P	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.146P	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.146S	DX	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.146S	NONDISPLACED FRACTURE OF GLENOID CAVITY OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.15	DX	FRACTURE OF NECK OF SCAPULA	ICD-10-CM	S42.15	FRACTURE OF NECK OF SCAPULA
Fractures / Falls	S42.151	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.151	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER

Fractures / Falls	S42.151A	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.151A	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.151B	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.151B	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.151D	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.151D	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.151G	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.151G	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.151K	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.151K	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.151P	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.151P	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.151S	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.151S	DISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.152	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.152	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.152A	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.152A	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.152B	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.152B	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.152D	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.152D	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.152G	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.152G	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.152K	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.152K	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.152P	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.152P	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.152S	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.152S	DISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.153	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.153	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.153A	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.153A	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.153B	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.153B	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.153D	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.153D	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.153G	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.153G	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.153K	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.153K	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.153P	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.153P	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.153S	DX	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.153S	DISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.154	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.154	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.154A	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.154A	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.154B	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.154B	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.154D	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.154D	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.154G	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.154G	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.154K	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.154K	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.154P	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.154P	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.154S	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.154S	NONDISPLACED FRACTURE OF NECK OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.155	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.155	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.155A	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.155A	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S42.155B	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.155B	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.155D	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.155D	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.155G	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.155G	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.155K	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.155K	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.155P	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.155P	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.155S	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.155S	NONDISPLACED FRACTURE OF NECK OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.156	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.156	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.156A	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.156A	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.156B	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.156B	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.156D	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.156D	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.156G	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.156G	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.156K	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.156K	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.156P	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.156P	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.156S	DX	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.156S	NONDISPLACED FRACTURE OF NECK OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.19	DX	FRACTURE OF OTHER PART OF SCAPULA	ICD-10-CM	S42.19	FRACTURE OF OTHER PART OF SCAPULA
Fractures / Falls	S42.191	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER	ICD-10-CM	S42.191	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER
Fractures / Falls	S42.191A	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.191A	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.191B	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.191B	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.191D	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.191D	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.191G	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.191G	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.191K	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.191K	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.191P	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.191P	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.191S	DX	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SEQUELA	ICD-10-CM	S42.191S	FRACTURE OF OTHER PART OF SCAPULA, RIGHT SHOULDER, SEQUELA
Fractures / Falls	S42.192	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER	ICD-10-CM	S42.192	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER
Fractures / Falls	S42.192A	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.192A	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.192B	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.192B	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.192D	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.192D	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.192G	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.192G	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.192K	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.192K	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.192P	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.192P	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.192S	DX	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SEQUELA	ICD-10-CM	S42.192S	FRACTURE OF OTHER PART OF SCAPULA, LEFT SHOULDER, SEQUELA
Fractures / Falls	S42.199	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER	ICD-10-CM	S42.199	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER
Fractures / Falls	S42.199A	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.199A	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.199B	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.199B	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.199D	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.199D	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.199G	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.199G	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.199K	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.199K	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.199P	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.199P	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.199S	DX	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA	ICD-10-CM	S42.199S	FRACTURE OF OTHER PART OF SCAPULA, UNSPECIFIED SHOULDER, SEQUELA
Fractures / Falls	S42.2	DX	FRACTURE OF UPPER END OF HUMERUS	ICD-10-CM	S42.2	FRACTURE OF UPPER END OF HUMERUS
Fractures / Falls	S42.20	DX	UNSPECIFIED FRACTURE OF UPPER END OF HUMERUS	ICD-10-CM	S42.20	UNSPECIFIED FRACTURE OF UPPER END OF HUMERUS
Fractures / Falls	S42.201	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS	ICD-10-CM	S42.201	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS
Fractures / Falls	S42.201A	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.201A	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.201B	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.201B	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.201D	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.201D	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.201G	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.201G	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.201K	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.201K	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.201P	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.201P	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.201S	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.201S	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.202	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS	ICD-10-CM	S42.202	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS
Fractures / Falls	S42.202A	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.202A	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.202B	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.202B	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.202D	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.202D	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.202G	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.202G	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.202K	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.202K	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.202P	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.202P	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.202S	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.202S	UNSPECIFIED FRACTURE OF UPPER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.209	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.209	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.209A	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.209A	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.209B	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.209B	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.209D	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.209D	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.209G	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.209G	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.209K	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.209K	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.209P	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.209P	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.209S	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.209S	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.21	DX	UNSPECIFIED FRACTURE OF SURGICAL NECK OF HUMERUS	ICD-10-CM	S42.21	UNSPECIFIED FRACTURE OF SURGICAL NECK OF HUMERUS
Fractures / Falls	S42.211	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.211	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS
Fractures / Falls	S42.211A	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.211A	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.211B	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.211B	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.211D	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.211D	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.211G	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.211G	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.211K	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.211K	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.211P	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.211P	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.211S	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.211S	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.212	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.212	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS
Fractures / Falls	S42.212A	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.212A	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.212B	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.212B	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.212D	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.212D	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.212G	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.212G	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.212K	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.212K	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.212P	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.212P	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.212S	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.212S	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.213	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.213	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.213A	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.213A	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.213B	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.213B	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.213D	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.213D	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.213G	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.213G	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.213K	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.213K	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.213P	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.213P	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.213S	DX	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.213S	UNSPECIFIED DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.214	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.214	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS
Fractures / Falls	S42.214A	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.214A	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.214B	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.214B	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.214D	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.214D	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.214G	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.214G	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.214K	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.214K	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.214P	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.214P	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.214S	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.214S	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA

Fractures / Falls	S42.215	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.215	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS
Fractures / Falls	S42.215A	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.215A	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.215B	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.215B	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.215D	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.215D	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.215G	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.215G	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.215K	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.215K	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.215P	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.215P	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.215S	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.215S	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.216	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.216	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.216A	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.216A	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.216B	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.216B	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.216D	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.216D	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.216G	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.216G	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.216K	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.216K	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.216P	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.216P	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.216S	DX	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.216S	UNSPECIFIED NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.22	DX	2-PART FRACTURE OF SURGICAL NECK OF HUMERUS	ICD-10-CM	S42.22	2
Fractures / Falls	S42.221	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.221	2
Fractures / Falls	S42.221A	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.221A	2
Fractures / Falls	S42.221B	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.221B	2
Fractures / Falls	S42.221D	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.221D	2

Fractures / Falls	S42.221G	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.221G	2
Fractures / Falls	S42.221K	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.221K	2
Fractures / Falls	S42.221P	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.221P	2
Fractures / Falls	S42.221S	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.221S	2
Fractures / Falls	S42.222	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.222	2
Fractures / Falls	S42.222A	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.222A	2
Fractures / Falls	S42.222B	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.222B	2
Fractures / Falls	S42.222D	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.222D	2
Fractures / Falls	S42.222G	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.222G	2
Fractures / Falls	S42.222K	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.222K	2
Fractures / Falls	S42.222P	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.222P	2
Fractures / Falls	S42.222S	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.222S	2

Fractures / Falls	S42.223	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.223	2
Fractures / Falls	S42.223A	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.223A	2
Fractures / Falls	S42.223B	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.223B	2
Fractures / Falls	S42.223D	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.223D	2
Fractures / Falls	S42.223G	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.223G	2
Fractures / Falls	S42.223K	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.223K	2
Fractures / Falls	S42.223P	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.223P	2
Fractures / Falls	S42.223S	DX	2-PART DISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.223S	2
Fractures / Falls	S42.224	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.224	2
Fractures / Falls	S42.224A	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.224A	2
Fractures / Falls	S42.224B	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.224B	2

Fractures / Falls	S42.224D	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.224D	2
Fractures / Falls	S42.224G	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.224G	2
Fractures / Falls	S42.224K	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.224K	2
Fractures / Falls	S42.224P	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.224P	2
Fractures / Falls	S42.224S	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.224S	2
Fractures / Falls	S42.225	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.225	2
Fractures / Falls	S42.225A	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.225A	2
Fractures / Falls	S42.225B	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.225B	2
Fractures / Falls	S42.225D	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.225D	2
Fractures / Falls	S42.225G	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.225G	2
Fractures / Falls	S42.225K	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.225K	2

Fractures / Falls	S42.225P	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.225P	2
Fractures / Falls	S42.225S	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.225S	2
Fractures / Falls	S42.226	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.226	2
Fractures / Falls	S42.226A	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.226A	2
Fractures / Falls	S42.226B	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.226B	2
Fractures / Falls	S42.226D	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.226D	2
Fractures / Falls	S42.226G	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.226G	2
Fractures / Falls	S42.226K	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.226K	2
Fractures / Falls	S42.226P	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.226P	2
Fractures / Falls	S42.226S	DX	2-PART NONDISPLACED FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.226S	2
Fractures / Falls	S42.23	DX	3-PART FRACTURE OF SURGICAL NECK OF HUMERUS	ICD-10-CM	S42.23	3
Fractures / Falls	S42.231	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.231	3

Fractures / Falls	S42.231A	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.231A	3
Fractures / Falls	S42.231B	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.231B	3
Fractures / Falls	S42.231D	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.231D	3
Fractures / Falls	S42.231G	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.231G	3
Fractures / Falls	S42.231K	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.231K	3
Fractures / Falls	S42.231P	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.231P	3
Fractures / Falls	S42.231S	DX	3-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.231S	3
Fractures / Falls	S42.232	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.232	3
Fractures / Falls	S42.232A	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.232A	3
Fractures / Falls	S42.232B	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.232B	3
Fractures / Falls	S42.232D	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.232D	3
Fractures / Falls	S42.232G	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.232G	3

Fractures / Falls	S42.232K	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.232K	3
Fractures / Falls	S42.232P	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.232P	3
Fractures / Falls	S42.232S	DX	3-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.232S	3
Fractures / Falls	S42.239	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.239	3
Fractures / Falls	S42.239A	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.239A	3
Fractures / Falls	S42.239B	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.239B	3
Fractures / Falls	S42.239D	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.239D	3
Fractures / Falls	S42.239G	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.239G	3
Fractures / Falls	S42.239K	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.239K	3
Fractures / Falls	S42.239P	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.239P	3
Fractures / Falls	S42.239S	DX	3-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.239S	3
Fractures / Falls	S42.24	DX	4-PART FRACTURE OF SURGICAL NECK OF HUMERUS	ICD-10-CM	S42.24	4
Fractures / Falls	S42.241	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS	ICD-10-CM	S42.241	4

Fractures / Falls	S42.241A	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.241A	4
Fractures / Falls	S42.241B	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.241B	4
Fractures / Falls	S42.241D	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.241D	4
Fractures / Falls	S42.241G	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.241G	4
Fractures / Falls	S42.241K	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.241K	4
Fractures / Falls	S42.241P	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.241P	4
Fractures / Falls	S42.241S	DX	4-PART FRACTURE OF SURGICAL NECK OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.241S	4
Fractures / Falls	S42.242	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS	ICD-10-CM	S42.242	4
Fractures / Falls	S42.242A	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.242A	4
Fractures / Falls	S42.242B	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.242B	4
Fractures / Falls	S42.242D	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.242D	4
Fractures / Falls	S42.242G	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.242G	4

Fractures / Falls	S42.242K	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.242K	4
Fractures / Falls	S42.242P	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.242P	4
Fractures / Falls	S42.242S	DX	4-PART FRACTURE OF SURGICAL NECK OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.242S	4
Fractures / Falls	S42.249	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.249	4
Fractures / Falls	S42.249A	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.249A	4
Fractures / Falls	S42.249B	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.249B	4
Fractures / Falls	S42.249D	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.249D	4
Fractures / Falls	S42.249G	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.249G	4
Fractures / Falls	S42.249K	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.249K	4
Fractures / Falls	S42.249P	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.249P	4
Fractures / Falls	S42.249S	DX	4-PART FRACTURE OF SURGICAL NECK OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.249S	4
Fractures / Falls	S42.25	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S42.25	FRACTURE OF GREATER TUBEROSITY OF HUMERUS
Fractures / Falls	S42.251	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S42.251	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS
Fractures / Falls	S42.251A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.251A	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.251B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.251B	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.251D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.251D	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.251G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.251G	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.251K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.251K	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.251P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S42.251P	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.251S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S42.251S	DISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.252	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.252	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS
Fractures / Falls	S42.252A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.252A	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.252B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.252B	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.252D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.252D	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.252G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.252G	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.252K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S42.252K	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.252P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S42.252P	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.252S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.252S	DISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.253	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.253	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.253A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.253A	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.253B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.253B	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.253D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.253D	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.253G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.253G	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.253K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S42.253K	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.253P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S42.253P	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.253S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.253S	DISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.254	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.254	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS
Fractures / Falls	S42.254A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.254A	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.254B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.254B	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.254D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.254D	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.254G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S42.254G	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.254K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S42.254K	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.254P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.254P	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.254S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.254S	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.255	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.255	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS
Fractures / Falls	S42.255A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.255A	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.255B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.255B	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.255D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S42.255D	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.255G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S42.255G	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.255K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.255K	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.255P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.255P	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.255S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.255S	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.256	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.256	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.256A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.256A	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.256B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.256B	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.256D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S42.256D	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.256G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S42.256G	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.256K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.256K	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.256P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.256P	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.256S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.256S	NONDISPLACED FRACTURE OF GREATER TUBEROSITY OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.26	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.26	FRACTURE OF LESSER TUBEROSITY OF HUMERUS
Fractures / Falls	S42.261	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.261	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS
Fractures / Falls	S42.261A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S42.261A	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.261B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S42.261B	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.261D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.261D	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.261G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.261G	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.261K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.261K	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.261P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.261P	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.261S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.261S	DISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.262	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S42.262	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS
Fractures / Falls	S42.262A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S42.262A	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.262B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.262B	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.262D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.262D	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.262G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.262G	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.262K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.262K	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.262P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.262P	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.262S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.262S	DISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.263	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S42.263	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.263A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S42.263A	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.263B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.263B	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.263D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.263D	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.263G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.263G	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.263K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.263K	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.263P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.263P	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.263S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S42.263S	DISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.264	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S42.264	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS
Fractures / Falls	S42.264A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.264A	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.264B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.264B	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.264D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.264D	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.264G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.264G	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.264K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.264K	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.264P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S42.264P	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.264S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S42.264S	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.265	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.265	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS
Fractures / Falls	S42.265A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.265A	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.265B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.265B	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.265D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.265D	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.265G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.265G	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.265K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.265K	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.265P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S42.265P	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.265S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.265S	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.266	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.266	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.266A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.266A	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.266B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.266B	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.266D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.266D	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.266G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.266G	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.266K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.266K	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.266P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.266P	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.266S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.266S	NONDISPLACED FRACTURE OF LESSER TUBEROSITY OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.27	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.27	TORUS FRACTURE OF UPPER END OF HUMERUS
Fractures / Falls	S42.271	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.271	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS
Fractures / Falls	S42.271A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.271A	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.271D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.271D	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.271G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.271G	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.271K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.271K	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.271P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.271P	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.271S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.271S	TORUS FRACTURE OF UPPER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.272	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.272	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS
Fractures / Falls	S42.272A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.272A	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.272D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.272D	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.272G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.272G	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.272K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S42.272K	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.272P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.272P	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.272S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.272S	TORUS FRACTURE OF UPPER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.279	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.279	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.279A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.279A	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.279D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.279D	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.279G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.279G	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.279K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.279K	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.279P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.279P	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.279S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.279S	TORUS FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.29	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.29	OTHER FRACTURE OF UPPER END OF HUMERUS
Fractures / Falls	S42.291	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.291	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS
Fractures / Falls	S42.291A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.291A	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.291B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.291B	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.291D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.291D	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.291G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.291G	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.291K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.291K	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.291P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.291P	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.291S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.291S	OTHER DISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.292	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.292	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS
Fractures / Falls	S42.292A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.292A	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.292B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.292B	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.292D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S42.292D	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.292G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.292G	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.292K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.292K	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.292P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.292P	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.292S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.292S	OTHER DISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.293	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.293	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.293A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.293A	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.293B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.293B	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.293D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.293D	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.293G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.293G	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.293K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.293K	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.293P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.293P	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.293S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.293S	OTHER DISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.294	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.294	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS
Fractures / Falls	S42.294A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.294A	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.294B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.294B	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.294D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.294D	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.294G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.294G	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.294K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.294K	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.294P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.294P	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.294S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.294S	OTHER NONDISPLACED FRACTURE OF UPPER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.295	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.295	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS
Fractures / Falls	S42.295A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S42.295A	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.295B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.295B	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.295D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.295D	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.295G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.295G	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.295K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.295K	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.295P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.295P	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.295S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.295S	OTHER NONDISPLACED FRACTURE OF UPPER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.296	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.296	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.296A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.296A	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.296B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.296B	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.296D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.296D	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.296G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.296G	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.296K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.296K	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.296P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.296P	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.296S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.296S	OTHER NONDISPLACED FRACTURE OF UPPER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.3	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.3	FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.30	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.30	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.301	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.301	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.301A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.301A	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.301B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.301B	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.301D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.301D	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.301G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.301G	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.301K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S42.301K	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.301P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.301P	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.301S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.301S	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.302	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.302	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.302A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.302A	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.302B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.302B	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.302D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.302D	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.302G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.302G	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.302K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.302K	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.302P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.302P	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.302S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.302S	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.309	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.309	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.309A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.309A	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.309B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.309B	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.309D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.309D	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.309G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.309G	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.309K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.309K	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.309P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.309P	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.309S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.309S	UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.31	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.31	GREENSTICK FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.311	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.311	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.311A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.311A	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.311D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S42.311D	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.311G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.311G	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.311K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.311K	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.311P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.311P	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.311S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.311S	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.312	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.312	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM

Fractures / Falls	S42.312A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.312A	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.312D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.312D	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.312G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.312G	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.312K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.312K	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.312P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.312P	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.312S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.312S	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.319	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.319	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.319A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.319A	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.319D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.319D	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.319G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.319G	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.319K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.319K	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.319P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.319P	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.319S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.319S	GREENSTICK FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.32	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.32	TRANSVERSE FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.321	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.321	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.321A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.321A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.321B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S42.321B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.321D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.321D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.321G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.321G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.321K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.321K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.321P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.321P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.321S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.321S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.322	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.322	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.322A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.322A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.322B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.322B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.322D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.322D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.322G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.322G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.322K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.322K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.322P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.322P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.322S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.322S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.323	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.323	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.323A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.323A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.323B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.323B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.323D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.323D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.323G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.323G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.323K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.323K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.323P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.323P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.323S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.323S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.324	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S42.324	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.324A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S42.324A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.324B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.324B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.324D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.324D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.324G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.324G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.324K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.324K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.324P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.324P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.324S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S42.324S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.325	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S42.325	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.325A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.325A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.325B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.325B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.325D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.325D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.325G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.325G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.325K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.325K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.325P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S42.325P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.325S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S42.325S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.326	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.326	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.326A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.326A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.326B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.326B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.326D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.326D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.326G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.326G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.326K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S42.326K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.326P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	S42.326P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION

Fractures / Falls	S42.326S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	S42.326S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.33	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.33	OBLIQUE FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.331	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.331	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.331A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.331A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.331B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.331B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.331D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.331D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.331G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S42.331G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.331K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR	ICD-10-CM	S42.331K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.331P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.331P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.331S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.331S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.332	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.332	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.332A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.332A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.332B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.332B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.332D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S42.332D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.332G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR	ICD-10-CM	S42.332G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.332K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.332K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.332P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.332P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.332S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.332S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.333	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.333	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.333A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.333A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.333B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S42.333B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.333D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S42.333D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.333G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S42.333G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.333K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.333K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.333P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.333P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.333S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.333S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.334	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.334	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.334A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.334A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.334B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S42.334B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.334D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S42.334D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.334G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.334G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.334K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.334K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.334P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.334P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.334S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.334S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.335	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.335	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.335A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S42.335A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.335B	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S42.335B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.335D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.335D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.335G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.335G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.335K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.335K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.335P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.335P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.335S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.335S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.336	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S42.336	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.336A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S42.336A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.336B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S42.336B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.336D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.336D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.336G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.336G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.336K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.336K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.336P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.336P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.336S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.336S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.34	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S42.34	SPIRAL FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.341	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S42.341	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.341A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.341A	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.341B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.341B	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.341D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.341D	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.341G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.341G	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.341K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.341K	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.341P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S42.341P	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.341S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S42.341S	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.342	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.342	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.342A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.342A	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.342B	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.342B	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.342D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.342D	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.342G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.342G	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING

Fractures / Falls	S42.342K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S42.342K	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.342P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S42.342P	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.342S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S42.342S	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.343	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.343	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.343A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.343A	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.343B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.343B	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.343D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.343D	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.343G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.343G	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.343K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S42.343K	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.343P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S42.343P	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.343S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.343S	DISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.344	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.344	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.344A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.344A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.344B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.344B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.344D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.344D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.344G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S42.344G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.344K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S42.344K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.344P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.344P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.344S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.344S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.345	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.345	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.345A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.345A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.345B	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.345B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.345D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S42.345D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.345G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S42.345G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.345K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S42.345K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.345P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.345P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.345S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.345S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.346	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.346	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.346A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.346A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.346B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.346B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.346D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S42.346D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.346G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S42.346G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.346K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.346K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.346P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.346P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.346S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.346S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.35	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.35	COMMINUTED FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.351	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.351	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.351A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S42.351A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.351B	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S42.351B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.351D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.351D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.351G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.351G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.351K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.351K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.351P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.351P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.351S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.351S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.352	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S42.352	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.352A	DX	FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.352A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.352B	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.352B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.352D	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.352D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.352G	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.352G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.352K	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.352K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.352P	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.352P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.352S	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.352S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.353	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S42.353	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.353A	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.353A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.353B	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.353B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.353D	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.353D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.353G	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.353G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.353K	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.353K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.353P	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.353P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.353S	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S42.353S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.354	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.354	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.354A	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.354A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S42.354B	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.354B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.354D	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.354D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.354G	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.354G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.354K	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.354K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.354P	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S42.354P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.354S	DX	OTHER FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.354S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.355	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.355	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.355A	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.355A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.355B	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.355B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.355D	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.355D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.355G	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.355G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.355K	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S42.355K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.355P	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S42.355P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.355S	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.355S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.356	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.356	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.356A	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.356A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.356B	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.356B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.356D	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.356D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.356G	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S42.356G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.356K	DX	FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S42.356K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.356P	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S42.356P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.356S	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.356S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.36	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.36	SEGMENTAL FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.361	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.361	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.361A	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.361A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.361B	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.361B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.361D	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S42.361D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.361G	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S42.361G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.361K	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.361K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.361P	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.361P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.361S	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.361S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.362	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.362	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.362A	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.362A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.362B	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S42.362B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.362D	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S42.362D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.362G	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.362G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.362K	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.362K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.362P	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.362P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.362S	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.362S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.363	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.363	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.363A	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S42.363A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.363B	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA	ICD-10-CM	S42.363B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.363D	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.363D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.363G	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.363G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.363K	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.363K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.363P	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.363P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.363S	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.363S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.364	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S42.364	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM
Fractures / Falls	S42.364A	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S42.364A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.364B	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.364B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.364D	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.364D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.364G	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.364G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.364K	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.364K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.364P	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.364P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.364S	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S42.364S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, SEQUELA
Fractures / Falls	S42.365	DX	FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.365	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM
Fractures / Falls	S42.365A	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.365A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.365B	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.365B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.365D	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.365D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.365G	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.365G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.365K	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.365K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.365P	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.365P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.365S	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S42.365S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, SEQUELA
Fractures / Falls	S42.366	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.366	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM
Fractures / Falls	S42.366A	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.366A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.366B	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.366B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.366D	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.366D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.366G	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.366G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.366K	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.366K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.366P	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S42.366P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.366S	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.366S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S42.39	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.39	OTHER FRACTURE OF SHAFT OF HUMERUS
Fractures / Falls	S42.391	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.391	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS
Fractures / Falls	S42.391A	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.391A	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.391B	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.391B	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.391D	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.391D	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.391G	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S42.391G	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.391K	DX	OTHER FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.391K	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.391P	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.391P	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.391S	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.391S	OTHER FRACTURE OF SHAFT OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.392	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.392	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS
Fractures / Falls	S42.392A	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.392A	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.392B	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.392B	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.392D	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S42.392D	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.392G	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S42.392G	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.392K	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.392K	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.392P	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.392P	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.392S	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.392S	OTHER FRACTURE OF SHAFT OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.399	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.399	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.399A	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.399A	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.399B	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S42.399B	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.399D	DX	FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.399D	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.399G	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.399G	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.399K	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.399K	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.399P	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.399P	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.399S	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.399S	OTHER FRACTURE OF SHAFT OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.4	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.4	FRACTURE OF LOWER END OF HUMERUS
Fractures / Falls	S42.40	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.40	UNSPECIFIED FRACTURE OF LOWER END OF HUMERUS
Fractures / Falls	S42.401	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S42.401	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS
Fractures / Falls	S42.401A	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.401A	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.401B	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.401B	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.401D	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.401D	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.401G	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.401G	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.401K	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.401K	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.401P	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.401P	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.401S	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S42.401S	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.402	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.402	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS
Fractures / Falls	S42.402A	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.402A	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.402B	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.402B	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.402D	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.402D	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.402G	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.402G	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.402K	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.402K	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.402P	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S42.402P	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.402S	DX	OTHER FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.402S	UNSPECIFIED FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.409	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.409	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.409A	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.409A	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.409B	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.409B	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.409D	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.409D	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.409G	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.409G	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.409K	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S42.409K	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.409P	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S42.409P	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.409S	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.409S	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.41	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.41	SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF HUMERUS
Fractures / Falls	S42.411	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.411	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.411A	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.411A	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S42.411B	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.411B	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.411D	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S42.411D	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.411G	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.411G	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.411K	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.411K	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.411P	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.411P	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.411S	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.411S	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.412	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.412	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.412A	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.412A	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.412B	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.412B	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.412D	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.412D	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.412G	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.412G	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.412K	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.412K	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.412P	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.412P	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.412S	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.412S	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.413	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.413	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.413A	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.413A	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.413B	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.413B	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.413D	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.413D	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.413G	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.413G	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.413K	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.413K	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.413P	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.413P	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.413S	DX	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.413S	DISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.414	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS	ICD-10-CM	S42.414	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.414A	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.414A	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.414B	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.414B	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.414D	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.414D	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.414G	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.414G	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.414K	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.414K	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.414P	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.414P	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.414S	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.414S	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.415	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.415	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.415A	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.415A	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.415B	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.415B	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.415D	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.415D	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.415G	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.415G	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.415K	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.415K	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.415P	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.415P	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.415S	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.415S	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.416	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.416	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.416A	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.416A	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.416B	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.416B	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.416D	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.416D	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.416G	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.416G	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.416K	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.416K	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.416P	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.416P	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.416S	DX	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.416S	NONDISPLACED SIMPLE SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.42	DX	COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF HUMERUS	ICD-10-CM	S42.42	COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF HUMERUS
Fractures / Falls	S42.421	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS	ICD-10-CM	S42.421	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.421A	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.421A	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.421B	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.421B	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.421D	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.421D	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.421G	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.421G	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.421K	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.421K	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.421P	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.421P	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.421S	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.421S	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.422	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.422	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.422A	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.422A	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.422B	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.422B	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.422D	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.422D	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.422G	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.422G	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.422K	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.422K	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.422P	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.422P	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION

Fractures / Falls	S42.422S	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.422S	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.423	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.423	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.423A	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.423A	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.423B	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.423B	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.423D	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.423D	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.423G	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.423G	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.423K	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.423K	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.423P	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.423P	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.423S	DX	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.423S	DISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.424	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS	ICD-10-CM	S42.424	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.424A	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.424A	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.424B	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.424B	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.424D	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.424D	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.424G	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.424G	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.424K	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.424K	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.424P	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.424P	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.424S	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.424S	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.425	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.425	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.425A	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.425A	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.425B	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.425B	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.425D	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.425D	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.425G	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.425G	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.425K	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.425K	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.425P	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.425P	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.425S	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.425S	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.426	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.426	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.426A	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.426A	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.426B	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.426B	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.426D	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.426D	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.426G	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.426G	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.426K	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.426K	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.426P	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.426P	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.426S	DX	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.426S	NONDISPLACED COMMINUTED SUPRACONDYLAR FRACTURE WITHOUT INTERCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.43	DX	FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF HUMERUS	ICD-10-CM	S42.43	FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF HUMERUS
Fractures / Falls	S42.431	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.431	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.431A	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.431A	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.431B	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.431B	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.431D	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.431D	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.431G	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.431G	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.431K	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.431K	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.431P	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.431P	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.431S	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.431S	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA

Fractures / Falls	S42.432	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.432	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.432A	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.432A	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.432B	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.432B	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.432D	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.432D	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.432G	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.432G	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.432K	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.432K	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.432P	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.432P	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.432S	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.432S	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.433	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.433	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.433A	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.433A	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.433B	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.433B	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.433D	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.433D	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.433G	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.433G	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.433K	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.433K	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.433P	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.433P	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.433S	DX	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.433S	DISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.434	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.434	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.434A	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.434A	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.434B	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.434B	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.434D	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.434D	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.434G	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.434G	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.434K	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.434K	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.434P	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.434P	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.434S	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.434S	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.435	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.435	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.435A	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.435A	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.435B	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.435B	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.435D	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.435D	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S42.435G	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.435G	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.435K	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.435K	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.435P	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.435P	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.435S	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.435S	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.436	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.436	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.436A	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.436A	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.436B	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.436B	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.436D	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.436D	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.436G	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.436G	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.436K	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.436K	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.436P	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.436P	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.436S	DX	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.436S	NONDISPLACED FRACTURE (AVULSION) OF LATERAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.44	DX	FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF HUMERUS	ICD-10-CM	S42.44	FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF HUMERUS
Fractures / Falls	S42.441	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.441	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.441A	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.441A	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.441B	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.441B	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.441D	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.441D	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.441G	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.441G	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.441K	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.441K	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.441P	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.441P	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.441S	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.441S	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.442	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.442	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.442A	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.442A	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.442B	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.442B	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.442D	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.442D	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.442G	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.442G	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.442K	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.442K	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.442P	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.442P	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION

Fractures / Falls	S42.442S	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.442S	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.443	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.443	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.443A	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.443A	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.443B	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.443B	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.443D	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.443D	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.443G	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.443G	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.443K	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.443K	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.443P	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.443P	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.443S	DX	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.443S	DISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.444	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.444	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.444A	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.444A	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.444B	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.444B	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.444D	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.444D	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.444G	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.444G	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.444K	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.444K	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.444P	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.444P	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.444S	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.444S	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.445	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.445	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.445A	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.445A	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.445B	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.445B	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.445D	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.445D	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.445G	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.445G	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.445K	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.445K	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.445P	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.445P	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.445S	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.445S	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.446	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.446	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.446A	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.446A	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.446B	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.446B	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE

Fractures / Falls	S42.446D	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.446D	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.446G	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.446G	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.446K	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.446K	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.446P	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.446P	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.446S	DX	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.446S	NONDISPLACED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.447	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.447	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.447A	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.447A	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.447B	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.447B	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.447D	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.447D	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.447G	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.447G	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.447K	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.447K	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.447P	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.447P	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.447S	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.447S	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.448	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.448	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.448A	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.448A	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.448B	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.448B	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.448D	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.448D	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.448G	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.448G	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.448K	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.448K	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.448P	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.448P	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.448S	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.448S	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.449	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.449	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.449A	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.449A	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.449B	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.449B	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.449D	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.449D	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.449G	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.449G	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.449K	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.449K	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.449P	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.449P	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.449S	DX	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.449S	INCARCERATED FRACTURE (AVULSION) OF MEDIAL EPICONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.45	DX	FRACTURE OF LATERAL CONDYLE OF HUMERUS	ICD-10-CM	S42.45	FRACTURE OF LATERAL CONDYLE OF HUMERUS
Fractures / Falls	S42.451	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.451	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.451A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.451A	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.451B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.451B	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.451D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.451D	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.451G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.451G	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.451K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.451K	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.451P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.451P	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.451S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.451S	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.452	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.452	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.452A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.452A	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.452B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.452B	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.452D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.452D	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.452G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.452G	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.452K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.452K	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.452P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.452P	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.452S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.452S	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.453	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.453	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.453A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.453A	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.453B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.453B	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.453D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.453D	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.453G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.453G	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.453K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.453K	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.453P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.453P	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.453S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.453S	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.454	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.454	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.454A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.454A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.454B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.454B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.454D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.454D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.454G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.454G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.454K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.454K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.454P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.454P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.454S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.454S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.455	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.455	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.455A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.455A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.455B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.455B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.455D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.455D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.455G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.455G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.455K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.455K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.455P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.455P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.455S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.455S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.456	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.456	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.456A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.456A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.456B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.456B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.456D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.456D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.456G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.456G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.456K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.456K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.456P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.456P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.456S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.456S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.46	DX	FRACTURE OF MEDIAL CONDYLE OF HUMERUS	ICD-10-CM	S42.46	FRACTURE OF MEDIAL CONDYLE OF HUMERUS
Fractures / Falls	S42.461	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.461	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.461A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.461A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.461B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.461B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.461D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.461D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.461G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.461G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.461K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.461K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.461P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.461P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.461S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.461S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.462	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.462	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.462A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.462A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.462B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.462B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.462D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.462D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.462G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.462G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.462K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.462K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.462P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.462P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.462S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.462S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.463	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.463	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.463A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.463A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.463B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.463B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.463D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.463D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.463G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.463G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.463K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.463K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.463P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.463P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.463S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.463S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.464	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS	ICD-10-CM	S42.464	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS
Fractures / Falls	S42.464A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.464A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.464B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.464B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.464D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.464D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.464G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.464G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.464K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.464K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.464P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.464P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.464S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.464S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.465	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS	ICD-10-CM	S42.465	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS
Fractures / Falls	S42.465A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.465A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.465B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.465B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.465D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.465D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.465G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.465G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.465K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.465K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.465P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.465P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.465S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.465S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.466	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.466	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.466A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.466A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.466B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.466B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.466D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.466D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.466G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.466G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.466K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.466K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S42.466P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.466P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.466S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.466S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.47	DX	TRANSCONDYLAR FRACTURE OF HUMERUS	ICD-10-CM	S42.47	TRANSCONDYLAR FRACTURE OF HUMERUS
Fractures / Falls	S42.471	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS	ICD-10-CM	S42.471	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.471A	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.471A	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.471B	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.471B	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.471D	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.471D	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.471G	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.471G	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.471K	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.471K	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.471P	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.471P	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.471S	DX	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.471S	DISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.472	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.472	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.472A	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.472A	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.472B	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.472B	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.472D	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.472D	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.472G	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.472G	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.472K	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.472K	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.472P	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.472P	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.472S	DX	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.472S	DISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.473	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.473	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.473A	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.473A	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.473B	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.473B	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.473D	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.473D	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.473G	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.473G	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.473K	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.473K	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.473P	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.473P	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.473S	DX	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.473S	DISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.474	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS	ICD-10-CM	S42.474	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS
Fractures / Falls	S42.474A	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.474A	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S42.474B	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.474B	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.474D	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.474D	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.474G	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.474G	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.474K	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.474K	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.474P	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.474P	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.474S	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.474S	NONDISPLACED TRANSCONDYLAR FRACTURE OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.475	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS	ICD-10-CM	S42.475	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS
Fractures / Falls	S42.475A	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.475A	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.475B	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.475B	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.475D	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.475D	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.475G	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.475G	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.475K	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.475K	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.475P	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.475P	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.475S	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.475S	NONDISPLACED TRANSCONDYLAR FRACTURE OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.476	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.476	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.476A	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.476A	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.476B	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.476B	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.476D	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.476D	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.476G	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.476G	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.476K	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.476K	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.476P	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.476P	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.476S	DX	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.476S	NONDISPLACED TRANSCONDYLAR FRACTURE OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.48	DX	TORUS FRACTURE OF LOWER END OF HUMERUS	ICD-10-CM	S42.48	TORUS FRACTURE OF LOWER END OF HUMERUS
Fractures / Falls	S42.481	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS	ICD-10-CM	S42.481	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS
Fractures / Falls	S42.481A	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.481A	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.481D	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.481D	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.481G	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.481G	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.481K	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.481K	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.481P	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.481P	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.481S	DX	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.481S	TORUS FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA

Fractures / Falls	S42.482	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS	ICD-10-CM	S42.482	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS
Fractures / Falls	S42.482A	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.482A	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.482D	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.482D	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.482G	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.482G	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.482K	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.482K	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.482P	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.482P	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.482S	DX	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.482S	TORUS FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.489	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.489	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.489A	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.489A	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.489D	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.489D	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.489G	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.489G	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.489K	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.489K	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.489P	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.489P	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.489S	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.489S	TORUS FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.49	DX	OTHER FRACTURE OF LOWER END OF HUMERUS	ICD-10-CM	S42.49	OTHER FRACTURE OF LOWER END OF HUMERUS
Fractures / Falls	S42.491	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS	ICD-10-CM	S42.491	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS
Fractures / Falls	S42.491A	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.491A	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.491B	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.491B	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.491D	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.491D	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.491G	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.491G	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.491K	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.491K	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.491P	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.491P	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.491S	DX	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.491S	OTHER DISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.492	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS	ICD-10-CM	S42.492	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS
Fractures / Falls	S42.492A	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.492A	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.492B	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.492B	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.492D	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.492D	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.492G	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.492G	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.492K	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.492K	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.492P	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.492P	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.492S	DX	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.492S	OTHER DISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.493	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.493	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.493A	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.493A	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S42.493B	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.493B	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.493D	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.493D	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.493G	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.493G	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.493K	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.493K	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.493P	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.493P	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.493S	DX	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.493S	OTHER DISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.494	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS	ICD-10-CM	S42.494	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS
Fractures / Falls	S42.494A	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.494A	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.494B	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.494B	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.494D	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.494D	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.494G	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.494G	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.494K	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.494K	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.494P	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.494P	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.494S	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA	ICD-10-CM	S42.494S	OTHER NONDISPLACED FRACTURE OF LOWER END OF RIGHT HUMERUS, SEQUELA
Fractures / Falls	S42.495	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS	ICD-10-CM	S42.495	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS
Fractures / Falls	S42.495A	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.495A	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.495B	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.495B	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.495D	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.495D	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.495G	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.495G	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.495K	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.495K	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.495P	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.495P	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.495S	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA	ICD-10-CM	S42.495S	OTHER NONDISPLACED FRACTURE OF LOWER END OF LEFT HUMERUS, SEQUELA
Fractures / Falls	S42.496	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS	ICD-10-CM	S42.496	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS
Fractures / Falls	S42.496A	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.496A	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.496B	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.496B	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.496D	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.496D	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.496G	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.496G	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.496K	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.496K	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.496P	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.496P	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.496S	DX	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA	ICD-10-CM	S42.496S	OTHER NONDISPLACED FRACTURE OF LOWER END OF UNSPECIFIED HUMERUS, SEQUELA
Fractures / Falls	S42.9	DX	FRACTURE OF SHOULDER GIRDLE, PART UNSPECIFIED	ICD-10-CM	S42.9	FRACTURE OF SHOULDER GIRDLE, PART UNSPECIFIED
Fractures / Falls	S42.90	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED	ICD-10-CM	S42.90	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED

Fractures / Falls	S42.90XA	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.90XA	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.90XB	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.90XB	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.90XD	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.90XD	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.90XG	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.90XG	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.90XK	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.90XK	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.90XP	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.90XP	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.90XS	DX	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA	ICD-10-CM	S42.90XS	FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA
Fractures / Falls	S42.91	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED	ICD-10-CM	S42.91	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED
Fractures / Falls	S42.91XA	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.91XA	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.91XB	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.91XB	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.91XD	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.91XD	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.91XG	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.91XG	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.91XK	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.91XK	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.91XP	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.91XP	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.91XS	DX	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA	ICD-10-CM	S42.91XS	FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA
Fractures / Falls	S42.92	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED	ICD-10-CM	S42.92	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED
Fractures / Falls	S42.92XA	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S42.92XA	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S42.92XB	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S42.92XB	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S42.92XD	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S42.92XD	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S42.92XG	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S42.92XG	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S42.92XK	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S42.92XK	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S42.92XP	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S42.92XP	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S42.92XS	DX	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA	ICD-10-CM	S42.92XS	FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, SEQUELA
Fractures / Falls	S52.0	DX	FRACTURE OF UPPER END OF ULNA	ICD-10-CM	S52.0	FRACTURE OF UPPER END OF ULNA
Fractures / Falls	S52.00	DX	UNSPECIFIED FRACTURE OF UPPER END OF ULNA	ICD-10-CM	S52.00	UNSPECIFIED FRACTURE OF UPPER END OF ULNA
Fractures / Falls	S52.001	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA	ICD-10-CM	S52.001	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA
Fractures / Falls	S52.001A	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.001A	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.001B	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.001B	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.001C	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.001C	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.001D	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.001D	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.001E	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.001E	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.001F	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.001F	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.001G	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.001G	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.001H	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.001H	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.001J	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.001J	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.001K	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.001K	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.001M	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.001M	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.001N	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.001N	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.001P	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.001P	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.001Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.001Q	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.001R	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.001R	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.001S	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.001S	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.002	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA	ICD-10-CM	S52.002	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA
Fractures / Falls	S52.002A	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.002A	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.002B	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.002B	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.002C	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.002C	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.002D	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.002D	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.002E	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.002E	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.002F	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.002F	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.002G	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.002G	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.002H	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.002H	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.002J	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.002J	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.002K	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.002K	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.002M	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.002M	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.002N	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.002N	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.002P	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.002P	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.002Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.002Q	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.002R	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.002R	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.002S	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.002S	UNSPECIFIED FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.009	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.009	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.009A	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.009A	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.009B	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.009B	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.009C	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.009C	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.009D	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.009D	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.009E	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.009E	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.009F	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.009F	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.009G	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.009G	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.009H	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.009H	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.009J	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.009J	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.009K	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.009K	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.009M	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.009M	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.009N	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.009N	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.009P	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.009P	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.009Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.009Q	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.009R	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.009R	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.009S	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.009S	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.01	DX	TORUS FRACTURE OF UPPER END OF ULNA	ICD-10-CM	S52.01	TORUS FRACTURE OF UPPER END OF ULNA
Fractures / Falls	S52.011	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA	ICD-10-CM	S52.011	TORUS FRACTURE OF UPPER END OF RIGHT ULNA
Fractures / Falls	S52.011A	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.011A	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.011D	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.011D	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.011G	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.011G	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.011K	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.011K	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.011P	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.011P	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.011S	DX	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.011S	TORUS FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.012	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA	ICD-10-CM	S52.012	TORUS FRACTURE OF UPPER END OF LEFT ULNA
Fractures / Falls	S52.012A	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.012A	TORUS FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.012D	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.012D	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.012G	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.012G	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.012K	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.012K	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.012P	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.012P	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.012S	DX	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.012S	TORUS FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.019	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.019	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.019A	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.019A	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.019D	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.019D	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.019G	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.019G	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.019K	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.019K	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.019P	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.019P	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION

Fractures / Falls	S52.019S	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.019S	TORUS FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.02	DX	FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF ULNA	ICD-10-CM	S52.02	FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF ULNA
Fractures / Falls	S52.021	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA	ICD-10-CM	S52.021	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA
Fractures / Falls	S52.021A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.021A	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.021B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.021B	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.021C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.021C	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.021D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.021D	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.021E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.021E	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.021F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.021F	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.021G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.021G	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.021H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.021H	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.021J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.021J	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.021K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.021K	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.021M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.021M	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.021N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.021N	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.021P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.021P	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.021Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.021Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.021R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.021R	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.021S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.021S	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.022	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA	ICD-10-CM	S52.022	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA
Fractures / Falls	S52.022A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.022A	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.022B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.022B	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.022C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.022C	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.022D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.022D	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.022E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.022E	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.022F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.022F	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.022G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.022G	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.022H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.022H	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.022J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.022J	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.022K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.022K	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.022M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.022M	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.022N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.022N	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.022P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.022P	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.022Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.022Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.022R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.022R	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.022S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.022S	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.023	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA	ICD-10-CM	S52.023	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA
Fractures / Falls	S52.023A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.023A	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.023B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.023B	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.023C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.023C	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.023D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.023D	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.023E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.023E	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.023F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.023F	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.023G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.023G	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.023H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.023H	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.023J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.023J	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.023K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.023K	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.023M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.023M	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.023N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.023N	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.023P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.023P	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.023Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.023Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.023R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.023R	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.023S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.023S	DISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.024	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA	ICD-10-CM	S52.024	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA
Fractures / Falls	S52.024A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.024A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.024B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.024B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.024C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.024C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.024D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.024D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.024E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.024E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.024F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.024F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.024G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.024G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.024H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.024H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.024J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.024J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.024K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.024K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.024M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.024M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.024N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.024N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.024P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.024P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S52.024Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.024Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.024R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.024R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.024S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.024S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.025	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA	ICD-10-CM	S52.025	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA
Fractures / Falls	S52.025A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.025A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.025B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.025B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.025C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.025C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.025D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.025D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.025E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.025E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.025F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.025F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.025G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.025G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.025H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.025H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.025J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.025J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.025K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.025K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.025M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.025M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.025N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.025N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.025P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.025P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.025Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.025Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.025R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.025R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.025S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.025S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.026	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA	ICD-10-CM	S52.026	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA
Fractures / Falls	S52.026A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.026A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.026B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.026B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S52.026C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.026C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.026D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.026D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.026E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.026E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.026F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.026F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.026G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.026G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.026H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.026H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.026J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.026J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.026K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.026K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.026M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.026M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.026N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.026N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.026P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.026P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.026Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.026Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.026R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.026R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.026S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.026S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITHOUT INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.03	DX	FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF ULNA	ICD-10-CM	S52.03	FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF ULNA
Fractures / Falls	S52.031	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA	ICD-10-CM	S52.031	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA
Fractures / Falls	S52.031A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.031A	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.031B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.031B	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.031C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.031C	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.031D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.031D	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.031E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.031E	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.031F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.031F	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.031G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.031G	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.031H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.031H	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.031J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.031J	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.031K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.031K	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.031M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.031M	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.031N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.031N	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.031P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.031P	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.031Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.031Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.031R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.031R	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.031S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.031S	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.032	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA	ICD-10-CM	S52.032	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA
Fractures / Falls	S52.032A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.032A	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.032B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.032B	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.032C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.032C	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.032D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.032D	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.032E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.032E	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.032F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.032F	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.032G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.032G	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.032H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.032H	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.032J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.032J	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.032K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.032K	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.032M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.032M	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.032N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.032N	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.032P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.032P	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.032Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.032Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.032R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.032R	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.032S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.032S	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.033	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA	ICD-10-CM	S52.033	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA
Fractures / Falls	S52.033A	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.033A	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.033B	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.033B	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.033C	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.033C	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.033D	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.033D	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.033E	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.033E	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.033F	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.033F	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.033G	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.033G	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.033H	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.033H	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.033J	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.033J	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.033K	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.033K	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.033M	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.033M	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.033N	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.033N	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.033P	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.033P	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.033Q	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.033Q	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.033R	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.033R	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION

Fractures / Falls	S52.033S	DX	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.033S	DISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.034	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA	ICD-10-CM	S52.034	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA
Fractures / Falls	S52.034A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.034A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.034B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.034B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.034C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.034C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.034D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.034D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.034E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.034E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.034F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.034F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.034G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.034G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.034H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.034H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.034J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.034J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.034K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.034K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.034M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.034M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.034N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.034N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.034P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.034P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.034Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.034Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.034R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.034R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.034S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.034S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.035	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA	ICD-10-CM	S52.035	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA
Fractures / Falls	S52.035A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.035A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.035B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.035B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.035C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.035C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.035D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.035D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.035E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.035E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.035F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.035F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.035G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.035G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.035H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.035H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.035J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.035J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.035K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.035K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.035M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.035M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.035N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.035N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.035P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.035P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.035Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.035Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.035R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.035R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.035S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.035S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.036	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA	ICD-10-CM	S52.036	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA
Fractures / Falls	S52.036A	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.036A	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.036B	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.036B	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.036C	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.036C	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.036D	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.036D	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.036E	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.036E	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.036F	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.036F	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.036G	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.036G	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.036H	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.036H	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.036J	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.036J	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S52.036K	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.036K	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.036M	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.036M	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.036N	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.036N	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.036P	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.036P	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.036Q	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.036Q	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.036R	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.036R	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.036S	DX	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.036S	NONDISPLACED FRACTURE OF OLECRANON PROCESS WITH INTRAARTICULAR EXTENSION OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.04	DX	FRACTURE OF CORONOID PROCESS OF ULNA	ICD-10-CM	S52.04	FRACTURE OF CORONOID PROCESS OF ULNA
Fractures / Falls	S52.041	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA	ICD-10-CM	S52.041	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA
Fractures / Falls	S52.041A	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.041A	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.041B	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.041B	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.041C	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.041C	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.041D	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.041D	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.041E	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.041E	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.041F	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.041F	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.041G	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.041G	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.041H	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.041H	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.041J	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.041J	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.041K	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.041K	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.041M	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.041M	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.041N	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.041N	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.041P	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.041P	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.041Q	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.041Q	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.041R	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.041R	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.041S	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.041S	DISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.042	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA	ICD-10-CM	S52.042	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA
Fractures / Falls	S52.042A	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.042A	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.042B	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.042B	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S52.042C	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.042C	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.042D	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.042D	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.042E	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.042E	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.042F	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.042F	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.042G	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.042G	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.042H	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.042H	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.042J	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.042J	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.042K	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.042K	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.042M	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.042M	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.042N	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.042N	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.042P	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.042P	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.042Q	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.042Q	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.042R	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.042R	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.042S	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.042S	DISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.043	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA	ICD-10-CM	S52.043	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA
Fractures / Falls	S52.043A	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.043A	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.043B	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.043B	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.043C	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.043C	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.043D	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.043D	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.043E	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.043E	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.043F	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.043F	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.043G	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.043G	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.043H	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.043H	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.043J	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.043J	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.043K	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.043K	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.043M	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.043M	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.043N	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.043N	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.043P	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.043P	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S52.043Q	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.043Q	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.043R	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.043R	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.043S	DX	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.043S	DISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.044	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA	ICD-10-CM	S52.044	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA
Fractures / Falls	S52.044A	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.044A	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.044B	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.044B	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.044C	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.044C	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.044D	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.044D	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.044E	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.044E	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.044F	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.044F	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.044G	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.044G	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.044H	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.044H	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.044J	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.044J	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.044K	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.044K	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.044M	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.044M	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.044N	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.044N	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.044P	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.044P	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.044Q	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.044Q	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.044R	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.044R	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.044S	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.044S	NONDISPLACED FRACTURE OF CORONOID PROCESS OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.045	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA	ICD-10-CM	S52.045	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA
Fractures / Falls	S52.045A	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.045A	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.045B	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.045B	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.045C	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.045C	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.045D	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.045D	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.045E	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.045E	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.045F	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.045F	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.045G	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.045G	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.045H	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.045H	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.045J	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.045J	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.045K	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.045K	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.045M	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.045M	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.045N	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.045N	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.045P	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.045P	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.045Q	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.045Q	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.045R	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.045R	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.045S	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.045S	NONDISPLACED FRACTURE OF CORONOID PROCESS OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.046	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA	ICD-10-CM	S52.046	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA
Fractures / Falls	S52.046A	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.046A	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.046B	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.046B	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.046C	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.046C	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.046D	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.046D	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.046E	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.046E	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.046F	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.046F	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.046G	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.046G	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.046H	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.046H	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.046J	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.046J	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.046K	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.046K	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.046M	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.046M	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.046N	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.046N	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.046P	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.046P	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.046Q	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.046Q	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.046R	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.046R	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.046S	DX	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.046S	NONDISPLACED FRACTURE OF CORONOID PROCESS OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.09	DX	OTHER FRACTURE OF UPPER END OF ULNA	ICD-10-CM	S52.09	OTHER FRACTURE OF UPPER END OF ULNA
Fractures / Falls	S52.091	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA	ICD-10-CM	S52.091	OTHER FRACTURE OF UPPER END OF RIGHT ULNA
Fractures / Falls	S52.091A	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.091A	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.091B	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.091B	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.091C	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.091C	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.091D	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.091D	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.091E	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.091E	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.091F	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.091F	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.091G	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.091G	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.091H	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.091H	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.091J	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.091J	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.091K	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.091K	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.091M	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.091M	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.091N	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.091N	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.091P	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.091P	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.091Q	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.091Q	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.091R	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.091R	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.091S	DX	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.091S	OTHER FRACTURE OF UPPER END OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.092	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA	ICD-10-CM	S52.092	OTHER FRACTURE OF UPPER END OF LEFT ULNA
Fractures / Falls	S52.092A	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.092A	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.092B	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.092B	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.092C	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.092C	OTHER FRACTURE OF UPPER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.092D	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.092D	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.092E	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.092E	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.092F	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.092F	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.092G	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.092G	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.092H	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.092H	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.092J	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.092J	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.092K	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.092K	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.092M	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.092M	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.092N	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.092N	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.092P	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.092P	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.092Q	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.092Q	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.092R	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.092R	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.092S	DX	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.092S	OTHER FRACTURE OF UPPER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.099	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.099	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.099A	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.099A	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S52.099B	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.099B	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.099C	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.099C	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.099D	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.099D	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.099E	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.099E	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.099F	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.099F	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.099G	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.099G	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.099H	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.099H	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.099J	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.099J	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.099K	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.099K	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.099M	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.099M	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.099N	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.099N	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.099P	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.099P	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.099Q	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.099Q	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.099R	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.099R	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.099S	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.099S	OTHER FRACTURE OF UPPER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.1	DX	FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S52.1	FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S52.10	DX	UNSPECIFIED FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S52.10	UNSPECIFIED FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S52.101	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS	ICD-10-CM	S52.101	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS
Fractures / Falls	S52.101A	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.101A	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.101B	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.101B	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.101C	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.101C	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.101D	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.101D	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.101E	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.101E	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.101F	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.101F	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.101G	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.101G	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.101H	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.101H	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.101J	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.101J	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.101K	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.101K	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.101M	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.101M	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.101N	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.101N	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.101P	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.101P	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.101Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.101Q	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.101R	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.101R	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.101S	DX	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.101S	UNSPECIFIED FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.102	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS	ICD-10-CM	S52.102	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS
Fractures / Falls	S52.102A	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.102A	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.102B	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.102B	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.102C	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.102C	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.102D	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.102D	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.102E	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.102E	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.102F	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.102F	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.102G	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.102G	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.102H	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.102H	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.102J	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.102J	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.102K	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.102K	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.102M	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.102M	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.102N	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.102N	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.102P	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.102P	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.102Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.102Q	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.102R	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.102R	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.102S	DX	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.102S	UNSPECIFIED FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.109	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.109	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.109A	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.109A	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.109B	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.109B	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.109C	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.109C	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.109D	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.109D	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.109E	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.109E	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.109F	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.109F	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S52.109G	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.109G	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.109H	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.109H	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.109J	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.109J	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.109K	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.109K	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.109M	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.109M	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.109N	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.109N	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.109P	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.109P	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.109Q	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.109Q	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.109R	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.109R	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.109S	DX	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.109S	UNSPECIFIED FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.11	DX	TORUS FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S52.11	TORUS FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S52.111	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS	ICD-10-CM	S52.111	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS
Fractures / Falls	S52.111A	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.111A	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.111D	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.111D	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.111G	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.111G	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.111K	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.111K	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.111P	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.111P	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.111S	DX	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.111S	TORUS FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.112	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS	ICD-10-CM	S52.112	TORUS FRACTURE OF UPPER END OF LEFT RADIUS
Fractures / Falls	S52.112A	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.112A	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.112D	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.112D	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.112G	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.112G	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.112K	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.112K	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.112P	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.112P	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.112S	DX	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.112S	TORUS FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.119	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.119	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.119A	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.119A	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.119D	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.119D	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.119G	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.119G	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.119K	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.119K	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.119P	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.119P	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION

Fractures / Falls	S52.119S	DX	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.119S	TORUS FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.12	DX	FRACTURE OF HEAD OF RADIUS	ICD-10-CM	S52.12	FRACTURE OF HEAD OF RADIUS
Fractures / Falls	S52.121	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS	ICD-10-CM	S52.121	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS
Fractures / Falls	S52.121A	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.121A	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.121B	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.121B	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.121C	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.121C	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.121D	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.121D	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.121E	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.121E	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.121F	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.121F	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.121G	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.121G	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.121H	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.121H	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.121J	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.121J	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.121K	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.121K	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.121M	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.121M	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.121N	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.121N	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.121P	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.121P	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.121Q	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.121Q	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.121R	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.121R	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.121S	DX	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.121S	DISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.122	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS	ICD-10-CM	S52.122	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS
Fractures / Falls	S52.122A	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.122A	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.122B	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.122B	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.122C	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.122C	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.122D	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.122D	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.122E	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.122E	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.122F	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.122F	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.122G	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.122G	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.122H	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.122H	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.122J	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.122J	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.122K	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.122K	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.122M	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.122M	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.122N	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.122N	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.122P	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.122P	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S52.122Q	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.122Q	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.122R	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.122R	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.122S	DX	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.122S	DISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.123	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS	ICD-10-CM	S52.123	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS
Fractures / Falls	S52.123A	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.123A	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.123B	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.123B	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.123C	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.123C	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.123D	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.123D	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.123E	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.123E	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.123F	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.123F	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.123G	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.123G	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.123H	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.123H	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.123J	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.123J	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.123K	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.123K	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.123M	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.123M	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.123N	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.123N	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.123P	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.123P	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.123Q	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.123Q	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.123R	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.123R	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.123S	DX	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.123S	DISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.124	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS	ICD-10-CM	S52.124	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS
Fractures / Falls	S52.124A	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.124A	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.124B	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.124B	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.124C	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.124C	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.124D	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.124D	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.124E	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.124E	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.124F	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.124F	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.124G	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.124G	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.124H	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.124H	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.124J	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.124J	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.124K	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.124K	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S52.124M	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.124M	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.124N	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.124N	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.124P	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.124P	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.124Q	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.124Q	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.124R	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.124R	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.124S	DX	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.124S	NONDISPLACED FRACTURE OF HEAD OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.125	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS	ICD-10-CM	S52.125	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS
Fractures / Falls	S52.125A	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.125A	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.125B	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.125B	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.125C	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.125C	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.125D	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.125D	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.125E	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.125E	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.125F	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.125F	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.125G	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.125G	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.125H	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.125H	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.125J	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.125J	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.125K	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.125K	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.125M	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.125M	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.125N	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.125N	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.125P	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.125P	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.125Q	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.125Q	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.125R	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.125R	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.125S	DX	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.125S	NONDISPLACED FRACTURE OF HEAD OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.126	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS	ICD-10-CM	S52.126	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS
Fractures / Falls	S52.126A	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.126A	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.126B	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.126B	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.126C	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.126C	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.126D	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.126D	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.126E	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.126E	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.126F	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.126F	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.126G	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.126G	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.126H	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.126H	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.126J	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.126J	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.126K	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.126K	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.126M	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.126M	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.126N	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.126N	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.126P	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.126P	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.126Q	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.126Q	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.126R	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.126R	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.126S	DX	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.126S	NONDISPLACED FRACTURE OF HEAD OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.13	DX	FRACTURE OF NECK OF RADIUS	ICD-10-CM	S52.13	FRACTURE OF NECK OF RADIUS
Fractures / Falls	S52.131	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS	ICD-10-CM	S52.131	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS
Fractures / Falls	S52.131A	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.131A	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.131B	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.131B	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.131C	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.131C	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.131D	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.131D	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.131E	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.131E	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.131F	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.131F	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.131G	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.131G	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.131H	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.131H	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.131J	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.131J	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.131K	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.131K	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.131M	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.131M	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.131N	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.131N	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.131P	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.131P	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.131Q	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.131Q	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.131R	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.131R	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.131S	DX	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.131S	DISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.132	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS	ICD-10-CM	S52.132	DISPLACED FRACTURE OF NECK OF LEFT RADIUS
Fractures / Falls	S52.132A	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.132A	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.132B	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.132B	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.132C	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.132C	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.132D	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.132D	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.132E	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.132E	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.132F	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.132F	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S52.132G	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.132G	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.132H	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.132H	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.132J	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.132J	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.132K	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.132K	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.132M	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.132M	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.132N	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.132N	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.132P	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.132P	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.132Q	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.132Q	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.132R	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.132R	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.132S	DX	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.132S	DISPLACED FRACTURE OF NECK OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.133	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS	ICD-10-CM	S52.133	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS
Fractures / Falls	S52.133A	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.133A	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.133B	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.133B	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.133C	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.133C	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.133D	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.133D	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.133E	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.133E	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.133F	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.133F	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.133G	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.133G	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.133H	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.133H	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.133J	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.133J	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.133K	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.133K	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.133M	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.133M	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.133N	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.133N	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.133P	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.133P	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.133Q	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.133Q	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.133R	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.133R	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.133S	DX	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.133S	DISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.134	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS	ICD-10-CM	S52.134	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS
Fractures / Falls	S52.134A	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.134A	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.134B	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.134B	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.134C	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.134C	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.134D	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.134D	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.134E	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.134E	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.134F	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.134F	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.134G	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.134G	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.134H	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.134H	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.134J	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.134J	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.134K	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.134K	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.134M	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.134M	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.134N	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.134N	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.134P	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.134P	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.134Q	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.134Q	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.134R	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.134R	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.134S	DX	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.134S	NONDISPLACED FRACTURE OF NECK OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.135	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS	ICD-10-CM	S52.135	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS
Fractures / Falls	S52.135A	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.135A	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.135B	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.135B	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.135C	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.135C	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.135D	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.135D	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.135E	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.135E	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.135F	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.135F	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.135G	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.135G	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.135H	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.135H	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.135J	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.135J	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.135K	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.135K	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.135M	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.135M	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.135N	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.135N	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.135P	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.135P	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.135Q	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.135Q	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.135R	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.135R	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.135S	DX	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.135S	NONDISPLACED FRACTURE OF NECK OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.136	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS	ICD-10-CM	S52.136	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS
Fractures / Falls	S52.136A	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.136A	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S52.136B	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.136B	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.136C	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.136C	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.136D	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.136D	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.136E	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.136E	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.136F	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.136F	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.136G	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.136G	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.136H	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.136H	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.136J	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.136J	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.136K	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.136K	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.136M	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.136M	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.136N	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.136N	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.136P	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.136P	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.136Q	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.136Q	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.136R	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.136R	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.136S	DX	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.136S	NONDISPLACED FRACTURE OF NECK OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.18	DX	OTHER FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S52.18	OTHER FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S52.181	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS	ICD-10-CM	S52.181	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS
Fractures / Falls	S52.181A	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.181A	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.181B	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.181B	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.181C	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.181C	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.181D	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.181D	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.181E	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.181E	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.181F	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.181F	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.181G	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.181G	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.181H	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.181H	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.181J	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.181J	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.181K	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.181K	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.181M	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.181M	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.181N	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.181N	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.181P	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.181P	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.181Q	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.181Q	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.181R	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.181R	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.181S	DX	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.181S	OTHER FRACTURE OF UPPER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.182	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS	ICD-10-CM	S52.182	OTHER FRACTURE OF UPPER END OF LEFT RADIUS
Fractures / Falls	S52.182A	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.182A	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.182B	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.182B	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.182C	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.182C	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.182D	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.182D	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.182E	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.182E	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.182F	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.182F	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.182G	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.182G	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.182H	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.182H	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.182J	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.182J	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.182K	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.182K	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.182M	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.182M	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.182N	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.182N	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.182P	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.182P	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.182Q	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.182Q	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.182R	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.182R	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.182S	DX	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.182S	OTHER FRACTURE OF UPPER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.189	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.189	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.189A	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.189A	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.189B	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.189B	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.189C	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.189C	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.189D	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.189D	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.189E	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.189E	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.189F	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.189F	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.189G	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.189G	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S52.189H	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.189H	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.189J	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.189J	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.189K	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.189K	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.189M	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.189M	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.189N	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.189N	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.189P	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.189P	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.189Q	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.189Q	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.189R	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.189R	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.189S	DX	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.189S	OTHER FRACTURE OF UPPER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.2	DX	FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.2	FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.20	DX	UNSPECIFIED FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.20	UNSPECIFIED FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.201	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.201	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.201A	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.201A	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.201B	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.201B	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.201C	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.201C	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.201D	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.201D	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.201E	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.201E	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.201F	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.201F	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.201G	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.201G	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.201H	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.201H	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.201J	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.201J	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.201K	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.201K	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.201M	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.201M	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.201N	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.201N	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.201P	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.201P	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.201Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.201Q	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.201R	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.201R	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.201S	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.201S	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.202	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.202	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.202A	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.202A	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.202B	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.202B	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.202C	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.202C	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.202D	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.202D	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.202E	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.202E	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.202F	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.202F	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.202G	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.202G	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.202H	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.202H	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.202J	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.202J	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.202K	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.202K	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.202M	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.202M	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.202N	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.202N	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.202P	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.202P	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.202Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.202Q	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.202R	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.202R	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.202S	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.202S	UNSPECIFIED FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.209	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.209	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.209A	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.209A	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.209B	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.209B	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.209C	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.209C	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.209D	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.209D	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.209E	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.209E	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.209F	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.209F	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.209G	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.209G	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.209H	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.209H	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.209J	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.209J	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.209K	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.209K	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.209M	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.209M	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.209N	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.209N	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.209P	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.209P	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.209Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.209Q	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.209R	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.209R	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.209S	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.209S	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.21	DX	GREENSTICK FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.21	GREENSTICK FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.211	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.211	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA

Fractures / Falls	S52.211A	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.211A	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.211D	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.211D	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.211G	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.211G	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.211K	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.211K	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.211P	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.211P	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.211S	DX	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.211S	GREENSTICK FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.212	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.212	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.212A	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.212A	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.212D	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.212D	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.212G	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.212G	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.212K	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.212K	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.212P	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.212P	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.212S	DX	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.212S	GREENSTICK FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.219	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.219	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.219A	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.219A	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.219D	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.219D	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.219G	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.219G	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.219K	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.219K	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.219P	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.219P	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.219S	DX	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.219S	GREENSTICK FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.22	DX	TRANSVERSE FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.22	TRANSVERSE FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.221	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.221	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.221A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.221A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.221B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.221B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.221C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.221C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.221D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.221D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.221E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.221E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.221F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.221F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.221G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.221G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.221H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.221H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.221J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.221J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.221K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.221K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.221M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.221M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.221N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.221N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.221P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.221P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.221Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.221Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.221R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.221R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.221S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.221S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.222	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.222	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.222A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.222A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.222B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.222B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.222C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.222C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.222D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.222D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.222E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.222E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.222F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.222F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.222G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.222G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.222H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.222H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.222J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.222J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.222K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.222K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.222M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.222M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.222N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.222N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.222P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.222P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.222Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.222Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.222R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.222R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.222S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.222S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.223	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.223	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.223A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.223A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.223B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.223B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.223C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.223C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.223D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.223D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.223E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.223E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.223F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.223F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.223G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.223G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S52.223H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.223H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.223J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.223J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.223K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.223K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.223M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.223M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.223N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.223N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.223P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.223P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.223Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.223Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.223R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.223R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.223S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.223S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.224	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.224	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.224A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.224A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.224B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.224B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.224C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.224C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.224D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.224D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.224E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.224E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.224F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.224F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.224G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.224G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.224H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.224H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.224J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.224J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.224K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.224K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.224M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.224M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.224N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.224N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.224P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.224P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.224Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.224Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.224R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.224R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.224S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.224S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.225	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.225	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA

Fractures / Falls	S52.225A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.225A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.225B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.225B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.225C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.225C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.225D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.225D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.225E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.225E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.225F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.225F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.225G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.225G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.225H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.225H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.225J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.225J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.225K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.225K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.225M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.225M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.225N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.225N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.225P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.225P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.225Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.225Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.225R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.225R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.225S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.225S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.226	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.226	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.226A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.226A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.226B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.226B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.226C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.226C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.226D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.226D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.226E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.226E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.226F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.226F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.226G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.226G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.226H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.226H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.226J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.226J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S52.226K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.226K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.226M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.226M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.226N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.226N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.226P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.226P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.226Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.226Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.226R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.226R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.226S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.226S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.23	DX	OBLIQUE FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.23	OBLIQUE FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.231	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.231	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.231A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.231A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.231B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.231B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.231C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.231C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.231D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.231D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.231E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.231E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.231F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.231F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.231G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.231G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.231H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.231H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.231J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.231J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.231K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.231K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.231M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.231M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.231N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.231N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.231P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.231P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.231Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.231Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.231R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.231R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.231S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.231S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.232	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.232	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.232A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.232A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.232B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.232B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.232C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.232C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.232D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.232D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.232E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.232E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.232F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.232F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.232G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.232G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.232H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.232H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.232J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.232J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.232K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.232K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.232M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.232M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.232N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.232N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.232P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.232P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.232Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.232Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.232R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.232R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.232S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.232S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.233	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.233	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.233A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.233A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.233B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.233B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.233C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.233C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.233D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.233D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.233E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.233E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.233F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.233F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.233G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.233G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.233H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.233H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.233J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.233J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.233K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.233K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.233M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.233M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.233N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.233N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.233P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.233P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.233Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.233Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.233R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.233R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.233S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.233S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.234	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.234	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.234A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.234A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.234B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.234B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.234C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.234C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.234D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.234D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.234E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.234E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.234F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.234F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.234G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.234G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.234H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.234H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.234J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.234J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.234K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.234K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.234M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.234M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.234N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.234N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.234P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.234P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.234Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.234Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.234R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.234R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.234S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.234S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.235	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.235	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.235A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.235A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.235B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.235B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.235C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.235C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.235D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.235D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.235E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.235E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.235F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.235F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.235G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.235G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.235H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.235H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.235J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.235J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S52.235K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.235K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.235M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.235M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.235N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.235N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.235P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.235P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.235Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.235Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.235R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.235R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.235S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.235S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.236	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.236	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.236A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.236A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.236B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.236B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.236C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.236C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.236D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.236D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.236E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.236E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.236F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.236F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.236G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.236G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.236H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.236H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.236J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.236J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.236K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.236K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.236M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.236M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.236N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.236N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.236P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.236P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.236Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.236Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.236R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.236R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.236S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.236S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.24	DX	SPIRAL FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.24	SPIRAL FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.241	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.241	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.241A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.241A	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.241B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.241B	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.241C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.241C	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.241D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.241D	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.241E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.241E	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.241F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.241F	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.241G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.241G	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.241H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.241H	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.241J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.241J	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.241K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.241K	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.241M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.241M	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.241N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.241N	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.241P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.241P	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.241Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.241Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.241R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.241R	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.241S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.241S	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.242	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.242	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.242A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.242A	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.242B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.242B	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.242C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.242C	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.242D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.242D	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.242E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.242E	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.242F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.242F	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.242G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.242G	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.242H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.242H	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.242J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.242J	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.242K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.242K	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.242M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.242M	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.242N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.242N	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.242P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.242P	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.242Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.242Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.242R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.242R	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.242S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.242S	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S52.243	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.243	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.243A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.243A	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.243B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.243B	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.243C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.243C	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.243D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.243D	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.243E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.243E	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.243F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.243F	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.243G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.243G	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.243H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.243H	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.243J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.243J	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.243K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.243K	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.243M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.243M	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.243N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.243N	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.243P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.243P	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.243Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.243Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.243R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.243R	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.243S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.243S	DISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.244	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.244	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.244A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.244A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.244B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.244B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.244C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.244C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.244D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.244D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.244E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.244E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.244F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.244F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S52.244G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.244G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.244H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.244H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.244J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.244J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.244K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.244K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.244M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.244M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.244N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.244N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.244P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.244P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.244Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.244Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.244R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.244R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.244S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.244S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.245	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.245	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.245A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.245A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.245B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.245B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.245C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.245C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.245D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.245D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.245E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.245E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.245F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.245F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.245G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.245G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.245H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.245H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.245J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.245J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.245K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.245K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.245M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.245M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.245N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.245N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.245P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.245P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.245Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.245Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.245R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.245R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.245S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.245S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA

Fractures / Falls	S52.246	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.246	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.246A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.246A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.246B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.246B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.246C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.246C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.246D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.246D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.246E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.246E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.246F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.246F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.246G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.246G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.246H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.246H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.246J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.246J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.246K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.246K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.246M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.246M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.246N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.246N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.246P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.246P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.246Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.246Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.246R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.246R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.246S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.246S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.25	DX	COMMINUTED FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.25	COMMINUTED FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.251	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.251	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.251A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.251A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.251B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.251B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.251C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.251C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.251D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.251D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.251E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.251E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.251F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.251F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.251G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.251G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.251H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.251H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.251J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.251J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S52.251K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.251K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.251M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.251M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.251N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.251N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.251P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.251P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.251Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.251Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.251R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.251R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.251S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.251S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.252	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.252	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.252A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.252A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.252B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.252B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.252C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.252C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.252D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.252D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.252E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.252E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.252F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.252F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.252G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.252G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.252H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.252H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.252J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.252J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.252K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.252K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.252M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.252M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.252N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.252N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.252P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.252P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.252Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.252Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.252R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.252R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.252S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.252S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S52.253	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.253	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.253A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.253A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.253B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.253B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.253C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.253C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.253D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.253D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.253E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.253E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.253F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.253F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.253G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.253G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.253H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.253H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.253J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.253J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.253K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.253K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.253M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.253M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.253N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.253N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.253P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.253P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.253Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.253Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.253R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.253R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.253S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.253S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.254	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.254	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.254A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.254A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.254B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.254B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.254C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.254C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.254D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.254D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.254E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.254E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.254F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.254F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.254G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.254G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.254H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.254H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.254J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.254J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.254K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.254K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.254M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.254M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.254N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.254N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.254P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.254P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.254Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.254Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.254R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.254R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.254S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.254S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.255	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.255	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.255A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.255A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.255B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.255B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.255C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.255C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.255D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.255D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.255E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.255E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.255F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.255F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.255G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.255G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.255H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.255H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.255J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.255J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.255K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.255K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.255M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.255M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.255N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.255N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.255P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.255P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.255Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.255Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.255R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.255R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.255S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.255S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S52.256	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.256	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.256A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.256A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.256B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.256B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.256C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.256C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.256D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.256D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.256E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.256E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.256F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.256F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.256G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.256G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.256H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.256H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.256J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.256J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.256K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.256K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.256M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.256M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.256N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.256N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.256P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.256P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.256Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.256Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.256R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.256R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.256S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.256S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.26	DX	SEGMENTAL FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.26	SEGMENTAL FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.261	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.261	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.261A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.261A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.261B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.261B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.261C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.261C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.261D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.261D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.261E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.261E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.261F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.261F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.261G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.261G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.261H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.261H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.261J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.261J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.261K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.261K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S52.261M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.261M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.261N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.261N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.261P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.261P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.261Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.261Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.261R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.261R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.261S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.261S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.262	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.262	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.262A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.262A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.262B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.262B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.262C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.262C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.262D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.262D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.262E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.262E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.262F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.262F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.262G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.262G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.262H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.262H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.262J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.262J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.262K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.262K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.262M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.262M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.262N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.262N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.262P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.262P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.262Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.262Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.262R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.262R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.262S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.262S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S52.263	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.263	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.263A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.263A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.263B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.263B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.263C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.263C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.263D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.263D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.263E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.263E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.263F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.263F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.263G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.263G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.263H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.263H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.263J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.263J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.263K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.263K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.263M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.263M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.263N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.263N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.263P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.263P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.263Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.263Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.263R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.263R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.263S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.263S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.264	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM	ICD-10-CM	S52.264	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM
Fractures / Falls	S52.264A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.264A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.264B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.264B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.264C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.264C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.264D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.264D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.264E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.264E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.264F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.264F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.264G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.264G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.264H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.264H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.264J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.264J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.264K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.264K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.264M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.264M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.264N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.264N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.264P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.264P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.264Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.264Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.264R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.264R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.264S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S52.264S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S52.265	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM	ICD-10-CM	S52.265	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM
Fractures / Falls	S52.265A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.265A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.265B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.265B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.265C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.265C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.265D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.265D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.265E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.265E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.265F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.265F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.265G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.265G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.265H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.265H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.265J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.265J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.265K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.265K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.265M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.265M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.265N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.265N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.265P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.265P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.265Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.265Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.265R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.265R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.265S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S52.265S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S52.266	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S52.266	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S52.266A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.266A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.266B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.266B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.266C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.266C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.266D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.266D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.266E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.266E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.266F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.266F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.266G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.266G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.266H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.266H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.266J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.266J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.266K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.266K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.266M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.266M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.266N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.266N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.266P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.266P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.266Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.266Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.266R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.266R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.266S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.266S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.27	DX	MONTEGGIA'S FRACTURE OF ULNA	ICD-10-CM	S52.27	MONTEGGIA'S FRACTURE OF ULNA
Fractures / Falls	S52.271	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA	ICD-10-CM	S52.271	MONTEGGIA'S FRACTURE OF RIGHT ULNA
Fractures / Falls	S52.271A	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.271A	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.271B	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.271B	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.271C	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.271C	MONTEGGIA'S FRACTURE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.271D	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.271D	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.271E	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.271E	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.271F	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.271F	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.271G	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.271G	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.271H	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.271H	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.271J	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.271J	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.271K	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.271K	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.271M	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.271M	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.271N	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.271N	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.271P	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.271P	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.271Q	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.271Q	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.271R	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.271R	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION

Fractures / Falls	S52.271S	DX	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.271S	MONTEGGIA'S FRACTURE OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.272	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA	ICD-10-CM	S52.272	MONTEGGIA'S FRACTURE OF LEFT ULNA
Fractures / Falls	S52.272A	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.272A	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.272B	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.272B	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.272C	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.272C	MONTEGGIA'S FRACTURE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.272D	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.272D	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.272E	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.272E	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.272F	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.272F	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.272G	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.272G	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.272H	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.272H	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.272J	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.272J	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.272K	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.272K	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.272M	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.272M	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.272N	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.272N	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.272P	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.272P	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.272Q	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.272Q	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.272R	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.272R	MONTEGGIA'S FRACTURE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.272S	DX	MONTEGGIA'S FRACTURE OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.272S	MONTEGGIA'S FRACTURE OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.279	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA	ICD-10-CM	S52.279	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA
Fractures / Falls	S52.279A	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.279A	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.279B	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.279B	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.279C	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.279C	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.279D	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.279D	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.279E	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.279E	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.279F	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.279F	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.279G	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.279G	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.279H	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.279H	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.279J	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.279J	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.279K	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.279K	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.279M	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.279M	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.279N	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.279N	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.279P	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.279P	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.279Q	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.279Q	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.279R	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.279R	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.279S	DX	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.279S	MONTEGGIA'S FRACTURE OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.28	DX	BENT BONE OF ULNA	ICD-10-CM	S52.28	BENT BONE OF ULNA
Fractures / Falls	S52.281	DX	BENT BONE OF RIGHT ULNA	ICD-10-CM	S52.281	BENT BONE OF RIGHT ULNA
Fractures / Falls	S52.281A	DX	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.281A	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.281B	DX	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.281B	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.281C	DX	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.281C	BENT BONE OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.281D	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.281D	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.281E	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.281E	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.281F	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.281F	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.281G	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.281G	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.281H	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.281H	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.281J	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.281J	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.281K	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.281K	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.281M	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.281M	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.281N	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.281N	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.281P	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.281P	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.281Q	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.281Q	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.281R	DX	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.281R	BENT BONE OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.281S	DX	BENT BONE OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.281S	BENT BONE OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.282	DX	BENT BONE OF LEFT ULNA	ICD-10-CM	S52.282	BENT BONE OF LEFT ULNA
Fractures / Falls	S52.282A	DX	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.282A	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.282B	DX	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.282B	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.282C	DX	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.282C	BENT BONE OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.282D	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.282D	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.282E	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.282E	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.282F	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.282F	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.282G	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.282G	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.282H	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.282H	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.282J	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.282J	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.282K	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.282K	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.282M	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.282M	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.282N	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.282N	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.282P	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.282P	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.282Q	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.282Q	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.282R	DX	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.282R	BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.282S	DX	BENT BONE OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.282S	BENT BONE OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.283	DX	BENT BONE OF UNSPECIFIED ULNA	ICD-10-CM	S52.283	BENT BONE OF UNSPECIFIED ULNA
Fractures / Falls	S52.283A	DX	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.283A	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.283B	DX	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.283B	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.283C	DX	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.283C	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.283D	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.283D	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.283E	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.283E	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.283F	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.283F	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.283G	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.283G	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.283H	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.283H	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.283J	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.283J	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.283K	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.283K	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.283M	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.283M	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.283N	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.283N	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.283P	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.283P	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.283Q	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.283Q	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.283R	DX	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.283R	BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.283S	DX	BENT BONE OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.283S	BENT BONE OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.29	DX	OTHER FRACTURE OF SHAFT OF ULNA	ICD-10-CM	S52.29	OTHER FRACTURE OF SHAFT OF ULNA
Fractures / Falls	S52.291	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM	S52.291	OTHER FRACTURE OF SHAFT OF RIGHT ULNA
Fractures / Falls	S52.291A	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.291A	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.291B	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.291B	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.291C	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.291C	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.291D	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.291D	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.291E	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.291E	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.291F	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.291F	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.291G	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.291G	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.291H	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.291H	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.291J	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.291J	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.291K	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.291K	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.291M	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.291M	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.291N	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.291N	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.291P	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.291P	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.291Q	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.291Q	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.291R	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.291R	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.291S	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.291S	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.292	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM	S52.292	OTHER FRACTURE OF SHAFT OF LEFT ULNA
Fractures / Falls	S52.292A	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.292A	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S52.292B	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.292B	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.292C	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.292C	OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.292D	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.292D	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.292E	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.292E	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.292F	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.292F	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.292G	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.292G	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.292H	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.292H	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.292J	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.292J	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.292K	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.292K	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.292M	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.292M	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.292N	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.292N	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.292P	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.292P	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.292Q	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.292Q	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.292R	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.292R	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.292S	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.292S	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.299	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM	S52.299	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA
Fractures / Falls	S52.299A	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.299A	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.299B	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.299B	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.299C	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.299C	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.299D	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.299D	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.299E	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.299E	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.299F	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.299F	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.299G	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.299G	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.299H	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.299H	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.299J	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.299J	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.299K	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.299K	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.299M	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.299M	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.299N	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.299N	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.299P	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.299P	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.299Q	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.299Q	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.299R	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.299R	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.299S	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.299S	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.3	DX	FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.3	FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.30	DX	UNSPECIFIED FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.30	UNSPECIFIED FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.301	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS	ICD-10-CM	S52.301	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS
Fractures / Falls	S52.301A	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.301A	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.301B	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.301B	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.301C	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.301C	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.301D	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.301D	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.301E	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.301E	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.301F	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.301F	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.301G	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.301G	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.301H	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.301H	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.301J	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.301J	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.301K	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.301K	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.301M	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.301M	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.301N	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.301N	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.301P	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.301P	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.301Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.301Q	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.301R	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.301R	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.301S	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.301S	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.302	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS	ICD-10-CM	S52.302	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS
Fractures / Falls	S52.302A	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.302A	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.302B	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.302B	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.302C	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.302C	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.302D	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.302D	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.302E	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.302E	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.302F	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.302F	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.302G	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.302G	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.302H	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.302H	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.302J	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.302J	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.302K	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.302K	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.302M	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.302M	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.302N	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.302N	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.302P	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.302P	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.302Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.302Q	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.302R	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.302R	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.302S	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.302S	UNSPECIFIED FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.309	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS	ICD-10-CM	S52.309	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS
Fractures / Falls	S52.309A	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.309A	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.309B	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.309B	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.309C	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.309C	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.309D	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.309D	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.309E	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.309E	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.309F	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.309F	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.309G	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.309G	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.309H	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.309H	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.309J	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.309J	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.309K	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.309K	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.309M	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.309M	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.309N	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.309N	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.309P	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.309P	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.309Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.309Q	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.309R	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.309R	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.309S	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.309S	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.31	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.31	GREENSTICK FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.311	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.311	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.311A	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.311A	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.311D	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.311D	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.311G	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.311G	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.311K	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.311K	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.311P	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.311P	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.311S	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.311S	GREENSTICK FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.312	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.312	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.312A	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.312A	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.312D	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.312D	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.312G	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.312G	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.312K	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.312K	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.312P	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.312P	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.312S	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.312S	GREENSTICK FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.319	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.319	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.319A	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.319A	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.319D	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.319D	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.319G	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.319G	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.319K	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.319K	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.319P	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.319P	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.319S	DX	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.319S	GREENSTICK FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.32	DX	TRANSVERSE FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.32	TRANSVERSE FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.321	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS	ICD-10-CM	S52.321	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS
Fractures / Falls	S52.321A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.321A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.321B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.321B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.321C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.321C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.321D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.321D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.321E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.321E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.321F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.321F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.321G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.321G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.321H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.321H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.321J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.321J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.321K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.321K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.321M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.321M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.321N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.321N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.321P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.321P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.321Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.321Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.321R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.321R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.321S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.321S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.322	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS	ICD-10-CM	S52.322	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS

Fractures / Falls	S52.322A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.322A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.322B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.322B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.322C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.322C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.322D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.322D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.322E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.322E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.322F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.322F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.322G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.322G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.322H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.322H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.322J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.322J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.322K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.322K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.322M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.322M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.322N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.322N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.322P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.322P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.322Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.322Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.322R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.322R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.322S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.322S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.323	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS	ICD-10-CM	S52.323	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS
Fractures / Falls	S52.323A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.323A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.323B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.323B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.323C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.323C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.323D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.323D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.323E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.323E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.323F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.323F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.323G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.323G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.323H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.323H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.323J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.323J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.323K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.323K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.323M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.323M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.323N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.323N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.323P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.323P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.323Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.323Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.323R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.323R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.323S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.323S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.324	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS	ICD-10-CM	S52.324	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS
Fractures / Falls	S52.324A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.324A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.324B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.324B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.324C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.324C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.324D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.324D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.324E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.324E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.324F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.324F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.324G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.324G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.324H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.324H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.324J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.324J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.324K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.324K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.324M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.324M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.324N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.324N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.324P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.324P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.324Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.324Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.324R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.324R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.324S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.324S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.325	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS	ICD-10-CM	S52.325	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS
Fractures / Falls	S52.325A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.325A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.325B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.325B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.325C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.325C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.325D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.325D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.325E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.325E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.325F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.325F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.325G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.325G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.325H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.325H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.325J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.325J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.325K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.325K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.325M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.325M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.325N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.325N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.325P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.325P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.325Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.325Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.325R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.325R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.325S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.325S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.326	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS	ICD-10-CM	S52.326	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS
Fractures / Falls	S52.326A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.326A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.326B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.326B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.326C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.326C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.326D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.326D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.326E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.326E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.326F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.326F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.326G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.326G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.326H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.326H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.326J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.326J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.326K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.326K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.326M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.326M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.326N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.326N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.326P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.326P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.326Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.326Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.326R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.326R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.326S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.326S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.33	DX	OBLIQUE FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.33	OBLIQUE FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.331	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS	ICD-10-CM	S52.331	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS
Fractures / Falls	S52.331A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.331A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.331B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.331B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.331C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.331C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.331D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.331D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.331E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.331E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.331F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.331F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.331G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.331G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.331H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.331H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.331J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.331J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.331K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.331K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.331M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.331M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.331N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.331N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.331P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.331P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.331Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.331Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.331R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.331R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.331S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.331S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.332	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS	ICD-10-CM	S52.332	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS
Fractures / Falls	S52.332A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.332A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.332B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.332B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.332C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.332C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.332D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.332D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.332E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.332E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.332F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.332F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S52.332G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.332G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.332H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.332H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.332J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.332J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.332K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.332K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.332M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.332M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.332N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.332N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.332P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.332P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.332Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.332Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.332R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.332R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.332S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.332S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.333	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS	ICD-10-CM	S52.333	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS
Fractures / Falls	S52.333A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.333A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.333B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.333B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.333C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.333C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.333D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.333D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.333E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.333E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.333F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.333F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.333G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.333G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.333H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.333H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.333J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.333J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.333K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.333K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.333M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.333M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.333N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.333N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.333P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.333P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.333Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.333Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.333R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.333R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.333S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.333S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.334	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS	ICD-10-CM	S52.334	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS

Fractures / Falls	S52.334A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.334A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.334B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.334B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.334C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.334C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.334D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.334D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.334E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.334E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.334F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.334F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.334G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.334G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.334H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.334H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.334J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.334J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.334K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.334K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.334M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.334M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.334N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.334N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.334P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.334P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.334Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.334Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.334R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.334R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.334S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.334S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.335	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS	ICD-10-CM	S52.335	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS
Fractures / Falls	S52.335A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.335A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.335B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.335B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.335C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.335C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.335D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.335D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.335E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.335E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.335F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.335F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.335G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.335G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.335H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.335H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.335J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.335J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.335K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.335K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.335M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.335M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.335N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.335N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.335P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.335P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.335Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.335Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.335R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.335R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.335S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.335S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.336	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS	ICD-10-CM	S52.336	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS
Fractures / Falls	S52.336A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.336A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.336B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.336B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.336C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.336C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.336D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.336D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.336E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.336E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.336F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.336F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.336G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.336G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.336H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.336H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.336J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.336J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.336K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.336K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.336M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.336M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.336N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.336N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.336P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.336P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.336Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.336Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.336R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.336R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.336S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.336S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.34	DX	SPIRAL FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.34	SPIRAL FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.341	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.341	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.341A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.341A	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.341B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.341B	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.341C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.341C	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.341D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.341D	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.341E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.341E	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.341F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.341F	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.341G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.341G	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.341H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.341H	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.341J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.341J	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.341K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.341K	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.341M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.341M	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.341N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.341N	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.341P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.341P	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.341Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.341Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.341R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.341R	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.341S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.341S	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.342	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.342	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.342A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.342A	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.342B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.342B	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.342C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.342C	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.342D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.342D	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.342E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.342E	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.342F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.342F	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.342G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.342G	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.342H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.342H	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.342J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.342J	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.342K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.342K	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.342M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.342M	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.342N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.342N	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.342P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.342P	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.342Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.342Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.342R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.342R	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.342S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.342S	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.343	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.343	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.343A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.343A	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.343B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.343B	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.343C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.343C	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.343D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.343D	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.343E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.343E	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.343F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.343F	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.343G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.343G	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.343H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.343H	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.343J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.343J	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.343K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.343K	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.343M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.343M	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.343N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.343N	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.343P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.343P	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.343Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.343Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.343R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.343R	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.343S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.343S	DISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.344	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.344	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.344A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.344A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.344B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.344B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.344C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.344C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.344D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.344D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.344E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.344E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.344F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.344F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.344G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.344G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S52.344H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.344H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.344J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.344J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.344K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.344K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.344M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.344M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.344N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.344N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.344P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.344P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.344Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.344Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.344R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.344R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.344S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.344S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.345	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.345	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.345A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.345A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.345B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.345B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.345C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.345C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.345D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.345D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.345E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.345E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.345F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.345F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.345G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.345G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.345H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.345H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.345J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.345J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.345K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.345K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.345M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.345M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.345N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.345N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.345P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.345P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.345Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.345Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.345R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.345R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.345S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.345S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.346	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.346	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM

Fractures / Falls	S52.346A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.346A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.346B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.346B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.346C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.346C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.346D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.346D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.346E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.346E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.346F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.346F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.346G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.346G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.346H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.346H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.346J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.346J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.346K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.346K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.346M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.346M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.346N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.346N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.346P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.346P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.346Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.346Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.346R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.346R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.346S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.346S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.35	DX	COMMINUTED FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.35	COMMINUTED FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.351	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.351	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.351A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.351A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.351B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.351B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.351C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.351C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.351D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.351D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.351E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.351E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.351F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.351F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.351G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.351G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.351H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.351H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.351J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.351J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S52.351K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.351K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.351M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.351M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.351N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.351N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.351P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.351P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.351Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.351Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.351R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.351R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.351S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.351S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.352	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.352	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.352A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.352A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.352B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.352B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.352C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.352C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.352D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.352D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.352E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.352E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.352F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.352F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.352G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.352G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.352H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.352H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.352J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.352J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.352K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.352K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.352M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.352M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.352N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.352N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.352P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.352P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.352Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.352Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.352R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.352R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.352S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.352S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.353	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.353	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.353A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.353A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.353B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.353B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.353C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.353C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.353D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.353D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.353E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.353E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.353F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.353F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.353G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.353G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.353H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.353H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.353J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.353J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.353K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.353K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.353M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.353M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.353N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.353N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.353P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.353P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.353Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.353Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.353R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.353R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.353S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.353S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.354	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.354	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.354A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.354A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.354B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.354B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.354C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.354C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.354D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.354D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.354E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.354E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.354F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.354F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.354G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.354G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.354H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.354H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.354J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.354J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.354K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.354K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.354M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.354M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S52.354N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.354N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.354P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.354P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.354Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.354Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.354R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.354R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.354S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.354S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.355	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.355	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.355A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.355A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.355B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.355B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.355C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.355C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.355D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.355D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.355E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.355E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.355F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.355F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.355G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.355G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.355H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.355H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.355J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.355J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.355K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.355K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.355M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.355M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.355N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.355N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.355P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.355P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.355Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.355Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.355R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.355R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.355S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.355S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.356	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.356	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.356A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.356A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.356B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.356B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.356C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.356C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S52.356D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.356D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.356E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.356E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.356F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.356F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.356G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.356G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.356H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.356H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.356J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.356J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.356K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.356K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.356M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.356M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.356N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.356N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.356P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.356P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.356Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.356Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.356R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.356R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.356S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.356S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.36	DX	SEGMENTAL FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.36	SEGMENTAL FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.361	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.361	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.361A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.361A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.361B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.361B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.361C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.361C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.361D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.361D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.361E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.361E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.361F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.361F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.361G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.361G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.361H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.361H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.361J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.361J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.361K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.361K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S52.361M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.361M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.361N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.361N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.361P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.361P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.361Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.361Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.361R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.361R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.361S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.361S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.362	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.362	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.362A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.362A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.362B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.362B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.362C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.362C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.362D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.362D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.362E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.362E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.362F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.362F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.362G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.362G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.362H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.362H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.362J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.362J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.362K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.362K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.362M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.362M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.362N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.362N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.362P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.362P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.362Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.362Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.362R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.362R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.362S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.362S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.363	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.363	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.363A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.363A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.363B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.363B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.363C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.363C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.363D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.363D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.363E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.363E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.363F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.363F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.363G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.363G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.363H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.363H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.363J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.363J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.363K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.363K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.363M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.363M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.363N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.363N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.363P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.363P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.363Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.363Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.363R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.363R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.363S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.363S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.364	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.364	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.364A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.364A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.364B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.364B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.364C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.364C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.364D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.364D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.364E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.364E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.364F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.364F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.364G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.364G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.364H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.364H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.364J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.364J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.364K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.364K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.364M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.364M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.364N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.364N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.364P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.364P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.364Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.364Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.364R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.364R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.364S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.364S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.365	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.365	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.365A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.365A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.365B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.365B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.365C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.365C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.365D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.365D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.365E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.365E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.365F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.365F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.365G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.365G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.365H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.365H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.365J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.365J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.365K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.365K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.365M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.365M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.365N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.365N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.365P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.365P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.365Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.365Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.365R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.365R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.365S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.365S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.366	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.366	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.366A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.366A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.366B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.366B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.366C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.366C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.366D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.366D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.366E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.366E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.366F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.366F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.366G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.366G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.366H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.366H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.366J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.366J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.366K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.366K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.366M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.366M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.366N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.366N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.366P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.366P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.366Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.366Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.366R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.366R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.366S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.366S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.37	DX	GALEAZZI'S FRACTURE	ICD-10-CM	S52.37	GALEAZZI'S FRACTURE
Fractures / Falls	S52.371	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS	ICD-10-CM	S52.371	GALEAZZI'S FRACTURE OF RIGHT RADIUS
Fractures / Falls	S52.371A	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.371A	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.371B	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.371B	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.371C	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.371C	GALEAZZI'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.371D	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.371D	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.371E	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.371E	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.371F	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.371F	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.371G	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.371G	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.371H	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.371H	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.371J	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.371J	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.371K	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.371K	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.371M	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.371M	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.371N	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.371N	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.371P	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.371P	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.371Q	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.371Q	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.371R	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.371R	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.371S	DX	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.371S	GALEAZZI'S FRACTURE OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.372	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS	ICD-10-CM	S52.372	GALEAZZI'S FRACTURE OF LEFT RADIUS
Fractures / Falls	S52.372A	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.372A	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.372B	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.372B	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.372C	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.372C	GALEAZZI'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.372D	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.372D	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.372E	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.372E	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.372F	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.372F	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.372G	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.372G	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.372H	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.372H	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.372J	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.372J	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.372K	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.372K	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.372M	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.372M	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.372N	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.372N	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.372P	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.372P	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.372Q	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.372Q	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.372R	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.372R	GALEAZZI'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.372S	DX	GALEAZZI'S FRACTURE OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.372S	GALEAZZI'S FRACTURE OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.379	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS	ICD-10-CM	S52.379	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS
Fractures / Falls	S52.379A	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.379A	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.379B	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.379B	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.379C	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.379C	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.379D	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.379D	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.379E	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.379E	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.379F	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.379F	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.379G	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.379G	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.379H	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.379H	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.379J	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.379J	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.379K	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.379K	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.379M	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.379M	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.379N	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.379N	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.379P	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.379P	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.379Q	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.379Q	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.379R	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.379R	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.379S	DX	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.379S	GALEAZZI'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.38	DX	BENT BONE OF RADIUS	ICD-10-CM	S52.38	BENT BONE OF RADIUS
Fractures / Falls	S52.381	DX	BENT BONE OF RIGHT RADIUS	ICD-10-CM	S52.381	BENT BONE OF RIGHT RADIUS
Fractures / Falls	S52.381A	DX	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.381A	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.381B	DX	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.381B	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.381C	DX	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.381C	BENT BONE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.381D	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.381D	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.381E	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.381E	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.381F	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.381F	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.381G	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.381G	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.381H	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.381H	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.381J	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.381J	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.381K	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.381K	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.381M	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.381M	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.381N	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.381N	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.381P	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.381P	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.381Q	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.381Q	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.381R	DX	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.381R	BENT BONE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.381S	DX	BENT BONE OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.381S	BENT BONE OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.382	DX	BENT BONE OF LEFT RADIUS	ICD-10-CM	S52.382	BENT BONE OF LEFT RADIUS
Fractures / Falls	S52.382A	DX	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.382A	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.382B	DX	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.382B	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.382C	DX	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.382C	BENT BONE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.382D	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.382D	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.382E	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.382E	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.382F	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.382F	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.382G	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.382G	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.382H	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.382H	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.382J	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.382J	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.382K	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.382K	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.382M	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.382M	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.382N	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.382N	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.382P	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.382P	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.382Q	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.382Q	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.382R	DX	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.382R	BENT BONE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.382S	DX	BENT BONE OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.382S	BENT BONE OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.389	DX	BENT BONE OF UNSPECIFIED RADIUS	ICD-10-CM	S52.389	BENT BONE OF UNSPECIFIED RADIUS

Fractures / Falls	S52.389A	DX	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.389A	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.389B	DX	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.389B	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.389C	DX	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.389C	BENT BONE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.389D	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.389D	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.389E	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.389E	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.389F	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.389F	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.389G	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.389G	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.389H	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.389H	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.389J	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.389J	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.389K	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.389K	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.389M	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.389M	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.389N	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.389N	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.389P	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.389P	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.389Q	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.389Q	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.389R	DX	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.389R	BENT BONE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.389S	DX	BENT BONE OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.389S	BENT BONE OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.39	DX	OTHER FRACTURE OF SHAFT OF RADIUS	ICD-10-CM	S52.39	OTHER FRACTURE OF SHAFT OF RADIUS
Fractures / Falls	S52.391	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM	ICD-10-CM	S52.391	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM
Fractures / Falls	S52.391A	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.391A	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.391B	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.391B	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.391C	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.391C	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.391D	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.391D	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.391E	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.391E	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.391F	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.391F	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.391G	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.391G	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.391H	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.391H	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.391J	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.391J	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.391K	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.391K	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.391M	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.391M	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.391N	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.391N	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.391P	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.391P	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S52.391Q	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.391Q	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.391R	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.391R	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.391S	DX	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S52.391S	OTHER FRACTURE OF SHAFT OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S52.392	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM	ICD-10-CM	S52.392	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM
Fractures / Falls	S52.392A	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.392A	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.392B	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.392B	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.392C	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.392C	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.392D	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.392D	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.392E	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.392E	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.392F	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.392F	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.392G	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.392G	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.392H	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.392H	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.392J	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.392J	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.392K	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.392K	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.392M	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.392M	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.392N	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.392N	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.392P	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.392P	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.392Q	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.392Q	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.392R	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.392R	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.392S	DX	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S52.392S	OTHER FRACTURE OF SHAFT OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S52.399	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S52.399	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S52.399A	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.399A	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.399B	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.399B	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.399C	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.399C	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.399D	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.399D	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.399E	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.399E	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.399F	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.399F	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.399G	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.399G	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.399H	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.399H	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.399J	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.399J	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.399K	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.399K	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.399M	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.399M	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.399N	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.399N	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.399P	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.399P	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.399Q	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.399Q	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.399R	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.399R	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.399S	DX	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S52.399S	OTHER FRACTURE OF SHAFT OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S52.5	DX	FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S52.5	FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S52.50	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RADIUS	ICD-10-CM	S52.50	UNSPECIFIED FRACTURE OF THE LOWER END OF RADIUS
Fractures / Falls	S52.501	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS	ICD-10-CM	S52.501	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS
Fractures / Falls	S52.501A	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.501A	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.501B	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.501B	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.501C	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.501C	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.501D	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.501D	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.501E	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.501E	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.501F	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.501F	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.501G	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.501G	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.501H	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.501H	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.501J	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.501J	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.501K	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.501K	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.501M	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.501M	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.501N	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.501N	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.501P	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.501P	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.501Q	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.501Q	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.501R	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.501R	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.501S	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.501S	UNSPECIFIED FRACTURE OF THE LOWER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.502	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS	ICD-10-CM	S52.502	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS
Fractures / Falls	S52.502A	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.502A	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.502B	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.502B	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S52.502C	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.502C	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.502D	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.502D	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.502E	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.502E	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.502F	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.502F	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.502G	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.502G	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.502H	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.502H	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.502J	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.502J	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.502K	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.502K	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.502M	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.502M	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.502N	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.502N	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.502P	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.502P	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.502Q	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.502Q	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.502R	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.502R	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.502S	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.502S	UNSPECIFIED FRACTURE OF THE LOWER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.509	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.509	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.509A	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.509A	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.509B	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.509B	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.509C	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.509C	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.509D	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.509D	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.509E	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.509E	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.509F	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.509F	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.509G	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.509G	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.509H	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.509H	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.509J	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.509J	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.509K	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.509K	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.509M	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.509M	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.509N	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.509N	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.509P	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.509P	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.509Q	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.509Q	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.509R	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.509R	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.509S	DX	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.509S	UNSPECIFIED FRACTURE OF THE LOWER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.51	DX	FRACTURE OF RADIAL STYLOID PROCESS	ICD-10-CM	S52.51	FRACTURE OF RADIAL STYLOID PROCESS
Fractures / Falls	S52.511	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS	ICD-10-CM	S52.511	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS
Fractures / Falls	S52.511A	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.511A	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.511B	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.511B	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.511C	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.511C	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.511D	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.511D	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.511E	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.511E	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.511F	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.511F	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.511G	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.511G	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.511H	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.511H	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.511J	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.511J	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.511K	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.511K	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.511M	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.511M	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.511N	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.511N	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.511P	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.511P	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.511Q	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.511Q	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.511R	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.511R	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.511S	DX	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.511S	DISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.512	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS	ICD-10-CM	S52.512	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS
Fractures / Falls	S52.512A	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.512A	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.512B	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.512B	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.512C	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.512C	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.512D	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.512D	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.512E	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.512E	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.512F	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.512F	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.512G	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.512G	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S52.512H	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.512H	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.512J	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.512J	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.512K	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.512K	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.512M	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.512M	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.512N	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.512N	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.512P	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.512P	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.512Q	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.512Q	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.512R	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.512R	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.512S	DX	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.512S	DISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.513	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS	ICD-10-CM	S52.513	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS
Fractures / Falls	S52.513A	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.513A	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.513B	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.513B	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.513C	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.513C	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.513D	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.513D	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.513E	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.513E	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.513F	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.513F	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.513G	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.513G	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.513H	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.513H	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.513J	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.513J	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.513K	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.513K	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.513M	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.513M	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.513N	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.513N	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.513P	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.513P	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.513Q	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.513Q	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.513R	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.513R	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.513S	DX	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.513S	DISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.514	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS	ICD-10-CM	S52.514	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS
Fractures / Falls	S52.514A	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.514A	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.514B	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.514B	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S52.514C	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.514C	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.514D	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.514D	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.514E	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.514E	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.514F	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.514F	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.514G	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.514G	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.514H	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.514H	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.514J	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.514J	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.514K	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.514K	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.514M	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.514M	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.514N	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.514N	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.514P	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.514P	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.514Q	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.514Q	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.514R	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.514R	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.514S	DX	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.514S	NONDISPLACED FRACTURE OF RIGHT RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.515	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS	ICD-10-CM	S52.515	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS
Fractures / Falls	S52.515A	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.515A	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.515B	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.515B	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.515C	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.515C	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.515D	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.515D	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.515E	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.515E	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.515F	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.515F	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.515G	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.515G	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.515H	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.515H	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.515J	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.515J	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.515K	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.515K	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.515M	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.515M	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.515N	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.515N	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.515P	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.515P	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.515Q	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.515Q	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.515R	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.515R	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.515S	DX	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.515S	NONDISPLACED FRACTURE OF LEFT RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.516	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS	ICD-10-CM	S52.516	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS
Fractures / Falls	S52.516A	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.516A	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.516B	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.516B	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.516C	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.516C	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.516D	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.516D	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.516E	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.516E	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.516F	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.516F	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.516G	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.516G	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.516H	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.516H	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.516J	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.516J	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.516K	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.516K	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.516M	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.516M	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.516N	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.516N	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.516P	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.516P	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.516Q	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.516Q	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.516R	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.516R	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.516S	DX	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.516S	NONDISPLACED FRACTURE OF UNSPECIFIED RADIAL STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.52	DX	TORUS FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S52.52	TORUS FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S52.521	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS	ICD-10-CM	S52.521	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS
Fractures / Falls	S52.521A	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.521A	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.521D	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.521D	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.521G	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.521G	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.521K	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.521K	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.521P	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.521P	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.521S	DX	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.521S	TORUS FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.522	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS	ICD-10-CM	S52.522	TORUS FRACTURE OF LOWER END OF LEFT RADIUS
Fractures / Falls	S52.522A	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.522A	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.522D	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.522D	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S52.522G	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.522G	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.522K	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.522K	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.522P	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.522P	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.522S	DX	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.522S	TORUS FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.529	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.529	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.529A	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.529A	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.529D	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.529D	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.529G	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.529G	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.529K	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.529K	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.529P	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.529P	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.529S	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.529S	TORUS FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.53	DX	COLLES' FRACTURE	ICD-10-CM	S52.53	COLLES' FRACTURE
Fractures / Falls	S52.531	DX	COLLES' FRACTURE OF RIGHT RADIUS	ICD-10-CM	S52.531	COLLES' FRACTURE OF RIGHT RADIUS
Fractures / Falls	S52.531A	DX	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.531A	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.531B	DX	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.531B	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.531C	DX	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.531C	COLLES' FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.531D	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.531D	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.531E	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.531E	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.531F	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.531F	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.531G	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.531G	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.531H	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.531H	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.531J	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.531J	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.531K	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.531K	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.531M	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.531M	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.531N	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.531N	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.531P	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.531P	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.531Q	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.531Q	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.531R	DX	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.531R	COLLES' FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.531S	DX	COLLES' FRACTURE OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.531S	COLLES' FRACTURE OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.532	DX	COLLES' FRACTURE OF LEFT RADIUS	ICD-10-CM	S52.532	COLLES' FRACTURE OF LEFT RADIUS
Fractures / Falls	S52.532A	DX	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.532A	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.532B	DX	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.532B	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.532C	DX	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.532C	COLLES' FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.532D	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.532D	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.532E	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.532E	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.532F	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.532F	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.532G	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.532G	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.532H	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.532H	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.532J	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.532J	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.532K	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.532K	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.532M	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.532M	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.532N	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.532N	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.532P	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.532P	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.532Q	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.532Q	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.532R	DX	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.532R	COLLES' FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.532S	DX	COLLES' FRACTURE OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.532S	COLLES' FRACTURE OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.539	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS	ICD-10-CM	S52.539	COLLES' FRACTURE OF UNSPECIFIED RADIUS
Fractures / Falls	S52.539A	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.539A	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.539B	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.539B	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.539C	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.539C	COLLES' FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.539D	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.539D	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.539E	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.539E	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.539F	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.539F	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.539G	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.539G	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.539H	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.539H	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.539J	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.539J	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.539K	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.539K	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.539M	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.539M	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.539N	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.539N	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.539P	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.539P	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.539Q	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.539Q	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.539R	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.539R	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.539S	DX	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.539S	COLLES' FRACTURE OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.54	DX	SMITH'S FRACTURE	ICD-10-CM	S52.54	SMITH'S FRACTURE
Fractures / Falls	S52.541	DX	SMITH'S FRACTURE OF RIGHT RADIUS	ICD-10-CM	S52.541	SMITH'S FRACTURE OF RIGHT RADIUS
Fractures / Falls	S52.541A	DX	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.541A	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.541B	DX	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.541B	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.541C	DX	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.541C	SMITH'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.541D	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.541D	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.541E	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.541E	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.541F	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.541F	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.541G	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.541G	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.541H	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.541H	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.541J	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.541J	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.541K	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.541K	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.541M	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.541M	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.541N	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.541N	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.541P	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.541P	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.541Q	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.541Q	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.541R	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.541R	SMITH'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.541S	DX	SMITH'S FRACTURE OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.541S	SMITH'S FRACTURE OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.542	DX	SMITH'S FRACTURE OF LEFT RADIUS	ICD-10-CM	S52.542	SMITH'S FRACTURE OF LEFT RADIUS
Fractures / Falls	S52.542A	DX	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.542A	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.542B	DX	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.542B	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.542C	DX	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.542C	SMITH'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.542D	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.542D	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.542E	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.542E	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.542F	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.542F	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.542G	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.542G	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.542H	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.542H	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.542J	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.542J	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.542K	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.542K	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.542M	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.542M	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.542N	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.542N	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.542P	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.542P	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.542Q	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.542Q	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.542R	DX	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.542R	SMITH'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.542S	DX	SMITH'S FRACTURE OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.542S	SMITH'S FRACTURE OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.549	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS	ICD-10-CM	S52.549	SMITH'S FRACTURE OF UNSPECIFIED RADIUS
Fractures / Falls	S52.549A	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.549A	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.549B	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.549B	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.549C	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.549C	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.549D	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.549D	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.549E	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.549E	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.549F	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.549F	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.549G	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.549G	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.549H	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.549H	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.549J	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.549J	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.549K	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.549K	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.549M	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.549M	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.549N	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.549N	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.549P	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.549P	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.549Q	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.549Q	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.549R	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.549R	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.549S	DX	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.549S	SMITH'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.55	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S52.55	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S52.551	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS	ICD-10-CM	S52.551	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS
Fractures / Falls	S52.551A	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.551A	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.551B	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.551B	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.551C	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.551C	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.551D	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.551D	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.551E	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.551E	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.551F	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.551F	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.551G	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.551G	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.551H	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.551H	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.551J	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.551J	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.551K	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.551K	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.551M	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.551M	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.551N	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.551N	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.551P	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.551P	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.551Q	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.551Q	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.551R	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.551R	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.551S	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.551S	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.552	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS	ICD-10-CM	S52.552	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS

Fractures / Falls	S52.552A	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.552A	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.552B	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.552B	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.552C	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.552C	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.552D	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.552D	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.552E	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.552E	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.552F	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.552F	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.552G	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.552G	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.552H	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.552H	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.552J	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.552J	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.552K	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.552K	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.552M	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.552M	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.552N	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.552N	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.552P	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.552P	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.552Q	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.552Q	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.552R	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.552R	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.552S	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.552S	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.559	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.559	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.559A	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.559A	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.559B	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.559B	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.559C	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.559C	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.559D	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.559D	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.559E	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.559E	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.559F	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.559F	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.559G	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.559G	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.559H	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.559H	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.559J	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.559J	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.559K	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.559K	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S52.559M	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.559M	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.559N	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.559N	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.559P	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.559P	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.559Q	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.559Q	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.559R	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.559R	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.559S	DX	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.559S	OTHER EXTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.56	DX	BARTON'S FRACTURE	ICD-10-CM	S52.56	BARTON'S FRACTURE
Fractures / Falls	S52.561	DX	BARTON'S FRACTURE OF RIGHT RADIUS	ICD-10-CM	S52.561	BARTON'S FRACTURE OF RIGHT RADIUS
Fractures / Falls	S52.561A	DX	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.561A	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.561B	DX	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.561B	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.561C	DX	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.561C	BARTON'S FRACTURE OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.561D	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.561D	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.561E	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.561E	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.561F	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.561F	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.561G	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.561G	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.561H	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.561H	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.561J	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.561J	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.561K	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.561K	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.561M	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.561M	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.561N	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.561N	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.561P	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.561P	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.561Q	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.561Q	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.561R	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.561R	BARTON'S FRACTURE OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.561S	DX	BARTON'S FRACTURE OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.561S	BARTON'S FRACTURE OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.562	DX	BARTON'S FRACTURE OF LEFT RADIUS	ICD-10-CM	S52.562	BARTON'S FRACTURE OF LEFT RADIUS
Fractures / Falls	S52.562A	DX	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.562A	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.562B	DX	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.562B	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.562C	DX	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.562C	BARTON'S FRACTURE OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.562D	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.562D	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.562E	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.562E	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.562F	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.562F	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.562G	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.562G	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.562H	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.562H	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S52.562J	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.562J	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.562K	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.562K	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.562M	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.562M	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.562N	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.562N	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.562P	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.562P	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.562Q	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.562Q	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.562R	DX	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.562R	BARTON'S FRACTURE OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.562S	DX	BARTON'S FRACTURE OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.562S	BARTON'S FRACTURE OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.569	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS	ICD-10-CM	S52.569	BARTON'S FRACTURE OF UNSPECIFIED RADIUS
Fractures / Falls	S52.569A	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.569A	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.569B	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.569B	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.569C	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.569C	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.569D	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.569D	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.569E	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.569E	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.569F	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.569F	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.569G	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.569G	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.569H	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.569H	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.569J	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.569J	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.569K	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.569K	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.569M	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.569M	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.569N	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.569N	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.569P	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.569P	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.569Q	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.569Q	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.569R	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.569R	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.569S	DX	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.569S	BARTON'S FRACTURE OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.57	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S52.57	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S52.571	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS	ICD-10-CM	S52.571	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS
Fractures / Falls	S52.571A	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.571A	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.571B	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.571B	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.571C	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.571C	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.571D	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.571D	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.571E	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.571E	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.571F	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.571F	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S52.571G	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.571G	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.571H	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.571H	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.571J	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.571J	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.571K	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.571K	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.571M	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.571M	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.571N	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.571N	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.571P	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.571P	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.571Q	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.571Q	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.571R	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.571R	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.571S	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.571S	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.572	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS	ICD-10-CM	S52.572	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS
Fractures / Falls	S52.572A	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.572A	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.572B	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.572B	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.572C	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.572C	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.572D	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.572D	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.572E	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.572E	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.572F	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.572F	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.572G	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.572G	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.572H	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.572H	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.572J	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.572J	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.572K	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.572K	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.572M	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.572M	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.572N	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.572N	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.572P	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.572P	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.572Q	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.572Q	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.572R	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.572R	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.572S	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.572S	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.579	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.579	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS

Fractures / Falls	S52.579A	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.579A	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.579B	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.579B	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.579C	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.579C	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.579D	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.579D	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.579E	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.579E	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.579F	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.579F	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.579G	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.579G	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.579H	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.579H	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.579J	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.579J	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.579K	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.579K	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.579M	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.579M	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.579N	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.579N	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.579P	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.579P	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.579Q	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.579Q	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.579R	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.579R	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.579S	DX	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.579S	OTHER INTRAARTICULAR FRACTURE OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.59	DX	OTHER FRACTURES OF LOWER END OF RADIUS	ICD-10-CM	S52.59	OTHER FRACTURES OF LOWER END OF RADIUS
Fractures / Falls	S52.591	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS	ICD-10-CM	S52.591	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS
Fractures / Falls	S52.591A	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.591A	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.591B	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.591B	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.591C	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.591C	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.591D	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.591D	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.591E	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.591E	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.591F	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.591F	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.591G	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.591G	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.591H	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.591H	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.591J	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.591J	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.591K	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.591K	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S52.591M	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.591M	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.591N	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.591N	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.591P	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.591P	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.591Q	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.591Q	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.591R	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.591R	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.591S	DX	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SEQUELA	ICD-10-CM	S52.591S	OTHER FRACTURES OF LOWER END OF RIGHT RADIUS, SEQUELA
Fractures / Falls	S52.592	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS	ICD-10-CM	S52.592	OTHER FRACTURES OF LOWER END OF LEFT RADIUS
Fractures / Falls	S52.592A	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.592A	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.592B	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.592B	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.592C	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.592C	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.592D	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.592D	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.592E	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.592E	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.592F	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.592F	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.592G	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.592G	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.592H	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.592H	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.592J	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.592J	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.592K	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.592K	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.592M	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.592M	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.592N	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.592N	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.592P	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.592P	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.592Q	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.592Q	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.592R	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.592R	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.592S	DX	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SEQUELA	ICD-10-CM	S52.592S	OTHER FRACTURES OF LOWER END OF LEFT RADIUS, SEQUELA
Fractures / Falls	S52.599	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS	ICD-10-CM	S52.599	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS
Fractures / Falls	S52.599A	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.599A	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.599B	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.599B	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.599C	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.599C	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.599D	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.599D	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.599E	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.599E	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.599F	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.599F	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.599G	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.599G	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.599H	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.599H	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.599J	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.599J	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.599K	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.599K	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.599M	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.599M	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.599N	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.599N	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.599P	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.599P	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.599Q	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.599Q	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.599R	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.599R	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.599S	DX	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA	ICD-10-CM	S52.599S	OTHER FRACTURES OF LOWER END OF UNSPECIFIED RADIUS, SEQUELA
Fractures / Falls	S52.6	DX	FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S52.6	FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S52.60	DX	UNSPECIFIED FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S52.60	UNSPECIFIED FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S52.601	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA	ICD-10-CM	S52.601	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA
Fractures / Falls	S52.601A	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.601A	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.601B	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.601B	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.601C	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.601C	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.601D	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.601D	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.601E	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.601E	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.601F	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.601F	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.601G	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.601G	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.601H	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.601H	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.601J	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.601J	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.601K	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.601K	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.601M	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.601M	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.601N	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.601N	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.601P	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.601P	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.601Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.601Q	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.601R	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.601R	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.601S	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.601S	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA

Fractures / Falls	S52.602	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA	ICD-10-CM	S52.602	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA
Fractures / Falls	S52.602A	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.602A	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.602B	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.602B	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.602C	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.602C	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.602D	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.602D	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.602E	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.602E	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.602F	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.602F	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.602G	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.602G	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.602H	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.602H	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.602J	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.602J	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.602K	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.602K	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.602M	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.602M	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.602N	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.602N	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.602P	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.602P	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.602Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.602Q	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.602R	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.602R	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.602S	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.602S	UNSPECIFIED FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.609	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.609	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.609A	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.609A	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.609B	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.609B	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.609C	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.609C	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.609D	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.609D	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.609E	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.609E	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.609F	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.609F	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.609G	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.609G	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.609H	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.609H	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.609J	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.609J	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.609K	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.609K	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.609M	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.609M	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.609N	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.609N	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S52.609P	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.609P	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.609Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.609Q	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.609R	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.609R	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.609S	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.609S	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.61	DX	FRACTURE OF ULNA STYLOID PROCESS	ICD-10-CM	S52.61	FRACTURE OF ULNA STYLOID PROCESS
Fractures / Falls	S52.611	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS	ICD-10-CM	S52.611	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS
Fractures / Falls	S52.611A	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.611A	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.611B	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.611B	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.611C	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.611C	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.611D	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.611D	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.611E	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.611E	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.611F	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.611F	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.611G	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.611G	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.611H	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.611H	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.611J	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.611J	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.611K	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.611K	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.611M	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.611M	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.611N	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.611N	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.611P	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.611P	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.611Q	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.611Q	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.611R	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.611R	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.611S	DX	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.611S	DISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.612	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS	ICD-10-CM	S52.612	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS
Fractures / Falls	S52.612A	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.612A	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.612B	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.612B	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.612C	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.612C	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.612D	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.612D	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.612E	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.612E	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.612F	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.612F	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.612G	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.612G	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S52.612H	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.612H	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.612J	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.612J	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.612K	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.612K	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.612M	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.612M	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.612N	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.612N	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.612P	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.612P	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.612Q	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.612Q	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.612R	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.612R	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.612S	DX	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.612S	DISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.613	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS	ICD-10-CM	S52.613	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS
Fractures / Falls	S52.613A	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.613A	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.613B	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.613B	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.613C	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.613C	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.613D	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.613D	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.613E	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.613E	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.613F	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.613F	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.613G	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.613G	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.613H	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.613H	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.613J	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.613J	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.613K	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.613K	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.613M	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.613M	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.613N	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.613N	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.613P	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.613P	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.613Q	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.613Q	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.613R	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.613R	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.613S	DX	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.613S	DISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.614	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS	ICD-10-CM	S52.614	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS
Fractures / Falls	S52.614A	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.614A	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.614B	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.614B	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S52.614C	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.614C	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.614D	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.614D	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.614E	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.614E	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.614F	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.614F	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.614G	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.614G	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.614H	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.614H	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.614J	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.614J	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.614K	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.614K	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.614M	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.614M	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.614N	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.614N	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.614P	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.614P	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.614Q	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.614Q	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.614R	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.614R	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.614S	DX	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.614S	NONDISPLACED FRACTURE OF RIGHT ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.615	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS	ICD-10-CM	S52.615	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS
Fractures / Falls	S52.615A	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.615A	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.615B	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.615B	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.615C	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.615C	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.615D	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.615D	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.615E	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.615E	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.615F	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.615F	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.615G	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.615G	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.615H	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.615H	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.615J	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.615J	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.615K	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.615K	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.615M	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.615M	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.615N	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.615N	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.615P	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.615P	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.615Q	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.615Q	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S52.615R	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.615R	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.615S	DX	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.615S	NONDISPLACED FRACTURE OF LEFT ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.616	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS	ICD-10-CM	S52.616	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS
Fractures / Falls	S52.616A	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.616A	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.616B	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.616B	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.616C	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.616C	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.616D	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.616D	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.616E	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.616E	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.616F	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.616F	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.616G	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.616G	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.616H	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.616H	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.616J	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.616J	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.616K	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.616K	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.616M	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.616M	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.616N	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.616N	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.616P	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.616P	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.616Q	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.616Q	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.616R	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.616R	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.616S	DX	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SEQUELA	ICD-10-CM	S52.616S	NONDISPLACED FRACTURE OF UNSPECIFIED ULNA STYLOID PROCESS, SEQUELA
Fractures / Falls	S52.62	DX	TORUS FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S52.62	TORUS FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S52.621	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA	ICD-10-CM	S52.621	TORUS FRACTURE OF LOWER END OF RIGHT ULNA
Fractures / Falls	S52.621A	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.621A	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.621D	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.621D	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.621G	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.621G	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.621K	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.621K	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.621P	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.621P	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.621S	DX	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.621S	TORUS FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.622	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA	ICD-10-CM	S52.622	TORUS FRACTURE OF LOWER END OF LEFT ULNA
Fractures / Falls	S52.622A	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.622A	TORUS FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.622D	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.622D	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.622G	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.622G	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.622K	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.622K	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S52.622P	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.622P	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.622S	DX	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.622S	TORUS FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.629	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.629	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.629A	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.629A	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.629D	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.629D	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.629G	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.629G	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.629K	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S52.629K	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52.629P	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S52.629P	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S52.629S	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.629S	TORUS FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.69	DX	OTHER FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S52.69	OTHER FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S52.691	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA	ICD-10-CM	S52.691	OTHER FRACTURE OF LOWER END OF RIGHT ULNA
Fractures / Falls	S52.691A	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.691A	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.691B	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.691B	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.691C	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.691C	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.691D	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.691D	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.691E	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.691E	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.691F	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.691F	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.691G	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.691G	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.691H	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.691H	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.691J	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.691J	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.691K	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.691K	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.691M	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.691M	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.691N	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.691N	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.691P	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.691P	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.691Q	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.691Q	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.691R	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.691R	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.691S	DX	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA	ICD-10-CM	S52.691S	OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA
Fractures / Falls	S52.692	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA	ICD-10-CM	S52.692	OTHER FRACTURE OF LOWER END OF LEFT ULNA
Fractures / Falls	S52.692A	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.692A	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.692B	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.692B	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.692C	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.692C	OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.692D	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.692D	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.692E	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.692E	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S52.692F	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.692F	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.692G	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.692G	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.692H	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.692H	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.692J	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.692J	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.692K	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.692K	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.692M	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.692M	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.692N	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.692N	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.692P	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.692P	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.692Q	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.692Q	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.692R	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.692R	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.692S	DX	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA	ICD-10-CM	S52.692S	OTHER FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA
Fractures / Falls	S52.699	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA	ICD-10-CM	S52.699	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA
Fractures / Falls	S52.699A	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.699A	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.699B	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.699B	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.699C	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.699C	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.699D	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.699D	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.699E	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.699E	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.699F	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.699F	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.699G	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.699G	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.699H	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.699H	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.699J	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.699J	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.699K	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.699K	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.699M	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.699M	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.699N	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.699N	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.699P	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.699P	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.699Q	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.699Q	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.699R	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.699R	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.699S	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM	S52.699S	OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA
Fractures / Falls	S52.9	DX	UNSPECIFIED FRACTURE OF FOREARM	ICD-10-CM	S52.9	UNSPECIFIED FRACTURE OF FOREARM
Fractures / Falls	S52.90	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM	ICD-10-CM	S52.90	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM

Fractures / Falls	S52.90XA	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.90XA	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.90XB	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.90XB	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.90XC	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.90XC	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.90XD	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.90XD	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.90XE	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.90XE	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.90XF	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.90XF	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.90XG	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.90XG	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.90XH	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.90XH	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.90XJ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.90XJ	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.90XK	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.90XK	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.90XM	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.90XM	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.90XN	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.90XN	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.90XP	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.90XP	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.90XQ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.90XQ	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.90XR	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.90XR	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.90XS	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SEQUELA	ICD-10-CM	S52.90XS	UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, SEQUELA
Fractures / Falls	S52.91	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM	ICD-10-CM	S52.91	UNSPECIFIED FRACTURE OF RIGHT FOREARM
Fractures / Falls	S52.91XA	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.91XA	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.91XB	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.91XB	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.91XC	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.91XC	UNSPECIFIED FRACTURE OF RIGHT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.91XD	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.91XD	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.91XE	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.91XE	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.91XF	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.91XF	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.91XG	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.91XG	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.91XH	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.91XH	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.91XJ	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.91XJ	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.91XK	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.91XK	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.91XM	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.91XM	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.91XN	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.91XN	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.91XP	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.91XP	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.91XQ	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.91XQ	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.91XR	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.91XR	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION

Fractures / Falls	S52.91XS	DX	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SEQUELA	ICD-10-CM	S52.91XS	UNSPECIFIED FRACTURE OF RIGHT FOREARM, SEQUELA
Fractures / Falls	S52.92	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM	ICD-10-CM	S52.92	UNSPECIFIED FRACTURE OF LEFT FOREARM
Fractures / Falls	S52.92XA	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S52.92XA	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S52.92XB	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S52.92XB	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S52.92XC	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S52.92XC	UNSPECIFIED FRACTURE OF LEFT FOREARM, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S52.92XD	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52.92XD	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S52.92XE	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S52.92XE	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S52.92XF	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S52.92XF	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S52.92XG	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S52.92XG	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S52.92XH	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S52.92XH	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S52.92XJ	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S52.92XJ	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S52.92XK	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S52.92XK	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S52.92XM	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S52.92XM	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S52.92XN	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S52.92XN	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S52.92XP	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S52.92XP	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S52.92XQ	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S52.92XQ	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S52.92XR	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S52.92XR	UNSPECIFIED FRACTURE OF LEFT FOREARM, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S52.92XS	DX	UNSPECIFIED FRACTURE OF LEFT FOREARM, SEQUELA	ICD-10-CM	S52.92XS	UNSPECIFIED FRACTURE OF LEFT FOREARM, SEQUELA
Fractures / Falls	S59.0	DX	PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.0	PHYSEAL FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S59.00	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.00	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S59.001	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S59.001	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM
Fractures / Falls	S59.001A	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.001A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.001D	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.001D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.001G	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.001G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.001K	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.001K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.001P	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.001P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.001S	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S59.001S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S59.002	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S59.002	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM
Fractures / Falls	S59.002A	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.002A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.002D	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.002D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.002G	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.002G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.002K	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.002K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.002P	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.002P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.002S	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S59.002S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA

Fractures / Falls	S59.009	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S59.009	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S59.009A	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.009A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.009D	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.009D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.009G	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.009G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.009K	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.009K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.009P	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.009P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.009S	DX	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.009S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S59.01	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.01	SALTER
Fractures / Falls	S59.011	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S59.011	SALTER
Fractures / Falls	S59.011A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.011A	SALTER
Fractures / Falls	S59.011D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.011D	SALTER
Fractures / Falls	S59.011G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.011G	SALTER
Fractures / Falls	S59.011K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.011K	SALTER
Fractures / Falls	S59.011P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.011P	SALTER
Fractures / Falls	S59.011S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S59.011S	SALTER
Fractures / Falls	S59.012	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S59.012	SALTER
Fractures / Falls	S59.012A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.012A	SALTER

Fractures / Falls	S59.012D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.012D	SALTER
Fractures / Falls	S59.012G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.012G	SALTER
Fractures / Falls	S59.012K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.012K	SALTER
Fractures / Falls	S59.012P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.012P	SALTER
Fractures / Falls	S59.012S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S59.012S	SALTER
Fractures / Falls	S59.019	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S59.019	SALTER
Fractures / Falls	S59.019A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.019A	SALTER
Fractures / Falls	S59.019D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.019D	SALTER
Fractures / Falls	S59.019G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.019G	SALTER
Fractures / Falls	S59.019K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.019K	SALTER
Fractures / Falls	S59.019P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.019P	SALTER

Fractures / Falls	S59.019S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.019S	SALTER
Fractures / Falls	S59.02	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.02	SALTER
Fractures / Falls	S59.021	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S59.021	SALTER
Fractures / Falls	S59.021A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.021A	SALTER
Fractures / Falls	S59.021D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.021D	SALTER
Fractures / Falls	S59.021G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.021G	SALTER
Fractures / Falls	S59.021K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.021K	SALTER
Fractures / Falls	S59.021P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.021P	SALTER
Fractures / Falls	S59.021S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S59.021S	SALTER
Fractures / Falls	S59.022	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S59.022	SALTER
Fractures / Falls	S59.022A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.022A	SALTER
Fractures / Falls	S59.022D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.022D	SALTER

Fractures / Falls	S59.022G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.022G	SALTER
Fractures / Falls	S59.022K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.022K	SALTER
Fractures / Falls	S59.022P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.022P	SALTER
Fractures / Falls	S59.022S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S59.022S	SALTER
Fractures / Falls	S59.029	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S59.029	SALTER
Fractures / Falls	S59.029A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.029A	SALTER
Fractures / Falls	S59.029D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.029D	SALTER
Fractures / Falls	S59.029G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.029G	SALTER
Fractures / Falls	S59.029K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.029K	SALTER
Fractures / Falls	S59.029P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.029P	SALTER
Fractures / Falls	S59.029S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.029S	SALTER
Fractures / Falls	S59.03	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.03	SALTER

Fractures / Falls	S59.031	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S59.031	SALTER	
Fractures / Falls	S59.031A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.031A	SALTER	
Fractures / Falls	S59.031D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.031D	SALTER	
Fractures / Falls	S59.031G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.031G	SALTER	
Fractures / Falls	S59.031K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.031K	SALTER	
Fractures / Falls	S59.031P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.031P	SALTER	
Fractures / Falls	S59.031S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S59.031S	SALTER	
Fractures / Falls	S59.032	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S59.032	SALTER	
Fractures / Falls	S59.032A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.032A	SALTER	
Fractures / Falls	S59.032D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.032D	SALTER	
Fractures / Falls	S59.032G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.032G	SALTER	

Fractures / Falls	S59.032K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.032K	SALTER
Fractures / Falls	S59.032P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.032P	SALTER
Fractures / Falls	S59.032S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S59.032S	SALTER
Fractures / Falls	S59.039	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S59.039	SALTER
Fractures / Falls	S59.039A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.039A	SALTER
Fractures / Falls	S59.039D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.039D	SALTER
Fractures / Falls	S59.039G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.039G	SALTER
Fractures / Falls	S59.039K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.039K	SALTER
Fractures / Falls	S59.039P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.039P	SALTER
Fractures / Falls	S59.039S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.039S	SALTER
Fractures / Falls	S59.04	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA	ICD-10-CM	S59.04	SALTER
Fractures / Falls	S59.041	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM	ICD-10-CM	S59.041	SALTER

Fractures / Falls	S59.041A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.041A	SALTER
Fractures / Falls	S59.041D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.041D	SALTER
Fractures / Falls	S59.041G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.041G	SALTER
Fractures / Falls	S59.041K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.041K	SALTER
Fractures / Falls	S59.041P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.041P	SALTER
Fractures / Falls	S59.041S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA	ICD-10-CM	S59.041S	SALTER
Fractures / Falls	S59.042	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM	ICD-10-CM	S59.042	SALTER
Fractures / Falls	S59.042A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.042A	SALTER
Fractures / Falls	S59.042D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.042D	SALTER
Fractures / Falls	S59.042G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.042G	SALTER
Fractures / Falls	S59.042K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.042K	SALTER

Fractures / Falls	S59.042P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.042P	SALTER
Fractures / Falls	S59.042S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA	ICD-10-CM	S59.042S	SALTER
Fractures / Falls	S59.049	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM	ICD-10-CM	S59.049	SALTER
Fractures / Falls	S59.049A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.049A	SALTER
Fractures / Falls	S59.049D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.049D	SALTER
Fractures / Falls	S59.049G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.049G	SALTER
Fractures / Falls	S59.049K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.049K	SALTER
Fractures / Falls	S59.049P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.049P	SALTER
Fractures / Falls	S59.049S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.049S	SALTER
Fractures / Falls	S59.09	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.09	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA
Fractures / Falls	S59.091	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.091	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM
Fractures / Falls	S59.091A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.091A	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.091D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.091D	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.091G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.091G	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.091K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.091K	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.091P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.091P	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.091S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.091S	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, RIGHT ARM, SEQUELA
Fractures / Falls	S59.092	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.092	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM

Fractures / Falls	S59.092A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.092A	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.092D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.092D	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.092G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.092G	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.092K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.092K	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.092P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.092P	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.092S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.092S	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, LEFT ARM, SEQUELA
Fractures / Falls	S59.099	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.099	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM
Fractures / Falls	S59.099A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.099A	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.099D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.099D	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.099G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.099G	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.099K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.099K	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.099P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.099P	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.099S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.099S	OTHER PHYSEAL FRACTURE OF LOWER END OF ULNA, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S59.1	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.1	PHYSEAL FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S59.10	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.10	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S59.101	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.101	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM
Fractures / Falls	S59.101A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.101A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.101D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.101D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.101G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.101G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.101K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.101K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.101P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.101P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.101S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.101S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S59.102	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.102	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM
Fractures / Falls	S59.102A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.102A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.102D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.102D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.102G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.102G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.102K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.102K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.102P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.102P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.102S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.102S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S59.109	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.109	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S59.109A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.109A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.109D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.109D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S59.109G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.109G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.109K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.109K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.109P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.109P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.109S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.109S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S59.11	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.11	SALTER
Fractures / Falls	S59.111	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.111	SALTER
Fractures / Falls	S59.111A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.111A	SALTER
Fractures / Falls	S59.111D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.111D	SALTER
Fractures / Falls	S59.111G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.111G	SALTER
Fractures / Falls	S59.111K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.111K	SALTER
Fractures / Falls	S59.111P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.111P	SALTER
Fractures / Falls	S59.111S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.111S	SALTER
Fractures / Falls	S59.112	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.112	SALTER
Fractures / Falls	S59.112A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.112A	SALTER

Fractures / Falls	S59.112D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.112D	SALTER
Fractures / Falls	S59.112G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.112G	SALTER
Fractures / Falls	S59.112K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.112K	SALTER
Fractures / Falls	S59.112P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.112P	SALTER
Fractures / Falls	S59.112S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.112S	SALTER
Fractures / Falls	S59.119	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.119	SALTER
Fractures / Falls	S59.119A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.119A	SALTER
Fractures / Falls	S59.119D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.119D	SALTER
Fractures / Falls	S59.119G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.119G	SALTER
Fractures / Falls	S59.119K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.119K	SALTER
Fractures / Falls	S59.119P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.119P	SALTER

Fractures / Falls	S59.119S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.119S	SALTER
Fractures / Falls	S59.12	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.12	SALTER
Fractures / Falls	S59.121	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.121	SALTER
Fractures / Falls	S59.121A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.121A	SALTER
Fractures / Falls	S59.121D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.121D	SALTER
Fractures / Falls	S59.121G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.121G	SALTER
Fractures / Falls	S59.121K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.121K	SALTER
Fractures / Falls	S59.121P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.121P	SALTER
Fractures / Falls	S59.121S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.121S	SALTER
Fractures / Falls	S59.122	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.122	SALTER
Fractures / Falls	S59.122A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.122A	SALTER
Fractures / Falls	S59.122D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.122D	SALTER

Fractures / Falls	S59.122G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.122G	SALTER
Fractures / Falls	S59.122K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.122K	SALTER
Fractures / Falls	S59.122P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.122P	SALTER
Fractures / Falls	S59.122S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.122S	SALTER
Fractures / Falls	S59.129	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.129	SALTER
Fractures / Falls	S59.129A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.129A	SALTER
Fractures / Falls	S59.129D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.129D	SALTER
Fractures / Falls	S59.129G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.129G	SALTER
Fractures / Falls	S59.129K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.129K	SALTER
Fractures / Falls	S59.129P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.129P	SALTER
Fractures / Falls	S59.129S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS-HARRIS TYPE II PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.129S	SALTER
Fractures / Falls	S59.13	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.13	SALTER

Fractures / Falls	S59.131	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.131	SALTER	
Fractures / Falls	S59.131A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.131A	SALTER	
Fractures / Falls	S59.131D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.131D	SALTER	
Fractures / Falls	S59.131G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.131G	SALTER	
Fractures / Falls	S59.131K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.131K	SALTER	
Fractures / Falls	S59.131P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.131P	SALTER	
Fractures / Falls	S59.131S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.131S	SALTER	
Fractures / Falls	S59.132	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.132	SALTER	
Fractures / Falls	S59.132A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.132A	SALTER	
Fractures / Falls	S59.132D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.132D	SALTER	
Fractures / Falls	S59.132G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.132G	SALTER	

Fractures / Falls	S59.132K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.132K	SALTER
Fractures / Falls	S59.132P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.132P	SALTER
Fractures / Falls	S59.132S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.132S	SALTER
Fractures / Falls	S59.139	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.139	SALTER
Fractures / Falls	S59.139A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.139A	SALTER
Fractures / Falls	S59.139D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.139D	SALTER
Fractures / Falls	S59.139G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.139G	SALTER
Fractures / Falls	S59.139K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.139K	SALTER
Fractures / Falls	S59.139P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.139P	SALTER
Fractures / Falls	S59.139S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS-HARRIS TYPE III PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.139S	SALTER
Fractures / Falls	S59.14	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS	ICD-10-CM	S59.14	SALTER
Fractures / Falls	S59.141	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.141	SALTER

Fractures / Falls	S59.141A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.141A	SALTER
Fractures / Falls	S59.141D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.141D	SALTER
Fractures / Falls	S59.141G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.141G	SALTER
Fractures / Falls	S59.141K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.141K	SALTER
Fractures / Falls	S59.141P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.141P	SALTER
Fractures / Falls	S59.141S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.141S	SALTER
Fractures / Falls	S59.142	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.142	SALTER
Fractures / Falls	S59.142A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.142A	SALTER
Fractures / Falls	S59.142D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.142D	SALTER
Fractures / Falls	S59.142G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.142G	SALTER
Fractures / Falls	S59.142K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.142K	SALTER

Fractures / Falls	S59.142P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.142P	SALTER
Fractures / Falls	S59.142S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.142S	SALTER
Fractures / Falls	S59.149	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.149	SALTER
Fractures / Falls	S59.149A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.149A	SALTER
Fractures / Falls	S59.149D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.149D	SALTER
Fractures / Falls	S59.149G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.149G	SALTER
Fractures / Falls	S59.149K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.149K	SALTER
Fractures / Falls	S59.149P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.149P	SALTER
Fractures / Falls	S59.149S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS-HARRIS TYPE IV PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.149S	SALTER
Fractures / Falls	S59.19	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.19	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS
Fractures / Falls	S59.191	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.191	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM
Fractures / Falls	S59.191A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.191A	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.191D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.191D	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.191G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.191G	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.191K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.191K	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.191P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.191P	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.191S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.191S	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S59.192	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.192	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM

Fractures / Falls	S59.192A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.192A	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.192D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.192D	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.192G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.192G	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.192K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.192K	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.192P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.192P	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.192S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.192S	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S59.199	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.199	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S59.199A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.199A	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.199D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.199D	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.199G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.199G	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.199K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.199K	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.199P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.199P	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.199S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S59.199S	OTHER PHYSEAL FRACTURE OF UPPER END OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S59.2	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.2	PHYSEAL FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S59.20	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.20	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S59.201	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.201	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM
Fractures / Falls	S59.201A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.201A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.201D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.201D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.201G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.201G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.201K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.201K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.201P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.201P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.201S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.201S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S59.202	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.202	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM
Fractures / Falls	S59.202A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.202A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.202D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.202D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.202G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.202G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.202K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.202K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.202P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.202P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.202S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.202S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S59.209	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.209	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S59.209A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.209A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.209D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.209D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S59.209G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.209G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.209K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.209K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.209P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	S59.209P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.209S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	S59.209S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S59.21	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S59.21	SALTER
Fractures / Falls	S59.211	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.211	SALTER
Fractures / Falls	S59.211A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.211A	SALTER
Fractures / Falls	S59.211D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.211D	SALTER
Fractures / Falls	S59.211G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.211G	SALTER
Fractures / Falls	S59.211K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.211K	SALTER
Fractures / Falls	S59.211P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.211P	SALTER
Fractures / Falls	S59.211S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.211S	SALTER
Fractures / Falls	S59.212	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.212	SALTER
Fractures / Falls	S59.212A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.212A	SALTER

Fractures / Falls	S59.212D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.212D	SALTER
Fractures / Falls	S59.212G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.212G	SALTER
Fractures / Falls	S59.212K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.212K	SALTER
Fractures / Falls	S59.212P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.212P	SALTER
Fractures / Falls	S59.212S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.212S	SALTER
Fractures / Falls	S59.219	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.219	SALTER
Fractures / Falls	S59.219A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.219A	SALTER
Fractures / Falls	S59.219D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.219D	SALTER
Fractures / Falls	S59.219G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.219G	SALTER
Fractures / Falls	S59.219K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.219K	SALTER
Fractures / Falls	S59.219P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.219P	SALTER

Fractures / Falls	S59.219S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.219S	SALTER
Fractures / Falls	S59.22	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S59.22	SALTER
Fractures / Falls	S59.221	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.221	SALTER
Fractures / Falls	S59.221A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.221A	SALTER
Fractures / Falls	S59.221D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.221D	SALTER
Fractures / Falls	S59.221G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.221G	SALTER
Fractures / Falls	S59.221K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.221K	SALTER
Fractures / Falls	S59.221P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.221P	SALTER
Fractures / Falls	S59.221S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.221S	SALTER
Fractures / Falls	S59.222	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.222	SALTER
Fractures / Falls	S59.222A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.222A	SALTER
Fractures / Falls	S59.222D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.222D	SALTER

Fractures / Falls	S59.222G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.222G	SALTER
Fractures / Falls	S59.222K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.222K	SALTER
Fractures / Falls	S59.222P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.222P	SALTER
Fractures / Falls	S59.222S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.222S	SALTER
Fractures / Falls	S59.229	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.229	SALTER
Fractures / Falls	S59.229A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.229A	SALTER
Fractures / Falls	S59.229D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.229D	SALTER
Fractures / Falls	S59.229G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.229G	SALTER
Fractures / Falls	S59.229K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.229K	SALTER
Fractures / Falls	S59.229P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.229P	SALTER
Fractures / Falls	S59.229S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.229S	SALTER
Fractures / Falls	S59.23	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S59.23	SALTER

Fractures / Falls	S59.231	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.231	SALTER
Fractures / Falls	S59.231A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.231A	SALTER
Fractures / Falls	S59.231D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.231D	SALTER
Fractures / Falls	S59.231G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.231G	SALTER
Fractures / Falls	S59.231K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.231K	SALTER
Fractures / Falls	S59.231P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.231P	SALTER
Fractures / Falls	S59.231S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.231S	SALTER
Fractures / Falls	S59.232	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.232	SALTER
Fractures / Falls	S59.232A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.232A	SALTER
Fractures / Falls	S59.232D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.232D	SALTER
Fractures / Falls	S59.232G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.232G	SALTER

Fractures / Falls	S59.232K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.232K	SALTER	
Fractures / Falls	S59.232P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.232P	SALTER	
Fractures / Falls	S59.232S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.232S	SALTER	
Fractures / Falls	S59.239	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.239	SALTER	
Fractures / Falls	S59.239A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.239A	SALTER	
Fractures / Falls	S59.239D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.239D	SALTER	
Fractures / Falls	S59.239G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.239G	SALTER	
Fractures / Falls	S59.239K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.239K	SALTER	
Fractures / Falls	S59.239P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.239P	SALTER	
Fractures / Falls	S59.239S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.239S	SALTER	
Fractures / Falls	S59.24	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS	ICD-10-CM	S59.24	SALTER	
Fractures / Falls	S59.241	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM	ICD-10-CM	S59.241	SALTER	

Fractures / Falls	S59.241A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.241A	SALTER
Fractures / Falls	S59.241D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.241D	SALTER
Fractures / Falls	S59.241G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.241G	SALTER
Fractures / Falls	S59.241K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.241K	SALTER
Fractures / Falls	S59.241P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.241P	SALTER
Fractures / Falls	S59.241S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA	ICD-10-CM	S59.241S	SALTER
Fractures / Falls	S59.242	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM	ICD-10-CM	S59.242	SALTER
Fractures / Falls	S59.242A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.242A	SALTER
Fractures / Falls	S59.242D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.242D	SALTER
Fractures / Falls	S59.242G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.242G	SALTER
Fractures / Falls	S59.242K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.242K	SALTER

Fractures / Falls	S59.242P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.242P	SALTER
Fractures / Falls	S59.242S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA	ICD-10-CM	S59.242S	SALTER
Fractures / Falls	S59.249	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM	ICD-10-CM	S59.249	SALTER
Fractures / Falls	S59.249A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.249A	SALTER
Fractures / Falls	S59.249D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.249D	SALTER
Fractures / Falls	S59.249G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.249G	SALTER
Fractures / Falls	S59.249K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.249K	SALTER
Fractures / Falls	S59.249P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.249P	SALTER
Fractures / Falls	S59.249S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA	ICD-10-CM	S59.249S	SALTER
Fractures / Falls	S59.29	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.29	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS
Fractures / Falls	S59.291	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.291	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM
Fractures / Falls	S59.291A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.291A	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.291D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.291D	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.291G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.291G	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.291K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S59.291K	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.291P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S59.291P	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.291S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.291S	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, RIGHT ARM, SEQUELA
Fractures / Falls	S59.292	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.292	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM

Fractures / Falls	S59.292A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.292A	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.292D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.292D	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.292G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.292G	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.292K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S59.292K	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.292P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S59.292P	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.292S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S59.292S	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, LEFT ARM, SEQUELA
Fractures / Falls	S59.299	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S59.299	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM
Fractures / Falls	S59.299A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S59.299A	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S59.299D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S59.299D	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S59.299G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S59.299G	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S59.299K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S59.299K	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S59.299P	DX	FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S59.299P	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S59.299S	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S59.299S	OTHER PHYSEAL FRACTURE OF LOWER END OF RADIUS, UNSPECIFIED ARM, SEQUELA
Fractures / Falls	S72.0	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.0	FRACTURE OF HEAD AND NECK OF FEMUR
Fractures / Falls	S72.00	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.00	FRACTURE OF UNSPECIFIED PART OF NECK OF FEMUR
Fractures / Falls	S72.001	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.001	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR
Fractures / Falls	S72.001A	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.001A	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.001B	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.001B	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.001C	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S72.001C	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.001D	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S72.001D	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.001E	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.001E	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.001F	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.001F	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.001G	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.001G	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.001H	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.001H	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.001J	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.001J	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.001K	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S72.001K	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.001M	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S72.001M	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.001N	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.001N	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.001P	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.001P	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.001Q	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.001Q	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.001R	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.001R	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.001S	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.001S	FRACTURE OF UNSPECIFIED PART OF NECK OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.002	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S72.002	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR

Fractures / Falls	S72.002A	DX	OTHER FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S72.002A	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.002B	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.002B	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.002C	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.002C	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.002D	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.002D	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.002E	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.002E	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.002F	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.002F	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.002G	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S72.002G	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.002H	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S72.002H	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.002J	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.002J	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.002K	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.002K	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.002M	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.002M	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.002N	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.002N	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.002P	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.002P	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.002Q	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S72.002Q	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.002R	DX	FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S72.002R	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.002S	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S72.002S	FRACTURE OF UNSPECIFIED PART OF NECK OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.009	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.009	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR
Fractures / Falls	S72.009A	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.009A	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.009B	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.009B	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.009C	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.009C	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.009D	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.009D	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.009E	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S72.009E	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.009F	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S72.009F	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.009G	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.009G	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.009H	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.009H	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.009J	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.009J	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.009K	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.009K	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.009M	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.009M	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.009N	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S72.009N	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.009P	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S72.009P	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.009Q	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.009Q	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.009R	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.009R	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.009S	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.009S	FRACTURE OF UNSPECIFIED PART OF NECK OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.01	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.01	UNSPECIFIED INTRACAPSULAR FRACTURE OF FEMUR
Fractures / Falls	S72.011	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.011	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.011A	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S72.011A	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.011B	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA	ICD-10-CM	S72.011B	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.011C	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.011C	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.011D	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.011D	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.011E	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.011E	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.011F	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.011F	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.011G	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.011G	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.011H	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S72.011H	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.011J	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S72.011J	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.011K	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.011K	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.011M	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.011M	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.011N	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.011N	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.011P	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.011P	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.011Q	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.011Q	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.011R	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S72.011R	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.011S	DX	FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.011S	UNSPECIFIED INTRACAPSULAR FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.012	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.012	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.012A	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.012A	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.012B	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.012B	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.012C	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.012C	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S72.012D	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.012D	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.012E	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.012E	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.012F	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S72.012F	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.012G	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.012G	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.012H	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.012H	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.012J	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.012J	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.012K	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.012K	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.012M	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.012M	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.012N	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.012N	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.012P	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S72.012P	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.012Q	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.012Q	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.012R	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.012R	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.012S	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.012S	UNSPECIFIED INTRACAPSULAR FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.019	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.019	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.019A	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.019A	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.019B	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.019B	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.019C	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S72.019C	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.019D	DX	OTHER FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.019D	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.019E	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.019E	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.019F	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.019F	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.019G	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.019G	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.019H	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.019H	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.019J	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.019J	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.019K	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S72.019K	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.019M	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S72.019M	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.019N	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.019N	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.019P	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.019P	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.019Q	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.019Q	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.019R	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.019R	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.019S	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.019S	UNSPECIFIED INTRACAPSULAR FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.02	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S72.02	FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF FEMUR
Fractures / Falls	S72.021	DX	FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.021	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR
Fractures / Falls	S72.021A	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.021A	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.021B	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.021B	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.021C	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.021C	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.021D	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.021D	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.021E	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.021E	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.021F	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.021F	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.021G	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S72.021G	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.021H	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.021H	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.021J	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.021J	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.021K	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.021K	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.021M	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.021M	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.021N	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.021N	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.021P	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.021P	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.021Q	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S72.021Q	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.021R	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.021R	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.021S	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.021S	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.022	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.022	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR
Fractures / Falls	S72.022A	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.022A	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.022B	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.022B	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.022C	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.022C	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.022D	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S72.022D	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.022E	DX	OTHER FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.022E	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.022F	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.022F	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.022G	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.022G	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.022H	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.022H	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.022J	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.022J	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.022K	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.022K	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.022M	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S72.022M	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.022N	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S72.022N	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.022P	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.022P	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.022Q	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S72.022Q	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.022R	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.022R	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.022S	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.022S	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.023	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.023	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR
Fractures / Falls	S72.023A	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S72.023A	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.023B	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.023B	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.023C	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.023C	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.023D	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.023D	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.023E	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.023E	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.023F	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.023F	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.023G	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.023G	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.023H	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.023H	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.023J	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.023J	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.023K	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.023K	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.023M	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.023M	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.023N	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.023N	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.023P	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.023P	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.023Q	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.023Q	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.023R	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.023R	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.023S	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.023S	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.024	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR	ICD-10-CM	S72.024	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR
Fractures / Falls	S72.024A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.024A	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.024B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.024B	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.024C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.024C	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.024D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.024D	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.024E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.024E	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.024F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.024F	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.024G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.024G	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.024H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.024H	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.024J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.024J	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.024K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.024K	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.024M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.024M	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.024N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.024N	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.024P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.024P	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.024Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.024Q	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.024R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.024R	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.024S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.024S	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.025	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR	ICD-10-CM	S72.025	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR
Fractures / Falls	S72.025A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.025A	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.025B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.025B	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.025C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.025C	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.025D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.025D	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.025E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.025E	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.025F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.025F	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.025G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.025G	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.025H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.025H	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.025J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.025J	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.025K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.025K	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.025M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.025M	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.025N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.025N	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.025P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.025P	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.025Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.025Q	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.025R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.025R	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.025S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.025S	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.026	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR	ICD-10-CM	S72.026	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR
Fractures / Falls	S72.026A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.026A	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.026B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.026B	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.026C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.026C	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.026D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.026D	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.026E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.026E	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.026F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.026F	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.026G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.026G	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.026H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.026H	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.026J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.026J	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.026K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.026K	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.026M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.026M	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.026N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.026N	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.026P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.026P	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.026Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.026Q	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.026R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.026R	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.026S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.026S	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.03	DX	MIDCERVICAL FRACTURE OF FEMUR	ICD-10-CM	S72.03	MIDCERVICAL FRACTURE OF FEMUR
Fractures / Falls	S72.031	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.031	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.031A	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.031A	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.031B	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.031B	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.031C	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.031C	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.031D	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.031D	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.031E	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.031E	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.031F	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.031F	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.031G	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.031G	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.031H	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.031H	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.031J	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.031J	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.031K	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.031K	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.031M	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.031M	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.031N	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.031N	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.031P	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.031P	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.031Q	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.031Q	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.031R	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.031R	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.031S	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.031S	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.032	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.032	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.032A	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.032A	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.032B	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.032B	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.032C	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.032C	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.032D	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.032D	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.032E	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.032E	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.032F	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.032F	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.032G	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.032G	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.032H	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.032H	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.032J	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.032J	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.032K	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.032K	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.032M	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.032M	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.032N	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.032N	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.032P	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.032P	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.032Q	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.032Q	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.032R	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.032R	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.032S	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.032S	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.033	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.033	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.033A	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.033A	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.033B	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.033B	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.033C	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.033C	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.033D	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.033D	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.033E	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.033E	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.033F	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.033F	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.033G	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.033G	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.033H	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.033H	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.033J	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.033J	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.033K	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.033K	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.033M	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.033M	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.033N	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.033N	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.033P	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.033P	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.033Q	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.033Q	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.033R	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.033R	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.033S	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.033S	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.034	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.034	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.034A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.034A	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.034B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.034B	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.034C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.034C	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.034D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.034D	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.034E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.034E	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.034F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.034F	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.034G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.034G	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.034H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.034H	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.034J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.034J	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.034K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.034K	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.034M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.034M	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.034N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.034N	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.034P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.034P	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.034Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.034Q	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.034R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.034R	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.034S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.034S	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.035	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.035	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.035A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.035A	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.035B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.035B	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.035C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.035C	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.035D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.035D	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.035E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.035E	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.035F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.035F	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.035G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.035G	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.035H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.035H	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.035J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.035J	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.035K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.035K	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.035M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.035M	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.035N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.035N	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.035P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.035P	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.035Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.035Q	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.035R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.035R	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.035S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.035S	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.036	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.036	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR

Fractures / Falls	S72.036A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.036A	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.036B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.036B	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.036C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.036C	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.036D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.036D	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.036E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.036E	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.036F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.036F	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.036G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.036G	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.036H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.036H	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.036J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.036J	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.036K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.036K	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.036M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.036M	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.036N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.036N	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.036P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.036P	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.036Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.036Q	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.036R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.036R	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.036S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.036S	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.04	DX	FRACTURE OF BASE OF NECK OF FEMUR	ICD-10-CM	S72.04	FRACTURE OF BASE OF NECK OF FEMUR
Fractures / Falls	S72.041	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR	ICD-10-CM	S72.041	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR
Fractures / Falls	S72.041A	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.041A	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.041B	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.041B	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.041C	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.041C	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.041D	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.041D	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.041E	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.041E	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.041F	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.041F	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.041G	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.041G	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.041H	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.041H	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.041J	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.041J	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.041K	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.041K	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.041M	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.041M	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.041N	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.041N	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.041P	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.041P	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.041Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.041Q	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.041R	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.041R	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.041S	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.041S	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.042	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR	ICD-10-CM	S72.042	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR
Fractures / Falls	S72.042A	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.042A	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.042B	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.042B	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.042C	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.042C	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.042D	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.042D	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.042E	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.042E	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.042F	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.042F	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.042G	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.042G	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.042H	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.042H	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.042J	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.042J	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.042K	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.042K	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.042M	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.042M	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.042N	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.042N	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.042P	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.042P	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.042Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.042Q	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.042R	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.042R	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.042S	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.042S	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.043	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR	ICD-10-CM	S72.043	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR
Fractures / Falls	S72.043A	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.043A	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.043B	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.043B	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.043C	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.043C	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.043D	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.043D	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.043E	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.043E	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.043F	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.043F	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.043G	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.043G	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.043H	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.043H	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.043J	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.043J	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.043K	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.043K	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.043M	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.043M	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.043N	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.043N	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.043P	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.043P	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.043Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.043Q	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.043R	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.043R	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.043S	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.043S	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.044	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR	ICD-10-CM	S72.044	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR
Fractures / Falls	S72.044A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.044A	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.044B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.044B	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.044C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.044C	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.044D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.044D	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.044E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.044E	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.044F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.044F	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.044G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.044G	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.044H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.044H	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.044J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.044J	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.044K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.044K	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.044M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.044M	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.044N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.044N	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.044P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.044P	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.044Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.044Q	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.044R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.044R	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.044S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.044S	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.045	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR	ICD-10-CM	S72.045	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR
Fractures / Falls	S72.045A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.045A	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S72.045B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.045B	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.045C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.045C	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.045D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.045D	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.045E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.045E	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.045F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.045F	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.045G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.045G	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.045H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.045H	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.045J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.045J	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.045K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.045K	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.045M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.045M	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.045N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.045N	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.045P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.045P	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.045Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.045Q	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.045R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.045R	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.045S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.045S	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.046	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR	ICD-10-CM	S72.046	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR
Fractures / Falls	S72.046A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.046A	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.046B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.046B	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.046C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.046C	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.046D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.046D	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.046E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.046E	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.046F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.046F	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.046G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.046G	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.046H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.046H	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.046J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.046J	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.046K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.046K	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.046M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.046M	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.046N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.046N	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.046P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.046P	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.046Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.046Q	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.046R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.046R	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.046S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.046S	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.05	DX	UNSPECIFIED FRACTURE OF HEAD OF FEMUR	ICD-10-CM	S72.05	UNSPECIFIED FRACTURE OF HEAD OF FEMUR
Fractures / Falls	S72.051	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	S72.051	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR
Fractures / Falls	S72.051A	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.051A	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.051B	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.051B	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.051C	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.051C	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.051D	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.051D	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.051E	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.051E	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.051F	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.051F	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.051G	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.051G	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.051H	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.051H	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.051J	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.051J	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.051K	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.051K	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.051M	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.051M	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.051N	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.051N	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.051P	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.051P	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.051Q	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.051Q	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.051R	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.051R	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.051S	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.051S	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.052	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	S72.052	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR
Fractures / Falls	S72.052A	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.052A	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.052B	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.052B	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.052C	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.052C	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.052D	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.052D	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.052E	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.052E	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.052F	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.052F	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.052G	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.052G	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.052H	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.052H	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.052J	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.052J	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.052K	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.052K	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.052M	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.052M	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.052N	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.052N	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.052P	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.052P	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.052Q	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.052Q	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.052R	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.052R	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.052S	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.052S	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.059	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	S72.059	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR
Fractures / Falls	S72.059A	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.059A	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.059B	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.059B	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.059C	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.059C	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.059D	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.059D	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.059E	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.059E	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.059F	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.059F	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.059G	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.059G	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.059H	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.059H	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.059J	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.059J	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.059K	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.059K	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.059M	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.059M	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.059N	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.059N	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.059P	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.059P	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.059Q	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.059Q	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.059R	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.059R	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.059S	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.059S	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.06	DX	ARTICULAR FRACTURE OF HEAD OF FEMUR	ICD-10-CM	S72.06	ARTICULAR FRACTURE OF HEAD OF FEMUR
Fractures / Falls	S72.061	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	S72.061	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR
Fractures / Falls	S72.061A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.061A	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.061B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.061B	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.061C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.061C	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.061D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.061D	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.061E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.061E	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.061F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.061F	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.061G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.061G	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.061H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.061H	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.061J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.061J	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.061K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.061K	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.061M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.061M	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.061N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.061N	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.061P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.061P	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.061Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.061Q	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.061R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.061R	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.061S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.061S	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.062	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	S72.062	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR
Fractures / Falls	S72.062A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.062A	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.062B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.062B	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.062C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.062C	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.062D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.062D	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.062E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.062E	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.062F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.062F	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.062G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.062G	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.062H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.062H	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.062J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.062J	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.062K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.062K	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.062M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.062M	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.062N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.062N	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.062P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.062P	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.062Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.062Q	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.062R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.062R	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.062S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.062S	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.063	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	S72.063	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR

Fractures / Falls	S72.063A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.063A	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.063B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.063B	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.063C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.063C	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.063D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.063D	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.063E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.063E	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.063F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.063F	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.063G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.063G	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.063H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.063H	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.063J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.063J	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.063K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.063K	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.063M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.063M	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.063N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.063N	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.063P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.063P	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.063Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.063Q	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.063R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.063R	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.063S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.063S	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.064	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	S72.064	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR
Fractures / Falls	S72.064A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.064A	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.064B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.064B	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.064C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.064C	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.064D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.064D	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.064E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.064E	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.064F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.064F	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.064G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.064G	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.064H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.064H	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.064J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.064J	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.064K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.064K	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.064M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.064M	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.064N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.064N	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.064P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.064P	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.064Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.064Q	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.064R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.064R	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.064S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.064S	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.065	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	S72.065	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR
Fractures / Falls	S72.065A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.065A	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.065B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.065B	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.065C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.065C	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.065D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.065D	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.065E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.065E	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.065F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.065F	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.065G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.065G	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.065H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.065H	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.065J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.065J	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.065K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.065K	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.065M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.065M	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.065N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.065N	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.065P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.065P	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.065Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.065Q	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.065R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.065R	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.065S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.065S	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.066	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	S72.066	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR
Fractures / Falls	S72.066A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.066A	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.066B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.066B	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.066C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.066C	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.066D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.066D	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.066E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.066E	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.066F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.066F	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.066G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.066G	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.066H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.066H	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.066J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.066J	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.066K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.066K	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.066M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.066M	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.066N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.066N	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.066P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.066P	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.066Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.066Q	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.066R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.066R	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.066S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.066S	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.09	DX	OTHER FRACTURE OF HEAD AND NECK OF FEMUR	ICD-10-CM	S72.09	OTHER FRACTURE OF HEAD AND NECK OF FEMUR
Fractures / Falls	S72.091	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR	ICD-10-CM	S72.091	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR
Fractures / Falls	S72.091A	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.091A	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.091B	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.091B	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.091C	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.091C	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.091D	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.091D	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.091E	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.091E	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.091F	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.091F	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.091G	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.091G	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.091H	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.091H	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.091J	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.091J	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.091K	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.091K	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.091M	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.091M	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.091N	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.091N	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.091P	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.091P	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.091Q	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.091Q	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.091R	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.091R	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.091S	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.091S	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.092	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR	ICD-10-CM	S72.092	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR

Fractures / Falls	S72.092A	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.092A	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.092B	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.092B	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.092C	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.092C	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.092D	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.092D	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.092E	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.092E	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.092F	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.092F	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.092G	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.092G	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.092H	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.092H	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.092J	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.092J	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.092K	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.092K	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.092M	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.092M	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.092N	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.092N	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.092P	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.092P	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.092Q	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.092Q	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.092R	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.092R	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.092S	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.092S	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.099	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR	ICD-10-CM	S72.099	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR
Fractures / Falls	S72.099A	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.099A	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.099B	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.099B	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.099C	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.099C	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.099D	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.099D	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.099E	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.099E	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.099F	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.099F	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.099G	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.099G	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.099H	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.099H	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.099J	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.099J	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.099K	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.099K	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.099M	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.099M	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.099N	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.099N	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.099P	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.099P	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.099Q	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.099Q	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.099R	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.099R	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.099S	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.099S	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.1	DX	PERTROCHANTERIC FRACTURE	ICD-10-CM	S72.1	PERTROCHANTERIC FRACTURE
Fractures / Falls	S72.10	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	S72.10	UNSPECIFIED TROCHANTERIC FRACTURE OF FEMUR
Fractures / Falls	S72.101	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.101	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.101A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.101A	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.101B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.101B	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.101C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.101C	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.101D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.101D	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.101E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.101E	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.101F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.101F	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.101G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.101G	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.101H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.101H	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.101J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.101J	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.101K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.101K	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.101M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.101M	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.101N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.101N	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.101P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.101P	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.101Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.101Q	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.101R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.101R	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.101S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.101S	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.102	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.102	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.102A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.102A	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.102B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.102B	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.102C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.102C	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.102D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.102D	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.102E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.102E	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.102F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.102F	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.102G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.102G	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.102H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.102H	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.102J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.102J	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.102K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.102K	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.102M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.102M	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.102N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.102N	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.102P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.102P	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.102Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.102Q	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.102R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.102R	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.102S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.102S	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.109	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.109	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.109A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.109A	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.109B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.109B	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.109C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.109C	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.109D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.109D	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.109E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.109E	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.109F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.109F	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.109G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.109G	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.109H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.109H	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.109J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.109J	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.109K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.109K	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.109M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.109M	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.109N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.109N	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.109P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.109P	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.109Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.109Q	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.109R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.109R	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.109S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.109S	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA

Fractures / Falls	S72.11	DX	FRACTURE OF GREATER TROCHANTER OF FEMUR	ICD-10-CM	S72.11	FRACTURE OF GREATER TROCHANTER OF FEMUR
Fractures / Falls	S72.111	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	S72.111	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR
Fractures / Falls	S72.111A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.111A	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.111B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.111B	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.111C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.111C	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.111D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.111D	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.111E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.111E	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.111F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.111F	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.111G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.111G	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.111H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.111H	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.111J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.111J	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.111K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.111K	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.111M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.111M	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.111N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.111N	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.111P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.111P	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.111Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.111Q	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.111R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.111R	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.111S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.111S	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.112	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR	ICD-10-CM	S72.112	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR
Fractures / Falls	S72.112A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.112A	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.112B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.112B	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.112C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.112C	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.112D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.112D	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.112E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.112E	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.112F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.112F	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.112G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.112G	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.112H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.112H	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.112J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.112J	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.112K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.112K	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.112M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.112M	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.112N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.112N	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.112P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.112P	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.112Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.112Q	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.112R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.112R	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.112S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.112S	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.113	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	S72.113	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR
Fractures / Falls	S72.113A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.113A	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.113B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.113B	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.113C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.113C	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.113D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.113D	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.113E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.113E	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.113F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.113F	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.113G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.113G	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.113H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.113H	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.113J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.113J	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.113K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.113K	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.113M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.113M	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.113N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.113N	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.113P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.113P	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.113Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.113Q	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.113R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.113R	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.113S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.113S	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.114	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	S72.114	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR
Fractures / Falls	S72.114A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.114A	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.114B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.114B	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.114C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.114C	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.114D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.114D	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.114E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.114E	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.114F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.114F	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.114G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.114G	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.114H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.114H	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.114J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.114J	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.114K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.114K	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.114M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.114M	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.114N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.114N	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.114P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.114P	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.114Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.114Q	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.114R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.114R	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.114S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.114S	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.115	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR	ICD-10-CM	S72.115	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR
Fractures / Falls	S72.115A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.115A	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.115B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.115B	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.115C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.115C	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.115D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.115D	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.115E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.115E	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.115F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.115F	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.115G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.115G	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.115H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.115H	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.115J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.115J	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.115K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.115K	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.115M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.115M	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.115N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.115N	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.115P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.115P	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.115Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.115Q	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.115R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.115R	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.115S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.115S	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.116	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	S72.116	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR
Fractures / Falls	S72.116A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.116A	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.116B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.116B	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.116C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.116C	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.116D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.116D	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.116E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.116E	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.116F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.116F	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.116G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.116G	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.116H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.116H	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.116J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.116J	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.116K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.116K	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.116M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.116M	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.116N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.116N	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.116P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.116P	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.116Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.116Q	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.116R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.116R	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.116S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.116S	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.12	DX	FRACTURE OF LESSER TROCHANTER OF FEMUR	ICD-10-CM	S72.12	FRACTURE OF LESSER TROCHANTER OF FEMUR
Fractures / Falls	S72.121	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	S72.121	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR
Fractures / Falls	S72.121A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.121A	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.121B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.121B	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.121C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.121C	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.121D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.121D	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.121E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.121E	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.121F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.121F	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.121G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.121G	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.121H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.121H	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.121J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.121J	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.121K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.121K	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.121M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.121M	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.121N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.121N	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.121P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.121P	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.121Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.121Q	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.121R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.121R	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.121S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.121S	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.122	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR	ICD-10-CM	S72.122	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR
Fractures / Falls	S72.122A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.122A	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.122B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.122B	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.122C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.122C	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.122D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.122D	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.122E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.122E	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.122F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.122F	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.122G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.122G	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.122H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.122H	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.122J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.122J	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.122K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.122K	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.122M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.122M	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.122N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.122N	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.122P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.122P	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.122Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.122Q	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.122R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.122R	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.122S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.122S	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.123	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	S72.123	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR
Fractures / Falls	S72.123A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.123A	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S72.123B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.123B	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.123C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.123C	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.123D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.123D	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.123E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.123E	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.123F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.123F	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.123G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.123G	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.123H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.123H	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.123J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.123J	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.123K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.123K	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.123M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.123M	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.123N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.123N	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.123P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.123P	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.123Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.123Q	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.123R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.123R	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.123S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.123S	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.124	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	S72.124	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR
Fractures / Falls	S72.124A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.124A	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.124B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.124B	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.124C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.124C	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.124D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.124D	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.124E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.124E	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.124F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.124F	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.124G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.124G	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.124H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.124H	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.124J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.124J	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.124K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.124K	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.124M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.124M	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.124N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.124N	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.124P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.124P	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.124Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.124Q	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.124R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.124R	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.124S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.124S	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.125	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR	ICD-10-CM	S72.125	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR
Fractures / Falls	S72.125A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.125A	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.125B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.125B	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.125C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.125C	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.125D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.125D	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.125E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.125E	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.125F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.125F	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.125G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.125G	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.125H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.125H	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.125J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.125J	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.125K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.125K	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.125M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.125M	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.125N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.125N	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.125P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.125P	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.125Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.125Q	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.125R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.125R	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.125S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.125S	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.126	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	S72.126	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR
Fractures / Falls	S72.126A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.126A	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.126B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.126B	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.126C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.126C	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.126D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.126D	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.126E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.126E	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.126F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.126F	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.126G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.126G	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.126H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.126H	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.126J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.126J	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.126K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.126K	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.126M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.126M	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.126N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.126N	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.126P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.126P	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.126Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.126Q	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.126R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.126R	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.126S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.126S	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.13	DX	APOPHYSEAL FRACTURE OF FEMUR	ICD-10-CM	S72.13	APOPHYSEAL FRACTURE OF FEMUR
Fractures / Falls	S72.131	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.131	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.131A	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.131A	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.131B	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.131B	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.131C	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.131C	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.131D	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.131D	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.131E	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.131E	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.131F	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.131F	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.131G	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.131G	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.131H	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.131H	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.131J	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.131J	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.131K	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.131K	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.131M	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.131M	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.131N	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.131N	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.131P	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.131P	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.131Q	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.131Q	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.131R	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.131R	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.131S	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.131S	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.132	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.132	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.132A	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.132A	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.132B	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.132B	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.132C	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.132C	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.132D	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.132D	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.132E	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.132E	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.132F	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.132F	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.132G	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.132G	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.132H	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.132H	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.132J	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.132J	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.132K	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.132K	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.132M	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.132M	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.132N	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.132N	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.132P	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.132P	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.132Q	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.132Q	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.132R	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.132R	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.132S	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.132S	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.133	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.133	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.133A	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.133A	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.133B	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.133B	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.133C	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.133C	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.133D	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.133D	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.133E	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.133E	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.133F	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.133F	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.133G	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.133G	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.133H	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.133H	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.133J	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.133J	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.133K	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.133K	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.133M	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.133M	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.133N	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.133N	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.133P	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.133P	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.133Q	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.133Q	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.133R	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.133R	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.133S	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.133S	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.134	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.134	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.134A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.134A	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.134B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.134B	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.134C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.134C	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.134D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.134D	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.134E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.134E	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.134F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.134F	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.134G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.134G	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.134H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.134H	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.134J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.134J	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.134K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.134K	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.134M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.134M	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.134N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.134N	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.134P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.134P	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.134Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.134Q	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.134R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.134R	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.134S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.134S	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.135	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.135	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.135A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.135A	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.135B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.135B	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.135C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.135C	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.135D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.135D	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.135E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.135E	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.135F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.135F	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.135G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.135G	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.135H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.135H	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.135J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.135J	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.135K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.135K	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.135M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.135M	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.135N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.135N	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.135P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.135P	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.135Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.135Q	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.135R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.135R	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.135S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.135S	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.136	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.136	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.136A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.136A	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.136B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.136B	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.136C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.136C	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.136D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.136D	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.136E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.136E	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.136F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.136F	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.136G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.136G	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.136H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.136H	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.136J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.136J	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.136K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.136K	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.136M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.136M	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.136N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.136N	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.136P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.136P	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.136Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.136Q	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.136R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.136R	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.136S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.136S	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.14	DX	INTERTROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	S72.14	INTERTROCHANTERIC FRACTURE OF FEMUR
Fractures / Falls	S72.141	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.141	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR

Fractures / Falls	S72.141A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.141A	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.141B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.141B	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.141C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.141C	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.141D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.141D	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.141E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.141E	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.141F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.141F	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.141G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.141G	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.141H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.141H	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.141J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.141J	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.141K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.141K	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.141M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.141M	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.141N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.141N	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.141P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.141P	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.141Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.141Q	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.141R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.141R	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.141S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.141S	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.142	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.142	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.142A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.142A	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.142B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.142B	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.142C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.142C	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.142D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.142D	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.142E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.142E	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.142F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.142F	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.142G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.142G	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.142H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.142H	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.142J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.142J	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.142K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.142K	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.142M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.142M	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.142N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.142N	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.142P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.142P	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.142Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.142Q	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.142R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.142R	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.142S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.142S	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.143	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.143	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.143A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.143A	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.143B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.143B	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.143C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.143C	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.143D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.143D	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.143E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.143E	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.143F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.143F	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.143G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.143G	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.143H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.143H	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.143J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.143J	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.143K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.143K	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.143M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.143M	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.143N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.143N	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.143P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.143P	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.143Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.143Q	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.143R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.143R	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.143S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.143S	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.144	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.144	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.144A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.144A	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.144B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.144B	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.144C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.144C	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.144D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.144D	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.144E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.144E	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.144F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.144F	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.144G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.144G	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.144H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.144H	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.144J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.144J	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.144K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.144K	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.144M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.144M	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.144N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.144N	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.144P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.144P	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.144Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.144Q	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.144R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.144R	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.144S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.144S	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.145	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.145	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.145A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.145A	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.145B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.145B	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.145C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.145C	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.145D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.145D	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.145E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.145E	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.145F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.145F	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.145G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.145G	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.145H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.145H	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.145J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.145J	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.145K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.145K	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.145M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.145M	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.145N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.145N	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.145P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.145P	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.145Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.145Q	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.145R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.145R	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.145S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.145S	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.146	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.146	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.146A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.146A	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.146B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.146B	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.146C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.146C	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.146D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.146D	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.146E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.146E	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.146F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.146F	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.146G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.146G	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.146H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.146H	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.146J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.146J	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.146K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.146K	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.146M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.146M	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.146N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.146N	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.146P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.146P	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.146Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.146Q	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.146R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.146R	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.146S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.146S	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.2	DX	SUBTROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	S72.2	SUBTROCHANTERIC FRACTURE OF FEMUR
Fractures / Falls	S72.21	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.21	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.21XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.21XA	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.21XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.21XB	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.21XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.21XC	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.21XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.21XD	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.21XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.21XE	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.21XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.21XF	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.21XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.21XG	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.21XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.21XH	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.21XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.21XJ	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.21XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.21XK	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.21XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.21XM	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.21XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.21XN	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.21XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.21XP	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.21XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.21XQ	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.21XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.21XR	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.21XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.21XS	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.22	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.22	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.22XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.22XA	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.22XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.22XB	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.22XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.22XC	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.22XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.22XD	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.22XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.22XE	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.22XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.22XF	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.22XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.22XG	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.22XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.22XH	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.22XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.22XJ	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.22XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.22XK	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.22XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.22XM	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.22XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.22XN	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.22XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.22XP	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.22XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.22XQ	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.22XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.22XR	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.22XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.22XS	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.23	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.23	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.23XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.23XA	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.23XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.23XB	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.23XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.23XC	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.23XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.23XD	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.23XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.23XE	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.23XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.23XF	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.23XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.23XG	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.23XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.23XH	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.23XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.23XJ	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.23XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.23XK	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.23XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.23XM	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.23XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.23XN	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.23XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.23XP	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.23XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.23XQ	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.23XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.23XR	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.23XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.23XS	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.24	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.24	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.24XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.24XA	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.24XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.24XB	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.24XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.24XC	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S72.24XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.24XD	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.24XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.24XE	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.24XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.24XF	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.24XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.24XG	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.24XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.24XH	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.24XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.24XJ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.24XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.24XK	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.24XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.24XM	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.24XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.24XN	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.24XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.24XP	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.24XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.24XQ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.24XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.24XR	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.24XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.24XS	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.25	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.25	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.25XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.25XA	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.25XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.25XB	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.25XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.25XC	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.25XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.25XD	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.25XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.25XE	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.25XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.25XF	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.25XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.25XG	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.25XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.25XH	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.25XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.25XJ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.25XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.25XK	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.25XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.25XM	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.25XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.25XN	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.25XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.25XP	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.25XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.25XQ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.25XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.25XR	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.25XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.25XS	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.26	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.26	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.26XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.26XA	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.26XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.26XB	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.26XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.26XC	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.26XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.26XD	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.26XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.26XE	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.26XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.26XF	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.26XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.26XG	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.26XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.26XH	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.26XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.26XJ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.26XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.26XK	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.26XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.26XM	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.26XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.26XN	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.26XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.26XP	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.26XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.26XQ	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.26XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.26XR	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.26XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.26XS	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.3	DX	FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.3	FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.30	DX	UNSPECIFIED FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.30	UNSPECIFIED FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.301	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.301	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.301A	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.301A	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.301B	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.301B	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.301C	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.301C	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.301D	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.301D	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.301E	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.301E	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.301F	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.301F	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.301G	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.301G	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.301H	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.301H	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.301J	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.301J	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.301K	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.301K	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.301M	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.301M	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.301N	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.301N	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.301P	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.301P	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.301Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.301Q	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.301R	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.301R	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.301S	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.301S	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.302	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.302	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.302A	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.302A	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.302B	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.302B	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.302C	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.302C	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.302D	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.302D	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.302E	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.302E	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.302F	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.302F	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.302G	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.302G	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.302H	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.302H	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.302J	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.302J	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.302K	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.302K	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.302M	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.302M	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.302N	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.302N	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.302P	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.302P	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.302Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.302Q	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.302R	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.302R	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.302S	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.302S	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.309	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.309	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.309A	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.309A	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.309B	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.309B	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.309C	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.309C	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.309D	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.309D	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.309E	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.309E	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.309F	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.309F	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.309G	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.309G	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.309H	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.309H	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.309J	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.309J	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.309K	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.309K	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.309M	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.309M	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.309N	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.309N	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.309P	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.309P	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.309Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.309Q	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.309R	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.309R	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.309S	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.309S	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.32	DX	TRANSVERSE FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.32	TRANSVERSE FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.321	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.321	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.321A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.321A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.321B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.321B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.321C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.321C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.321D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.321D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.321E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.321E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.321F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.321F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.321G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.321G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.321H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.321H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.321J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.321J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.321K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.321K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.321M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.321M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.321N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.321N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.321P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.321P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.321Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.321Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.321R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.321R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.321S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.321S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.322	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.322	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.322A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.322A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.322B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.322B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.322C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.322C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.322D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.322D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.322E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.322E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.322F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.322F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.322G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.322G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.322H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.322H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.322J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.322J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.322K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.322K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.322M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.322M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.322N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.322N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.322P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.322P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.322Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.322Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.322R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.322R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.322S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.322S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.323	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.323	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.323A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.323A	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.323B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.323B	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.323C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.323C	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.323D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.323D	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.323E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.323E	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.323F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.323F	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.323G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.323G	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S72.323H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.323H	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.323J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.323J	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.323K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.323K	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.323M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.323M	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.323N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.323N	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.323P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.323P	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.323Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.323Q	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.323R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.323R	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.323S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.323S	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.324	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.324	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.324A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.324A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.324B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.324B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.324C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.324C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.324D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.324D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.324E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.324E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.324F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.324F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.324G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.324G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.324H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.324H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.324J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.324J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.324K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.324K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.324M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.324M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.324N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.324N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.324P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.324P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.324Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.324Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.324R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.324R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.324S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.324S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.325	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.325	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR

Fractures / Falls	S72.325A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.325A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.325B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.325B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.325C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.325C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.325D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.325D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.325E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.325E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.325F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.325F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.325G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.325G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.325H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.325H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.325J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.325J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.325K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.325K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.325M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.325M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.325N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.325N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.325P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.325P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.325Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.325Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.325R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.325R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.325S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.325S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.326	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.326	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.326A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.326A	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.326B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.326B	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.326C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.326C	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.326D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.326D	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.326E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.326E	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.326F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.326F	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.326G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.326G	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.326H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.326H	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.326J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.326J	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.326K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.326K	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.326M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.326M	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.326N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.326N	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.326P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.326P	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.326Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.326Q	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.326R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.326R	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.326S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.326S	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.33	DX	OBLIQUE FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.33	OBLIQUE FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.331	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.331	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.331A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.331A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.331B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.331B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.331C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.331C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.331D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.331D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.331E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.331E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.331F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.331F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.331G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.331G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.331H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.331H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.331J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.331J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.331K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.331K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.331M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.331M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.331N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.331N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.331P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.331P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.331Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.331Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.331R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.331R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.331S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.331S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.332	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.332	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.332A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.332A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.332B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.332B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.332C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.332C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.332D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.332D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.332E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.332E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.332F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.332F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.332G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.332G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.332H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.332H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.332J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.332J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.332K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.332K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.332M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.332M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.332N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.332N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.332P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.332P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.332Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.332Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.332R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.332R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.332S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.332S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.333	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.333	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.333A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.333A	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.333B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.333B	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.333C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.333C	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.333D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.333D	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.333E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.333E	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.333F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.333F	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.333G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.333G	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.333H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.333H	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.333J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.333J	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.333K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.333K	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.333M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.333M	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.333N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.333N	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.333P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.333P	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.333Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.333Q	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.333R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.333R	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.333S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.333S	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.334	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.334	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.334A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.334A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.334B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.334B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.334C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.334C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.334D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.334D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.334E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.334E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.334F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.334F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.334G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.334G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.334H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.334H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.334J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.334J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.334K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.334K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.334M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.334M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.334N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.334N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.334P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.334P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.334Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.334Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.334R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.334R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.334S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.334S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.335	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.335	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.335A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.335A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.335B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.335B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.335C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.335C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.335D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.335D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.335E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.335E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.335F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.335F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.335G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.335G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.335H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.335H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.335J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.335J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.335K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.335K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.335M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.335M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.335N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.335N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.335P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.335P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.335Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.335Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.335R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.335R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.335S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.335S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.336	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.336	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.336A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.336A	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.336B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.336B	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.336C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.336C	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.336D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.336D	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.336E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.336E	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.336F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.336F	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.336G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.336G	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.336H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.336H	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.336J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.336J	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.336K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.336K	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.336M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.336M	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.336N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.336N	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.336P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.336P	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.336Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.336Q	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.336R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.336R	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.336S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.336S	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.34	DX	SPIRAL FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.34	SPIRAL FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.341	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.341	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR

Fractures / Falls	S72.341A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.341A	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.341B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.341B	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.341C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.341C	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.341D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.341D	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.341E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.341E	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.341F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.341F	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.341G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.341G	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.341H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.341H	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.341J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.341J	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.341K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.341K	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.341M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.341M	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.341N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.341N	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.341P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.341P	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.341Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.341Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.341R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.341R	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.341S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.341S	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.342	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.342	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.342A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.342A	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.342B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.342B	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.342C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.342C	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.342D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.342D	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.342E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.342E	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.342F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.342F	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.342G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.342G	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.342H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.342H	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.342J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.342J	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.342K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.342K	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.342M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.342M	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.342N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.342N	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.342P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.342P	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.342Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.342Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.342R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.342R	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.342S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.342S	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.343	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.343	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.343A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.343A	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.343B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.343B	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.343C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.343C	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.343D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.343D	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.343E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.343E	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.343F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.343F	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.343G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.343G	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.343H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.343H	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.343J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.343J	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.343K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.343K	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.343M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.343M	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.343N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.343N	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.343P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.343P	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.343Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.343Q	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.343R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.343R	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.343S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.343S	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.344	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.344	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.344A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.344A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.344B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.344B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.344C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.344C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.344D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.344D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.344E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.344E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.344F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.344F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.344G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.344G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.344H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.344H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.344J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.344J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.344K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.344K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.344M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.344M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.344N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.344N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.344P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.344P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.344Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.344Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.344R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.344R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.344S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.344S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.345	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.345	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.345A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.345A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.345B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.345B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.345C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.345C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.345D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.345D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.345E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.345E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.345F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.345F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.345G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.345G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.345H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.345H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.345J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.345J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.345K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.345K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.345M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.345M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.345N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.345N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.345P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.345P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.345Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.345Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.345R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.345R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.345S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.345S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.346	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.346	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR

Fractures / Falls	S72.346A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.346A	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.346B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.346B	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.346C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.346C	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.346D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.346D	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.346E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.346E	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.346F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.346F	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.346G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.346G	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.346H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.346H	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.346J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.346J	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.346K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.346K	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.346M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.346M	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.346N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.346N	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.346P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.346P	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.346Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.346Q	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.346R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.346R	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.346S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.346S	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.35	DX	COMMINUTED FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.35	COMMINUTED FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.351	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.351	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.351A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.351A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.351B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.351B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.351C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.351C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.351D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.351D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.351E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.351E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.351F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.351F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.351G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.351G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.351H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.351H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.351J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.351J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.351K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.351K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.351M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.351M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.351N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.351N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.351P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.351P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.351Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.351Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.351R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.351R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.351S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.351S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.352	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.352	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.352A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.352A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.352B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.352B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.352C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.352C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.352D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.352D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.352E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.352E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.352F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.352F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.352G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.352G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.352H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.352H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.352J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.352J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.352K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.352K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.352M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.352M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.352N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.352N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.352P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.352P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.352Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.352Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.352R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.352R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.352S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.352S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.353	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.353	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.353A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.353A	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.353B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.353B	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.353C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.353C	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.353D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.353D	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.353E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.353E	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.353F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.353F	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.353G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.353G	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.353H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.353H	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.353J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.353J	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.353K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.353K	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.353M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.353M	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.353N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.353N	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.353P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.353P	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.353Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.353Q	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.353R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.353R	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.353S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.353S	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.354	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.354	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.354A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.354A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.354B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.354B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.354C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.354C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.354D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.354D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.354E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.354E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.354F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.354F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.354G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.354G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.354H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.354H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.354J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.354J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.354K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.354K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.354M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.354M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.354N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.354N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.354P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.354P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.354Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.354Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.354R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.354R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.354S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.354S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.355	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.355	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.355A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.355A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.355B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.355B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.355C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.355C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.355D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.355D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.355E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.355E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.355F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.355F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.355G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.355G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.355H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.355H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.355J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.355J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.355K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.355K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.355M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.355M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.355N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.355N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.355P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.355P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.355Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.355Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.355R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.355R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.355S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.355S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.356	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.356	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.356A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.356A	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.356B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.356B	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.356C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.356C	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.356D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.356D	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.356E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.356E	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.356F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.356F	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.356G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.356G	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.356H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.356H	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.356J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.356J	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.356K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.356K	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.356M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.356M	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.356N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.356N	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.356P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.356P	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.356Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.356Q	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.356R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.356R	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.356S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.356S	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.36	DX	SEGMENTAL FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.36	SEGMENTAL FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.361	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.361	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.361A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.361A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.361B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.361B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.361C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.361C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.361D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.361D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.361E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.361E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.361F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.361F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.361G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.361G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.361H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.361H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.361J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.361J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.361K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.361K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.361M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.361M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.361N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.361N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.361P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.361P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.361Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.361Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.361R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.361R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.361S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.361S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.362	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.362	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.362A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.362A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.362B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.362B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.362C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.362C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.362D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.362D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.362E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.362E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.362F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.362F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.362G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.362G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.362H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.362H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.362J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.362J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.362K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.362K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.362M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.362M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.362N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.362N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.362P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.362P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.362Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.362Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.362R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.362R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.362S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.362S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.363	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.363	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.363A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.363A	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.363B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.363B	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.363C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.363C	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.363D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.363D	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.363E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.363E	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.363F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.363F	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.363G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.363G	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.363H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.363H	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.363J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.363J	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING

Fractures / Falls	S72.363K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.363K	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.363M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.363M	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.363N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.363N	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.363P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.363P	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.363Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.363Q	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.363R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.363R	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.363S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.363S	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.364	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.364	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.364A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.364A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.364B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.364B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.364C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.364C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.364D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.364D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.364E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.364E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.364F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.364F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.364G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.364G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.364H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.364H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.364J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.364J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.364K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.364K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.364M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.364M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.364N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.364N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.364P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.364P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.364Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.364Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.364R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.364R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.364S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.364S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.365	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.365	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.365A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.365A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.365B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.365B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.365C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.365C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S72.365D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.365D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.365E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.365E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.365F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.365F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.365G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.365G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.365H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.365H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.365J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.365J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.365K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.365K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.365M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.365M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.365N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.365N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.365P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.365P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.365Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.365Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.365R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.365R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.365S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.365S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.366	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.366	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.366A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.366A	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.366B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.366B	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.366C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.366C	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.366D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.366D	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.366E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.366E	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.366F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.366F	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.366G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.366G	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.366H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.366H	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.366J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.366J	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.366K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.366K	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.366M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.366M	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.366N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.366N	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.366P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.366P	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.366Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.366Q	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.366R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.366R	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.366S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.366S	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.39	DX	OTHER FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	S72.39	OTHER FRACTURE OF SHAFT OF FEMUR
Fractures / Falls	S72.391	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	S72.391	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR
Fractures / Falls	S72.391A	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.391A	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.391B	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.391B	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.391C	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.391C	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.391D	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.391D	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.391E	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.391E	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.391F	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.391F	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.391G	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.391G	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.391H	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.391H	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.391J	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.391J	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.391K	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.391K	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.391M	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.391M	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.391N	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.391N	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.391P	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.391P	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.391Q	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.391Q	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.391R	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.391R	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.391S	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.391S	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.392	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	S72.392	OTHER FRACTURE OF SHAFT OF LEFT FEMUR
Fractures / Falls	S72.392A	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.392A	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.392B	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.392B	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.392C	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.392C	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.392D	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.392D	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.392E	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.392E	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.392F	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.392F	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.392G	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.392G	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.392H	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.392H	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S72.392J	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.392J	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.392K	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.392K	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.392M	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.392M	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.392N	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.392N	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.392P	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.392P	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.392Q	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.392Q	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.392R	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.392R	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.392S	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.392S	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.399	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	S72.399	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR
Fractures / Falls	S72.399A	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.399A	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.399B	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.399B	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.399C	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.399C	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.399D	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.399D	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.399E	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.399E	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.399F	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.399F	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.399G	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.399G	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.399H	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.399H	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.399J	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.399J	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.399K	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.399K	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.399M	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.399M	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.399N	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.399N	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.399P	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.399P	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.399Q	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.399Q	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.399R	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.399R	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.399S	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.399S	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.4	DX	FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S72.4	FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S72.40	DX	UNSPECIFIED FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S72.40	UNSPECIFIED FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S72.401	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.401	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.401A	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.401A	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.401B	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.401B	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.401C	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.401C	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.401D	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.401D	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.401E	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.401E	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.401F	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.401F	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.401G	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.401G	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.401H	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.401H	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.401J	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.401J	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.401K	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.401K	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.401M	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.401M	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.401N	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.401N	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.401P	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.401P	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.401Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.401Q	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.401R	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.401R	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.401S	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.401S	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.402	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.402	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.402A	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.402A	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.402B	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.402B	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.402C	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.402C	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.402D	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.402D	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.402E	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.402E	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.402F	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.402F	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.402G	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.402G	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.402H	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.402H	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.402J	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.402J	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.402K	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.402K	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.402M	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.402M	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.402N	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.402N	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.402P	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.402P	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.402Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.402Q	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.402R	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.402R	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.402S	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.402S	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.409	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.409	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR

Fractures / Falls	S72.409A	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.409A	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.409B	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.409B	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.409C	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.409C	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.409D	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.409D	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.409E	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.409E	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.409F	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.409F	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.409G	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.409G	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.409H	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.409H	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.409J	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.409J	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.409K	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.409K	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.409M	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.409M	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.409N	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.409N	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.409P	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.409P	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.409Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.409Q	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.409R	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.409R	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.409S	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.409S	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.41	DX	UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S72.41	UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S72.411	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.411	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.411A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.411A	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.411B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.411B	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.411C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.411C	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.411D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.411D	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.411E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.411E	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.411F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.411F	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.411G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.411G	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.411H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.411H	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S72.411J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.411J	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.411K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.411K	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.411M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.411M	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.411N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.411N	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.411P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.411P	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.411Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.411Q	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.411R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.411R	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.411S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.411S	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.412	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.412	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.412A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.412A	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.412B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.412B	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.412C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.412C	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.412D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.412D	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.412E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.412E	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.412F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.412F	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.412G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.412G	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.412H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.412H	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.412J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.412J	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.412K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.412K	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.412M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.412M	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.412N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.412N	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.412P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.412P	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.412Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.412Q	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.412R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.412R	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.412S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.412S	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.413	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.413	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR

Fractures / Falls	S72.413A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.413A	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.413B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.413B	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.413C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.413C	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.413D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.413D	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.413E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.413E	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.413F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.413F	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.413G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.413G	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.413H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.413H	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.413J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.413J	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.413K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.413K	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.413M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.413M	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.413N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.413N	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.413P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.413P	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.413Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.413Q	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.413R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.413R	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.413S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.413S	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.414	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.414	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.414A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.414A	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.414B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.414B	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.414C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.414C	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.414D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.414D	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.414E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.414E	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.414F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.414F	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING

Fractures / Falls	S72.414G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.414G	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.414H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.414H	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.414J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.414J	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.414K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.414K	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.414M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.414M	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.414N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.414N	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.414P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.414P	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.414Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.414Q	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.414R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.414R	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.414S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.414S	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.415	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.415	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.415A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.415A	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.415B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.415B	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.415C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.415C	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.415D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.415D	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.415E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.415E	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.415F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.415F	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.415G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.415G	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.415H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.415H	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.415J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.415J	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.415K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.415K	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.415M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.415M	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.415N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.415N	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.415P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.415P	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.415Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.415Q	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.415R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.415R	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.415S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.415S	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.416	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.416	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.416A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.416A	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.416B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.416B	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.416C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.416C	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.416D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.416D	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.416E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.416E	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.416F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.416F	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.416G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.416G	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.416H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.416H	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.416J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.416J	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.416K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.416K	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.416M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.416M	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.416N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.416N	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.416P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.416P	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.416Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.416Q	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.416R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.416R	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.416S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.416S	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.42	DX	FRACTURE OF LATERAL CONDYLE OF FEMUR	ICD-10-CM	S72.42	FRACTURE OF LATERAL CONDYLE OF FEMUR
Fractures / Falls	S72.421	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	S72.421	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR
Fractures / Falls	S72.421A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.421A	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.421B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.421B	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.421C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.421C	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.421D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.421D	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.421E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.421E	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.421F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.421F	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.421G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.421G	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.421H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.421H	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.421J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.421J	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.421K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.421K	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.421M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.421M	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.421N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.421N	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.421P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.421P	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.421Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.421Q	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.421R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.421R	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.421S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.421S	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.422	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR	ICD-10-CM	S72.422	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR
Fractures / Falls	S72.422A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.422A	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.422B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.422B	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.422C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.422C	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.422D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.422D	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.422E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.422E	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.422F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.422F	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.422G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.422G	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.422H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.422H	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.422J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.422J	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.422K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.422K	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.422M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.422M	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.422N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.422N	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.422P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.422P	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.422Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.422Q	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.422R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.422R	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.422S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.422S	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.423	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.423	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.423A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.423A	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.423B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.423B	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.423C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.423C	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.423D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.423D	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.423E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.423E	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.423F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.423F	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.423G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.423G	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.423H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.423H	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.423J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.423J	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.423K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.423K	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.423M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.423M	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.423N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.423N	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.423P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.423P	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.423Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.423Q	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.423R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.423R	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.423S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.423S	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.424	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	S72.424	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR
Fractures / Falls	S72.424A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.424A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.424B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.424B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.424C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.424C	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.424D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.424D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.424E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.424E	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.424F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.424F	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.424G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.424G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING

Fractures / Falls	S72.424H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.424H	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.424J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.424J	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.424K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.424K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.424M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.424M	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.424N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.424N	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.424P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.424P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.424Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.424Q	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.424R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.424R	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.424S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.424S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.425	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR	ICD-10-CM	S72.425	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR
Fractures / Falls	S72.425A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.425A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.425B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.425B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.425C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.425C	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.425D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.425D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.425E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.425E	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.425F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.425F	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.425G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.425G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.425H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.425H	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.425J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.425J	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.425K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.425K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.425M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.425M	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.425N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.425N	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.425P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.425P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.425Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.425Q	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.425R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.425R	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.425S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.425S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.426	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.426	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.426A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.426A	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.426B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.426B	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.426C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.426C	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.426D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.426D	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.426E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.426E	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.426F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.426F	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.426G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.426G	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.426H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.426H	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.426J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.426J	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.426K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.426K	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.426M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.426M	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.426N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.426N	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.426P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.426P	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.426Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.426Q	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.426R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.426R	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.426S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.426S	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.43	DX	FRACTURE OF MEDIAL CONDYLE OF FEMUR	ICD-10-CM	S72.43	FRACTURE OF MEDIAL CONDYLE OF FEMUR
Fractures / Falls	S72.431	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	S72.431	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR
Fractures / Falls	S72.431A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.431A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.431B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.431B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.431C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.431C	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.431D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.431D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.431E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.431E	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.431F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.431F	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.431G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.431G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.431H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.431H	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.431J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.431J	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.431K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.431K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.431M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.431M	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.431N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.431N	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.431P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.431P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.431Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.431Q	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.431R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.431R	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.431S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.431S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.432	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR	ICD-10-CM	S72.432	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR
Fractures / Falls	S72.432A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.432A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.432B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.432B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.432C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.432C	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.432D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.432D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.432E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.432E	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.432F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.432F	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.432G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.432G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.432H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.432H	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.432J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.432J	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.432K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.432K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.432M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.432M	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.432N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.432N	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.432P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.432P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.432Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.432Q	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.432R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.432R	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.432S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.432S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.433	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.433	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.433A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.433A	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.433B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.433B	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.433C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.433C	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.433D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.433D	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.433E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.433E	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.433F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.433F	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.433G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.433G	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.433H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.433H	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING

Fractures / Falls	S72.433J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.433J	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.433K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.433K	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.433M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.433M	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.433N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.433N	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.433P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.433P	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.433Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.433Q	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.433R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.433R	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.433S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.433S	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.434	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	S72.434	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR
Fractures / Falls	S72.434A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.434A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.434B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.434B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.434C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.434C	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.434D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.434D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.434E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.434E	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.434F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.434F	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.434G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.434G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.434H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.434H	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.434J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.434J	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.434K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.434K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.434M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.434M	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.434N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.434N	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.434P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.434P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.434Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.434Q	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.434R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.434R	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.434S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.434S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.435	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR	ICD-10-CM	S72.435	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR
Fractures / Falls	S72.435A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.435A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.435B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.435B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.435C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.435C	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.435D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.435D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.435E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.435E	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.435F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.435F	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.435G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.435G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.435H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.435H	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.435J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.435J	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.435K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.435K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.435M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.435M	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.435N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.435N	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.435P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.435P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.435Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.435Q	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.435R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.435R	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.435S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.435S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.436	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.436	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.436A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.436A	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.436B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.436B	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.436C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.436C	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.436D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.436D	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.436E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.436E	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.436F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.436F	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.436G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.436G	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.436H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.436H	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.436J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.436J	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.436K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.436K	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.436M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.436M	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.436N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.436N	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.436P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.436P	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.436Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.436Q	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.436R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.436R	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.436S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.436S	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.44	DX	FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF FEMUR	ICD-10-CM	S72.44	FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF FEMUR
Fractures / Falls	S72.441	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR	ICD-10-CM	S72.441	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR
Fractures / Falls	S72.441A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.441A	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.441B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.441B	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.441C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.441C	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.441D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.441D	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.441E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.441E	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.441F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.441F	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.441G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.441G	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.441H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.441H	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.441J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.441J	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.441K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.441K	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.441M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.441M	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.441N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.441N	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.441P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.441P	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.441Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.441Q	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.441R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.441R	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.441S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.441S	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.442	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR	ICD-10-CM	S72.442	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR
Fractures / Falls	S72.442A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.442A	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.442B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.442B	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.442C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.442C	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.442D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.442D	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.442E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.442E	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.442F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.442F	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.442G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.442G	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.442H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.442H	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.442J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.442J	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.442K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.442K	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.442M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.442M	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.442N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.442N	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.442P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.442P	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.442Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.442Q	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.442R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.442R	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.442S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.442S	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.443	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR	ICD-10-CM	S72.443	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR
Fractures / Falls	S72.443A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.443A	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.443B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.443B	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.443C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.443C	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.443D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.443D	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.443E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.443E	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.443F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.443F	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.443G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.443G	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.443H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.443H	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.443J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.443J	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.443K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.443K	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.443M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.443M	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION

Fractures / Falls	S72.443N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.443N	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.443P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.443P	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.443Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.443Q	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.443R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.443R	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.443S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.443S	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.444	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR	ICD-10-CM	S72.444	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR
Fractures / Falls	S72.444A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.444A	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.444B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.444B	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.444C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.444C	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.444D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.444D	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.444E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.444E	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.444F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.444F	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.444G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.444G	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.444H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.444H	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.444J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.444J	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.444K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.444K	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.444M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.444M	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.444N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.444N	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.444P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.444P	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.444Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.444Q	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.444R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.444R	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.444S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.444S	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.445	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR	ICD-10-CM	S72.445	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR
Fractures / Falls	S72.445A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.445A	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.445B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.445B	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.445C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.445C	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S72.445D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.445D	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.445E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.445E	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.445F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.445F	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.445G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.445G	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.445H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.445H	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.445J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.445J	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.445K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.445K	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.445M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.445M	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.445N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.445N	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.445P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.445P	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.445Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.445Q	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.445R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.445R	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.445S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.445S	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.446	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR	ICD-10-CM	S72.446	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR
Fractures / Falls	S72.446A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.446A	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.446B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.446B	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.446C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.446C	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.446D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.446D	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.446E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.446E	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.446F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.446F	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.446G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.446G	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.446H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.446H	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.446J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.446J	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.446K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.446K	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION

Fractures / Falls	S72.446M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.446M	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.446N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.446N	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.446P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.446P	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.446Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.446Q	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.446R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.446R	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.446S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.446S	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.45	DX	SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR	ICD-10-CM	S72.45	SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR
Fractures / Falls	S72.451	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.451	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.451A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.451A	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.451B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.451B	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.451C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.451C	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.451D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.451D	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.451E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.451E	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.451F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.451F	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.451G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.451G	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.451H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.451H	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.451J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.451J	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.451K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.451K	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.451M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.451M	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.451N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.451N	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION

Fractures / Falls	S72.451P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.451P	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.451Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.451Q	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.451R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.451R	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.451S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.451S	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.452	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.452	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.452A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.452A	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.452B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.452B	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.452C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.452C	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.452D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.452D	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.452E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.452E	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.452F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.452F	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.452G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.452G	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.452H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.452H	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.452J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.452J	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.452K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.452K	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.452M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.452M	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.452N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.452N	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.452P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.452P	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION

Fractures / Falls	S72.452Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.452Q	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.452R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.452R	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.452S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.452S	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.453	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.453	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.453A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.453A	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.453B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.453B	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.453C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.453C	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.453D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.453D	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.453E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.453E	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.453F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.453F	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.453G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.453G	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.453H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.453H	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.453J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.453J	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.453K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.453K	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.453M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.453M	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.453N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.453N	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.453P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.453P	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.453Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.453Q	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.453R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.453R	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.453S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.453S	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.454	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.454	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.454A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.454A	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.454B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.454B	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.454C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.454C	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.454D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.454D	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.454E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.454E	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.454F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.454F	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.454G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.454G	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.454H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.454H	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.454J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.454J	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.454K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.454K	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.454M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.454M	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.454N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.454N	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.454P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.454P	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.454Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.454Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.454R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.454R	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION

Fractures / Falls	S72.454S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.454S	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.455	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.455	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.455A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.455A	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.455B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.455B	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.455C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.455C	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.455D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.455D	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.455E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.455E	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.455F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.455F	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.455G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.455G	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.455H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.455H	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.455J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.455J	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.455K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.455K	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.455M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.455M	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.455N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.455N	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.455P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.455P	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.455Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.455Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.455R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.455R	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.455S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.455S	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.456	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.456	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR

Fractures / Falls	S72.456A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.456A	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.456B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.456B	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.456C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.456C	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.456D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.456D	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.456E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.456E	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.456F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.456F	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.456G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.456G	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.456H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.456H	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.456J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.456J	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.456K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.456K	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.456M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.456M	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.456N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.456N	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.456P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.456P	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.456Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.456Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.456R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.456R	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.456S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.456S	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.46	DX	SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR	ICD-10-CM	S72.46	SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR
Fractures / Falls	S72.461	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.461	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR

Fractures / Falls	S72.461A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.461A	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.461B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.461B	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.461C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.461C	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.461D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.461D	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.461E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.461E	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.461F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.461F	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.461G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.461G	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.461H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.461H	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.461J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.461J	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.461K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.461K	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.461M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.461M	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.461N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.461N	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.461P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.461P	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.461Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.461Q	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.461R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.461R	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.461S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.461S	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.462	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.462	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.462A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.462A	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S72.462B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.462B	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.462C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.462C	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.462D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.462D	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.462E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.462E	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.462F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.462F	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.462G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.462G	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.462H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.462H	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.462J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.462J	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.462K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.462K	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.462M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.462M	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.462N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.462N	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.462P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.462P	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.462Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.462Q	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.462R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.462R	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.462S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.462S	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.463	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.463	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.463A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.463A	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.463B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.463B	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II

Fractures / Falls	S72.463C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.463C	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.463D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.463D	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.463E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.463E	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.463F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.463F	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.463G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.463G	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.463H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.463H	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.463J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.463J	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.463K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.463K	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.463M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.463M	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.463N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.463N	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.463P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.463P	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.463Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.463Q	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.463R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.463R	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.463S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.463S	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.464	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.464	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.464A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.464A	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.464B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.464B	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.464C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.464C	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC

Fractures / Falls	S72.464D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.464D	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.464E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.464E	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.464F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.464F	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.464G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.464G	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.464H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.464H	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.464J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.464J	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.464K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.464K	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.464M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.464M	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.464N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.464N	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.464P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.464P	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.464Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.464Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.464R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.464R	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.464S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.464S	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.465	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.465	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.465A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.465A	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.465B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.465B	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.465C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.465C	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.465D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.465D	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.465E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.465E	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.465F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.465F	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.465G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.465G	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.465H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.465H	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.465J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.465J	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.465K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.465K	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.465M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.465M	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.465N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.465N	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.465P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.465P	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.465Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.465Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.465R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.465R	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.465S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.465S	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.466	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.466	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.466A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.466A	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.466B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.466B	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.466C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.466C	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.466D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.466D	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.466E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.466E	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING

Fractures / Falls	S72.466F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.466F	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.466G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.466G	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.466H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.466H	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.466J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.466J	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.466K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.466K	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.466M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.466M	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.466N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.466N	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.466P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.466P	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.466Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.466Q	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.466R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.466R	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.466S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.466S	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.47	DX	TORUS FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S72.47	TORUS FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S72.471	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.471	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.471A	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.471A	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.471D	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.471D	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.471G	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.471G	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.471K	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.471K	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S72.471P	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S72.471P	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S72.471S	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.471S	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.472	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.472	TORUS FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.472A	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.472A	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.472D	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.472D	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.472G	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.472G	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.472K	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.472K	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION

Fractures / Falls	S72.472P	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S72.472P	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S72.472S	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.472S	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.479	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.479	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.479A	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.479A	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.479D	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.479D	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.479G	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.479G	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.479K	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S72.479K	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S72.479P	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S72.479P	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S72.479S	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.479S	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.49	DX	OTHER FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S72.49	OTHER FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S72.491	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S72.491	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S72.491A	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.491A	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.491B	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.491B	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.491C	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.491C	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.491D	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.491D	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.491E	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.491E	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.491F	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.491F	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.491G	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.491G	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.491H	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.491H	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.491J	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.491J	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.491K	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.491K	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.491M	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.491M	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.491N	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.491N	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.491P	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.491P	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.491Q	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.491Q	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.491R	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.491R	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.491S	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.491S	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.492	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S72.492	OTHER FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S72.492A	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.492A	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.492B	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.492B	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.492C	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.492C	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.492D	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.492D	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S72.492E	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.492E	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.492F	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.492F	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.492G	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.492G	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.492H	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.492H	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.492J	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.492J	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.492K	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.492K	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.492M	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.492M	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.492N	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.492N	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.492P	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.492P	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.492Q	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.492Q	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.492R	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.492R	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.492S	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.492S	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S72.499	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S72.499	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S72.499A	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.499A	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.499B	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.499B	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.499C	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.499C	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.499D	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.499D	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.499E	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.499E	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.499F	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.499F	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.499G	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.499G	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.499H	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.499H	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.499J	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.499J	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.499K	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.499K	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.499M	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.499M	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.499N	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.499N	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.499P	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.499P	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.499Q	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.499Q	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.499R	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.499R	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.499S	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.499S	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.8	DX	OTHER FRACTURE OF FEMUR	ICD-10-CM	S72.8	OTHER FRACTURE OF FEMUR
Fractures / Falls	S72.8X	DX	OTHER FRACTURE OF FEMUR	ICD-10-CM	S72.8X	OTHER FRACTURE OF FEMUR
Fractures / Falls	S72.8X1	DX	OTHER FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.8X1	OTHER FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.8X1A	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.8X1A	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.8X1B	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.8X1B	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.8X1C	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.8X1C	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.8X1D	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.8X1D	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.8X1E	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.8X1E	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.8X1F	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.8X1F	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.8X1G	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.8X1G	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.8X1H	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.8X1H	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.8X1J	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.8X1J	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.8X1K	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.8X1K	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.8X1M	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.8X1M	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.8X1N	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.8X1N	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.8X1P	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.8X1P	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.8X1Q	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.8X1Q	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.8X1R	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.8X1R	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.8X1S	DX	OTHER FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.8X1S	OTHER FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.8X2	DX	OTHER FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.8X2	OTHER FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.8X2A	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.8X2A	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.8X2B	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.8X2B	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.8X2C	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.8X2C	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.8X2D	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.8X2D	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.8X2E	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.8X2E	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.8X2F	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.8X2F	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.8X2G	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.8X2G	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.8X2H	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.8X2H	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.8X2J	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.8X2J	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.8X2K	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.8X2K	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.8X2M	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.8X2M	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.8X2N	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.8X2N	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.8X2P	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.8X2P	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.8X2Q	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.8X2Q	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.8X2R	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.8X2R	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.8X2S	DX	OTHER FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.8X2S	OTHER FRACTURE OF LEFT FEMUR, SEQUELA

Fractures / Falls	S72.8X9	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.8X9	OTHER FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.8X9A	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.8X9A	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.8X9B	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.8X9B	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.8X9C	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.8X9C	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.8X9D	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.8X9D	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.8X9E	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.8X9E	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.8X9F	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.8X9F	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.8X9G	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.8X9G	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.8X9H	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.8X9H	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.8X9J	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.8X9J	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.8X9K	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.8X9K	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.8X9M	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.8X9M	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.8X9N	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.8X9N	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.8X9P	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.8X9P	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.8X9Q	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.8X9Q	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.8X9R	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.8X9R	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.8X9S	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.8X9S	OTHER FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.9	DX	UNSPECIFIED FRACTURE OF FEMUR	ICD-10-CM	S72.9	UNSPECIFIED FRACTURE OF FEMUR
Fractures / Falls	S72.90	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	S72.90	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR
Fractures / Falls	S72.90XA	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.90XA	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.90XB	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.90XB	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.90XC	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.90XC	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.90XD	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.90XD	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.90XE	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.90XE	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.90XF	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.90XF	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.90XG	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.90XG	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.90XH	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.90XH	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.90XJ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.90XJ	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.90XK	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.90XK	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.90XM	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.90XM	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.90XN	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.90XN	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.90XP	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.90XP	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.90XQ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.90XQ	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.90XR	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.90XR	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.90XS	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S72.90XS	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S72.91	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR	ICD-10-CM	S72.91	UNSPECIFIED FRACTURE OF RIGHT FEMUR
Fractures / Falls	S72.91XA	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.91XA	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.91XB	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.91XB	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.91XC	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.91XC	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.91XD	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.91XD	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.91XE	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.91XE	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.91XF	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.91XF	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.91XG	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.91XG	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.91XH	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.91XH	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.91XJ	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.91XJ	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.91XK	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.91XK	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.91XM	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.91XM	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.91XN	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.91XN	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.91XP	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.91XP	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.91XQ	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.91XQ	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION
Fractures / Falls	S72.91XR	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.91XR	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.91XS	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S72.91XS	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S72.92	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR	ICD-10-CM	S72.92	UNSPECIFIED FRACTURE OF LEFT FEMUR
Fractures / Falls	S72.92XA	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S72.92XA	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S72.92XB	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	S72.92XB	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II
Fractures / Falls	S72.92XC	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	S72.92XC	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC
Fractures / Falls	S72.92XD	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S72.92XD	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S72.92XE	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	S72.92XE	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING
Fractures / Falls	S72.92XF	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	S72.92XF	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING
Fractures / Falls	S72.92XG	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72.92XG	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING
Fractures / Falls	S72.92XH	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	S72.92XH	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING
Fractures / Falls	S72.92XJ	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	S72.92XJ	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING
Fractures / Falls	S72.92XK	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	S72.92XK	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION
Fractures / Falls	S72.92XM	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	S72.92XM	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION
Fractures / Falls	S72.92XN	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	S72.92XN	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION
Fractures / Falls	S72.92XP	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	S72.92XP	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION
Fractures / Falls	S72.92XQ	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	S72.92XQ	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION

Fractures / Falls	S72.92XR	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	S72.92XR	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION
Fractures / Falls	S72.92XS	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	S72.92XS	UNSPECIFIED FRACTURE OF LEFT FEMUR, SEQUELA
Fractures / Falls	S79.0	DX	PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	S79.0	PHYSEAL FRACTURE OF UPPER END OF FEMUR
Fractures / Falls	S79.00	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	S79.00	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF FEMUR
Fractures / Falls	S79.001	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	S79.001	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR
Fractures / Falls	S79.001A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.001A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.001D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.001D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.001G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.001G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.001K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.001K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.001P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.001P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.001S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S79.001S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S79.002	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR	ICD-10-CM	S79.002	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR
Fractures / Falls	S79.002A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.002A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.002D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.002D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.002G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.002G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.002K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.002K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.002P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.002P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.002S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S79.002S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S79.009	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR	ICD-10-CM	S79.009	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR
Fractures / Falls	S79.009A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.009A	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.009D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.009D	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.009G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.009G	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.009K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.009K	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.009P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.009P	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.009S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S79.009S	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S79.01	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	S79.01	SALTER
Fractures / Falls	S79.011	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	S79.011	SALTER
Fractures / Falls	S79.011A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.011A	SALTER
Fractures / Falls	S79.011D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.011D	SALTER

Fractures / Falls	S79.011G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.011G	SALTER
Fractures / Falls	S79.011K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.011K	SALTER
Fractures / Falls	S79.011P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.011P	SALTER
Fractures / Falls	S79.011S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S79.011S	SALTER
Fractures / Falls	S79.012	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR	ICD-10-CM	S79.012	SALTER
Fractures / Falls	S79.012A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.012A	SALTER
Fractures / Falls	S79.012D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.012D	SALTER
Fractures / Falls	S79.012G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.012G	SALTER
Fractures / Falls	S79.012K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.012K	SALTER
Fractures / Falls	S79.012P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.012P	SALTER
Fractures / Falls	S79.012S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S79.012S	SALTER
Fractures / Falls	S79.019	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR	ICD-10-CM	S79.019	SALTER

Fractures / Falls	S79.019A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.019A	SALTER
Fractures / Falls	S79.019D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.019D	SALTER
Fractures / Falls	S79.019G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.019G	SALTER
Fractures / Falls	S79.019K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.019K	SALTER
Fractures / Falls	S79.019P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.019P	SALTER
Fractures / Falls	S79.019S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S79.019S	SALTER
Fractures / Falls	S79.09	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S79.09	OTHER PHYSEAL FRACTURE OF UPPER END OF FEMUR
Fractures / Falls	S79.091	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S79.091	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR
Fractures / Falls	S79.091A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.091A	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.091D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.091D	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.091G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.091G	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.091K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.091K	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.091P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.091P	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.091S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S79.091S	OTHER PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S79.092	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S79.092	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR
Fractures / Falls	S79.092A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.092A	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.092D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.092D	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.092G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.092G	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.092K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.092K	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.092P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.092P	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.092S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S79.092S	OTHER PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S79.099	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S79.099	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR
Fractures / Falls	S79.099A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.099A	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.099D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.099D	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S79.099G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.099G	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.099K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.099K	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.099P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.099P	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.099S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S79.099S	OTHER PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S79.1	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S79.1	PHYSEAL FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S79.10	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S79.10	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S79.101	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.101	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S79.101A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.101A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.101D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.101D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.101G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.101G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.101K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.101K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.101P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S79.101P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.101S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S79.101S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S79.102	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.102	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S79.102A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.102A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.102D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.102D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.102G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.102G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.102K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.102K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.102P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S79.102P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.102S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S79.102S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S79.109	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.109	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S79.109A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.109A	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.109D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.109D	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.109G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.109G	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.109K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.109K	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.109P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S79.109P	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S79.109S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S79.109S	UNSPECIFIED PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	S79.11	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S79.11	SALTER
Fractures / Falls	S79.111	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S79.111	SALTER
Fractures / Falls	S79.111A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.111A	SALTER

Fractures / Falls	S79.111D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.111D	SALTER
Fractures / Falls	S79.111G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.111G	SALTER
Fractures / Falls	S79.111K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.111K	SALTER
Fractures / Falls	S79.111P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.111P	SALTER
Fractures / Falls	S79.111S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S79.111S	SALTER
Fractures / Falls	S79.112	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S79.112	SALTER
Fractures / Falls	S79.112A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.112A	SALTER
Fractures / Falls	S79.112D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.112D	SALTER
Fractures / Falls	S79.112G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.112G	SALTER
Fractures / Falls	S79.112K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.112K	SALTER
Fractures / Falls	S79.112P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.112P	SALTER
Fractures / Falls	S79.112S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S79.112S	SALTER

Fractures / Falls	S79.119	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S79.119	SALTER
Fractures / Falls	S79.119A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.119A	SALTER
Fractures / Falls	S79.119D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.119D	SALTER
Fractures / Falls	S79.119G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.119G	SALTER
Fractures / Falls	S79.119K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.119K	SALTER
Fractures / Falls	S79.119P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S79.119P	SALTER
Fractures / Falls	S79.119S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S79.119S	SALTER
Fractures / Falls	S79.12	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S79.12	SALTER
Fractures / Falls	S79.121	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S79.121	SALTER
Fractures / Falls	S79.121A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.121A	SALTER
Fractures / Falls	S79.121D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.121D	SALTER
Fractures / Falls	S79.121G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22	FRACTURE OF RIB(S), STERNUM AND THORACIC SPINE
Fractures / Falls	S79.121K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.0	FRACTURE OF THORACIC VERTEBRA
Fractures / Falls	S79.121P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.00	FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.121S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S22.000	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.122	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S22.000A	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.122A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.000B	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.122D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.000D	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING

Fractures / Falls	S79.122G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.000G	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.122K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.000K	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.122P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.000S	WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.122S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S22.001	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.129	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S22.001A	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.129A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.001B	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.129D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.001D	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.129G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.001G	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.129K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.001K	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.129P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.001S	STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.129S	DX	FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S22.002	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.13	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S22.002A	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.131	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S22.002B	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.131A	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.002D	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.131D	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.002G	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.131G	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.002K	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.131K	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.002S	UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.131P	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.008	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.131S	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S22.008A	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.132	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S22.008B	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.132A	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.008D	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.132D	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.008G	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.132G	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.008K	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.132K	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.008S	OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.132P	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.009	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA
Fractures / Falls	S79.132S	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S22.009A	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.139	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S22.009B	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.139A	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.009D	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.139D	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.009G	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.139G	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.009K	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.139K	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.009S	UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.139P	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.01	FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.139S	DX	OTHER FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S22.010	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.14	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	S22.010A	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S79.141	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	S22.010B	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.141A	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.010D	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.141D	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.010G	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.141G	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.010K	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.141K	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.010S	WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.141P	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.011	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.141S	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	S22.011A	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.142	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	S22.011B	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.142A	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.011D	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.142D	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.011G	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.142G	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.011K	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.142K	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.011S	STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.142P	DX	FRACTURE OF T7-T8 VERTEBRA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.012	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.142S	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	S22.012A	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.149	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	S22.012B	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.149A	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.012D	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.149D	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.012G	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.149G	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.012K	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.149K	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.012S	UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.149P	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	S22.018	OTHER FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.149S	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	S22.018A	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.19	DX	FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.018B	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.191	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.018D	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.191A	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.018G	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.191D	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.018K	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.191G	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.018S	OTHER FRACTURE OF FIRST THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.191K	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.019	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA
Fractures / Falls	S79.191P	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.019A	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S79.191S	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.019B	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.192	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.019D	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.192A	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.019G	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.192D	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.019K	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.192G	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.019S	UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.192K	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.02	FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S79.192P	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.020	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S79.192S	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.020A	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Fractures / Falls	S79.199	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.020B	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S79.199A	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.020D	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S79.199D	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.020G	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S79.199G	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.020K	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S79.199K	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.020S	WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S79.199P	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.021	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S79.199S	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.021A	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22	DX	OTHER FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.021B	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.0	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.021D	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.00	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.021G	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.000	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.021K	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.000A	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.021S	STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.000B	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.022	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S22.000D	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.022A	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.000G	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.022B	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.000K	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.022D	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.000S	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.022G	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.001	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.022K	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.001A	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.022S	UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.001B	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.028	OTHER FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S22.001D	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.028A	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.001G	DX	FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.028B	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.001K	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.028D	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.001S	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.028G	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.002	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.028K	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.002A	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.028S	OTHER FRACTURE OF SECOND THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.002B	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.029	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA
Fractures / Falls	S22.002D	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.029A	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.002G	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.029B	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.002K	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.029D	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.002S	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.029G	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.008	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.029K	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.008A	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.029S	UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.008B	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.03	FRACTURE OF THIRD THORACIC VERTEBRA

Fractures / Falls	S22.008D	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.030	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA
Fractures / Falls	S22.008G	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.030A	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.008K	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.030B	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.008S	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.030D	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.009	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.030G	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.009A	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.030K	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.009B	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.030S	WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.009D	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.031	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA
Fractures / Falls	S22.009G	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.031A	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.009K	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA	ICD-10-CM	S22.031B	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.009S	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.031D	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.01	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.031G	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.010	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.031K	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.010A	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.031S	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.010B	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.032	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA
Fractures / Falls	S22.010D	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.032A	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.010G	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.032B	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.010K	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.032D	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.010S	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.032G	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.011	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.032K	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.011A	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.032S	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.011B	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.038	OTHER FRACTURE OF THIRD THORACIC VERTEBRA
Fractures / Falls	S22.011D	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.038A	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.011G	DX	FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.038B	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.011K	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.038D	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.011S	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.038G	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.012	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.038K	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.012A	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.038S	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.012B	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.039	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA
Fractures / Falls	S22.012D	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.039A	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.012G	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.039B	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.012K	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.039D	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.012S	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.039G	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.018	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.039K	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.018A	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.039S	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA

Fractures / Falls	S22.018B	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.04	FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.018D	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.040	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.018G	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.040A	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.018K	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.040B	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.018S	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.040D	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.019	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.040G	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.019A	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.040K	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.019B	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.040S	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.019D	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.041	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.019G	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.041A	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.019K	DX	OTHER FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.041B	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.019S	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.041D	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.02	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.041G	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.020	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.041K	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.020A	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.041S	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.020B	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.042	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.020D	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.042A	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.020G	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.042B	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.020K	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.042D	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.020S	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.042G	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.021	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.042K	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.021A	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.042S	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.021B	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.048	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.021D	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.048A	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.021G	DX	FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.048B	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.021K	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.048D	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.021S	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.048G	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.022	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.048K	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.022A	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.048S	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.022B	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.049	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA
Fractures / Falls	S22.022D	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.049A	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.022G	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S22.049B	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.022K	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.049D	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.022S	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.049G	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING

Fractures / Falls	S22.028	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.049K	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.028A	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.049S	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA
Fractures / Falls	S22.028B	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.05	FRACTURE OF T5
Fractures / Falls	S22.028D	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.050	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.028G	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S22.050A	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.028K	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.050B	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.028S	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.050D	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.029	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.050G	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.029A	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.050K	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.029B	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.050S	WEDGE COMPRESSION FRACTURE OF T5
Fractures / Falls	S22.029D	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.051	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.029G	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S22.051A	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.029K	DX	OTHER FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.051B	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.029S	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.051D	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.03	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.051G	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.051K	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030A	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.051S	STABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030B	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.052	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030D	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S22.052A	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030G	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S22.052B	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030K	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.052D	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.030S	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.052G	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.031	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.052K	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.031A	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.052S	UNSTABLE BURST FRACTURE OF T5
Fractures / Falls	S22.031B	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.058	OTHER FRACTURE OF T5
Fractures / Falls	S22.031D	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S22.058A	OTHER FRACTURE OF T5

Fractures / Falls	S22.031G	DX	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.058B	OTHER FRACTURE OF T5
Fractures / Falls	S22.031K	DX	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.058D	OTHER FRACTURE OF T5
Fractures / Falls	S22.031S	DX	STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.058G	OTHER FRACTURE OF T5
Fractures / Falls	S22.032	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA	ICD-10-CM	S22.058K	OTHER FRACTURE OF T5
Fractures / Falls	S22.032A	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.058S	OTHER FRACTURE OF T5
Fractures / Falls	S22.032B	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.059	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.032D	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.059A	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.032G	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.059B	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.032K	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.059D	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.032S	DX	UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.059G	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.038	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA	ICD-10-CM	S22.059K	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.038A	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.059S	UNSPECIFIED FRACTURE OF T5
Fractures / Falls	S22.038B	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.06	FRACTURE OF T7
Fractures / Falls	S22.038D	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.060	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.038G	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.060A	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.038K	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.060B	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.038S	DX	OTHER FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.060D	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.039	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA	ICD-10-CM	S22.060G	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.039A	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.060K	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.039B	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.060S	WEDGE COMPRESSION FRACTURE OF T7
Fractures / Falls	S22.039D	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.061	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.039G	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.061A	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.039K	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.061B	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.039S	DX	UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.061D	STABLE BURST FRACTURE OF T7

Fractures / Falls	S22.04	DX	FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.061G	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.061K	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040A	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.061S	STABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040B	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.062	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040D	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.062A	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040G	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.062B	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040K	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.062D	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.040S	DX	WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.062G	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.041	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.062K	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.041A	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.062S	UNSTABLE BURST FRACTURE OF T7
Fractures / Falls	S22.041B	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.068	OTHER FRACTURE OF T7
Fractures / Falls	S22.041D	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.068A	OTHER FRACTURE OF T7
Fractures / Falls	S22.041G	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.068B	OTHER FRACTURE OF T7
Fractures / Falls	S22.041K	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.068D	OTHER FRACTURE OF T7
Fractures / Falls	S22.041S	DX	STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.068G	OTHER FRACTURE OF T7
Fractures / Falls	S22.042	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.068K	OTHER FRACTURE OF T7
Fractures / Falls	S22.042A	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.068S	OTHER FRACTURE OF T7
Fractures / Falls	S22.042B	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.069	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.042D	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.069A	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.042G	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.069B	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.042K	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.069D	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.042S	DX	UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.069G	UNSPECIFIED FRACTURE OF T7

Fractures / Falls	S22.048	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.069K	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.048A	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.069S	UNSPECIFIED FRACTURE OF T7
Fractures / Falls	S22.048B	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.07	FRACTURE OF T9
Fractures / Falls	S22.048D	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.070	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.048G	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.070A	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.048K	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.070B	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.048S	DX	OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.070D	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.049	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA	ICD-10-CM	S22.070G	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.049A	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.070K	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.049B	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.070S	WEDGE COMPRESSION FRACTURE OF T9
Fractures / Falls	S22.049D	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.071	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.049G	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.071A	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.049K	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.071B	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.049S	DX	UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.071D	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.05	DX	FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.071G	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.071K	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050A	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.071S	STABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050B	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.072	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050D	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.072A	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050G	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.072B	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050K	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.072D	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.050S	DX	WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.072G	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.051	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.072K	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.051A	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.072S	UNSTABLE BURST FRACTURE OF T9
Fractures / Falls	S22.051B	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.078	OTHER FRACTURE OF T9

Fractures / Falls	S22.051D	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.078A	OTHER FRACTURE OF T9
Fractures / Falls	S22.051G	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.078B	OTHER FRACTURE OF T9
Fractures / Falls	S22.051K	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.078D	OTHER FRACTURE OF T9
Fractures / Falls	S22.051S	DX	STABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.078G	OTHER FRACTURE OF T9
Fractures / Falls	S22.052	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.078K	OTHER FRACTURE OF T9
Fractures / Falls	S22.052A	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.078S	OTHER FRACTURE OF T9
Fractures / Falls	S22.052B	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.079	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.052D	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.079A	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.052G	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.079B	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.052K	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.079D	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.052S	DX	UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.079G	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.058	DX	OTHER FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.079K	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.058A	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.079S	UNSPECIFIED FRACTURE OF T9
Fractures / Falls	S22.058B	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.08	FRACTURE OF T11
Fractures / Falls	S22.058D	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.080	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.058G	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.080A	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.058K	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.080B	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.058S	DX	OTHER FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.080D	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.059	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA	ICD-10-CM	S22.080G	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.059A	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.080K	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.059B	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.080S	WEDGE COMPRESSION FRACTURE OF T11
Fractures / Falls	S22.059D	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.081	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.059G	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.081A	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.059K	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.081B	STABLE BURST FRACTURE OF T11

Fractures / Falls	S22.059S	DX	UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, SEQUELA	ICD-10-CM	S22.081D	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.06	DX	FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.081G	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.081K	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060A	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.081S	STABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060B	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.082	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060D	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.082A	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060G	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.082B	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060K	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.082D	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.060S	DX	WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.082G	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.061	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.082K	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.061A	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.082S	UNSTABLE BURST FRACTURE OF T11
Fractures / Falls	S22.061B	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.088	OTHER FRACTURE OF T11
Fractures / Falls	S22.061D	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.088A	OTHER FRACTURE OF T11
Fractures / Falls	S22.061G	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.088B	OTHER FRACTURE OF T11
Fractures / Falls	S22.061K	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.088D	OTHER FRACTURE OF T11
Fractures / Falls	S22.061S	DX	STABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.088G	OTHER FRACTURE OF T11
Fractures / Falls	S22.062	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.088K	OTHER FRACTURE OF T11
Fractures / Falls	S22.062A	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.088S	OTHER FRACTURE OF T11
Fractures / Falls	S22.062B	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.089	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.062D	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.089A	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.062G	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.089B	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.062K	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.089D	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.062S	DX	UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.089G	UNSPECIFIED FRACTURE OF T11

Fractures / Falls	S22.068	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA	ICD-10-CM	S22.089K	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.068A	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.089S	UNSPECIFIED FRACTURE OF T11
Fractures / Falls	S22.068B	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.2	FRACTURE OF STERNUM
Fractures / Falls	S22.068D	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.20	UNSPECIFIED FRACTURE OF STERNUM
Fractures / Falls	S22.068G	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.20XA	UNSPECIFIED FRACTURE OF STERNUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.068K	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.20XB	UNSPECIFIED FRACTURE OF STERNUM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.068S	DX	OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, SEQUELA	ICD-10-CM	S22.20XD	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.069	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA	ICD-10-CM	S22.20XG	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.069A	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.20XK	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.069B	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.20XS	UNSPECIFIED FRACTURE OF STERNUM, SEQUELA
Fractures / Falls	S22.069D	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.21	FRACTURE OF MANUBRIUM
Fractures / Falls	S22.069G	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.21XA	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.069K	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.21XB	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.069S	DX	UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, SEQUELA	ICD-10-CM	S22.21XD	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.07	DX	FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.21XG	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.070	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.21XK	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.070A	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.21XS	FRACTURE OF MANUBRIUM, SEQUELA
Fractures / Falls	S22.070B	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.22	FRACTURE OF BODY OF STERNUM
Fractures / Falls	S22.070D	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.22XA	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.070G	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.22XB	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.070K	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.22XD	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.070S	DX	WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.22XG	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.071	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.22XK	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.071A	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.22XS	FRACTURE OF BODY OF STERNUM, SEQUELA
Fractures / Falls	S22.071B	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.23	STERNAL MANUBRIAL DISSOCIATION
Fractures / Falls	S22.071D	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.23XA	STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.071G	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.23XB	STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.071K	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.23XD	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.071S	DX	STABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.23XG	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.072	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.23XK	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.072A	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.23XS	STERNAL MANUBRIAL DISSOCIATION, SEQUELA
Fractures / Falls	S22.072B	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.24	FRACTURE OF XIPHOID PROCESS
Fractures / Falls	S22.072D	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.24XA	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.072G	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.24XB	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.072K	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.24XD	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.072S	DX	UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.24XG	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.078	DX	OTHER FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.24XK	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.078A	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.24XS	FRACTURE OF XIPHOID PROCESS, SEQUELA
Fractures / Falls	S22.078B	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.5	FLAIL CHEST
Fractures / Falls	S22.078D	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S22.5XXA	FLAIL CHEST, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.078G	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S22.5XXB	FLAIL CHEST, INITIAL ENCOUNTER FOR OPEN FRACTURE
Fractures / Falls	S22.078K	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S22.5XXD	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.078S	DX	OTHER FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S22.5XXG	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.079	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM	S22.5XXK	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.079A	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S22.5XXS	FLAIL CHEST, SEQUELA
Fractures / Falls	S22.079B	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S22.9	FRACTURE OF BONY THORAX, PART UNSPECIFIED
Fractures / Falls	S22.079D	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S52	FRACTURE OF FOREARM

Fractures / Falls	S22.079G	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S72	FRACTURE OF FEMUR
Fractures / Falls	S22.079K	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.121G	SALTER
Fractures / Falls	S22.079S	DX	UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM	S79.121K	SALTER
Fractures / Falls	S22.08	DX	FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.121P	SALTER
Fractures / Falls	S22.080	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.121S	SALTER
Fractures / Falls	S22.080A	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.122	SALTER
Fractures / Falls	S22.080B	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.122A	SALTER
Fractures / Falls	S22.080D	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.122D	SALTER
Fractures / Falls	S22.080G	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.122G	SALTER
Fractures / Falls	S22.080K	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.122K	SALTER
Fractures / Falls	S22.080S	DX	WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S79.122P	SALTER
Fractures / Falls	S22.081	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.122S	SALTER
Fractures / Falls	S22.081A	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.129	SALTER

Fractures / Falls	S22.081B	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.129A	SALTER	
Fractures / Falls	S22.081D	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.129D	SALTER	
Fractures / Falls	S22.081G	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.129G	SALTER	
Fractures / Falls	S22.081K	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.129K	SALTER	
Fractures / Falls	S22.081S	DX	STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S79.129P	SALTER	
Fractures / Falls	S22.082	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.129S	SALTER	
Fractures / Falls	S22.082A	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.13	SALTER	
Fractures / Falls	S22.082B	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.131	SALTER	
Fractures / Falls	S22.082D	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.131A	SALTER	
Fractures / Falls	S22.082G	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.131D	SALTER	
Fractures / Falls	S22.082K	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.131G	SALTER	
Fractures / Falls	S22.082S	DX	UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S79.131K	SALTER	

Fractures / Falls	S22.088	DX	OTHER FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.131P	SALTER
Fractures / Falls	S22.088A	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.131S	SALTER
Fractures / Falls	S22.088B	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.132	SALTER
Fractures / Falls	S22.088D	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.132A	SALTER
Fractures / Falls	S22.088G	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.132D	SALTER
Fractures / Falls	S22.088K	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.132G	SALTER
Fractures / Falls	S22.088S	DX	OTHER FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S79.132K	SALTER
Fractures / Falls	S22.089	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM	S79.132P	SALTER
Fractures / Falls	S22.089A	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.132S	SALTER
Fractures / Falls	S22.089B	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.139	SALTER
Fractures / Falls	S22.089D	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.139A	SALTER
Fractures / Falls	S22.089G	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.139D	SALTER

Fractures / Falls	S22.089K	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.139G	SALTER
Fractures / Falls	S22.089S	DX	UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM	S79.139K	SALTER
Fractures / Falls	S22.2	DX	FRACTURE OF STERNUM	ICD-10-CM	S79.139P	SALTER
Fractures / Falls	S22.20	DX	UNSPECIFIED FRACTURE OF STERNUM	ICD-10-CM	S79.139S	SALTER
Fractures / Falls	S22.20XA	DX	UNSPECIFIED FRACTURE OF STERNUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.14	SALTER
Fractures / Falls	S22.20XB	DX	UNSPECIFIED FRACTURE OF STERNUM, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.141	SALTER
Fractures / Falls	S22.20XD	DX	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.141A	SALTER
Fractures / Falls	S22.20XG	DX	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.141D	SALTER
Fractures / Falls	S22.20XK	DX	UNSPECIFIED FRACTURE OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.141G	SALTER
Fractures / Falls	S22.20XS	DX	UNSPECIFIED FRACTURE OF STERNUM, SEQUELA	ICD-10-CM	S79.141K	SALTER
Fractures / Falls	S22.21	DX	FRACTURE OF MANUBRIUM	ICD-10-CM	S79.141P	SALTER
Fractures / Falls	S22.21XA	DX	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.141S	SALTER
Fractures / Falls	S22.21XB	DX	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.142	SALTER

Fractures / Falls	S22.21XD	DX	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.142A	SALTER
Fractures / Falls	S22.21XG	DX	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.142D	SALTER
Fractures / Falls	S22.21XK	DX	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.142G	SALTER
Fractures / Falls	S22.21XS	DX	FRACTURE OF MANUBRIUM, SEQUELA	ICD-10-CM	S79.142K	SALTER
Fractures / Falls	S22.22	DX	FRACTURE OF BODY OF STERNUM	ICD-10-CM	S79.142P	SALTER
Fractures / Falls	S22.22XA	DX	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.142S	SALTER
Fractures / Falls	S22.22XB	DX	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.149	SALTER
Fractures / Falls	S22.22XD	DX	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.149A	SALTER
Fractures / Falls	S22.22XG	DX	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.149D	SALTER
Fractures / Falls	S22.22XK	DX	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.149G	SALTER
Fractures / Falls	S22.22XS	DX	FRACTURE OF BODY OF STERNUM, SEQUELA	ICD-10-CM	S79.149K	SALTER

Fractures / Falls	S22.23	DX	STERNAL MANUBRIAL DISSOCIATION	ICD-10-CM	S79.149P	SALTER
Fractures / Falls	S22.23XA	DX	STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.149S	SALTER
Fractures / Falls	S22.23XB	DX	STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.19	OTHER PHYSEAL FRACTURE OF LOWER END OF FEMUR
Fractures / Falls	S22.23XD	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.191	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR
Fractures / Falls	S22.23XG	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.191A	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.23XK	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.191D	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.23XS	DX	STERNAL MANUBRIAL DISSOCIATION, SEQUELA	ICD-10-CM	S79.191G	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.24	DX	FRACTURE OF XIPHOID PROCESS	ICD-10-CM	S79.191K	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.24XA	DX	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.191P	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S22.24XB	DX	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.191S	OTHER PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA
Fractures / Falls	S22.24XD	DX	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.192	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR
Fractures / Falls	S22.24XG	DX	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.192A	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.24XK	DX	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.192D	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.24XS	DX	FRACTURE OF XIPHOID PROCESS, SEQUELA	ICD-10-CM	S79.192G	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.5	DX	FLAIL CHEST	ICD-10-CM	S79.192K	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S22.5XXA	DX	FLAIL CHEST, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	S79.192P	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S22.5XXB	DX	FLAIL CHEST, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM	S79.192S	OTHER PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA
Fractures / Falls	S22.5XXD	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	S79.199	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR
Fractures / Falls	S22.5XXG	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	S79.199A	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Fractures / Falls	S22.5XXK	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	S79.199D	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING
Fractures / Falls	S22.5XXS	DX	FLAIL CHEST, SEQUELA	ICD-10-CM	S79.199G	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING
Fractures / Falls	S22.9	DX	FRACTURE OF BONY THORAX, PART UNSPECIFIED	ICD-10-CM	S79.199K	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION
Fractures / Falls	S52	DX	FRACTURE OF FOREARM	ICD-10-CM	S79.199P	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION
Fractures / Falls	S72	DX	FRACTURE OF FEMUR	ICD-10-CM	S79.199S	OTHER PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA
Fractures / Falls	21800	PX	CLOSED TREATMENT OF RIB FRACTURE, UNCOMPLICATED, EACH	CPT/HCPCS		
Fractures / Falls	21805	PX	OPEN TREATMENT OF RIB FRACTURE WITHOUT FIXATION, EACH	CPT/HCPCS		
Fractures / Falls	21810	PX	TREATMENT OF RIB FRACTURE REQUIRING EXTERNAL FIXATION (FLAIL CHEST)	CPT/HCPCS		
Fractures / Falls	21812	PX	OPEN TREATMENT OF RIB FRACTURE(S) WITH INTERNAL FIXATION, INCLUDES THORACOSCOPIC VISUALIZATION WHEN PERFORMED, UNILATERAL; 4-6 RIBS	CPT/HCPCS		
Fractures / Falls	21813	PX	OPEN TREATMENT OF RIB FRACTURE(S) WITH INTERNAL FIXATION, INCLUDES THORACOSCOPIC VISUALIZATION WHEN PERFORMED, UNILATERAL; 7 OR MORE RIBS	CPT/HCPCS		
Fractures / Falls	23485	PX	OSTEOTOMY, CLAVICLE, WITH OR WITHOUT INTERNAL FIXATION; WITH BONE GRAFT FOR NONUNION OR MALUNION (INCLUDES OBTAINING GRAFT AND/OR NECESSARY FIXATION)	CPT/HCPCS		
Fractures / Falls	23500	PX	CLOSED TREATMENT OF CLAVICULAR FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS		
Fractures / Falls	23505	PX	CLOSED TREATMENT OF CLAVICULAR FRACTURE; WITH MANIPULATION	CPT/HCPCS		
Fractures / Falls	23515	PX	OPEN TREATMENT OF CLAVICULAR FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS		
Fractures / Falls	24586	PX	OPEN TREATMENT OF PERIARTICULAR FRACTURE AND/OR DISLOCATION OF THE ELBOW (FRACTURE DISTAL HUMERUS AND PROXIMAL ULNA AND/OR PROXIMAL RADIUS);	CPT/HCPCS		
Fractures / Falls	24587	PX	OPEN TREATMENT OF PERIARTICULAR FRACTURE AND/OR DISLOCATION OF THE ELBOW (FRACTURE DISTAL HUMERUS AND PROXIMAL ULNA AND/OR PROXIMAL RADIUS); WITH IMPLANT ARTHROPLASTY	CPT/HCPCS		
Fractures / Falls	24620	PX	CLOSED TREATMENT OF MONTEGGIA TYPE OF FRACTURE DISLOCATION AT ELBOW (FRACTURE PROXIMAL END OF ULNA WITH DISLOCATION OF RADIAL HEAD), WITH MANIPULATION	CPT/HCPCS		
Fractures / Falls	24635	PX	OPEN TREATMENT OF MONTEGGIA TYPE OF FRACTURE DISLOCATION AT ELBOW (FRACTURE PROXIMAL END OF ULNA WITH DISLOCATION OF RADIAL HEAD), INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS		
Fractures / Falls	24650	PX	CLOSED TREATMENT OF RADIAL HEAD OR NECK FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS		
Fractures / Falls	24655	PX	CLOSED TREATMENT OF RADIAL HEAD OR NECK FRACTURE; WITH MANIPULATION	CPT/HCPCS		
Fractures / Falls	24665	PX	OPEN TREATMENT OF RADIAL HEAD OR NECK FRACTURE, INCLUDES INTERNAL FIXATION OR RADIAL HEAD EXCISION, WHEN PERFORMED;	CPT/HCPCS		
Fractures / Falls	24666	PX	OPEN TREATMENT OF RADIAL HEAD OR NECK FRACTURE, INCLUDES INTERNAL FIXATION OR RADIAL HEAD EXCISION, WHEN PERFORMED; WITH RADIAL HEAD PROSTHETIC REPLACEMENT	CPT/HCPCS		
Fractures / Falls	24670	PX	CLOSED TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]); WITHOUT MANIPULATION	CPT/HCPCS		
Fractures / Falls	24675	PX	CLOSED TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]); WITH MANIPULATION	CPT/HCPCS		
Fractures / Falls	24685	PX	OPEN TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]), INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS		
Fractures / Falls	25500	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS		
Fractures / Falls	25505	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE; WITH MANIPULATION	CPT/HCPCS		
Fractures / Falls	25515	PX	OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS		
Fractures / Falls	25520	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE AND CLOSED TREATMENT OF DISLOCATION OF DISTAL RADIOULNAR JOINT (GALEAZZI FRACTURE/DISLOCATION)	CPT/HCPCS		

Fractures / Falls	25525	PX	OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED, AND CLOSED TREATMENT OF DISTAL RADIOULNAR JOINT DISLOCATION (GALEAZZI FRACTURE/ DISLOCATION), INCLUDES PERCUTANEOUS SKELETAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	25526	PX	OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED, AND OPEN TREATMENT OF DISTAL RADIOULNAR JOINT DISLOCATION (GALEAZZI FRACTURE/ DISLOCATION), INCLUDES INTERNAL FIXATION, WHEN PERFORMED, INCLUDES REPAIR OF TRIANGULAR FIBROCARTILAGE COMPLEX	CPT/HCPCS
Fractures / Falls	25530	PX	CLOSED TREATMENT OF ULNAR SHAFT FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	25535	PX	CLOSED TREATMENT OF ULNAR SHAFT FRACTURE; WITH MANIPULATION	CPT/HCPCS
Fractures / Falls	25545	PX	OPEN TREATMENT OF ULNAR SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	25560	PX	CLOSED TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	25565	PX	CLOSED TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES; WITH MANIPULATION	CPT/HCPCS
Fractures / Falls	25574	PX	OPEN TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES, WITH INTERNAL FIXATION, WHEN PERFORMED; OF RADIUS OR ULNA	CPT/HCPCS
Fractures / Falls	25575	PX	OPEN TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES, WITH INTERNAL FIXATION, WHEN PERFORMED; OF RADIUS AND ULNA	CPT/HCPCS
Fractures / Falls	25600	PX	CLOSED TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, INCLUDES CLOSED TREATMENT OF FRACTURE OF ULNAR STYLOID, WHEN PERFORMED; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	25605	PX	CLOSED TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, INCLUDES CLOSED TREATMENT OF FRACTURE OF ULNAR STYLOID, WHEN PERFORMED; WITH MANIPULATION	CPT/HCPCS
Fractures / Falls	25606	PX	PERCUTANEOUS SKELETAL FIXATION OF DISTAL RADIAL FRACTURE OR EPIPHYSEAL SEPARATION	CPT/HCPCS
Fractures / Falls	25607	PX	OPEN TREATMENT OF DISTAL RADIAL EXTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION, WITH INTERNAL FIXATION	CPT/HCPCS
Fractures / Falls	25608	PX	OPEN TREATMENT OF DISTAL RADIAL INTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION; WITH INTERNAL FIXATION OF 2 FRAGMENTS	CPT/HCPCS
Fractures / Falls	25609	PX	OPEN TREATMENT OF DISTAL RADIAL INTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION; WITH INTERNAL FIXATION OF 3 OR MORE FRAGMENTS	CPT/HCPCS
Fractures / Falls	25611	PX	PERCUTANEOUS SKELETAL FIXATION OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, WITH OR WITHOUT FRACTURE OF ULNAR STYLOID, REQUIRING MANIPULATION, WITH OR WITHOUT EXTERNAL FIXATION	CPT/HCPCS
Fractures / Falls	25620	PX	OPEN TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, WITH OR WITHOUT FRACTURE OF ULNAR STYLOID, WITH OR WITHOUT INTERNAL OR EXTERNAL FIXATION	CPT/HCPCS
Fractures / Falls	25650	PX	CLOSED TREATMENT OF ULNAR STYLOID FRACTURE	CPT/HCPCS
Fractures / Falls	25651	PX	PERCUTANEOUS SKELETAL FIXATION OF ULNAR STYLOID FRACTURE	CPT/HCPCS
Fractures / Falls	25652	PX	OPEN TREATMENT OF ULNAR STYLOID FRACTURE	CPT/HCPCS
Fractures / Falls	27230	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27232	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK; WITH MANIPULATION, WITH OR WITHOUT SKELETAL TRACTION	CPT/HCPCS
Fractures / Falls	27235	PX	PERCUTANEOUS SKELETAL FIXATION OF FEMORAL FRACTURE, PROXIMAL END, NECK	CPT/HCPCS
Fractures / Falls	27236	PX	OPEN TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK, INTERNAL FIXATION OR PROSTHETIC REPLACEMENT	CPT/HCPCS
Fractures / Falls	27238	PX	CLOSED TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27240	PX	CLOSED TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
Fractures / Falls	27244	PX	TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH PLATE/SCREW TYPE IMPLANT, WITH OR WITHOUT CERCLAGE	CPT/HCPCS
Fractures / Falls	27245	PX	TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH INTRAMEDULLARY IMPLANT, WITH OR WITHOUT INTERLOCKING SCREWS AND/OR CERCLAGE	CPT/HCPCS
Fractures / Falls	27246	PX	CLOSED TREATMENT OF GREATER TROCHANTERIC FRACTURE, WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27248	PX	OPEN TREATMENT OF GREATER TROCHANTERIC FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	27254	PX	OPEN TREATMENT OF HIP DISLOCATION, TRAUMATIC, WITH ACETABULAR WALL AND FEMORAL HEAD FRACTURE, WITH OR WITHOUT INTERNAL OR EXTERNAL FIXATION	CPT/HCPCS
Fractures / Falls	27267	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD; WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27268	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD; WITH MANIPULATION	CPT/HCPCS
Fractures / Falls	27269	PX	OPEN TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	27500	PX	CLOSED TREATMENT OF FEMORAL SHAFT FRACTURE, WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27501	PX	CLOSED TREATMENT OF SUPRACONDYLAR OR TRANSCONDYLAR FEMORAL FRACTURE WITH OR WITHOUT INTERCONDYLAR EXTENSION, WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27502	PX	CLOSED TREATMENT OF FEMORAL SHAFT FRACTURE, WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
Fractures / Falls	27503	PX	CLOSED TREATMENT OF SUPRACONDYLAR OR TRANSCONDYLAR FEMORAL FRACTURE WITH OR WITHOUT INTERCONDYLAR EXTENSION, WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
Fractures / Falls	27506	PX	OPEN TREATMENT OF FEMORAL SHAFT FRACTURE, WITH OR WITHOUT EXTERNAL FIXATION, WITH INSERTION OF INTRAMEDULLARY IMPLANT, WITH OR WITHOUT CERCLAGE AND/OR LOCKING SCREWS	CPT/HCPCS
Fractures / Falls	27507	PX	OPEN TREATMENT OF FEMORAL SHAFT FRACTURE WITH PLATE/SCREWS, WITH OR WITHOUT CERCLAGE	CPT/HCPCS
Fractures / Falls	27508	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, WITHOUT MANIPULATION	CPT/HCPCS
Fractures / Falls	27509	PX	PERCUTANEOUS SKELETAL FIXATION OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, OR SUPRACONDYLAR OR TRANSCONDYLAR, WITH OR WITHOUT INTERCONDYLAR EXTENSION, OR DISTAL FEMORAL EPIPHYSEAL SEPARATION	CPT/HCPCS
Fractures / Falls	27510	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, WITH MANIPULATION	CPT/HCPCS
Fractures / Falls	27511	PX	OPEN TREATMENT OF FEMORAL SUPRACONDYLAR OR TRANSCONDYLAR FRACTURE WITHOUT INTERCONDYLAR EXTENSION, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	27513	PX	OPEN TREATMENT OF FEMORAL SUPRACONDYLAR OR TRANSCONDYLAR FRACTURE WITH INTERCONDYLAR EXTENSION, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	27514	PX	OPEN TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
Fractures / Falls	0PBH0ZZ	PX	EXCISION OF RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PBJ0ZZ	PX	EXCISION OF LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PBK0ZZ	PX	EXCISION OF RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PBL0ZZ	PX	EXCISION OF LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH004Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH034Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH044Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH104Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH134Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH144Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH204Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH234Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH244Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH504Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH534Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH544Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH604Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH634Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH644Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH704Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH734Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH744Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH804Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH834Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH844Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PH904Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PH934Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PH944Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHB04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHB34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHB44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHH34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHH44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHH4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHJ34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHJ44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHJ4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHK34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHK35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHK36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHK3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHK3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM

Fractures / Falls	0PHK3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHK44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHK4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PHL34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PHL44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PHL4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN00ZZ	PX	RELEASE STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN03ZZ	PX	RELEASE STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN04ZZ	PX	RELEASE STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN10ZZ	PX	RELEASE 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN13ZZ	PX	RELEASE 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN14ZZ	PX	RELEASE 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN20ZZ	PX	RELEASE 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN23ZZ	PX	RELEASE 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN24ZZ	PX	RELEASE 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN50ZZ	PX	RELEASE RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN53ZZ	PX	RELEASE RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN54ZZ	PX	RELEASE RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN60ZZ	PX	RELEASE LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN63ZZ	PX	RELEASE LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN64ZZ	PX	RELEASE LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN70ZZ	PX	RELEASE RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN73ZZ	PX	RELEASE RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN74ZZ	PX	RELEASE RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNB0ZZ	PX	RELEASE LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNB3ZZ	PX	RELEASE LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNB4ZZ	PX	RELEASE LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PN90ZZ	PX	RELEASE RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PN93ZZ	PX	RELEASE RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PN94ZZ	PX	RELEASE RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNB0ZZ	PX	RELEASE LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNB3ZZ	PX	RELEASE LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNB4ZZ	PX	RELEASE LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNH0ZZ	PX	RELEASE RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNH3ZZ	PX	RELEASE RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNH4ZZ	PX	RELEASE RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNJ0ZZ	PX	RELEASE LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNJ3ZZ	PX	RELEASE LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNJ4ZZ	PX	RELEASE LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNK0ZZ	PX	RELEASE RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNK3ZZ	PX	RELEASE RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNK4ZZ	PX	RELEASE RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PNL0ZZ	PX	RELEASE LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PNL3ZZ	PX	RELEASE LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PNL4ZZ	PX	RELEASE LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP004Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP007Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP00JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP00KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP034Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP037Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP03JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP03KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP044Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP047Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP04JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP04KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP104Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP107Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP10JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP10KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP134Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP137Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP13JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP13KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP144Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP147Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP14JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP14KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP204Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP207Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP20JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP20KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP234Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP237Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP23JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP23KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP244Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP247Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP24JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP24KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP504Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP507Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP50JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP50KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP534Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP537Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP53JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP53KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP544Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP547Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP54JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP54KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP604Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP607Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP60JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP60KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP634Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP637Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP63JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP63KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP644Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP647Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP64JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP64KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP704Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP707Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP70JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP70KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP734Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP737Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP73JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP73KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP744Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP747Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP74JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP74KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP804Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP807Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP80JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP80KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP834Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP837Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP83JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP83KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP844Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP847Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP84JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP84KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Fractures / Falls	0PP904Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP907Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP90JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP90KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PP934Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP937Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP93JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP93KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PP944Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP947Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP94JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PP94KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPB04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPB07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPB0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPB0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPB34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPB37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPB3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPB3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPB44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPB47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPB4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPB4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPH04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPH05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPH07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPH0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPH0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPH34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPH35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPH37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPH3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPH3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPH44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPH45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPH47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPH4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPH4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPJ04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPJ05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPJ07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPJ0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPJ0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPJ34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPJ35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPJ37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPJ3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPJ3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPJ44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPJ45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPJ47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPJ4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPJ4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPK04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPK05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPK07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPK0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPK0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPK34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPK35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPK37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPK3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPK3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPK44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPK45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPK47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPK4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPK4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPL04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPL05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPL07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPL0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPL0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PPL34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPL35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPL37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPL3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPL3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PPL44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPL45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPL47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPL4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PPL4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ00ZZ	PX	REPAIR STERNUM, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ03ZZ	PX	REPAIR STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ04ZZ	PX	REPAIR STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ0XZZ	PX	REPAIR STERNUM, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ10ZZ	PX	REPAIR 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ13ZZ	PX	REPAIR 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ14ZZ	PX	REPAIR 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ1XZZ	PX	REPAIR 1 TO 2 RIBS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ20ZZ	PX	REPAIR 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ23ZZ	PX	REPAIR 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ24ZZ	PX	REPAIR 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ2XZZ	PX	REPAIR 3 OR MORE RIBS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ50ZZ	PX	REPAIR RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ53ZZ	PX	REPAIR RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ54ZZ	PX	REPAIR RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ5XZZ	PX	REPAIR RIGHT SCAPULA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ60ZZ	PX	REPAIR LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ63ZZ	PX	REPAIR LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ64ZZ	PX	REPAIR LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ6XZZ	PX	REPAIR LEFT SCAPULA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ70ZZ	PX	REPAIR RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ73ZZ	PX	REPAIR RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ74ZZ	PX	REPAIR RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ7XZZ	PX	REPAIR RIGHT GLENOID CAVITY, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ80ZZ	PX	REPAIR LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ83ZZ	PX	REPAIR LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ84ZZ	PX	REPAIR LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ8XZZ	PX	REPAIR LEFT GLENOID CAVITY, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQ90ZZ	PX	REPAIR RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQ93ZZ	PX	REPAIR RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQ94ZZ	PX	REPAIR RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQ9XZZ	PX	REPAIR RIGHT CLAVICLE, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQB0ZZ	PX	REPAIR LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQB3ZZ	PX	REPAIR LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQB4ZZ	PX	REPAIR LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQBXZZ	PX	REPAIR LEFT CLAVICLE, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQH0ZZ	PX	REPAIR RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQH3ZZ	PX	REPAIR RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQH4ZZ	PX	REPAIR RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQHXZZ	PX	REPAIR RIGHT RADIUS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQJ0ZZ	PX	REPAIR LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQJ3ZZ	PX	REPAIR LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQJ4ZZ	PX	REPAIR LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQJXZZ	PX	REPAIR LEFT RADIUS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQK0ZZ	PX	REPAIR RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQK3ZZ	PX	REPAIR RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQK4ZZ	PX	REPAIR RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQKXZZ	PX	REPAIR RIGHT ULNA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PQL0ZZ	PX	REPAIR LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PQL3ZZ	PX	REPAIR LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PQL4ZZ	PX	REPAIR LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PQLXZZ	PX	REPAIR LEFT ULNA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PR00JZ	PX	REPLACEMENT OF STERNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR03JZ	PX	REPLACEMENT OF STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR04JZ	PX	REPLACEMENT OF STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR10JZ	PX	REPLACEMENT OF 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR13JZ	PX	REPLACEMENT OF 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR14JZ	PX	REPLACEMENT OF 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR20JZ	PX	REPLACEMENT OF 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR23JZ	PX	REPLACEMENT OF 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR24JZ	PX	REPLACEMENT OF 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR50JZ	PX	REPLACEMENT OF RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR53JZ	PX	REPLACEMENT OF RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR54JZ	PX	REPLACEMENT OF RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR60JZ	PX	REPLACEMENT OF LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR63JZ	PX	REPLACEMENT OF LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR64JZ	PX	REPLACEMENT OF LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR70JZ	PX	REPLACEMENT OF RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR73JZ	PX	REPLACEMENT OF RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR74JZ	PX	REPLACEMENT OF RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRB0JZ	PX	REPLACEMENT OF LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

Fractures / Falls	0PRB3JZ	PX	REPLACEMENT OF LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRB4JZ	PX	REPLACEMENT OF LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PR90JZ	PX	REPLACEMENT OF RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PR93JZ	PX	REPLACEMENT OF RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PR94JZ	PX	REPLACEMENT OF RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRB0JZ	PX	REPLACEMENT OF LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PRB3JZ	PX	REPLACEMENT OF LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRB4JZ	PX	REPLACEMENT OF LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRH0JZ	PX	REPLACEMENT OF RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PRH3JZ	PX	REPLACEMENT OF RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRH4JZ	PX	REPLACEMENT OF RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRJ0JZ	PX	REPLACEMENT OF LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PRJ3JZ	PX	REPLACEMENT OF LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRJ4JZ	PX	REPLACEMENT OF LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRK0JZ	PX	REPLACEMENT OF RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PRK3JZ	PX	REPLACEMENT OF RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRK4JZ	PX	REPLACEMENT OF RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PRL0JZ	PX	REPLACEMENT OF LEFT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PRL3JZ	PX	REPLACEMENT OF LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PRL4JZ	PX	REPLACEMENT OF LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH04Z	PX	REPOSITION RIGHT RADIUS WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH05Z	PX	REPOSITION RIGHT RADIUS WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH06Z	PX	REPOSITION RIGHT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH0BZ	PX	REPOSITION RIGHT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH0CZ	PX	REPOSITION RIGHT RADIUS WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH0DZ	PX	REPOSITION RIGHT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH0ZZ	PX	REPOSITION RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSH34Z	PX	REPOSITION RIGHT RADIUS WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH35Z	PX	REPOSITION RIGHT RADIUS WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH36Z	PX	REPOSITION RIGHT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH3BZ	PX	REPOSITION RIGHT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH3CZ	PX	REPOSITION RIGHT RADIUS WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH3DZ	PX	REPOSITION RIGHT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH3ZZ	PX	REPOSITION RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSH44Z	PX	REPOSITION RIGHT RADIUS WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH45Z	PX	REPOSITION RIGHT RADIUS WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH46Z	PX	REPOSITION RIGHT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH4BZ	PX	REPOSITION RIGHT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH4CZ	PX	REPOSITION RIGHT RADIUS WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH4DZ	PX	REPOSITION RIGHT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSH4ZZ	PX	REPOSITION RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSHXZZ	PX	REPOSITION RIGHT RADIUS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PSJ04Z	PX	REPOSITION LEFT RADIUS WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ05Z	PX	REPOSITION LEFT RADIUS WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ06Z	PX	REPOSITION LEFT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ0BZ	PX	REPOSITION LEFT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ0CZ	PX	REPOSITION LEFT RADIUS WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ0DZ	PX	REPOSITION LEFT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ0ZZ	PX	REPOSITION LEFT RADIUS, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSJ34Z	PX	REPOSITION LEFT RADIUS WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ35Z	PX	REPOSITION LEFT RADIUS WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ36Z	PX	REPOSITION LEFT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ3BZ	PX	REPOSITION LEFT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ3CZ	PX	REPOSITION LEFT RADIUS WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ3DZ	PX	REPOSITION LEFT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ3ZZ	PX	REPOSITION LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSJ44Z	PX	REPOSITION LEFT RADIUS WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ45Z	PX	REPOSITION LEFT RADIUS WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ46Z	PX	REPOSITION LEFT RADIUS WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ4BZ	PX	REPOSITION LEFT RADIUS WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ4CZ	PX	REPOSITION LEFT RADIUS WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ4DZ	PX	REPOSITION LEFT RADIUS WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJ4ZZ	PX	REPOSITION LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSJXZZ	PX	REPOSITION LEFT RADIUS, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PSK04Z	PX	REPOSITION RIGHT ULNA WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK05Z	PX	REPOSITION RIGHT ULNA WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK06Z	PX	REPOSITION RIGHT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK0BZ	PX	REPOSITION RIGHT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK0CZ	PX	REPOSITION RIGHT ULNA WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK0DZ	PX	REPOSITION RIGHT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK0ZZ	PX	REPOSITION RIGHT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSK34Z	PX	REPOSITION RIGHT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK35Z	PX	REPOSITION RIGHT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK36Z	PX	REPOSITION RIGHT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK3BZ	PX	REPOSITION RIGHT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK3CZ	PX	REPOSITION RIGHT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK3DZ	PX	REPOSITION RIGHT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK3ZZ	PX	REPOSITION RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSK44Z	PX	REPOSITION RIGHT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK45Z	PX	REPOSITION RIGHT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK46Z	PX	REPOSITION RIGHT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK4BZ	PX	REPOSITION RIGHT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK4CZ	PX	REPOSITION RIGHT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK4DZ	PX	REPOSITION RIGHT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSK4ZZ	PX	REPOSITION RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSKXZZ	PX	REPOSITION RIGHT ULNA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PSL04Z	PX	REPOSITION LEFT ULNA WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL05Z	PX	REPOSITION LEFT ULNA WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL06Z	PX	REPOSITION LEFT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL0BZ	PX	REPOSITION LEFT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL0CZ	PX	REPOSITION LEFT ULNA WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL0DZ	PX	REPOSITION LEFT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL0ZZ	PX	REPOSITION LEFT ULNA, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PSL34Z	PX	REPOSITION LEFT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL35Z	PX	REPOSITION LEFT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL36Z	PX	REPOSITION LEFT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL3BZ	PX	REPOSITION LEFT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL3CZ	PX	REPOSITION LEFT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL3DZ	PX	REPOSITION LEFT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL3ZZ	PX	REPOSITION LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PSL44Z	PX	REPOSITION LEFT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL45Z	PX	REPOSITION LEFT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL46Z	PX	REPOSITION LEFT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL4BZ	PX	REPOSITION LEFT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL4CZ	PX	REPOSITION LEFT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL4DZ	PX	REPOSITION LEFT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSL4ZZ	PX	REPOSITION LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PSLXZZ	PX	REPOSITION LEFT ULNA, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0PU00JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU03JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU04JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU10JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU13JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU14JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU20JZ	PX	SUPPLEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU23JZ	PX	SUPPLEMEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU24JZ	PX	SUPPLEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU50JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU53JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU54JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU60JZ	PX	SUPPLEMEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU63JZ	PX	SUPPLEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU64JZ	PX	SUPPLEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU70JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU73JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU74JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU80JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU83JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU84JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PU90JZ	PX	SUPPLEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PU93JZ	PX	SUPPLEMEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PU94JZ	PX	SUPPLEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PUB0JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PUB3JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PUB4JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PUH0JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PUH3JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PUH4JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PUJ0JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PUJ3JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PUJ4JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PUK0JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PUK3JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PUK4JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0PUL0JZ	PX	SUPPLEMEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0PUL3JZ	PX	SUPPLEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0PUL4JZ	PX	SUPPLEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QB60ZZ	PX	EXCISION OF RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QB70ZZ	PX	EXCISION OF LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QB80ZZ	PX	EXCISION OF RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QB90ZZ	PX	EXCISION OF LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QBB0ZZ	PX	EXCISION OF RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QBC0ZZ	PX	EXCISION OF LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH604Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH605Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM

Fractures / Falls	0QH606Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH60BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH60CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH60DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH634Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH635Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH636Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH63BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH63CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH63DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH644Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH645Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH646Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH64BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH64CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH64DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH704Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH705Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH706Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH70BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH70CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH70DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH734Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH735Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH736Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH73BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH73CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH73DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH744Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH745Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH746Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH74BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH74CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH74DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH804Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH805Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH806Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH80BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH80CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH80DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH834Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH835Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH836Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH83BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH83CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH83DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH844Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH845Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH846Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH84BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH84CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH84DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH904Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH905Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH906Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH90BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH90CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH90DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QH934Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH935Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH936Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH93BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH93CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH93DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QH944Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH945Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH946Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH94BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH94CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QH94DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHB34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHB44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHB4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QHC34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QHC44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QHC4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QN60ZZ	PX	RELEASE RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QN63ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QN64ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QN70ZZ	PX	RELEASE LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QN73ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QN74ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QN80ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QN83ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QN84ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QN90ZZ	PX	RELEASE LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QN93ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QN94ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QNB0ZZ	PX	RELEASE RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QNB3ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QNB4ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QNC0ZZ	PX	RELEASE LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QNC3ZZ	PX	RELEASE LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QNC4ZZ	PX	RELEASE LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP604Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM

Fractures / Falls	0QP605Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP607Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP60JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP60KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP634Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP635Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP637Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP63JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP63KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP644Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP645Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP647Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP64JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP64KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP704Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP705Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP707Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP70JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP70KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP734Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP735Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP737Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP73JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP73KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP744Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP745Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP747Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP74JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP74KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP804Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP805Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP807Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP80JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP80KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP834Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP835Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP837Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP83JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP83KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP844Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP845Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP847Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP84JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP84KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP904Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP905Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP907Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP90JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP90KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QP934Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP935Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP937Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP93JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP93KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QP944Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP945Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP947Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP94JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QP94KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPB04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPB05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPB07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPB0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPB0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPB34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPB35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPB37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPB3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPB3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPB44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPB45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPB47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPB4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPB4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPC04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPC05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPC07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPC0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPC0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QPC34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPC35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPC37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPC3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPC3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QPC44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPC45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPC47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPC4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QPC4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQ60ZZ	PX	REPAIR RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQ63ZZ	PX	REPAIR RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQ64ZZ	PX	REPAIR RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQ6XZZ	PX	REPAIR RIGHT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QQ70ZZ	PX	REPAIR LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQ73ZZ	PX	REPAIR LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQ74ZZ	PX	REPAIR LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQ7XZZ	PX	REPAIR LEFT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QQ80ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQ83ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQ84ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQ8XZZ	PX	REPAIR RIGHT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QQ90ZZ	PX	REPAIR LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQ93ZZ	PX	REPAIR LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQ94ZZ	PX	REPAIR LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQ9XZZ	PX	REPAIR LEFT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QQB0ZZ	PX	REPAIR RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQB3ZZ	PX	REPAIR RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQB4ZZ	PX	REPAIR RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQBXZZ	PX	REPAIR RIGHT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QQC0ZZ	PX	REPAIR LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QQC3ZZ	PX	REPAIR LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QQC4ZZ	PX	REPAIR LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QQCXZZ	PX	REPAIR LEFT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QR60JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QR63JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QR64JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QR70JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QR73JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QR74JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QR80JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QR83JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QR84JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QR90JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QR93JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QR94JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QRB0JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QRB3JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QRB4JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QRC0JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QRC3JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QRC4JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS604Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS605Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS606Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS60BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS60CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS60DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS60ZZ	PX	REPOSITION RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS634Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS635Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS636Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

Fractures / Falls	0QS63BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS63CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS63DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS63ZZ	PX	REPOSITION RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS644Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS645Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS646Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS64BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS64CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS64DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS64ZZ	PX	REPOSITION RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS6XZZ	PX	REPOSITION RIGHT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QS704Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS705Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS706Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS70BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS70CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS70DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS70ZZ	PX	REPOSITION LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS734Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS735Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS736Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS73BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS73CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS73DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS73ZZ	PX	REPOSITION LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS744Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS745Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS746Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS74BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS74CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS74DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS74ZZ	PX	REPOSITION LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS7XZZ	PX	REPOSITION LEFT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QS804Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS805Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS806Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS80BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS80CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS80DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS80ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS834Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS835Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS836Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS83BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS83CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS83DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS83ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS844Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS845Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS846Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS84BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS84CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS84DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS84ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS8XZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QS904Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS905Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS906Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS90BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS90CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS90DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS90ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QS934Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS935Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS936Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS93BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS93CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS93DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS93ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QS944Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS945Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS946Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS94BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS94CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS94DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS94ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QS9XZZ	PX	REPOSITION LEFT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QSB04Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB05Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB06Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB0BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB0CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB0DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB0ZZ	PX	REPOSITION RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSB34Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB35Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB36Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB3BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB3CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB3DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB3ZZ	PX	REPOSITION RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSB44Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB45Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB46Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB4BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB4CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB4DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSB4ZZ	PX	REPOSITION RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSBXZZ	PX	REPOSITION RIGHT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QSC04Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC05Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC06Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC0BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC0CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC0DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC0ZZ	PX	REPOSITION LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QSC34Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC35Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC36Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC3BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC3CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC3DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC3ZZ	PX	REPOSITION LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QSC44Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC45Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC46Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC4BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC4CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC4DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSC4ZZ	PX	REPOSITION LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QSCXZZ	PX	REPOSITION LEFT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM
Fractures / Falls	0QU60JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QU63JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QU64JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QU70JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QU73JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QU74JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QU80JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QU83JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM

Fractures / Falls	0QUB4JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QU90JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QU93JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QU94JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QUB0JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QUB3JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QUB4JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0QUC0JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Fractures / Falls	0QUC3JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0QUC4JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Fractures / Falls	0XH23YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT SHOULDER REGION, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	0XH33YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT SHOULDER REGION, PERCUTANEOUS APPROACH	ICD-10-CM
Fractures / Falls	V00.01XA	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH ROLLER-SKATER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.01XD	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH ROLLER-SKATER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.02XA	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH SKATEBOARDER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.02XD	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH SKATEBOARDER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.09XA	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.09XD	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.111A	DX	FALL FROM IN-LINE ROLLER-SKATES, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.111D	DX	FALL FROM IN-LINE ROLLER-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.111S	DX	FALL FROM IN-LINE ROLLER-SKATES, SEQUELA	ICD-10-CM
Fractures / Falls	V00.112A	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.112D	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.112S	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.118A	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.118D	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.118S	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.121A	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.121D	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.121S	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, SEQUELA	ICD-10-CM
Fractures / Falls	V00.122A	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.122D	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.122S	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.128A	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.128D	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.128S	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.131A	DX	FALL FROM SKATEBOARD, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.131D	DX	FALL FROM SKATEBOARD, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.131S	DX	FALL FROM SKATEBOARD, SEQUELA	ICD-10-CM
Fractures / Falls	V00.132A	DX	SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.132D	DX	SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.132S	DX	SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.138A	DX	OTHER SKATEBOARD ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.138D	DX	OTHER SKATEBOARD ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.138S	DX	OTHER SKATEBOARD ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.141A	DX	FALL FROM SCOOTER (NONMOTORIZED), INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.141D	DX	FALL FROM SCOOTER (NONMOTORIZED), SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.141S	DX	FALL FROM SCOOTER (NONMOTORIZED), SEQUELA	ICD-10-CM
Fractures / Falls	V00.142A	DX	SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.142D	DX	SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.142S	DX	SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.148A	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.148D	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.148S	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.151A	DX	FALL FROM HEELIES, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.151D	DX	FALL FROM HEELIES, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.151S	DX	FALL FROM HEELIES, SEQUELA	ICD-10-CM
Fractures / Falls	V00.152A	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.152D	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.152S	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.158A	DX	OTHER HEELIES ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.158D	DX	OTHER HEELIES ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.158S	DX	OTHER HEELIES ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.181A	DX	FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.181D	DX	FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.181S	DX	FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.182A	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.182D	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.182S	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.188A	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.188D	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.188S	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.211A	DX	FALL FROM ICE-SKATES, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.211D	DX	FALL FROM ICE-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.211S	DX	FALL FROM ICE-SKATES, SEQUELA	ICD-10-CM
Fractures / Falls	V00.212A	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.212D	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.212S	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.218A	DX	OTHER ICE-SKATES ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.218D	DX	OTHER ICE-SKATES ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.218S	DX	OTHER ICE-SKATES ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.221A	DX	FALL FROM SLED, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.221D	DX	FALL FROM SLED, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.221S	DX	FALL FROM SLED, SEQUELA	ICD-10-CM
Fractures / Falls	V00.222A	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.222D	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.222S	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.228A	DX	OTHER SLED ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.228D	DX	OTHER SLED ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.228S	DX	OTHER SLED ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.281A	DX	FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.281D	DX	FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.281S	DX	FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.282A	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.282D	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.282S	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.288A	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.288D	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.288S	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.311A	DX	FALL FROM SNOWBOARD, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.311D	DX	FALL FROM SNOWBOARD, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.311S	DX	FALL FROM SNOWBOARD, SEQUELA	ICD-10-CM
Fractures / Falls	V00.312A	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.312D	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.312S	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.318A	DX	OTHER SNOWBOARD ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.318D	DX	OTHER SNOWBOARD ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.318S	DX	OTHER SNOWBOARD ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.321A	DX	FALL FROM SNOW-SKIS, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.321D	DX	FALL FROM SNOW-SKIS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.321S	DX	FALL FROM SNOW-SKIS, SEQUELA	ICD-10-CM
Fractures / Falls	V00.322A	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.322D	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.322S	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.328A	DX	OTHER SNOW-SKI ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.328D	DX	OTHER SNOW-SKI ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.328S	DX	OTHER SNOW-SKI ACCIDENT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.381A	DX	FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.381D	DX	FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.381S	DX	FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.382A	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.382D	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.382S	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.388A	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.388D	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.388S	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.811A	DX	FALL FROM MOVING WHEELCHAIR (POWERED), INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.811D	DX	FALL FROM MOVING WHEELCHAIR (POWERED), SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.811S	DX	FALL FROM MOVING WHEELCHAIR (POWERED), SEQUELA	ICD-10-CM
Fractures / Falls	V00.812A	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.812D	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.812S	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.818A	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.818D	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.818S	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), SEQUELA	ICD-10-CM
Fractures / Falls	V00.821A	DX	FALL FROM BABY STROLLER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.821D	DX	FALL FROM BABY STROLLER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.821S	DX	FALL FROM BABY STROLLER, SEQUELA	ICD-10-CM
Fractures / Falls	V00.822A	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.822D	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.822S	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.828A	DX	OTHER ACCIDENT WITH BABY STROLLER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.828D	DX	OTHER ACCIDENT WITH BABY STROLLER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.828S	DX	OTHER ACCIDENT WITH BABY STROLLER, SEQUELA	ICD-10-CM
Fractures / Falls	V00.831A	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.831D	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.831S	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
Fractures / Falls	V00.832A	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.832D	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.832S	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.838A	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.838D	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.838S	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
Fractures / Falls	V00.891A	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM

Fractures / Falls	V00.891D	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.891S	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	V00.892A	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.892D	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.892S	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	V00.898A	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.898D	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	V00.898S	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
Fractures / Falls	W00.0XXA	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.0XXD	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.0XXS	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
Fractures / Falls	W00.1XXA	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.1XXD	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.1XXS	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
Fractures / Falls	W00.2XXA	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.2XXD	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.2XXS	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
Fractures / Falls	W00.9XXA	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.9XXD	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W00.9XXS	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
Fractures / Falls	W01.0XXA	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.0XXD	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.0XXS	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W01.10XA	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.10XD	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.10XS	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W01.110A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.110D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.110S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, SEQUELA	ICD-10-CM
Fractures / Falls	W01.111A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.111D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.111S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, SEQUELA	ICD-10-CM
Fractures / Falls	W01.118A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.118D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.118S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W01.119A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.119D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.119S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W01.190A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.190D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.190S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, SEQUELA	ICD-10-CM
Fractures / Falls	W01.198A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.198D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W01.198S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W03.XXXA	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W03.XXXD	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W03.XXXS	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, SEQUELA	ICD-10-CM
Fractures / Falls	W04.XXXA	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W04.XXXD	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W04.XXXS	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, SEQUELA	ICD-10-CM
Fractures / Falls	W05.0XXA	DX	FALL FROM NON-MOVING WHEELCHAIR, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.0XXD	DX	FALL FROM NON-MOVING WHEELCHAIR, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.0XXS	DX	FALL FROM NON-MOVING WHEELCHAIR, SEQUELA	ICD-10-CM
Fractures / Falls	W05.1XXA	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.1XXD	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.1XXS	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, SEQUELA	ICD-10-CM
Fractures / Falls	W05.2XXA	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.2XXD	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W05.2XXS	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
Fractures / Falls	W06.XXXA	DX	FALL FROM BED, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W06.XXXD	DX	FALL FROM BED, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W06.XXXS	DX	FALL FROM BED, SEQUELA	ICD-10-CM
Fractures / Falls	W07.XXXA	DX	FALL FROM CHAIR, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W07.XXXD	DX	FALL FROM CHAIR, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W07.XXXS	DX	FALL FROM CHAIR, SEQUELA	ICD-10-CM
Fractures / Falls	W08.XXXA	DX	FALL FROM OTHER FURNITURE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W08.XXXD	DX	FALL FROM OTHER FURNITURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W08.XXXS	DX	FALL FROM OTHER FURNITURE, SEQUELA	ICD-10-CM
Fractures / Falls	W09.0XXA	DX	FALL ON OR FROM PLAYGROUND SLIDE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.0XXD	DX	FALL ON OR FROM PLAYGROUND SLIDE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.0XXS	DX	FALL ON OR FROM PLAYGROUND SLIDE, SEQUELA	ICD-10-CM
Fractures / Falls	W09.1XXA	DX	FALL FROM PLAYGROUND SWING, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.1XXD	DX	FALL FROM PLAYGROUND SWING, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.1XXS	DX	FALL FROM PLAYGROUND SWING, SEQUELA	ICD-10-CM
Fractures / Falls	W09.2XXA	DX	FALL ON OR FROM JUNGLE GYM, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.2XXD	DX	FALL ON OR FROM JUNGLE GYM, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.2XXS	DX	FALL ON OR FROM JUNGLE GYM, SEQUELA	ICD-10-CM
Fractures / Falls	W09.8XXA	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.8XXD	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W09.8XXS	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, SEQUELA	ICD-10-CM
Fractures / Falls	W10.0XXA	DX	FALL (ON)(FROM) ESCALATOR, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.0XXD	DX	FALL (ON)(FROM) ESCALATOR, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.0XXS	DX	FALL (ON)(FROM) ESCALATOR, SEQUELA	ICD-10-CM
Fractures / Falls	W10.1XXA	DX	FALL (ON)(FROM) SIDEWALK CURB, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.1XXD	DX	FALL (ON)(FROM) SIDEWALK CURB, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.1XXS	DX	FALL (ON)(FROM) SIDEWALK CURB, SEQUELA	ICD-10-CM
Fractures / Falls	W10.2XXA	DX	FALL (ON)(FROM) INCLINE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.2XXD	DX	FALL (ON)(FROM) INCLINE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.2XXS	DX	FALL (ON)(FROM) INCLINE, SEQUELA	ICD-10-CM
Fractures / Falls	W10.8XXA	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.8XXD	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.8XXS	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, SEQUELA	ICD-10-CM
Fractures / Falls	W10.9XXA	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.9XXD	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W10.9XXS	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, SEQUELA	ICD-10-CM
Fractures / Falls	W11.XXXA	DX	FALL ON AND FROM LADDER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W11.XXXD	DX	FALL ON AND FROM LADDER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W11.XXXS	DX	FALL ON AND FROM LADDER, SEQUELA	ICD-10-CM
Fractures / Falls	W12.XXXA	DX	FALL ON AND FROM SCAFFOLDING, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W12.XXXD	DX	FALL ON AND FROM SCAFFOLDING, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W12.XXXS	DX	FALL ON AND FROM SCAFFOLDING, SEQUELA	ICD-10-CM
Fractures / Falls	W13.0XXA	DX	FALL FROM, OUT OF OR THROUGH BALCONY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.0XXD	DX	FALL FROM, OUT OF OR THROUGH BALCONY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.0XXS	DX	FALL FROM, OUT OF OR THROUGH BALCONY, SEQUELA	ICD-10-CM
Fractures / Falls	W13.1XXA	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.1XXD	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.1XXS	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, SEQUELA	ICD-10-CM
Fractures / Falls	W13.2XXA	DX	FALL FROM, OUT OF OR THROUGH ROOF, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.2XXD	DX	FALL FROM, OUT OF OR THROUGH ROOF, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.2XXS	DX	FALL FROM, OUT OF OR THROUGH ROOF, SEQUELA	ICD-10-CM
Fractures / Falls	W13.3XXA	DX	FALL THROUGH FLOOR, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.3XXD	DX	FALL THROUGH FLOOR, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.3XXS	DX	FALL THROUGH FLOOR, SEQUELA	ICD-10-CM
Fractures / Falls	W13.4XXA	DX	FALL FROM, OUT OF OR THROUGH WINDOW, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.4XXD	DX	FALL FROM, OUT OF OR THROUGH WINDOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.4XXS	DX	FALL FROM, OUT OF OR THROUGH WINDOW, SEQUELA	ICD-10-CM
Fractures / Falls	W13.8XXA	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.8XXD	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.8XXS	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, SEQUELA	ICD-10-CM
Fractures / Falls	W13.9XXA	DX	FALL FROM, OUT OF OR THROUGH BUILDING, NOT OTHERWISE SPECIFIED, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.9XXD	DX	FALL FROM, OUT OF OR THROUGH BUILDING, NOT OTHERWISE SPECIFIED, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W13.9XXS	DX	FALL FROM, OUT OF OR THROUGH BUILDING, NOT OTHERWISE SPECIFIED, SEQUELA	ICD-10-CM
Fractures / Falls	W14.XXXA	DX	FALL FROM TREE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W14.XXXD	DX	FALL FROM TREE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W14.XXXS	DX	FALL FROM TREE, SEQUELA	ICD-10-CM
Fractures / Falls	W15.XXXA	DX	FALL FROM CLIFF, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W15.XXXD	DX	FALL FROM CLIFF, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W15.XXXS	DX	FALL FROM CLIFF, SEQUELA	ICD-10-CM
Fractures / Falls	W16.011A	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.011D	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.011S	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.012A	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.012D	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.012S	DX	FALL INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.021A	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.021D	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM

Fractures / Falls	W16.021S	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.022A	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.022D	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.022S	DX	FALL INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.031A	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.031D	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.031S	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.032A	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.032D	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.032S	DX	FALL INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.111A	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.111D	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.111S	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.112A	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.112D	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.112S	DX	FALL INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.121A	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.121D	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.121S	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.122A	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.122D	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.122S	DX	FALL INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.131A	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.131D	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.131S	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.132A	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.132D	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.132S	DX	FALL INTO NATURAL BODY OF WATER STRIKING SIDE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.211A	DX	FALL IN (INTO) FILLED BATHTUB CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.211D	DX	FALL IN (INTO) FILLED BATHTUB CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.211S	DX	FALL IN (INTO) FILLED BATHTUB CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.212A	DX	FALL IN (INTO) FILLED BATHTUB CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.212D	DX	FALL IN (INTO) FILLED BATHTUB CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.212S	DX	FALL IN (INTO) FILLED BATHTUB CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.221A	DX	FALL IN (INTO) BUCKET OF WATER CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.221D	DX	FALL IN (INTO) BUCKET OF WATER CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.221S	DX	FALL IN (INTO) BUCKET OF WATER CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.222A	DX	FALL IN (INTO) BUCKET OF WATER CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.222D	DX	FALL IN (INTO) BUCKET OF WATER CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.222S	DX	FALL IN (INTO) BUCKET OF WATER CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.311A	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.311D	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.311S	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.312A	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.312D	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.312S	DX	FALL INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.321A	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.321D	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.321S	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.322A	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.322D	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.322S	DX	FALL INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.331A	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.331D	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.331S	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.332A	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.332D	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.332S	DX	FALL INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.41XA	DX	FALL INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.41XD	DX	FALL INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.41XS	DX	FALL INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.42XA	DX	FALL INTO UNSPECIFIED WATER CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.42XD	DX	FALL INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.42XS	DX	FALL INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.511A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.511D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.511S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.512A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.512D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.512S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.521A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.521D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.521S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.522A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.522D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.522S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.531A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.531D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.531S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.532A	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.532D	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.532S	DX	JUMPING OR DIVING INTO SWIMMING POOL STRIKING WALL CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.611A	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.611D	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.611S	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.612A	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.612D	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.612S	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.621A	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.621D	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.621S	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.622A	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.622D	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.622S	DX	JUMPING OR DIVING INTO NATURAL BODY OF WATER STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.711A	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.711D	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.711S	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.712A	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.712D	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.712S	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.721A	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.721D	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.721S	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.722A	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.722D	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.722S	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.811A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.811D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.811S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.812A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.812D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.812S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.821A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.821D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.821S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.822A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.822D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.822S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.831A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.831D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.831S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM

Fractures / Falls	W16.832A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.832D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.832S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W16.91XA	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.91XD	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.91XS	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
Fractures / Falls	W16.92XA	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.92XD	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W16.92XS	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
Fractures / Falls	W17.0XXA	DX	FALL INTO WELL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.0XXD	DX	FALL INTO WELL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.0XXS	DX	FALL INTO WELL, SEQUELA	ICD-10-CM
Fractures / Falls	W17.1XXA	DX	FALL INTO STORM DRAIN OR MANHOLE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.1XXD	DX	FALL INTO STORM DRAIN OR MANHOLE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.1XXS	DX	FALL INTO STORM DRAIN OR MANHOLE, SEQUELA	ICD-10-CM
Fractures / Falls	W17.2XXA	DX	FALL INTO HOLE, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.2XXD	DX	FALL INTO HOLE, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.2XXS	DX	FALL INTO HOLE, SEQUELA	ICD-10-CM
Fractures / Falls	W17.3XXA	DX	FALL INTO EMPTY SWIMMING POOL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.3XXD	DX	FALL INTO EMPTY SWIMMING POOL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.3XXS	DX	FALL INTO EMPTY SWIMMING POOL, SEQUELA	ICD-10-CM
Fractures / Falls	W17.4XXA	DX	FALL FROM DOCK, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.4XXD	DX	FALL FROM DOCK, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.4XXS	DX	FALL FROM DOCK, SEQUELA	ICD-10-CM
Fractures / Falls	W17.81XA	DX	FALL DOWN EMBANKMENT (HILL), INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.81XD	DX	FALL DOWN EMBANKMENT (HILL), SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.81XS	DX	FALL DOWN EMBANKMENT (HILL), SEQUELA	ICD-10-CM
Fractures / Falls	W17.82XA	DX	FALL FROM (OUT OF) GROCERY CART, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.82XD	DX	FALL FROM (OUT OF) GROCERY CART, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.82XS	DX	FALL FROM (OUT OF) GROCERY CART, SEQUELA	ICD-10-CM
Fractures / Falls	W17.89XA	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.89XD	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W17.89XS	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, SEQUELA	ICD-10-CM
Fractures / Falls	W18.00XA	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.00XD	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.00XS	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
Fractures / Falls	W18.01XA	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.01XD	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.01XS	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
Fractures / Falls	W18.02XA	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.02XD	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.02XS	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
Fractures / Falls	W18.09XA	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.09XD	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.09XS	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
Fractures / Falls	W18.11XA	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.11XD	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.11XS	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W18.12XA	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.12XD	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.12XS	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W18.2XXA	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.2XXD	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.2XXS	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, SEQUELA	ICD-10-CM
Fractures / Falls	W18.30XA	DX	FALL ON SAME LEVEL, UNSPECIFIED, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.30XD	DX	FALL ON SAME LEVEL, UNSPECIFIED, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.30XS	DX	FALL ON SAME LEVEL, UNSPECIFIED, SEQUELA	ICD-10-CM
Fractures / Falls	W18.31XA	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.31XD	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.31XS	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, SEQUELA	ICD-10-CM
Fractures / Falls	W18.39XA	DX	OTHER FALL ON SAME LEVEL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.39XD	DX	OTHER FALL ON SAME LEVEL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W18.39XS	DX	OTHER FALL ON SAME LEVEL, SEQUELA	ICD-10-CM
Fractures / Falls	W19.XXXA	DX	UNSPECIFIED FALL, INITIAL ENCOUNTER	ICD-10-CM
Fractures / Falls	W19.XXXD	DX	UNSPECIFIED FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
Fractures / Falls	W19.XXXS	DX	UNSPECIFIED FALL, SEQUELA	ICD-10-CM
Osteoporosis	M80.00XA	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED SITE, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.011A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.012A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.019A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.021A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.022A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.029A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.031A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.032A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.039A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.041A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.042A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.049A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.051A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.052A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.059A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.061A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.062A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.069A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.071A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.072A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.079A	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.08XA	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, VERTEBRA(E), INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.0AXA	DX	AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, OTHER SITE, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.80XA	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED SITE, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.811A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.812A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.819A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED SHOULDER, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.821A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.822A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.829A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED HUMERUS, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.831A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.832A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.839A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.841A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.842A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.849A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED HAND, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.851A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.852A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.859A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.861A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.862A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.869A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED LOWER LEG, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.871A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, RIGHT ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.872A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, LEFT ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.879A	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, UNSPECIFIED ANKLE AND FOOT, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.88XA	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, VERTEBRA(E), INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M80.8AXA	DX	OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, OTHER SITE, INITIAL ENCOUNTER FOR FRACTURE	ICD-10-CM
Osteoporosis	M81.0	DX	AGE-RELATED OSTEOPOROSIS WITHOUT CURRENT PATHOLOGICAL FRACTURE	ICD-10-CM

Osteoporosis	M81.6	DX	LOCALIZED OSTEOPOROSIS [LEQUESNE]	ICD-10-CM
Osteoporosis	M81.8	DX	OTHER OSTEOPOROSIS WITHOUT CURRENT PATHOLOGICAL FRACTURE	ICD-10-CM
Depression	F31.30	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, MILD OR MODERATE SEVERITY, UNSPECIFIED	ICD-10-CM
Depression	F31.31	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, MILD	ICD-10-CM
Depression	F31.32	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, MODERATE	ICD-10-CM
Depression	F31.4	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, SEVERE, WITHOUT PSYCHOTIC FEATURES	ICD-10-CM
Depression	F31.5	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, SEVERE, WITH PSYCHOTIC FEATURES	ICD-10-CM
Depression	F31.60	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, UNSPECIFIED	ICD-10-CM
Depression	F31.61	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, MILD	ICD-10-CM
Depression	F31.62	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, MODERATE	ICD-10-CM
Depression	F31.63	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, SEVERE, WITHOUT PSYCHOTIC FEATURES	ICD-10-CM
Depression	F31.64	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, SEVERE, WITH PSYCHOTIC FEATURES	ICD-10-CM
Depression	F31.75	DX	BIPOLAR DISORDER, IN PARTIAL REMISSION, MOST RECENT EPISODE DEPRESSED	ICD-10-CM
Depression	F31.76	DX	BIPOLAR DISORDER, IN FULL REMISSION, MOST RECENT EPISODE DEPRESSED	ICD-10-CM
Depression	F31.77	DX	BIPOLAR DISORDER, IN PARTIAL REMISSION, MOST RECENT EPISODE MIXED	ICD-10-CM
Depression	F31.78	DX	BIPOLAR DISORDER, IN FULL REMISSION, MOST RECENT EPISODE MIXED	ICD-10-CM
Depression	F31.81	DX	BIPOLAR II DISORDER	ICD-10-CM
Depression	F32.0	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, MILD	ICD-10-CM
Depression	F06.30	DX	MOOD DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION, UNSPECIFIED	ICD-10-CM
Depression	F06.31	DX	MOOD DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION WITH DEPRESSIVE FEATURES	ICD-10-CM
Depression	F06.32	DX	MOOD DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION WITH MAJOR DEPRESSIVE-LIKE EPISODE	ICD-10-CM
Depression	F06.33	DX	MOOD DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION WITH MANIC FEATURES	ICD-10-CM
Depression	F06.34	DX	MOOD DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION WITH MIXED FEATURES	ICD-10-CM
Depression	F32.1	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, MODERATE	ICD-10-CM
Depression	F32.2	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, SEVERE WITHOUT PSYCHOTIC FEATURES	ICD-10-CM
Depression	F32.3	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, SEVERE WITH PSYCHOTIC FEATURES	ICD-10-CM
Depression	F32.4	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, IN PARTIAL REMISSION	ICD-10-CM
Depression	F32.5	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, IN FULL REMISSION	ICD-10-CM
Depression	F32.8	DX	OTHER DEPRESSIVE EPISODES	ICD-10-CM
Depression	F32.89	DX	OTHER SPECIFIED DEPRESSIVE EPISODES	ICD-10-CM
Depression	F32.9	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, UNSPECIFIED	ICD-10-CM
Depression	F33	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT	ICD-10-CM
Depression	F33.0	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, MILD	ICD-10-CM
Depression	F33.1	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, MODERATE	ICD-10-CM
Depression	F33.2	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT SEVERE WITHOUT PSYCHOTIC FEATURES	ICD-10-CM
Depression	F33.3	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, SEVERE WITH PSYCHOTIC SYMPTOMS	ICD-10-CM
Depression	F33.4	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, IN REMISSION	ICD-10-CM
Depression	F33.40	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, IN REMISSION, UNSPECIFIED	ICD-10-CM
Depression	F33.41	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, IN PARTIAL REMISSION	ICD-10-CM
Depression	F33.42	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, IN FULL REMISSION	ICD-10-CM
Depression	F33.8	DX	OTHER RECURRENT DEPRESSIVE DISORDERS	ICD-10-CM
Depression	F33.9	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, UNSPECIFIED	ICD-10-CM
Depression	F34.0	DX	CYCLOTHYMIC DISORDER	ICD-10-CM
Depression	F34.1	DX	DYSTHYMIC DISORDER	ICD-10-CM
Depression	F34.8	DX	OTHER PERSISTENT MOOD [AFFECTIVE] DISORDERS	ICD-10-CM
Depression	F34.81	DX	DISRUPTIVE MOOD DYSREGULATION DISORDER	ICD-10-CM
Depression	F34.89	DX	OTHER SPECIFIED PERSISTENT MOOD DISORDERS	ICD-10-CM
Depression	F34.9	DX	PERSISTENT MOOD [AFFECTIVE] DISORDER, UNSPECIFIED	ICD-10-CM
Depression	F39	DX	UNSPECIFIED MOOD [AFFECTIVE] DISORDER	ICD-10-CM
Depression	F43.21	DX	ADJUSTMENT DISORDER WITH DEPRESSED MOOD	ICD-10-CM
Depression	F43.23	DX	ADJUSTMENT DISORDER WITH MIXED ANXIETY AND DEPRESSED MOOD	ICD-10-CM
Dementia	G30.0	DX	ALZHEIMER'S DISEASE WITH EARLY ONSET	ICD-10-CM
Dementia	G30.1	DX	ALZHEIMER'S DISEASE WITH LATE ONSET	ICD-10-CM
Dementia	G30.8	DX	OTHER ALZHEIMER'S DISEASE	ICD-10-CM
Dementia	G30.9	DX	ALZHEIMER'S DISEASE, UNSPECIFIED	ICD-10-CM
Dementia	G13.2	DX	SYSTEMIC ATROPHY PRIMARILY AFFECTING THE CENTRAL NERVOUS SYSTEM IN MYXEDEMA	ICD-10-CM
Dementia	G13.8	DX	SYSTEMIC ATROPHY PRIMARILY AFFECTING CENTRAL NERVOUS SYSTEM IN OTHER DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Dementia	G31.2	DX	DEGENERATION OF NERVOUS SYSTEM DUE TO ALCOHOL	ICD-10-CM
Dementia	G31.84	DX	MILD COGNITIVE IMPAIRMENT OF UNCERTAIN OR UNKNOWN ETIOLOGY	ICD-10-CM
Dementia	G31.85	DX	CORTICOBASAL DEGENERATION	ICD-10-CM
Dementia	G31.89	DX	OTHER SPECIFIED DEGENERATIVE DISEASES OF NERVOUS SYSTEM	ICD-10-CM
Dementia	G31.9	DX	DEGENERATIVE DISEASE OF NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
Dementia	F01.50	DX	VASCULAR DEMENTIA, UNSPECIFIED SEVERITY, WITHOUT BEHAVIORAL DISTURBANCE, PSYCHOTIC DISTURBANCE, MOOD DISTURBANCE, AND ANXIETY	ICD-10-CM
Dementia	F01.51	DX	VASCULAR DEMENTIA, UNSPECIFIED SEVERITY, WITH BEHAVIORAL DISTURBANCE	ICD-10-CM
Dementia	F02.80	DX	DEMENTIA IN OTHER DISEASES CLASSIFIED ELSEWHERE, UNSPECIFIED SEVERITY, WITHOUT BEHAVIORAL DISTURBANCE, PSYCHOTIC DISTURBANCE, MOOD DISTURBANCE, AND ANXIETY	ICD-10-CM
Dementia	F02.81	DX	DEMENTIA IN OTHER DISEASES CLASSIFIED ELSEWHERE, UNSPECIFIED SEVERITY, WITH BEHAVIORAL DISTURBANCE	ICD-10-CM
Dementia	F03.90	DX	UNSPECIFIED DEMENTIA, UNSPECIFIED SEVERITY, WITHOUT BEHAVIORAL DISTURBANCE, PSYCHOTIC DISTURBANCE, MOOD DISTURBANCE, AND ANXIETY	ICD-10-CM
Dementia	F03.91	DX	UNSPECIFIED DEMENTIA, UNSPECIFIED SEVERITY, WITH BEHAVIORAL DISTURBANCE	ICD-10-CM
Dementia	F04	DX	AMNESTIC DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Dementia	F05	DX	DELIRIUM DUE TO KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Dementia	F06.1	DX	CATATONIC DISORDER DUE TO KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Dementia	F06.8	DX	OTHER SPECIFIED MENTAL DISORDERS DUE TO KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Dementia	F10.26	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
Dementia	F10.27	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING DEMENTIA	ICD-10-CM
Dementia	F10.96	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
Dementia	F10.97	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING DEMENTIA	ICD-10-CM
Dementia	F13.27	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED	ICD-10-CM
Dementia	F13.97	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC USE, UNSPECIFIED WITH SEDATIVE, HYPNOTIC OR ANXIOLYTIC-INDUCED	ICD-10-CM
Dementia	F18.17	DX	INHALANT ABUSE WITH INHALANT-INDUCED DEMENTIA	ICD-10-CM
Dementia	F18.27	DX	INHALANT DEPENDENCE WITH INHALANT-INDUCED DEMENTIA	ICD-10-CM
Dementia	F18.97	DX	INHALANT USE, UNSPECIFIED WITH INHALANT-INDUCED PERSISTING DEMENTIA	ICD-10-CM
Dementia	F19.17	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
Dementia	F19.27	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING	ICD-10-CM
Dementia	F19.97	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING	ICD-10-CM
Dementia	G31.01	DX	PICK'S DISEASE	ICD-10-CM
Dementia	G31.09	DX	OTHER FRONTOTEMPORAL NEUROCOGNITIVE DISORDER	ICD-10-CM
Dementia	G31.1	DX	SENILE DEGENERATION OF BRAIN, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
Dementia	G31.83	DX	NEUROCOGNITIVE DISORDER WITH LEWY BODIES	ICD-10-CM
Dementia	R41.81	DX	AGE-RELATED COGNITIVE DECLINE	ICD-10-CM
Dementia	R54	DX	AGE-RELATED PHYSICAL DEBILITY	ICD-10-CM
Delirium or psychosis	F05	DX	DELIRIUM DUE TO KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Delirium or psychosis	F10.121	DX	ALCOHOL ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F10.221	DX	ALCOHOL DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F10.231	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
Delirium or psychosis	F10.921	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F11.121	DX	OPIOID ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F11.221	DX	OPIOID DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F11.921	DX	OPIOID USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F12.121	DX	CANNABIS ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F12.221	DX	CANNABIS DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F12.921	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F13.121	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F13.221	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F13.231	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
Delirium or psychosis	F13.921	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F13.931	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC USE, UNSPECIFIED WITH WITHDRAWAL DELIRIUM	ICD-10-CM
Delirium or psychosis	F14.121	DX	COCAINE ABUSE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F14.221	DX	COCAINE DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F14.921	DX	COCAINE USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F15.121	DX	OTHER STIMULANT ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F15.221	DX	OTHER STIMULANT DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F15.921	DX	OTHER STIMULANT USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F16.121	DX	HALLUCINOGEN ABUSE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F16.221	DX	HALLUCINOGEN DEPENDENCE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F16.921	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F18.121	DX	INHALANT ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F18.221	DX	INHALANT DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F18.921	DX	INHALANT USE, UNSPECIFIED WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F19.121	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F19.221	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
Delirium or psychosis	F19.231	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
Delirium or psychosis	F19.921	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
Delirium or psychosis	F19.931	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH WITHDRAWAL DELIRIUM	ICD-10-CM
Delirium or psychosis	F23	DX	BRIEF PSYCHOTIC DISORDER	ICD-10-CM
Delirium or psychosis	F28	DX	OTHER PSYCHOTIC DISORDER NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Delirium or psychosis	F29	DX	UNSPECIFIED PSYCHOSIS NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION	ICD-10-CM
Delirium or psychosis	F32.3	DX	MAJOR DEPRESSIVE DISORDER, SINGLE EPISODE, SEVERE WITH PSYCHOTIC FEATURES	ICD-10-CM
Delirium or psychosis	F33.3	DX	MAJOR DEPRESSIVE DISORDER, RECURRENT, SEVERE WITH PSYCHOTIC SYMPTOMS	ICD-10-CM
Delirium or psychosis	F30.2	DX	MANIC EPISODE, SEVERE WITH PSYCHOTIC SYMPTOMS	ICD-10-CM
Delirium or psychosis	F31.2	DX	BIPOLAR DISORDER, CURRENT EPISODE MANIC SEVERE WITH PSYCHOTIC FEATURES	ICD-10-CM
Delirium or psychosis	F31.5	DX	BIPOLAR DISORDER, CURRENT EPISODE DEPRESSED, SEVERE, WITH PSYCHOTIC FEATURES	ICD-10-CM
Delirium or psychosis	F31.64	DX	BIPOLAR DISORDER, CURRENT EPISODE MIXED, SEVERE, WITH PSYCHOTIC FEATURES	ICD-10-CM
Delirium or psychosis	F25	DX	SCHIZOAFFECTIVE DISORDERS	ICD-10-CM
Delirium or psychosis	F25.0	DX	SCHIZOAFFECTIVE DISORDER, BIPOLAR TYPE	ICD-10-CM
Delirium or psychosis	F25.1	DX	SCHIZOAFFECTIVE DISORDER, DEPRESSIVE TYPE	ICD-10-CM
Delirium or psychosis	F25.8	DX	OTHER SCHIZOAFFECTIVE DISORDERS	ICD-10-CM
Delirium or psychosis	F25.9	DX	SCHIZOAFFECTIVE DISORDER, UNSPECIFIED	ICD-10-CM
Delirium or psychosis	F20	DX	SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.0	DX	PARANOID SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.1	DX	DISORGANIZED SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.2	DX	CATATONIC SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.3	DX	UNDIFFERENTIATED SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.5	DX	RESIDUAL SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.8	DX	OTHER SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.81	DX	SCHIZOPHRENIFORM DISORDER	ICD-10-CM
Delirium or psychosis	F20.89	DX	OTHER SCHIZOPHRENIA	ICD-10-CM
Delirium or psychosis	F20.9	DX	SCHIZOPHRENIA, UNSPECIFIED	ICD-10-CM
Anemia	D50	DX	IRON DEFICIENCY ANEMIA INCLUDES ASIDEROTIC ANEMIA HYPOCHROMIC ANEMIA	ICD-10-CM
Anemia	D50.0	DX	IRON DEFICIENCY ANEMIA SECONDARY TO BLOOD LOSS (CHRONIC) POSTHEMORRHAGIC ANEMIA (CHRONIC) EXCLUDES1 ACUTE POSTHEMORRHAGIC ANEMIA (D62) CONGENITAL ANEMIA FROM FETAL BLOOD LOSS (P61.3)	ICD-10-CM
Anemia	D50.1	DX	SIDEROPENIC DYSPHAGIA KELLY-PATERSON SYNDROME PLUMMER-VINSON SYNDROME	ICD-10-CM
Anemia	D50.8	DX	OTHER IRON DEFICIENCY ANEMIAS IRON DEFICIENCY ANEMIA DUE TO INADEQUATE DIETARY IRON INTAKE	ICD-10-CM
Anemia	D50.9	DX	IRON DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D51	DX	VITAMIN B12 DEFICIENCY ANEMIA EXCLUDES1 VITAMIN B12 DEFICIENCY (E53.8)	ICD-10-CM
Anemia	D51.0	DX	VITAMIN B12 DEFICIENCY ANEMIA DUE TO INTRINSIC FACTOR DEFICIENCY ADDISON ANEMIA BIERMER ANEMIA PERNICIOUS (CONGENITAL) ANEMIA CONGENITAL INTRINSIC FACTOR DEFICIENCY	ICD-10-CM
Anemia	D51.1	DX	VITAMIN B12 DEFICIENCY ANEMIA DUE TO SELECTIVE VITAMIN B12 MALABSORPTION WITH PROTEINURIA IMERSLUND (GRÄSBECK) SYNDROME MEGALOBLASTIC HEREDITARY ANEMIA	ICD-10-CM
Anemia	D51.2	DX	TRANSCOBALAMIN II DEFICIENCY	ICD-10-CM
Anemia	D51.3	DX	OTHER DIETARY VITAMIN B12 DEFICIENCY ANEMIA VEGAN ANEMIA	ICD-10-CM
Anemia	D51.8	DX	OTHER VITAMIN B12 DEFICIENCY ANEMIAS	ICD-10-CM
Anemia	D51.9	DX	VITAMIN B12 DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D52	DX	FOLATE DEFICIENCY ANEMIA EXCLUDES1 FOLATE DEFICIENCY WITHOUT ANEMIA (E53.8)	ICD-10-CM
Anemia	D52.0	DX	DIETARY FOLATE DEFICIENCY ANEMIA NUTRITIONAL MEGALOBLASTIC ANEMIA	ICD-10-CM

Anemia	D52.1	DX	DRUG-INDUCED FOLATE DEFICIENCY ANEMIA USE ADDITIONAL CODE FOR ADVERSE EFFECT, IF APPLICABLE, TO IDENTIFY DRUG (T36-T50 WITH FIFTH OR SIXTH CHARACTER 5)	ICD-10-CM
Anemia	D52.8	DX	OTHER FOLATE DEFICIENCY ANEMIAS	ICD-10-CM
Anemia	D52.9	DX	FOLATE DEFICIENCY ANEMIA, UNSPECIFIED FOLIC ACID DEFICIENCY ANEMIA NOS	ICD-10-CM
Anemia	D53	DX	OTHER NUTRITIONAL ANEMIAS INCLUDES MEGALOBLASTIC ANEMIA UNRESPONSIVE TO VITAMIN B12 OR FOLATE THERAPY	ICD-10-CM
Anemia	D53.0	DX	PROTEIN DEFICIENCY ANEMIA AMINO-ACID DEFICIENCY ANEMIA OROTACIDURIC ANEMIA EXCLUDES1 LESCH-NYHAN SYNDROME (E79.1)	ICD-10-CM
Anemia	D53.1	DX	OTHER MEGALOBLASTIC ANEMIAS, NOT ELSEWHERE CLASSIFIED MEGALOBLASTIC ANEMIA NOS EXCLUDES1 DI GUGLIELMO'S DISEASE (C94.0)	ICD-10-CM
Anemia	D53.2	DX	SCORBUTIC ANEMIA EXCLUDES1 SCURVY (E54)	ICD-10-CM
Anemia	D53.8	DX	OTHER SPECIFIED NUTRITIONAL ANEMIAS ANEMIA ASSOCIATED WITH DEFICIENCY OF COPPER ANEMIA ASSOCIATED WITH DEFICIENCY OF MOLYBDENUM ANEMIA ASSOCIATED WITH DEFICIENCY OF ZINC EXCLUDES1 NUTRITIONAL DEFICIENCIES WITHOUT ANEMIA, SUCH AS COPPER DEFICIENCY NOS (E61.0) MOLYBDENUM DEFICIENCY NOS (E61.5) ZINC DEFICIENCY NOS (E60)	ICD-10-CM
Anemia	D53.9	DX	NUTRITIONAL ANEMIA, UNSPECIFIED SIMPLE CHRONIC ANEMIA EXCLUDES1 ANEMIA NOS (D64.9) HEMOLYTIC ANEMIAS (D55-D59)	ICD-10-CM
Anemia	D56	DX	THALASSEMIA	ICD-10-CM
Anemia	D56.0	DX	ALPHA THALASSEMIA	ICD-10-CM
Anemia	D56.1	DX	BETA THALASSEMIA	ICD-10-CM
Anemia	D56.2	DX	DELTA-BETA THALASSEMIA	ICD-10-CM
Anemia	D56.3	DX	THALASSEMIA MINOR	ICD-10-CM
Anemia	D56.4	DX	HEREDITARY PERSISTENCE OF FETAL HEMOGLOBIN [HPFH]	ICD-10-CM
Anemia	D56.5	DX	HEMOGLOBIN E-BETA THALASSEMIA	ICD-10-CM
Anemia	D56.8	DX	OTHER THALASSEMIAS	ICD-10-CM
Anemia	D56.9	DX	THALASSEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D57	DX	SICKLE-CELL DISORDERS	ICD-10-CM
Anemia	D57.0	DX	HB-SS DISEASE WITH CRISIS	ICD-10-CM
Anemia	D57.00	DX	HB-SS DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM
Anemia	D57.01	DX	HB-SS DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.02	DX	HB-SS DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.03	DX	HB-SS DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.04	DX	HB-SS DISEASE WITH DACTYLITIS	ICD-10-CM
Anemia	D57.09	DX	HB-SS DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.1	DX	SICKLE-CELL DISEASE WITHOUT CRISIS	ICD-10-CM
Anemia	D57.2	DX	SICKLE-CELL/HB-C DISEASE	ICD-10-CM
Anemia	D57.20	DX	SICKLE-CELL/HB-C DISEASE WITHOUT CRISIS	ICD-10-CM
Anemia	D57.21	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS	ICD-10-CM
Anemia	D57.211	DX	SICKLE-CELL/HB-C DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.212	DX	SICKLE-CELL/HB-C DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.213	DX	SICKLE-CELL/HB-C DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.214	DX	SICKLE-CELL/HB-C DISEASE WITH DACTYLITIS	ICD-10-CM
Anemia	D57.218	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.219	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM
Anemia	D57.3	DX	SICKLE-CELL TRAIT	ICD-10-CM
Anemia	D57.4	DX	SICKLE-CELL THALASSEMIA	ICD-10-CM
Anemia	D57.40	DX	SICKLE-CELL THALASSEMIA WITHOUT CRISIS	ICD-10-CM
Anemia	D57.41	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM
Anemia	D57.411	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.412	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.413	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.414	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH DACTYLITIS	ICD-10-CM
Anemia	D57.418	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.419	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM
Anemia	D57.42	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITHOUT CRISIS	ICD-10-CM
Anemia	D57.43	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS	ICD-10-CM
Anemia	D57.431	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.432	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.433	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.438	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.439	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS, UNSPECIFIED	ICD-10-CM
Anemia	D57.44	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITHOUT CRISIS	ICD-10-CM
Anemia	D57.45	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS	ICD-10-CM
Anemia	D57.451	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.452	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.453	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.458	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.459	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS, UNSPECIFIED	ICD-10-CM
Anemia	D57.8	DX	OTHER SICKLE-CELL DISORDERS	ICD-10-CM
Anemia	D57.80	DX	OTHER SICKLE-CELL DISORDERS WITHOUT CRISIS	ICD-10-CM
Anemia	D57.81	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS	ICD-10-CM
Anemia	D57.811	DX	OTHER SICKLE-CELL DISORDERS WITH ACUTE CHEST SYNDROME	ICD-10-CM
Anemia	D57.812	DX	OTHER SICKLE-CELL DISORDERS WITH SPLENIC SEQUESTRATION	ICD-10-CM
Anemia	D57.813	DX	OTHER SICKLE-CELL DISORDERS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM
Anemia	D57.814	DX	OTHER SICKLE-CELL DISORDERS WITH DACTYLITIS	ICD-10-CM
Anemia	D57.818	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
Anemia	D57.819	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS, UNSPECIFIED	ICD-10-CM
Anemia	D58	DX	OTHER HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM
Anemia	D58.0	DX	HEREDITARY SPHEROCYTOSIS	ICD-10-CM
Anemia	D58.1	DX	HEREDITARY ELLIPTOCYTOSIS	ICD-10-CM
Anemia	D58.2	DX	OTHER HEMOGLOBINOPATHIES	ICD-10-CM
Anemia	D58.8	DX	OTHER SPECIFIED HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM
Anemia	D58.9	DX	HEREDITARY HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D59	DX	ACQUIRED HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.0	DX	DRUG-INDUCED AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.1	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM
Anemia	D59.10	DX	AUTOIMMUNE HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D59.11	DX	WARM AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.12	DX	COLD AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.13	DX	MIXED TYPE AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.19	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.2	DX	DRUG-INDUCED NONAUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM
Anemia	D59.3	DX	HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM
Anemia	D59.30	DX	HEMOLYTIC-UREMIC SYNDROME, UNSPECIFIED	ICD-10-CM
Anemia	D59.31	DX	INFECTION-ASSOCIATED HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM
Anemia	D59.32	DX	HEREDITARY HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM
Anemia	D59.39	DX	OTHER HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM
Anemia	D59.4	DX	OTHER NONAUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM
Anemia	D59.5	DX	PAROXYSMAL NOCTURNAL HEMOGLOBINURIA	ICD-10-CM
Anemia	D59.6	DX	HEMOGLOBINURIA DUE TO HEMOLYSIS FROM OTHER EXTERNAL CAUSES	ICD-10-CM
Anemia	D59.8	DX	OTHER ACQUIRED HEMOLYTIC ANEMIAS	ICD-10-CM
Anemia	D59.9	DX	ACQUIRED HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D60	DX	ACQUIRED PURE RED CELL APLASIA [ERYTHROBLASTOPENIA]	ICD-10-CM
Anemia	D60.0	DX	CHRONIC ACQUIRED PURE RED CELL APLASIA	ICD-10-CM
Anemia	D60.1	DX	TRANSIENT ACQUIRED PURE RED CELL APLASIA	ICD-10-CM
Anemia	D60.8	DX	OTHER ACQUIRED PURE RED CELL APLASIAS	ICD-10-CM
Anemia	D60.9	DX	ACQUIRED PURE RED CELL APLASIA, UNSPECIFIED	ICD-10-CM
Anemia	D61	DX	OTHER APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM
Anemia	D61.0	DX	CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM
Anemia	D61.01	DX	CONSTITUTIONAL (PURE) RED BLOOD CELL APLASIA	ICD-10-CM
Anemia	D61.02	DX	SHWACHMAN-DIAMOND SYNDROME	ICD-10-CM
Anemia	D61.09	DX	OTHER CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM
Anemia	D61.1	DX	DRUG-INDUCED APLASTIC ANEMIA	ICD-10-CM
Anemia	D61.2	DX	APLASTIC ANEMIA DUE TO OTHER EXTERNAL AGENTS	ICD-10-CM
Anemia	D61.3	DX	IDIOPATHIC APLASTIC ANEMIA	ICD-10-CM
Anemia	D61.8	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM
Anemia	D61.81	DX	PANCYTOPENIA	ICD-10-CM
Anemia	D61.810	DX	ANTINEOPLASTIC CHEMOTHERAPY INDUCED PANCYTOPENIA	ICD-10-CM
Anemia	D61.811	DX	OTHER DRUG-INDUCED PANCYTOPENIA	ICD-10-CM
Anemia	D61.818	DX	OTHER PANCYTOPENIA	ICD-10-CM
Anemia	D61.82	DX	MYELOPHTHISIS	ICD-10-CM
Anemia	D61.89	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM
Anemia	D61.9	DX	APLASTIC ANEMIA, UNSPECIFIED	ICD-10-CM
Anemia	D62	DX	ACUTE POSTHEMORRHAGIC ANEMIA	ICD-10-CM
Anemia	D63	DX	ANEMIA IN CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Anemia	D63.1	DX	ANEMIA IN CHRONIC KIDNEY DISEASE	ICD-10-CM
Anemia	D63.8	DX	ANEMIA IN OTHER CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
Anemia	D63.0	DX	ANEMIA IN NEOPLASTIC DISEASE	ICD-10-CM
Anemia	D64.0	DX	HEREDITARY SIDEROBLASTIC ANEMIA	ICD-10-CM
Anemia	D64.1	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DISEASE	ICD-10-CM
Anemia	D64.2	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DRUGS AND TOXINS	ICD-10-CM
Anemia	D64.3	DX	OTHER SIDEROBLASTIC ANEMIAS	ICD-10-CM
Anemia	D64.4	DX	CONGENITAL DYSERYTHROPOIETIC ANEMIA	ICD-10-CM
Anemia	D64.8	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM
Anemia	D64.81	DX	ANEMIA DUE TO ANTINEOPLASTIC CHEMOTHERAPY	ICD-10-CM
Anemia	D64.89	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM
Anemia	D64.9	DX	ANEMIA, UNSPECIFIED	ICD-10-CM
Urinary incontinence	L24.A2	DX	IRRITANT CONTACT DERMATITIS DUE TO FECAL, URINARY OR DUAL INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.3	DX	STRESS INCONTINENCE (FEMALE) (MALE)	ICD-10-CM
Urinary incontinence	N39.4	DX	OTHER SPECIFIED URINARY INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.41	DX	URGE INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.42	DX	INCONTINENCE WITHOUT SENSORY AWARENESS	ICD-10-CM
Urinary incontinence	N39.46	DX	MIXED INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.49	DX	OTHER SPECIFIED URINARY INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.490	DX	OVERFLOW INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.491	DX	COITAL INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.492	DX	POSTURAL (URINARY) INCONTINENCE	ICD-10-CM
Urinary incontinence	N39.498	DX	OTHER SPECIFIED URINARY INCONTINENCE	ICD-10-CM
Urinary incontinence	R32	DX	UNSPECIFIED URINARY INCONTINENCE	ICD-10-CM
Urinary incontinence	R39.81	DX	FUNCTIONAL URINARY INCONTINENCE	ICD-10-CM
Biliary disease	K80.0	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS	ICD-10-CM
Biliary disease	K80.00	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
Biliary disease	K80.01	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
Biliary disease	K80.1	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS	ICD-10-CM
Biliary disease	K80.10	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
Biliary disease	K80.11	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
Biliary disease	K80.12	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
Biliary disease	K80.13	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
Biliary disease	K80.18	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
Biliary disease	K80.19	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
Biliary disease	K80.2	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS	ICD-10-CM
Biliary disease	K80.20	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
Biliary disease	K80.21	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
Biliary disease	K80.3	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS	ICD-10-CM

	Biliary disease	K80.30	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.31	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.32	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.33	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.34	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.35	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.36	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.37	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.4	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K80.40	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.41	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.42	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.43	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.44	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.45	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.46	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.47	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.5	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K80.50	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.51	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.6	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K80.60	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.61	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.62	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.63	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.64	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.65	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.66	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.67	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.7	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K80.70	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.71	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.8	DX	OTHER CHOLELITHIASIS	ICD-10-CM
	Biliary disease	K80.80	DX	OTHER CHOLELITHIASIS WITHOUT OBSTRUCTION	ICD-10-CM
	Biliary disease	K80.81	DX	OTHER CHOLELITHIASIS WITH OBSTRUCTION	ICD-10-CM
	Biliary disease	K81.0	DX	ACUTE CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K81.1	DX	CHRONIC CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K81.2	DX	ACUTE CHOLECYSTITIS WITH CHRONIC CHOLECYSTITIS	ICD-10-CM
	Biliary disease	K81.9	DX	CHOLECYSTITIS, UNSPECIFIED	ICD-10-CM
	Pancreatitis	B25.2	DX	CYTOMEGALOVIRAL PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.0	DX	IDIOPATHIC ACUTE PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.00	DX	IDIOPATHIC ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM
	Pancreatitis	K85.01	DX	IDIOPATHIC ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.02	DX	IDIOPATHIC ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.1	DX	BILIARY ACUTE PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.10	DX	BILIARY ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM
	Pancreatitis	K85.11	DX	BILIARY ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.12	DX	BILIARY ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.2	DX	ALCOHOL INDUCED ACUTE PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.20	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM
	Pancreatitis	K85.21	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.22	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.3	DX	DRUG INDUCED ACUTE PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.30	DX	DRUG INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM
	Pancreatitis	K85.31	DX	DRUG INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.32	DX	DRUG INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.8	DX	OTHER ACUTE PANCREATITIS	ICD-10-CM
	Pancreatitis	K85.80	DX	OTHER ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM
	Pancreatitis	K85.81	DX	OTHER ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.82	DX	OTHER ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM
	Pancreatitis	K85.9	DX	ACUTE PANCREATITIS, UNSPECIFIED	ICD-10-CM
	Pancreatitis	K85.90	DX	ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION, UNSPECIFIED	ICD-10-CM
	Pancreatitis	K85.91	DX	ACUTE PANCREATITIS WITH UNINFECTED NECROSIS, UNSPECIFIED	ICD-10-CM
	Pancreatitis	K85.92	DX	ACUTE PANCREATITIS WITH INFECTED NECROSIS, UNSPECIFIED	ICD-10-CM
	Pancreatitis	K86.0	DX	ALCOHOL-INDUCED CHRONIC PANCREATITIS	ICD-10-CM
	Pancreatitis	K86.1	DX	OTHER CHRONIC PANCREATITIS	ICD-10-CM
	Bowel obstruction	K31.5	DX	OBSTRUCTION OF DUODENUM	ICD-10-CM
	Bowel obstruction	K56	DX	PARALYTIC ILEUS AND INTESTINAL OBSTRUCTION WITHOUT HERNIA	ICD-10-CM
	Bowel obstruction	K56.0	DX	PARALYTIC ILEUS	ICD-10-CM
	Bowel obstruction	K56.5	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION (POSTINFECTION)	ICD-10-CM
	Bowel obstruction	K56.50	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE	ICD-10-CM
	Bowel obstruction	K56.51	DX	INTESTINAL ADHESIONS WITH PARTIAL OBSTRUCTION	ICD-10-CM
	Bowel obstruction	K56.52	DX	INTESTINAL ADHESIONS WITH COMPLETE OBSTRUCTION	ICD-10-CM
	Bowel obstruction	K56.600	DX	PARTIAL INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE INCOMPLETE INTESTINAL OBSTRUCTION, NOS	ICD-10-CM
	Bowel obstruction	K56.601	DX	COMPLETE INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE	ICD-10-CM
	Bowel obstruction	K56.609	DX	UNSPECIFIED INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE INTESTINAL OBSTRUCTION NOS	ICD-10-CM
	Bowel obstruction	K56.69	DX	OTHER INTESTINAL OBSTRUCTION	ICD-10-CM
	Bowel obstruction	K56.690	DX	OTHER PARTIAL INTESTINAL OBSTRUCTION	ICD-10-CM
	Bowel obstruction	K56.691	DX	OTHER COMPLETE INTESTINAL OBSTRUCTION	ICD-10-CM
	Bowel obstruction	K56.699	DX	OTHER INTESTINAL OBSTRUCTION UNSPECIFIED AS TO PARTIAL VERSUS COMPLETE OBSTRUCTION	ICD-10-CM
	Gastroparesis	K31.84	DX	GASTROPARESIS	ICD-10-CM
	Influenza	J10	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS	ICD-10-CM
	Influenza	J10.0	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH PNEUMONIA	ICD-10-CM
	Influenza	J10.00	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
	Influenza	J10.01	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH THE SAME OTHER IDENTIFIED INFLUENZA VIRUS PNEUMONIA	ICD-10-CM
	Influenza	J10.08	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER SPECIFIED PNEUMONIA	ICD-10-CM
	Influenza	J10.1	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM
	Influenza	J10.2	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM
	Influenza	J10.8	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
	Influenza	J10.81	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM
	Influenza	J10.82	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM
	Influenza	J10.83	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM
	Influenza	J10.89	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
	Influenza	J11	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS	ICD-10-CM
	Influenza	J11.0	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH PNEUMONIA	ICD-10-CM
	Influenza	J11.00	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM
	Influenza	J11.08	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH SPECIFIED PNEUMONIA	ICD-10-CM
	Influenza	J11.1	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM
	Influenza	J11.2	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM
	Influenza	J11.8	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
	Influenza	J11.81	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM
	Influenza	J11.82	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM
	Influenza	J11.83	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM
	Influenza	J11.89	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM
Diabetes medications	Metformin	METFORMIN HCL	RX		Generic
	Metformin	METFORMIN HCL/BLOOD SUGAR DIAGNOSTIC	RX		Generic
	Metformin	METFORMIN/AMINO ACIDS NO.7/HERBAL CMB.125/CHOLINE BITARTRATE	RX		Generic
	Metformin	METFORMIN/CAFFEINE/AMINO ACIDS 7/HERBAL COMB125/CHOLINE BIT	RX		Generic
	Metformin	ALOGLIPTIN BENZOATE/METFORMIN HCL	RX		Generic
	Metformin	CANAGLIFLOZIN/METFORMIN HCL	RX		Generic
	Metformin	DAPAGLIFLOZIN PROPANEDIOL/METFORMIN HCL	RX		Generic
	Metformin	EMPAGLIFLOZIN/LINAGLIPTIN/METFORMIN HCL	RX		Generic
	Metformin	EMPAGLIFLOZIN/METFORMIN HCL	RX		Generic
	Metformin	ERTUGLIFLOZIN PIDOLATE/METFORMIN HCL	RX		Generic
	Metformin	GLIPIZIDE/METFORMIN HCL	RX		Generic
	Metformin	GLYBURIDE/METFORMIN HCL	RX		Generic
	Metformin	LINAGLIPTIN/METFORMIN HCL	RX		Generic
	Metformin	PIOGLITAZONE HCL/METFORMIN HCL	RX		Generic
	Metformin	REPAGLINIDE/METFORMIN HCL	RX		Generic
	Metformin	ROSIGLITAZONE MALEATE/METFORMIN HCL	RX		Generic
	Metformin	SAXAGLIPTIN HCL/METFORMIN HCL	RX		Generic
	Metformin	SITAGLIPTIN PHOSPHATE/METFORMIN HCL	RX		Generic
	Insulin	INSULIN ASPART	RX		Generic
	Insulin	INSULIN ASPART (NIACINAMIDE)	RX		Generic
	Insulin	INSULIN ASPART PROTAMINE HUMAN/INSULIN ASPART	RX		Generic
	Insulin	INSULIN DEGLUDEC	RX		Generic
	Insulin	INSULIN DEGLUDEC/LIRAGLUTIDE	RX		Generic
	Insulin	INSULIN DETEMIR	RX		Generic
	Insulin	INSULIN GLARGINE,HUMAN RECOMBINANT ANALOG	RX		Generic
	Insulin	INSULIN GLARGINE,HUMAN RECOMBINANT ANALOG/LIXISENATIDE	RX		Generic
	Insulin	INSULIN GLULISINE	RX		Generic
	Insulin	INSULIN INHALATION CHAMBER	RX		Generic
	Insulin	INSULIN ISOPHANE NPH,BF-PK	RX		Generic
	Insulin	INSULIN ISOPHANE,BEEF	RX		Generic
	Insulin	INSULIN ISOPHANE,BEEF PURE	RX		Generic
	Insulin	INSULIN ISOPHANE,PORK PURE	RX		Generic
	Insulin	INSULIN LISPRO	RX		Generic
	Insulin	INSULIN LISPRO PROTAMINE AND INSULIN LISPRO	RX		Generic
	Insulin	INSULIN LISPRO-AABC	RX		Generic
	Insulin	INSULIN NPH HUMAN AND INSULIN REGULAR HUMAN SEMI-SYNTHETIC	RX		Generic
	Insulin	INSULIN NPH HUMAN ISOPHANE	RX		Generic
	Insulin	INSULIN NPH HUMAN ISOPHANE/INSULIN REGULAR, HUMAN	RX		Generic
	Insulin	INSULIN NPH HUMAN SEMI-SYNTHETIC	RX		Generic
	Insulin	INSULIN POWDER INHALER/INSULIN INHALATION CHAMBER	RX		Generic

	Insulin	INSULIN PROTAMINE ZINC,BEEF	RX		Generic	
	Insulin	INSULIN PROTAMINE ZN,BEEF (P)	RX		Generic	
	Insulin	INSULIN PROTAMINE ZN,BF-PK	RX		Generic	
	Insulin	INSULIN PROTAMINE ZN,PORK (P)	RX		Generic	
	Insulin	INSULIN PUMP CARTRIDGE	RX		Generic	
	Insulin	INSULIN PUMP CONTROLLER	RX		Generic	
	Insulin	INSULIN PUMP SYRINGE, 1.8 ML	RX		Generic	
	Insulin	INSULIN PUMP SYRINGE, 3 ML	RX		Generic	
	Insulin	INSULIN PUMP/INFUSION SET/BLOOD-GLUCOSE METER	RX		Generic	
	Insulin	INSULIN REG HUMAN SEMI-SYN	RX		Generic	
	Insulin	INSULIN REG, HUM S-S BUFF	RX		Generic	
	Insulin	INSULIN REGULAR, HUMAN	RX		Generic	
	Insulin	INSULIN REGULAR, HUMAN/INSULIN RELEASE UNIT	RX		Generic	
	Insulin	INSULIN REGULAR, HUMAN/INSULIN RELEASE UNIT/CHAMBER/INHALER	RX		Generic	
	Insulin	INSULIN REGULAR,BEEF-PORK	RX		Generic	
	Insulin	INSULIN REGULAR,HUMAN BUFFERED	RX		Generic	
	Insulin	INSULIN RELEASE UNIT	RX		Generic	
	Insulin	INSULIN ZINC BEEF	RX		Generic	
	Insulin	INSULIN ZINC EXT,BEEF (P)	RX		Generic	
	Insulin	INSULIN ZINC EXTENDED HUMAN RECOMBINANT	RX		Generic	
	Insulin	INSULIN ZINC EXTENDED,BEEF	RX		Generic	
	Insulin	INSULIN ZINC EXTENDED,BF-PK	RX		Generic	
	Insulin	INSULIN ZINC HUMAN RECOMBINANT	RX		Generic	
	Insulin	INSULIN ZINC HUMAN SEMI-SYN	RX		Generic	
	Insulin	INSULIN ZINC PROMPT,BEEF	RX		Generic	
	Insulin	INSULIN ZINC PROMPT,BF-PK	RX		Generic	
	Insulin	INSULIN ZINC PROMPT,PORK PURE	RX		Generic	
	Insulin	INSULIN ZINC,BEEF PURIFIED	RX		Generic	
	Insulin	INSULIN ZINC,BEEF PURIFIED/INSULIN ZINC,PORK PURIFIED	RX		Generic	
	Insulin	INSULIN ZINC,BEEF-PORK	RX		Generic	
	Insulin	INSULIN ZINC,PORK PURIFIED	RX		Generic	
	Insulin	INSULIN,BEEF	RX		Generic	
	Insulin	INSULIN,PORK	RX		Generic	
	Insulin	INSULIN,PORK PURIFIED	RX		Generic	
	Insulin	INSULIN,PORK PURIFIED/INSULIN ISOPHANE,PORK PURE	RX		Generic	
	Insulin	INSULIN,PORK REG. CONCENTRATE	RX		Generic	
	Insulin	INSULIN GLARGINE-YFGN	RX		Generic	
	Insulin	INSULIN PEN, REUSABLE, BLUETOOTH FOR USE WITH INSULIN ASPART	RX		Generic	
	Insulin	INSULIN PEN, REUSABLE, BLUETOOTH FOR USE WITH INSULIN LISPRO	RX		Generic	
	Insulin	INSULIN REGULAR, HUMAN IN 0.9 % SODIUM CHLORIDE	RX		Generic	
	Insulin	E0787	PX		CPT/HCPCS	
	Insulin	G9147	PX		CPT/HCPCS	
	Insulin	J1815	PX		CPT/HCPCS	
	Insulin	J1817	PX		CPT/HCPCS	
	Insulin	J1820	PX		CPT/HCPCS	
	Insulin	K0548	PX		CPT/HCPCS	
	Insulin	S5550	PX		CPT/HCPCS	
	Insulin	S5551	PX		CPT/HCPCS	
	Insulin	S5552	PX		CPT/HCPCS	
	Insulin	S5553	PX		CPT/HCPCS	
Sulfonylureas	Sulfonylureas 1st generation	ACETOHEXAMIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 1st generation	CHLORPROPAMIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 1st generation	TOLAZAMIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 1st generation	TOLBUTAMIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLIMEPIRIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLIPIZIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLIPIZIDE/METFORMIN HCL	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLYBURIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLYBURIDE,MICRONIZED	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	GLYBURIDE/METFORMIN HCL	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	PIOGLITAZONE HCL/GLIMEPIRIDE	RX		Generic	
Sulfonylureas	Sulfonylureas 2nd generation	ROSIGLITAZONE MALEATE/GLIMEPIRIDE	RX		Generic	
	DPP4i (except sitagliptin)	ALOGLIPTIN BENZOATE	RX		Generic	
	DPP4i (except sitagliptin)	ALOGLIPTIN BENZOATE/METFORMIN HCL	RX		Generic	
	DPP4i (except sitagliptin)	ALOGLIPTIN BENZOATE/PIOGLITAZONE HCL	RX		Generic	
	DPP4i (except sitagliptin)	DAPAGLIFLOZIN PROPANEDIOL/SAXAGLIPTIN HCL	RX		Generic	
	DPP4i (except sitagliptin)	EMPAGLIFLOZIN/LINAGLIPTIN	RX		Generic	
	DPP4i (except sitagliptin)	EMPAGLIFLOZIN/LINAGLIPTIN/METFORMIN HCL	RX		Generic	
	DPP4i (except sitagliptin)	ERTUGLIFLOZIN PIDOLATE/SITAGLIPTIN PHOSPHATE	RX		Generic	
	DPP4i (except sitagliptin)	LINAGLIPTIN	RX		Generic	
	DPP4i (except sitagliptin)	LINAGLIPTIN/METFORMIN HCL	RX		Generic	
	DPP4i (except sitagliptin)	SAXAGLIPTIN HCL	RX		Generic	
	DPP4i (except sitagliptin)	SAXAGLIPTIN HCL/METFORMIN HCL	RX		Generic	
	SGLT2i	CANAGLIFLOZIN	RX		Generic	
	SGLT2i	CANAGLIFLOZIN/METFORMIN HCL	RX		Generic	
	SGLT2i	DAPAGLIFLOZIN PROPANEDIOL	RX		Generic	
	SGLT2i	DAPAGLIFLOZIN PROPANEDIOL/METFORMIN HCL	RX		Generic	
	SGLT2i	DAPAGLIFLOZIN PROPANEDIOL/SAXAGLIPTIN HCL	RX		Generic	
	SGLT2i	EMPAGLIFLOZIN	RX		Generic	
	SGLT2i	EMPAGLIFLOZIN/LINAGLIPTIN	RX		Generic	
	SGLT2i	EMPAGLIFLOZIN/LINAGLIPTIN/METFORMIN HCL	RX		Generic	
	SGLT2i	EMPAGLIFLOZIN/METFORMIN HCL	RX		Generic	
	SGLT2i	ERTUGLIFLOZIN PIDOLATE	RX		Generic	
	SGLT2i	ERTUGLIFLOZIN PIDOLATE/METFORMIN HCL	RX		Generic	
	SGLT2i	ERTUGLIFLOZIN PIDOLATE/SITAGLIPTIN PHOSPHATE	RX		Generic	
	Other glucose-lowering drugs	ACARBOSE	RX		Generic	Sulfonylureas 1st generation
	Other glucose-lowering drugs	ACETOHEXAMIDE	RX		Generic	Sulfonylureas 1st generation
	Other glucose-lowering drugs	CHLORPROPAMIDE	RX		Generic	Sulfonylureas 1st generation
	Other glucose-lowering drugs	MIGLITOL	RX		Generic	Sulfonylureas 1st generation
	Other glucose-lowering drugs	NATEGLINIDE	RX		Generic	Meglinitides
	Other glucose-lowering drugs	PIOGLITAZONE HCL	RX		Generic	Meglinitides
	Other glucose-lowering drugs	PIOGLITAZONE HCL/GLIMEPIRIDE	RX		Generic	Meglinitides
	Other glucose-lowering drugs	PIOGLITAZONE HCL/METFORMIN HCL	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	PRAMLINTIDE ACETATE	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	REPAGLINIDE	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	REPAGLINIDE/METFORMIN HCL	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	ROSIGLITAZONE MALEATE	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	ROSIGLITAZONE MALEATE/GLIMEPIRIDE	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	ROSIGLITAZONE MALEATE/METFORMIN HCL	RX		Generic	Thiazolidinediones
	Other glucose-lowering drugs	TOLAZAMIDE	RX		Generic	Amylin analogs
	Other glucose-lowering drugs	TOLBUTAMIDE	RX		Generic	Alpha-glucosidase inhibitors
	Other glucose-lowering drugs	TROGLITAZONE	RX		Generic	Alpha-glucosidase inhibitors
Heart failure medications	ACEi / ARB	AMLODIPINE BESYLATE/BENAZEPRIL HCL	RX		Generic	
	ACEi / ARB	BENAZEPRIL HCL	RX		Generic	
	ACEi / ARB	BENAZEPRIL HCL/HYDROCHLOROTHIAZIDE	RX		Generic	
	ACEi / ARB	CAPTOPRIL	RX		Generic	
	ACEi / ARB	CAPTOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic	
	ACEi / ARB	ENALAPRIL MALEATE	RX		Generic	
	ACEi / ARB	ENALAPRIL MALEATE/DILTIAZEM MALATE	RX		Generic	
	ACEi / ARB	ENALAPRIL MALEATE/FELODIPINE ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE	RX		Generic	
	ACEi / ARB	FOSINOPRIL SODIUM	RX		Generic	
	ACEi / ARB	FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE	RX		Generic	
	ACEi / ARB	LISINOPRIL	RX		Generic	
	ACEi / ARB	LISINOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic	
	ACEi / ARB	MOEXIPRIL HCL	RX		Generic	
	ACEi / ARB	MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE	RX		Generic	

ACEi / ARB	PERINDOPRIL ARGININE/AMLODIPINE BESYLATE	RX	Generic
ACEi / ARB	PERINDOPRIL ERBUMINE	RX	Generic
ACEi / ARB	QUINAPRIL HCL	RX	Generic
ACEi / ARB	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	RAMIPRIL	RX	Generic
ACEi / ARB	TRANDOLAPRIL	RX	Generic
ACEi / ARB	TRANDOLAPRIL/VERAPAMIL HCL	RX	Generic
ACEi / ARB	ALISKIREN/VALSARTAN	RX	Generic
ACEi / ARB	AMLODIPINE BESYLATE/OLMESARTAN MEDOXOMIL	RX	Generic
ACEi / ARB	AMLODIPINE BESYLATE/VALSARTAN	RX	Generic
ACEi / ARB	AMLODIPINE BESYLATE/VALSARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	AZILSARTAN MEDOXOMIL	RX	Generic
ACEi / ARB	AZILSARTAN MEDOXOMIL/CHLORTHALIDONE	RX	Generic
ACEi / ARB	CANDESARTAN CILEXETIL	RX	Generic
ACEi / ARB	CANDESARTAN CILEXETIL/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	EPROSARTAN MESYLATE	RX	Generic
ACEi / ARB	EPROSARTAN MESYLATE/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	IRBESARTAN	RX	Generic
ACEi / ARB	IRBESARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	LOSARTAN POTASSIUM	RX	Generic
ACEi / ARB	LOSARTAN POTASSIUM/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	NEBIVOLOL HCL/VALSARTAN	RX	Generic
ACEi / ARB	OLMESARTAN MEDOXOMIL	RX	Generic
ACEi / ARB	OLMESARTAN MEDOXOMIL/AMLODIPINE BESYLATE/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	OLMESARTAN MEDOXOMIL/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	TELMISARTAN	RX	Generic
ACEi / ARB	TELMISARTAN/AMLODIPINE BESYLATE	RX	Generic
ACEi / ARB	TELMISARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	VALSARTAN	RX	Generic
ACEi / ARB	VALSARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
ACEi / ARB	SACUBITRIL/VALSARTAN	RX	Generic
Mineralocorticoid receptor antagonist	DAPSONE/SPIRONOLACTONE/NIACINAMIDE	RX	Generic
Mineralocorticoid receptor antagonist	SPIRONOLACTONE	RX	Generic
Mineralocorticoid receptor antagonist	SPIRONOLACTONE, MICRONIZED	RX	Generic
Mineralocorticoid receptor antagonist	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX	Generic
Mineralocorticoid receptor antagonist	SPIRONOLACTONE/NIACINAMIDE	RX	Generic
Mineralocorticoid receptor antagonist	EPLERENONE	RX	Generic
ARNI	SACUBITRIL VALSARTAN	RX	Generic
Thiazides	ALISKIREN HEMIFUMARATE/AMLODIPINE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	ALISKIREN HEMIFUMARATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	AMILORIDE HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	AMLODIPINE BESYLATE/VALSARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	ATENOLOL/CHLORTHALIDONE	RX	Generic
Thiazides	AZILSARTAN MEDOXOMIL/CHLORTHALIDONE	RX	Generic
Thiazides	BENAZEPRIL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	BISOPROLOL FUMARATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	CANDESARTAN CILEXETIL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	CAPTOPRIL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	CHLOROTHIAZIDE	RX	Generic
Thiazides	CHLOROTHIAZIDE SODIUM	RX	Generic
Thiazides	CHLORTHALIDONE	RX	Generic
Thiazides	CLONIDINE HCL/CHLORTHALIDONE	RX	Generic
Thiazides	DESERPIDINE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	EPROSARTAN MESYLATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	GUANETHIDINE SULFATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	HYDRALAZINE HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	HYDRALAZINE HCL/RESERPINE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	INDAPAMIDE	RX	Generic
Thiazides	IRBESARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	LISINOPRIL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	LOSARTAN POTASSIUM/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	METHYLDOPA/CHLOROTHIAZIDE	RX	Generic
Thiazides	METHYLDOPA/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	METOLAZONE	RX	Generic
Thiazides	METOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	METOPROLOL TARTRATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	OLMESARTAN MEDOXOMIL/AMLODIPINE BESYLATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	OLMESARTAN MEDOXOMIL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	POLYTHIAZIDE	RX	Generic
Thiazides	PRAZOSIN HCL/POLYTHIAZIDE	RX	Generic
Thiazides	PROPRANOLOL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	RESERPINE/CHLOROTHIAZIDE	RX	Generic
Thiazides	RESERPINE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	RESERPINE/POLYTHIAZIDE	RX	Generic
Thiazides	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	TELMISARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	TIMOLOL MALEATE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	TRIAMTERENE/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	VALSARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
Thiazides	DESERPIDINE/METHYCLOTHIAZIDE	RX	Generic
Thiazides	METHYCLOTHIAZIDE	RX	Generic
Thiazides	RESERPINE/METHYCLOTHIAZIDE	RX	Generic
Thiazides	BENDROFLUMETHIAZIDE	RX	Generic
Thiazides	NADOLOL/BENDROFLUMETHIAZIDE	RX	Generic
Thiazides	RAUWOLFIA SERPENTINA/BENDROFLUMETHIAZIDE	RX	Generic
Beta-blockers	ATENOLOL	RX	Generic
Beta-blockers	ATENOLOL/CHLORTHALIDONE	RX	Generic
Beta-blockers	BETAXOLOL HCL	RX	Generic
Beta-blockers	BISOPROLOL FUMARATE	RX	Generic
Beta-blockers	BISOPROLOL FUMARATE/HYDROCHLOROTHIAZIDE	RX	Generic
Beta-blockers	BRIMONIDINE TARTRATE/TIMOLOL MALEATE	RX	Generic
Beta-blockers	DORZOLAMIDE HCL/TIMOLOL MALEATE	RX	Generic
Beta-blockers	DORZOLAMIDE HCL/TIMOLOL MALEATE/PF	RX	Generic
Beta-blockers	LABETALOL HCL	RX	Generic
Beta-blockers	LEVOBUNOLOL HCL	RX	Generic
Beta-blockers	METOPROLOL SUCCINATE	RX	Generic
Beta-blockers	METOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDE	RX	Generic
Beta-blockers	METOPROLOL TARTRATE	RX	Generic
Beta-blockers	METOPROLOL TARTRATE/DIETARY SUPPLEMENT,COMB.10	RX	Generic
Beta-blockers	METOPROLOL TARTRATE/HYDROCHLOROTHIAZIDE	RX	Generic

Beta-blockers	NADOLOL	RX	Generic
Beta-blockers	NADOLOL/BENDROFLUMETHIAZIDE	RX	Generic
Beta-blockers	NEBIVOLOL HCL	RX	Generic
Beta-blockers	NEBIVOLOL HCL/VALSARTAN	RX	Generic
Beta-blockers	PINDOLOL	RX	Generic
Beta-blockers	PROPRANOLOL HCL	RX	Generic
Beta-blockers	PROPRANOLOL HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Beta-blockers	SOTALOL HCL	RX	Generic
Beta-blockers	TIMOLOL	RX	Generic
Beta-blockers	TIMOLOL MALEA/BRIMONIDINE TAR/DORZOLAMIDE HCL/LATANOPROST/PF	RX	Generic
Beta-blockers	TIMOLOL MALEATE	RX	Generic
Beta-blockers	TIMOLOL MALEATE/BRIMONIDINE TARTRATE/DORZOLAMIDE HCL/PF	RX	Generic
Beta-blockers	TIMOLOL MALEATE/DORZOLAMIDE HCL/LATANOPROST/PF	RX	Generic
Beta-blockers	TIMOLOL MALEATE/HYDROCHLOROTHIAZIDE	RX	Generic
Beta-blockers	TIMOLOL MALEATE/LATANOPROST/PF	RX	Generic
Beta-blockers	TIMOLOL MALEATE/PF	RX	Generic
Calcium channel blockers	ALISKIREN HEMIFUMARATE/AMLODIPINE BESYLATE	RX	Generic
Calcium channel blockers	ALISKIREN HEMIFUMARATE/AMLODIPINE/HYDROCHLOROTHIAZIDE	RX	Generic
Calcium channel blockers	AMLODIPINE BENZOATE	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/ATORVASTATIN CALCIUM	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/BENAZEPRIL HCL	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/CELECOXIB	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/OLMESARTAN MEDOXOMIL	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/VALSARTAN	RX	Generic
Calcium channel blockers	AMLODIPINE BESYLATE/VALSARTAN/HYDROCHLOROTHIAZIDE	RX	Generic
Calcium channel blockers	CLEVIDIPINE BUTYRATE	RX	Generic
Calcium channel blockers	DILTIAZEM HCL	RX	Generic
Calcium channel blockers	DILTIAZEM HCL IN 0.9 % SODIUM CHLORIDE	RX	Generic
Calcium channel blockers	DILTIAZEM HCL/DEXTROSE 5 % IN WATER	RX	Generic
Calcium channel blockers	DILTIAZEM MALATE	RX	Generic
Calcium channel blockers	ENALAPRIL MALEATE/DILTIAZEM MALATE	RX	Generic
Calcium channel blockers	ENALAPRIL MALEATE/FELODIPINE	RX	Generic
Calcium channel blockers	FELODIPINE	RX	Generic
Calcium channel blockers	ISRADIPINE	RX	Generic
Calcium channel blockers	LEVAMLODIPINE MALEATE	RX	Generic
Calcium channel blockers	NICARDIPINE HCL	RX	Generic
Calcium channel blockers	NICARDIPINE HCL IN 0.9 % SODIUM CHLORIDE	RX	Generic
Calcium channel blockers	NICARDIPINE IN 5 % DEXTROSE IN WATER	RX	Generic
Calcium channel blockers	NICARDIPINE IN DEXTROSE, ISO-OSMOTIC	RX	Generic
Calcium channel blockers	NICARDIPINE IN SODIUM CHLORIDE, ISO-OSMOTIC	RX	Generic
Calcium channel blockers	NIFEDIPINE	RX	Generic
Calcium channel blockers	NIFEDIPINE, MICRONIZED	RX	Generic
Calcium channel blockers	NIMODIPINE	RX	Generic
Calcium channel blockers	NISOLDIPINE	RX	Generic
Calcium channel blockers	OLMESARTAN MEDOXOMIL/AMLODIPINE BESYLATE/HYDROCHLOROTHIAZIDE	RX	Generic
Calcium channel blockers	PERINDOPRIL ARGININE/AMLODIPINE BESYLATE	RX	Generic
Calcium channel blockers	TELMISARTAN/AMLODIPINE BESYLATE	RX	Generic
Calcium channel blockers	TRANDOLAPRIL/VERAPAMIL HCL	RX	Generic
Calcium channel blockers	VERAPAMIL HCL	RX	Generic
Digoxin / digitoxin	DIGOXIN	RX	Generic
Digoxin / digitoxin	DIGOXIN IMMUNE FAB	RX	Generic
Digoxin / digitoxin	DIGOXIN, MICRONIZED	RX	Generic
Digoxin / digitoxin	DIGITOXIN	RX	Generic
Loop diuretics	FUROSEMIDE	RX	Generic
Loop diuretics	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE	RX	Generic
Loop diuretics	FUROSEMIDE/DEXTROSE 5 % IN WATER	RX	Generic
Loop diuretics	BUMETANIDE	RX	Generic
Loop diuretics	TORSEMIDE	RX	Generic
Loop diuretics	ETHACRYNIC ACID	RX	Generic
Other diuretics	AMILORIDE HCL	RX	Generic
Other diuretics	AMILORIDE HCL/HYDROCHLOROTHIAZIDE	RX	Generic
Other diuretics	DAPSONE/SPIRONOLACTONE/NIACINAMIDE	RX	Generic
Other diuretics	EPLERENONE	RX	Generic
Other diuretics	SPIRONOLACTONE	RX	Generic
Other diuretics	SPIRONOLACTONE, MICRONIZED	RX	Generic
Other diuretics	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX	Generic
Other diuretics	SPIRONOLACTONE/NIACINAMIDE	RX	Generic
Other diuretics	TRIAMTERENE	RX	Generic
Other diuretics	TRIAMTERENE/HYDROCHLOROTHIAZIDE	RX	Generic
Intravenous diuretics	J1940	PX	
Intravenous diuretics	J3265	PX	
Intravenous diuretics	S0171	PX	
Intravenous diuretics	TORSEMIDE	Generic	
Intravenous diuretics	BUMETANIDE	Generic	
Intravenous diuretics	FUROSEMIDE	Generic	
Intravenous diuretics	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE	Generic	
Intravenous diuretics	FUROSEMIDE/DEXTROSE 5 % IN WATER	Generic	
Intravenous diuretics	J3490	PX	
Intravenous diuretics	00004026706	NDC	
Intravenous diuretics	00004026806	NDC	
Intravenous diuretics	00004194406	NDC	
Intravenous diuretics	00004196801	NDC	
Intravenous diuretics	00004196901	NDC	
Intravenous diuretics	00004197001	NDC	
Intravenous diuretics	00024060923	NDC	
Intravenous diuretics	00024060925	NDC	
Intravenous diuretics	00024060940	NDC	
Intravenous diuretics	00024061103	NDC	
Intravenous diuretics	00024061113	NDC	
Intravenous diuretics	00024061150	NDC	
Intravenous diuretics	00024101210	NDC	
Intravenous diuretics	00039005525	NDC	
Intravenous diuretics	00039005625	NDC	
Intravenous diuretics	00039005725	NDC	
Intravenous diuretics	00039006105	NDC	
Intravenous diuretics	00039006108	NDC	
Intravenous diuretics	00039006115	NDC	
Intravenous diuretics	00039006125	NDC	
Intravenous diuretics	00039006145	NDC	
Intravenous diuretics	00039006165	NDC	
Intravenous diuretics	00039006208	NDC	
Intravenous diuretics	00039006306	NDC	
Intravenous diuretics	00039006340	NDC	
Intravenous diuretics	00039006408	NDC	
Intravenous diuretics	00039006508	NDC	
Intravenous diuretics	00039006908	NDC	
Intravenous diuretics	00039016225	NDC	
Intravenous diuretics	00039016325	NDC	
Intravenous diuretics	00039016425	NDC	
Intravenous diuretics	00047414305	NDC	
Intravenous diuretics	00047414308	NDC	
Intravenous diuretics	00047414310	NDC	
Intravenous diuretics	00054329446	NDC	
Intravenous diuretics	00054329450	NDC	
Intravenous diuretics	00054329863	NDC	
Intravenous diuretics	00054829804	NDC	
Intravenous diuretics	00054829816	NDC	
Intravenous diuretics	00054830004	NDC	
Intravenous diuretics	00054830016	NDC	
Intravenous diuretics	00074127404	NDC	
Intravenous diuretics	00074127414	NDC	
Intravenous diuretics	00074127424	NDC	
Intravenous diuretics	00074127434	NDC	
Intravenous diuretics	00074127502	NDC	
Intravenous diuretics	00074127512	NDC	
Intravenous diuretics	00074127522	NDC	
Intravenous diuretics	00074127532	NDC	
Intravenous diuretics	00074141204	NDC	
Intravenous diuretics	00074141210	NDC	
Intravenous diuretics	00074141214	NDC	

Intravenous diuretics	00074163910	NDC
Intravenous diuretics	00074605402	NDC
Intravenous diuretics	00074605504	NDC
Intravenous diuretics	00074605514	NDC
Intravenous diuretics	00074605610	NDC
Intravenous diuretics	00074605617	NDC
Intravenous diuretics	00074605618	NDC
Intravenous diuretics	00074605620	NDC
Intravenous diuretics	00074610102	NDC
Intravenous diuretics	00074610104	NDC
Intravenous diuretics	00074610110	NDC
Intravenous diuretics	00074610202	NDC
Intravenous diuretics	00074610204	NDC
Intravenous diuretics	00074610210	NDC
Intravenous diuretics	00074610211	NDC
Intravenous diuretics	00074963104	NDC
Intravenous diuretics	00182302824	NDC
Intravenous diuretics	00182302863	NDC
Intravenous diuretics	00182605337	NDC
Intravenous diuretics	00182605368	NDC
Intravenous diuretics	00186063501	NDC
Intravenous diuretics	00186063601	NDC
Intravenous diuretics	00186111003	NDC
Intravenous diuretics	00186111103	NDC
Intravenous diuretics	00186111302	NDC
Intravenous diuretics	00186111413	NDC
Intravenous diuretics	00186111513	NDC
Intravenous diuretics	00186111612	NDC
Intravenous diuretics	00186111712	NDC
Intravenous diuretics	00223770002	NDC
Intravenous diuretics	00223770404	NDC
Intravenous diuretics	00223770710	NDC
Intravenous diuretics	00259037202	NDC
Intravenous diuretics	00259037210	NDC
Intravenous diuretics	00259137210	NDC
Intravenous diuretics	00304132252	NDC
Intravenous diuretics	00304132254	NDC
Intravenous diuretics	00304132256	NDC
Intravenous diuretics	00304191861	NDC
Intravenous diuretics	00304191874	NDC
Intravenous diuretics	00314051070	NDC
Intravenous diuretics	00314570201	NDC
Intravenous diuretics	00314570401	NDC
Intravenous diuretics	00314571001	NDC
Intravenous diuretics	00364216554	NDC
Intravenous diuretics	00364676224	NDC
Intravenous diuretics	00364676334	NDC
Intravenous diuretics	00364676348	NDC
Intravenous diuretics	00364676352	NDC
Intravenous diuretics	00364676354	NDC
Intravenous diuretics	00402019902	NDC
Intravenous diuretics	00402019904	NDC
Intravenous diuretics	00402019910	NDC
Intravenous diuretics	00402080510	NDC
Intravenous diuretics	00405283256	NDC
Intravenous diuretics	00409127532	NDC
Intravenous diuretics	00409141204	NDC
Intravenous diuretics	00409141210	NDC
Intravenous diuretics	00409141234	NDC
Intravenous diuretics	00409141240	NDC
Intravenous diuretics	00409141249	NDC
Intravenous diuretics	00409141250	NDC
Intravenous diuretics	00409163910	NDC
Intravenous diuretics	00409163921	NDC
Intravenous diuretics	00409610202	NDC
Intravenous diuretics	00409610204	NDC
Intravenous diuretics	00409610210	NDC
Intravenous diuretics	00409610218	NDC
Intravenous diuretics	00409610219	NDC
Intravenous diuretics	00409610220	NDC
Intravenous diuretics	00409610225	NDC
Intravenous diuretics	00409610226	NDC
Intravenous diuretics	00409610227	NDC
Intravenous diuretics	00409610235	NDC
Intravenous diuretics	00409610236	NDC
Intravenous diuretics	00409610237	NDC
Intravenous diuretics	00409963104	NDC
Intravenous diuretics	00409963114	NDC
Intravenous diuretics	00418036102	NDC
Intravenous diuretics	00426861304	NDC
Intravenous diuretics	00426861360	NDC
Intravenous diuretics	00469028025	NDC
Intravenous diuretics	00469128025	NDC
Intravenous diuretics	00469328025	NDC
Intravenous diuretics	00469750010	NDC
Intravenous diuretics	00469750030	NDC
Intravenous diuretics	00469750070	NDC
Intravenous diuretics	00517077010	NDC
Intravenous diuretics	00517077110	NDC
Intravenous diuretics	00517570225	NDC
Intravenous diuretics	00517570425	NDC
Intravenous diuretics	00517571025	NDC
Intravenous diuretics	00536070996	NDC
Intravenous diuretics	00536466270	NDC
Intravenous diuretics	00536466370	NDC
Intravenous diuretics	00548142900	NDC
Intravenous diuretics	00548143000	NDC
Intravenous diuretics	00548143100	NDC
Intravenous diuretics	00548143800	NDC
Intravenous diuretics	00548143900	NDC
Intravenous diuretics	00548144000	NDC
Intravenous diuretics	00603125052	NDC
Intravenous diuretics	00641038225	NDC
Intravenous diuretics	00641142535	NDC
Intravenous diuretics	00641142635	NDC
Intravenous diuretics	00641142735	NDC
Intravenous diuretics	00641231125	NDC
Intravenous diuretics	00641231225	NDC
Intravenous diuretics	00641600701	NDC
Intravenous diuretics	00641600710	NDC
Intravenous diuretics	00641600801	NDC
Intravenous diuretics	00641600810	NDC
Intravenous diuretics	00641616101	NDC
Intravenous diuretics	00641616110	NDC
Intravenous diuretics	00641616201	NDC
Intravenous diuretics	00641616210	NDC
Intravenous diuretics	00677142325	NDC
Intravenous diuretics	00702050002	NDC
Intravenous diuretics	00702050005	NDC
Intravenous diuretics	00702050010	NDC
Intravenous diuretics	00703506203	NDC
Intravenous diuretics	00703506303	NDC
Intravenous diuretics	00703506403	NDC
Intravenous diuretics	00781630202	NDC
Intravenous diuretics	00814330635	NDC
Intravenous diuretics	00814330636	NDC
Intravenous diuretics	00814330840	NDC
Intravenous diuretics	00832861304	NDC
Intravenous diuretics	00832861360	NDC
Intravenous diuretics	00839654723	NDC
Intravenous diuretics	00839654832	NDC
Intravenous diuretics	00839667725	NDC
Intravenous diuretics	00839667730	NDC
Intravenous diuretics	00839743164	NDC
Intravenous diuretics	00904147700	NDC
Intravenous diuretics	00904147703	NDC
Intravenous diuretics	00904147720	NDC
Intravenous diuretics	00904148510	NDC
Intravenous diuretics	10019001076	NDC
Intravenous diuretics	10019050602	NDC
Intravenous diuretics	10019050610	NDC
Intravenous diuretics	10019050636	NDC
Intravenous diuretics	10019050637	NDC
Intravenous diuretics	10019050639	NDC
Intravenous diuretics	10019050645	NDC
Intravenous diuretics	16729050008	NDC
Intravenous diuretics	16729050030	NDC
Intravenous diuretics	16729050143	NDC
Intravenous diuretics	16729050164	NDC
Intravenous diuretics	16729050203	NDC
Intravenous diuretics	16729050243	NDC
Intravenous diuretics	21695072125	NDC
Intravenous diuretics	23155047331	NDC
Intravenous diuretics	23155047332	NDC
Intravenous diuretics	23155047333	NDC
Intravenous diuretics	23155047341	NDC
Intravenous diuretics	23155047342	NDC
Intravenous diuretics	23155047344	NDC
Intravenous diuretics	23155052131	NDC
Intravenous diuretics	23155052132	NDC
Intravenous diuretics	23155052133	NDC
Intravenous diuretics	23155052141	NDC
Intravenous diuretics	23155052142	NDC
Intravenous diuretics	23155052144	NDC

	Intravenous diuretics	24200182004	NDC	
	Intravenous diuretics	25021031102	NDC	
	Intravenous diuretics	25021031104	NDC	
	Intravenous diuretics	25021031110	NDC	
	Intravenous diuretics	36000006301	NDC	
	Intravenous diuretics	36000006305	NDC	
	Intravenous diuretics	36000006401	NDC	
	Intravenous diuretics	36000006405	NDC	
	Intravenous diuretics	36000006501	NDC	
	Intravenous diuretics	36000006505	NDC	
	Intravenous diuretics	36000028225	NDC	
	Intravenous diuretics	36000028325	NDC	
	Intravenous diuretics	36000028425	NDC	
	Intravenous diuretics	39769001302	NDC	
	Intravenous diuretics	39769001304	NDC	
	Intravenous diuretics	39769001310	NDC	
	Intravenous diuretics	39769001350	NDC	
	Intravenous diuretics	39769001352	NDC	
	Intravenous diuretics	39769001355	NDC	
	Intravenous diuretics	43797002812	NDC	
	Intravenous diuretics	47679074110	NDC	
	Intravenous diuretics	47679074130	NDC	
	Intravenous diuretics	47679074150	NDC	
	Intravenous diuretics	51432066017	NDC	
	Intravenous diuretics	51432066018	NDC	
	Intravenous diuretics	53169010880	NDC	
	Intravenous diuretics	53169010881	NDC	
	Intravenous diuretics	54252019902	NDC	
	Intravenous diuretics	54252019904	NDC	
	Intravenous diuretics	54252019910	NDC	
	Intravenous diuretics	54274039020	NDC	
	Intravenous diuretics	54274074422	NDC	
	Intravenous diuretics	54274074423	NDC	
	Intravenous diuretics	54274074462	NDC	
	Intravenous diuretics	54569140200	NDC	
	Intravenous diuretics	54569151500	NDC	
	Intravenous diuretics	54569208200	NDC	
	Intravenous diuretics	54569230600	NDC	
	Intravenous diuretics	54569337000	NDC	
	Intravenous diuretics	54569338300	NDC	
	Intravenous diuretics	54569359000	NDC	
	Intravenous diuretics	54812000211	NDC	
	Intravenous diuretics	54812000225	NDC	
	Intravenous diuretics	54868218800	NDC	
	Intravenous diuretics	54868229900	NDC	
	Intravenous diuretics	54868364500	NDC	
	Intravenous diuretics	54868499800	NDC	
	Intravenous diuretics	55081085000	NDC	
	Intravenous diuretics	55081085100	NDC	
	Intravenous diuretics	55150032201	NDC	
	Intravenous diuretics	55150032225	NDC	
	Intravenous diuretics	55150032301	NDC	
	Intravenous diuretics	55150032325	NDC	
	Intravenous diuretics	55150032401	NDC	
	Intravenous diuretics	55150032425	NDC	
	Intravenous diuretics	55154783005	NDC	
	Intravenous diuretics	55390050002	NDC	
	Intravenous diuretics	55390050005	NDC	
	Intravenous diuretics	55390050010	NDC	
	Intravenous diuretics	55390050102	NDC	
	Intravenous diuretics	55390050105	NDC	
	Intravenous diuretics	55390050110	NDC	
	Intravenous diuretics	60432061304	NDC	
	Intravenous diuretics	60432061360	NDC	
	Intravenous diuretics	61553072648	NDC	
	Intravenous diuretics	63323028001	NDC	
	Intravenous diuretics	63323028002	NDC	
	Intravenous diuretics	63323028003	NDC	
	Intravenous diuretics	63323028004	NDC	
	Intravenous diuretics	63323028005	NDC	
	Intravenous diuretics	63323028010	NDC	
	Intravenous diuretics	63323028016	NDC	
	Intravenous diuretics	63323028026	NDC	
	Intravenous diuretics	63323028036	NDC	
	Intravenous diuretics	64679075901	NDC	
	Intravenous diuretics	64679075902	NDC	
	Intravenous diuretics	64679075903	NDC	
	Intravenous diuretics	64679075904	NDC	
	Intravenous diuretics	64679075905	NDC	
	Intravenous diuretics	64679075906	NDC	
	Intravenous diuretics	64679075907	NDC	
	Intravenous diuretics	64679075908	NDC	
	Intravenous diuretics	64679075909	NDC	
	Intravenous diuretics	64679075910	NDC	
	Intravenous diuretics	64679075911	NDC	
	Intravenous diuretics	64679075912	NDC	
	Intravenous diuretics	66647811311	NDC	
	Intravenous diuretics	68094074259	NDC	
	Intravenous diuretics	68094074262	NDC	
	Intravenous diuretics	68094075659	NDC	
	Intravenous diuretics	68094075662	NDC	
	Intravenous diuretics	68094086759	NDC	
	Intravenous diuretics	68094086762	NDC	
	Intravenous diuretics	70004063133	NDC	
	Intravenous diuretics	70092115603	NDC	
	Intravenous diuretics	70121107601	NDC	
	Intravenous diuretics	70121107605	NDC	
	Intravenous diuretics	70121116301	NDC	
	Intravenous diuretics	70121116305	NDC	
	Intravenous diuretics	70121116401	NDC	
	Intravenous diuretics	70121116405	NDC	
	Intravenous diuretics	70860030202	NDC	
	Intravenous diuretics	70860030204	NDC	
	Intravenous diuretics	70860030210	NDC	
	Intravenous diuretics	70860030241	NDC	
	Intravenous diuretics	70860030242	NDC	
	Intravenous diuretics	70860030243	NDC	
	Intravenous diuretics	70860040504	NDC	
	Intravenous diuretics	70860040541	NDC	
	Intravenous diuretics	70860040610	NDC	
	Intravenous diuretics	70860040641	NDC	
	Intravenous diuretics	71019009201	NDC	
	Nitrates	ISOSORBIDE DINITRATE	RX	Generic
	Nitrates	ISOSORBIDE DINITRATE/HYDRALAZINE HCL	RX	Generic
	Nitrates	ISOSORBIDE MONONITRATE	RX	Generic
	Nitrates	NITROGLYCERIN	RX	Generic
	Nitrates	NITROGLYCERIN IN 5 % DEXTROSE IN WATER	RX	Generic
	Nitrates	RANOLAZINE	RX	Generic
Other medications	Anti-arrhythmics	AMIODARONE HCL	RX	Generic
	Anti-arrhythmics	AMIODARONE HCL/DEXTROSE 5 % IN WATER	RX	Generic
	Anti-arrhythmics	AMIODARONE IN DEXTROSE, ISO-OSMOTIC	RX	Generic
	Anti-arrhythmics	DEXTROMETHORPHAN HBR/QUINIDINE SULFATE	RX	Generic
	Anti-arrhythmics	DISOPYRAMIDE PHOSPHATE	RX	Generic
	Anti-arrhythmics	DOFETILIDE	RX	Generic
	Anti-arrhythmics	DRONEDARONE HCL	RX	Generic
	Anti-arrhythmics	FLECAINIDE ACETATE	RX	Generic
	Anti-arrhythmics	IBUTILIDE FUMARATE	RX	Generic
	Anti-arrhythmics	MEXILETINE HCL	RX	Generic
	Anti-arrhythmics	MORICIZINE HCL	RX	Generic
	Anti-arrhythmics	PROCAINAMIDE HCL	RX	Generic
	Anti-arrhythmics	PROPAFENONE HCL	RX	Generic
	Anti-arrhythmics	QUINIDINE GLUCONATE	RX	Generic
	Anti-arrhythmics	QUINIDINE HCL	RX	Generic
	Anti-arrhythmics	QUINIDINE POLYGALACTURONATE	RX	Generic
	Anti-arrhythmics	QUINIDINE SULFATE	RX	Generic
	Anti-arrhythmics	TOCAINIDE HCL	RX	Generic
	Statins	AMLODIPINE BESYLATE/ATORVASTATIN CALCIUM	RX	Generic
	Statins	ATORVASTATIN CALCIUM	RX	Generic
	Statins	EZETIMIBE/ATORVASTATIN CALCIUM	RX	Generic
	Statins	EZETIMIBE/ROSUVASTATIN CALCIUM	RX	Generic
	Statins	ROSUVASTATIN CALCIUM	RX	Generic
	Statins	EZETIMIBE/SIMVASTATIN	RX	Generic
	Statins	NIACIN/SIMVASTATIN	RX	Generic
	Statins	SIMVASTATIN	RX	Generic
	Statins	SITAGLIPTIN PHOSPHATE/SIMVASTATIN	RX	Generic
	Statins	PITAVASTATIN CALCIUM	RX	Generic
	Statins	PITAVASTATIN MAGNESIUM	RX	Generic
	Statins	ASPIRIN (CALCIUM CARB & MAGNESIUM BUFFERS)/PRAVASTATIN	RX	Generic
	Statins	PRAVASTATIN SODIUM	RX	Generic
	Statins	LOVASTATIN	RX	Generic
	Statins	NIACIN/LOVASTATIN	RX	Generic
	Statins	FLUVASTATIN SODIUM	RX	Generic
	PCSK9 inhibitors and other lipid-lowering therapy	CHOLESTYRAMINE	RX	Generic
	PCSK9 inhibitors and other lipid-lowering therapy	CHOLESTYRAMINE (WITH SUGAR)	RX	Generic

PCSK9 inhibitors and other lipid-lowering therapy	CHOLESTYRAMINE/ASPARTAME	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	COLESEVELAM HCL	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	COLESTIPOL HCL	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	EZETIMIBE	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	FENOFIBRATE	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	FENOFIBRATE NANOCRYSTALLIZED	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	FENOFIBRATE,MICRONIZED	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	GEMFIBROZIL	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	INOSITOL NIACINATE	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	NIACIN	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	NIACIN (INOSITOL NIACINATE)	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	NIACIN/LOVASTATIN	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	NIACIN/SIMVASTATIN	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	ALIROCUMAB	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	EVOLOCUMAB	RX	Generic
PCSK9 inhibitors and other lipid-lowering therapy	INCLISIRAN SODIUM	RX	Generic
Antiplatelet agents	ABCIXIMAB	RX	Generic
Antiplatelet agents	ANAGRELIDE HCL	RX	Generic
Antiplatelet agents	ASPIRIN	RX	Generic
Antiplatelet agents	ASPIRIN/DIPYRIDAMOLE	RX	Generic
Antiplatelet agents	CILOSTAZOL	RX	Generic
Antiplatelet agents	CLOPIDOGREL BISULFATE	RX	Generic
Antiplatelet agents	DIPYRIDAMOLE	RX	Generic
Antiplatelet agents	EPTIFIBATIDE	RX	Generic
Antiplatelet agents	PRASUGREL HCL	RX	Generic
Antiplatelet agents	TICAGRELOR	RX	Generic
Antiplatelet agents	TICLOPIDINE HCL	RX	Generic
Antiplatelet agents	TIROFIBAN HCL MONOHYDRATE	RX	Generic
Antiplatelet agents	TIROFIBAN HCL MONOHYDRATE IN 0.9 % SODIUM CHLORIDE	RX	Generic
Antiplatelet agents	VORAPAXAR SULFATE	RX	Generic
Oral anticoagulants	APIXABAN	RX	Generic
Oral anticoagulants	BETRIXABAN MALEATE	RX	Generic
Oral anticoagulants	DABIGATRAN ETEXILATE MESYLATE	RX	Generic
Oral anticoagulants	EDOXABAN TOSYLATE	RX	Generic
Oral anticoagulants	RIVAROXABAN	RX	Generic
Oral anticoagulants	WARFARIN SODIUM	RX	Generic
COPD/Asthma medications	ACLIDINIUM BROMIDE/FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	ALBUTEROL	RX	Generic
COPD/Asthma medications	ALBUTEROL SULFATE	RX	Generic
COPD/Asthma medications	AMINOPHYLLINE	RX	Generic
COPD/Asthma medications	ARFORMOTEROL TARTRATE	RX	Generic
COPD/Asthma medications	BENRALIZUMAB	RX	Generic
COPD/Asthma medications	BUDESONIDE	RX	Generic
COPD/Asthma medications	BUDESONIDE, MICRONIZED	RX	Generic
COPD/Asthma medications	BUDESONIDE/FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	BUDESONIDE/GLYCOPYRROLATE/FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	CICLESONIDE	RX	Generic
COPD/Asthma medications	DUPILUMAB	RX	Generic
COPD/Asthma medications	FLUTICASONE FUROATE	RX	Generic
COPD/Asthma medications	FLUTICASONE FUROATE/UMECLIDINIUM BROMIDE/VILANTEROL TRIFENAT	RX	Generic
COPD/Asthma medications	FLUTICASONE FUROATE/VILANTEROL TRIFENATATE	RX	Generic
COPD/Asthma medications	FLUTICASONE PROPIONATE	RX	Generic
COPD/Asthma medications	FLUTICASONE PROPIONATE, MICRONIZED	RX	Generic
COPD/Asthma medications	FLUTICASONE PROPIONATE/EMOLLIENT COMBINATION NO.65	RX	Generic
COPD/Asthma medications	FLUTICASONE PROPIONATE/SALMETEROL XINAFOATE	RX	Generic
COPD/Asthma medications	FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	FORMOTEROL FUMARATE DIHYDRATE, MICRONIZED	RX	Generic
COPD/Asthma medications	GLYCOPYRROLATE/FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	GUAIFENESIN/THEOPHYLLINE	RX	Generic
COPD/Asthma medications	GUAIFENESIN/THEOPHYLLINE ANHYDROUS/PSEUDOEPHEDRINE	RX	Generic
COPD/Asthma medications	GUAIFENESIN/THEOPHYLLINE/EPHEDRINE	RX	Generic
COPD/Asthma medications	IPRATROPIUM BROMIDE	RX	Generic
COPD/Asthma medications	IPRATROPIUM BROMIDE/ALBUTEROL SULFATE	RX	Generic
COPD/Asthma medications	LEVALBUTEROL HCL	RX	Generic
COPD/Asthma medications	LEVALBUTEROL TARTRATE	RX	Generic
COPD/Asthma medications	MEPOLIZUMAB	RX	Generic
COPD/Asthma medications	METAPROTERENOL SULFATE	RX	Generic
COPD/Asthma medications	MOMETASONE FUROATE	RX	Generic
COPD/Asthma medications	MOMETASONE FUROATE/AMMONIUM LACTATE	RX	Generic
COPD/Asthma medications	MOMETASONE FUROATE/DIMETHICONE	RX	Generic
COPD/Asthma medications	MOMETASONE FUROATE/FORMOTEROL FUMARATE	RX	Generic
COPD/Asthma medications	MONTELUKAST SODIUM	RX	Generic
COPD/Asthma medications	OLOPATADINE HCL/MOMETASONE FUROATE	RX	Generic
COPD/Asthma medications	PIRBUTEROL ACETATE	RX	Generic
COPD/Asthma medications	RESLIZUMAB	RX	Generic
COPD/Asthma medications	SALMETEROL XINAFOATE	RX	Generic
COPD/Asthma medications	TERBUTALINE SULFATE	RX	Generic
COPD/Asthma medications	THEOPHYLLINE ANHYDROUS	RX	Generic
COPD/Asthma medications	THEOPHYLLINE IN DEXTROSE 5 % IN WATER	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/CAFFEINE/AMINO ACIDS NO.13/CINNAMON/HERBAL 135	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/DIETARY SUPPLEMENT,MISC.COMB.NO.9	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/EPHEDRINE HCL/PHENOBARBITAL	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/EPHEDRINE/HYDROXYZINE	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/EPHEDRINE/POTASSIUM IODIDE/PHENOBARBITAL	RX	Generic
COPD/Asthma medications	THEOPHYLLINE/POTASSIUM IODIDE	RX	Generic
COPD/Asthma medications	TIOTROPIUM BROMIDE	RX	Generic
COPD/Asthma medications	TIOTROPIUM BROMIDE/OLODATEROL HCL	RX	Generic
COPD/Asthma medications	ZAFIRLUKAST	RX	Generic
COPD/Asthma medications	ZILEUTON	RX	Generic
COPD/Asthma medications	ACCOLATE	RX	Brand
COPD/Asthma medications	ADVAIR DISKUS	RX	Brand
COPD/Asthma medications	ADVAIR HFA	RX	Brand
COPD/Asthma medications	AIRDUO DIGIHALER	RX	Brand
COPD/Asthma medications	AIRDUO RESPICLICK	RX	Brand
COPD/Asthma medications	ALVESCO	RX	Brand
COPD/Asthma medications	ANORO ELLIPTA	RX	Brand
COPD/Asthma medications	ARNUITY ELLIPTA	RX	Brand
COPD/Asthma medications	ASMANEX	RX	Brand
COPD/Asthma medications	ASMANEX HFA	RX	Brand
COPD/Asthma medications	ATROVENT	RX	Brand
COPD/Asthma medications	ATROVENT HFA	RX	Brand
COPD/Asthma medications	BEVESPI AEROSPHERE	RX	Brand
COPD/Asthma medications	BREO ELLIPTA	RX	Brand
COPD/Asthma medications	BREZTRI AEROSPHERE	RX	Brand
COPD/Asthma medications	BROVANA	RX	Brand
COPD/Asthma medications	CINQAIR	RX	Brand
COPD/Asthma medications	COMBIVENT	RX	Brand
COPD/Asthma medications	COMBIVENT RESPIMAT	RX	Brand
COPD/Asthma medications	DALIRESP	RX	Brand
COPD/Asthma medications	DUAKLIR PRESSAIR	RX	Brand
COPD/Asthma medications	DULERA	RX	Brand
COPD/Asthma medications	DUPIXENT PEN	RX	Brand
COPD/Asthma medications	DUPIXENT SYRINGE	RX	Brand
COPD/Asthma medications	FASENRA	RX	Brand
COPD/Asthma medications	FASENRA PEN	RX	Brand
COPD/Asthma medications	FLOVENT	RX	Brand
COPD/Asthma medications	FLOVENT DISKUS	RX	Brand
COPD/Asthma medications	FLOVENT HFA	RX	Brand
COPD/Asthma medications	FLOVENT ROTADISK	RX	Brand
COPD/Asthma medications	INCRUSE ELLIPTA	RX	Brand

COPD/Asthma medications	LONHALA MAGNAIR REFILL	RX	Brand
COPD/Asthma medications	LONHALA MAGNAIR STARTER	RX	Brand
COPD/Asthma medications	NUCALA	RX	Brand
COPD/Asthma medications	PERFOROMIST	RX	Brand
COPD/Asthma medications	PROAIR DIGIHALER	RX	Brand
COPD/Asthma medications	PROAIR HFA	RX	Brand
COPD/Asthma medications	PROAIR RESPICLICK	RX	Brand
COPD/Asthma medications	PROVENTIL	RX	Brand
COPD/Asthma medications	PROVENTIL HFA	RX	Brand
COPD/Asthma medications	PULMICORT	RX	Brand
COPD/Asthma medications	PULMICORT FLEXHALER	RX	Brand
COPD/Asthma medications	QVAR REDIHALER	RX	Brand
COPD/Asthma medications	SEREVENT	RX	Brand
COPD/Asthma medications	SEREVENT DISKUS	RX	Brand
COPD/Asthma medications	SINGULAIR	RX	Brand
COPD/Asthma medications	SPIRIVA	RX	Brand
COPD/Asthma medications	SPIRIVA HANDIHALER	RX	Brand
COPD/Asthma medications	SPIRIVA RESPIMAT	RX	Brand
COPD/Asthma medications	STIOLTO RESPIMAT	RX	Brand
COPD/Asthma medications	STRIVERDI RESPIMAT	RX	Brand
COPD/Asthma medications	SYMBICORT	RX	Brand
COPD/Asthma medications	TEZSPIRE	RX	Brand
COPD/Asthma medications	TRELEGY ELLIPTA	RX	Brand
COPD/Asthma medications	TUDORZA PRESSAIR	RX	Brand
COPD/Asthma medications	VENTOLIN	RX	Brand
COPD/Asthma medications	VENTOLIN HFA	RX	Brand
COPD/Asthma medications	VENTOLIN ROTACAPS	RX	Brand
COPD/Asthma medications	WIXELA INHUB	RX	Brand
COPD/Asthma medications	XOLAIR	RX	Brand
COPD/Asthma medications	XOPENEX	RX	Brand
COPD/Asthma medications	XOPENEX CONCENTRATE	RX	Brand
COPD/Asthma medications	XOPENEX HFA	RX	Brand
NSAIDs	AMLODIPINE BESYLATE/CELECOXIB	RX	Generic
NSAIDs	BUPIVACAINE/KETOROLAC/KETAMINE	RX	Generic
NSAIDs	BUPIVACAINE/MELOXICAM	RX	Generic
NSAIDs	CELECOXIB	RX	Generic
NSAIDs	CELECOXIB/CAPSAICIN/MENTHOL	RX	Generic
NSAIDs	CELECOXIB/CAPSAICIN/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	CELECOXIB/LIDOCAINE/MENTHOL	RX	Generic
NSAIDs	CHLORPHENIRAMINE MALEATE/PHENYLEPHRINE HCL/IBUPROFEN	RX	Generic
NSAIDs	CHLORPHENIRAMINE MALEATE/PSEUDOEPHEDRINE HCL/IBUPROFEN	RX	Generic
NSAIDs	CYCLOPENT/TROPICAMIDE/PROPARACAINE/PHENYL/KETOROLAC IN WATER	RX	Generic
NSAIDs	CYCLOPENTOLATE/TROPICAMIDE/PHENYLEPHRINE/KETOROLAC IN WATER	RX	Generic
NSAIDs	DEXAMETHASONE SOD PH/MOXIFLOXACIN HCL/KETOROLAC/SOD CHLOR/PF	RX	Generic
NSAIDs	DICLOFENAC EPOLAMINE	RX	Generic
NSAIDs	DICLOFENAC POTASSIUM	RX	Generic
NSAIDs	DICLOFENAC SODIUM	RX	Generic
NSAIDs	DICLOFENAC SODIUM, MICRONIZED	RX	Generic
NSAIDs	DICLOFENAC SODIUM/BENZALKONIUM CHLORIDE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/CAPSAICIN	RX	Generic
NSAIDs	DICLOFENAC SODIUM/CAPSAICIN/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	DICLOFENAC SODIUM/CAPSICUM OLEORESIN	RX	Generic
NSAIDs	DICLOFENAC SODIUM/HYALURONATE SODIUM/NIACINAMIDE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/KINESIOLOGY TAPE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/LIDOCAINE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/LIDOCAINE HCL/KINESIOLOGY TAPE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/LIDOCAINE/METHYL SALICYLATE/CAMPHOR	RX	Generic
NSAIDs	DICLOFENAC SODIUM/MENTHOL	RX	Generic
NSAIDs	DICLOFENAC SODIUM/MENTHOL/CAMPHOR	RX	Generic
NSAIDs	DICLOFENAC SODIUM/MENTHOL/KINESIOLOGY TAPE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	DICLOFENAC SODIUM/METHYL SALICYLATE/MENTHOL/CAMPHOR	RX	Generic
NSAIDs	DICLOFENAC SODIUM/MISOPROSTOL	RX	Generic
NSAIDs	DICLOFENAC SODIUM/SILICONE, ADHESIVE	RX	Generic
NSAIDs	DICLOFENAC SODIUM/TROLAMINE SALICYLATE	RX	Generic
NSAIDs	DICLOFENAC SUBMICRONIZED	RX	Generic
NSAIDs	DIFLUNISAL	RX	Generic
NSAIDs	ETODOLAC	RX	Generic
NSAIDs	ETODOLAC/CAPSAICIN/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	FENOPROFEN CALCIUM	RX	Generic
NSAIDs	FENOPROFEN CALCIUM, DIHYDRATE	RX	Generic
NSAIDs	FLUCONAZOLE/IBUPROFEN/ITRACONAZOLE/TERBINAFINE HCL	RX	Generic
NSAIDs	FLURBIPROFEN	RX	Generic
NSAIDs	FLURBIPROFEN SODIUM	RX	Generic
NSAIDs	HYDROCODONE/IBUPROFEN	RX	Generic
NSAIDs	IBUPROFEN	RX	Generic
NSAIDs	IBUPROFEN LYSINE/PF	RX	Generic
NSAIDs	IBUPROFEN/ACETAMINOPHEN	RX	Generic
NSAIDs	IBUPROFEN/CAFFEINE/VITAMINS B1, B2, B6, & B12	RX	Generic
NSAIDs	IBUPROFEN/CAPSAICIN/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	IBUPROFEN/DIETARY SUPPLEMENT,MISC. CB.11	RX	Generic
NSAIDs	IBUPROFEN/DIPHENHYDRAMINE CITRATE	RX	Generic
NSAIDs	IBUPROFEN/DIPHENHYDRAMINE HCL	RX	Generic
NSAIDs	IBUPROFEN/FAMOTIDINE	RX	Generic
NSAIDs	IBUPROFEN/GLYCERIN	RX	Generic
NSAIDs	IBUPROFEN/IRRITANTS COUNTER-IRRITANTS COMBINATION NO.2	RX	Generic
NSAIDs	IBUPROFEN/OXYCODONE HCL	RX	Generic
NSAIDs	IBUPROFEN/PHENYLEPHRINE HCL	RX	Generic
NSAIDs	IBUPROFEN/PSEUDOEPHEDRINE HCL	RX	Generic
NSAIDs	INDOMETHACIN	RX	Generic
NSAIDs	INDOMETHACIN SODIUM	RX	Generic
NSAIDs	INDOMETHACIN, SUBMICRONIZED	RX	Generic
NSAIDs	KETOPROFEN	RX	Generic
NSAIDs	KETOPROFEN, MICRONIZED	RX	Generic
NSAIDs	KETOROLAC TROMETHAMINE	RX	Generic
NSAIDs	KETOROLAC TROMETHAMINE/PF	RX	Generic
NSAIDs	KETOROLAC/NORFLURANE AND PENTAFLUOROPROPANE (HFC 245FA)	RX	Generic
NSAIDs	LANSOPRAZOLE/NAPROXEN	RX	Generic
NSAIDs	MEFENAMIC ACID	RX	Generic
NSAIDs	MELOXICAM	RX	Generic
NSAIDs	MELOXICAM, SUBMICRONIZED	RX	Generic
NSAIDs	MELOXICAM/IRRITANTS COUNTER-IRRITANTS COMBINATION NO.2	RX	Generic
NSAIDs	NABUMETONE	RX	Generic
NSAIDs	NABUMETONE, MICRONIZED	RX	Generic
NSAIDs	NABUMETONE/CAPSAICIN/METHYL SALICYLATE/MENTHOL	RX	Generic
NSAIDs	NAPROXEN	RX	Generic
NSAIDs	NAPROXEN SODIUM	RX	Generic
NSAIDs	NAPROXEN SODIUM/DIPHENHYDRAMINE HCL	RX	Generic
NSAIDs	NAPROXEN SODIUM/MENTHOL	RX	Generic
NSAIDs	NAPROXEN SODIUM/PSEUDOEPHEDRINE HCL	RX	Generic
NSAIDs	NAPROXEN/CAPSAICIN/MENTHOL	RX	Generic
NSAIDs	NAPROXEN/CAPSAICIN/MENTHOL/METHYL SALICYLATE	RX	Generic
NSAIDs	NAPROXEN/CAPSICUM OLEORESIN	RX	Generic
NSAIDs	NAPROXEN/DIETARY SUPPLEMENT,MISC. CB.11	RX	Generic
NSAIDs	NAPROXEN/ESOMEPRAZOLE MAGNESIUM	RX	Generic
NSAIDs	NAPROXEN/IRRITANT COUNTER-IRRITANT COMBINATION NO.2	RX	Generic
NSAIDs	OXAPROZIN	RX	Generic
NSAIDs	PHENYLEPHRINE HCL/KETOROLAC TROMETHAMINE	RX	Generic
NSAIDs	PIROXICAM	RX	Generic
NSAIDs	PIROXICAM/DIETARY SUPPLEMENT,MISC. CB.11	RX	Generic
NSAIDs	ROFECOXIB	RX	Generic

NSAIDs	ROPIVACAINE HCL/CLONIDINE HCL/KETOROLAC TROMETHAMINE	RX	Generic
NSAIDs	ROPIVACAINE HCL/EPINEPHRINE/CLONIDINE HCL/KETOROLAC TROMETH	RX	Generic
NSAIDs	ROPIVACAINE/KETOROLAC/KETAMINE	RX	Generic
NSAIDs	SALICYLIC ACID/IBUPROFEN/CIMETIDINE	RX	Generic
NSAIDs	SALIVA COLLECTION DEVICE/IBUPROFEN	RX	Generic
NSAIDs	SULINDAC	RX	Generic
NSAIDs	SUMATRIPTAN SUCCINATE/NAPROXEN SODIUM	RX	Generic
NSAIDs	TOLMETIN SODIUM	RX	Generic
NSAIDs	TRAMADOL HCL/CELECOXIB	RX	Generic
NSAIDs	TROPICAMIDE/PROPARACAINE/PHENYLEPHRINE/KETOROLAC IN WATER	RX	Generic
NSAIDs	VALDECOXIB	RX	Generic
Oral corticosteroids	BETAMETHASONE	RX	Generic
Oral corticosteroids	CORTISONE ACETATE	RX	Generic
Oral corticosteroids	DEXAMETHASONE	RX	Generic
Oral corticosteroids	DEXAMETHASONE ACETATE	RX	Generic
Oral corticosteroids	DEXAMETHASONE ISONICOTINATE	RX	Generic
Oral corticosteroids	DEXAMETHASONE PHOSPHATE	RX	Generic
Oral corticosteroids	DEXAMETHASONE SODIUM PHOSPHATE	RX	Generic
Oral corticosteroids	DEXAMETHASONE, MICRONIZED	RX	Generic
Oral corticosteroids	FLUDROCORTISONE ACETATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE	RX	Generic
Oral corticosteroids	HYDROCORTISONE ACETATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE CYPIONATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE HEMISUCCINATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE PROBUTATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE SOD PHOSPHATE	RX	Generic
Oral corticosteroids	HYDROCORTISONE VALERATE	RX	Generic
Oral corticosteroids	METHYLPREDNISOLONE	RX	Generic
Oral corticosteroids	METHYLPREDNISOLONE ACETATE	RX	Generic
Oral corticosteroids	METHYLPREDNISOLONE ACETATE, MICRONIZED	RX	Generic
Oral corticosteroids	METHYLPREDNISOLONE SODIUM SUCCINATE	RX	Generic
Oral corticosteroids	METHYLPREDNISOLONE, MICRONIZED	RX	Generic
Oral corticosteroids	PREDNISOLONE	RX	Generic
Oral corticosteroids	PREDNISOLONE ACETATE	RX	Generic
Oral corticosteroids	PREDNISOLONE ACETATE, MICRONIZED	RX	Generic
Oral corticosteroids	PREDNISOLONE ACETATE/BROMFENAC SODIUM	RX	Generic
Oral corticosteroids	PREDNISOLONE SODIUM PHOSPHATE	RX	Generic
Oral corticosteroids	PREDNISOLONE SODIUM PHOSPHATE/BROMFENAC SODIUM	RX	Generic
Oral corticosteroids	PREDNISOLONE, MICRONIZED	RX	Generic
Oral corticosteroids	PREDNISONE	RX	Generic
Oral corticosteroids	PREDNISONE MICRONIZED	RX	Generic
Oral corticosteroids	TRIAMCINOLONE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ALENDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ALENDRONATE SODIUM/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	RISEDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	RISEDRONATE SODIUM/CALCIUM CARBONATE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ZOLEDRONIC ACID	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ZOLEDRONIC ACID IN MANNITOL AND 0.9 % SODIUM CHLORIDE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ZOLEDRONIC ACID IN MANNITOL AND WATER FOR INJECTION	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	IBANDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PAMIDRONATE DISODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ETIDRONATE DISODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	TILUDRONATE DISODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ALENDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	RISEDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	RISEDRONATE SODIUM/CALCIUM CARBONATE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	IBANDRONATE SODIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	TERIPARATIDE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ABALOPARATIDE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	DENOSUMAB	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCITONIN,SALMON,SYNTHETIC	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ESTROGENS, CONJUGATED/BAZEDOXIFENE ACETATE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	RALOXIFENE HCL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ROMOSOZUMAB-AQQG	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/FOLIC ACID	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/FOLIC ACID/COLLAGEN	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/LEVOMEFOLATE CALCIUM	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/SOY ISOFLAVONE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/TOCOPHERSOLAN	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VIT E ACET/SAFFLOWER OIL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VITAMIN K1/MK4/MK7	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VITAMIN K2	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VITAMIN K2 (MK4)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VITAMIN K2/CALCIUM FRUCTOBORATE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VIT D3)/VITAMIN K2/OLIVE LEAF EXTRACT	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHOLECALCIFEROL/FOLIC ACID/RIBOFLAVIN/PYRIDOXINE HCL/VIT B12	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ALENDRONATE SODIUM/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	ASCORBIC ACID/CHOLECALCIFEROL (VIT D3)/HERBAL COMPLEX NO.313	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	BACILLUS COAGULANS/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	BACILLUS SUBTILIS/CHOLECALCIFEROL (VIT D3)/INULIN	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	BETA-SITOSTEROL/CHOLECALCIFEROL (VIT D3)/MINERALS/CRANBERRY	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARB/CHOLECALCIFEROL/MAGNESIUM AMINO ACID CHELATE	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE AND CITRATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE, CALCIUM LACTATE-CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CALCIUM GLUCONATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)/MINERALS	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)/SOYBEAN	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)/VIT K1	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)/VITAMIN K2	RX	Generic

Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CARBONATE/MAGNESIUM/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CITRATE MALATE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CITRATE/CHOLECALCIFEROL (VIT D3)/ISOFLAVONONES NO.2	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CITRATE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM CITRATE/MAGNESIUM CITRATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM PHOSPHATE, DIBASIC/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM PHOSPHATE, TRIBASIC/CHOLECALCIFEROL (VIT D3)/SOYBEAN	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM PHOSPHATE, TRIBASIC/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM/CHOLECALCIFEROL (VIT D3)/VIT K1/PHOSP/MINERALS 25	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3)/BORON	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CALCIUM/MAGNESIUM OXIDE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	CHROMIUM PICOLINATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	DEXTROSE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	FERROUS FUMARATE/CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	FOLIC ACID/ASCORBIC ACID/CHOLECALCIFEROL (VIT D3)/MINERALS	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	GLUCOSAMINE HCL/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	GLUCOSAMINE HCL/CHOLECALCIFEROL (VIT D3)/HYALURONIC ACID	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	INULIN/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	INULIN/CHOLECALCIFEROL (VIT D3)/CALCIUM CARBONATE/SORBITOL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	IPRIFLAVONE/CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	IRON POLYSACCHARIDE COMPLEX/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	IRON/CALCIUM CARBONATE/CHOLECALCIFEROL (VIT D3)/MINERALS	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	LACTOBACILLUS REUTERI/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3)/TURMERIC RT XT	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	MULTIVITAMIN-MINERALS NO.44/CHOLECALCIFEROL (VIT D3)/VIT K1	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	MULTIVITAMIN-MINERALS NO.58/CHOLECALCIFEROL (VIT D3)/VIT K1	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	MULTIVITAMIN-MINS/CALCIUM/BIOTIN/CHOLECALCIFEROL/FOLIC ACID	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDI MULTIVIT 65/CHOLECALCIFEROL(VIT D3)/PHYTONADIONE(VIT K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT 152/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT 153/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT 163/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.22/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.61/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.62/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.64/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.77/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.89/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PEDIATRIC MULTIVIT NO.99/CHOLECALCIFEROL(D3)/PHYTONADIONE(K)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	PHYTOSTEROL/CHOLECALCIFEROL (VIT D3)/FISH OIL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	SODIUM FLUORIDE/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VIT A PALMITATE, CHOLECALCIFEROL (VIT D3) IN COD LIVER OIL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A AND CHOLECALCIFEROL (VIT D3) IN COD LIVER OIL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A PALMITATE/ASCORBIC ACID/CHOLECALCIFEROL (VIT D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A/ASCORBIC ACID/CHOLECALCIFEROL (VIT D3)/COD LIVER	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A/CHOLECALCIFEROL (VIT D3)/VIT E/ALOE V/CLR-XYLENOL	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A/CHOLECALCIFEROL (VIT D3)/VIT E/VIT K1/ZINC ASCORB	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A/CHOLECALCIFEROL (VIT D3)/VITAMIN E/ALOE V/ZINC OX	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN A/CHOLECALCIFEROL (VITAMIN D3)	RX	Generic
Osteoporosis agents (incl. bisphosphonates)	VITAMIN B COMPLEX WITH C/FOLIC ACID/CHOLECALCIFEROL (VIT D3)	RX	Generic
Opioids	ACETAMINOPHEN WITH CODEINE PHOSPHATE	RX	Generic
Opioids	ACETAMINOPHEN/CAFFEINE/DIHYDROCODEINE BITARTRATE	RX	Generic
Opioids	APOMORPHINE HCL	RX	Generic
Opioids	ASPIRIN/CAFFEINE/DIHYDROCODEINE	RX	Generic
Opioids	ASPIRIN/CAFFEINE/DIHYDROCODEINE BITARTRATE	RX	Generic
Opioids	ASPIRIN/CODEINE PHOSPHATE	RX	Generic
Opioids	BUPRENORPHINE	RX	Generic
Opioids	BUPRENORPHINE HCL	RX	Generic
Opioids	BUPRENORPHINE HCL/NALOXONE HCL	RX	Generic
Opioids	BUTALBITAL/ACETAMINOPHEN/CAFFEIN E/CODEINE PHOSPHATE	RX	Generic
Opioids	BUTORPHANOL TARTRATE	RX	Generic
Opioids	CODEINE PHOSPHATE	RX	Generic
Opioids	CODEINE PHOSPHATE/BUTALBITAL/ASPIRIN/CAFFEINE	RX	Generic
Opioids	CODEINE SULFATE	RX	Generic
Opioids	CODEINE/ASPIRIN/SALICYLAMIDE/ACETAMINOPHEN/CAFFEINE	RX	Generic
Opioids	DIHYDROCODEINE BITARTRATE	RX	Generic
Opioids	FENTANYL	RX	Generic
Opioids	FENTANYL CITRATE	RX	Generic
Opioids	FENTANYL CITRATE IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	FENTANYL CITRATE IN DEXTROSE 5% IN WATER/PF	RX	Generic
Opioids	FENTANYL CITRATE/BUPIVACAINE HCL IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	FENTANYL CITRATE/DROPERIDOL	RX	Generic
Opioids	FENTANYL CITRATE/PF	RX	Generic

Opioids	FENTANYL CITRATE/ROPIVACAINE HCL/SODIUM CHLORIDE 0.9%/PF	RX	Generic
Opioids	FENTANYL HCL	RX	Generic
Opioids	HYDROCODONE BITARTRATE	RX	Generic
Opioids	HYDROCODONE BITARTRATE/ACETAMINOPHEN	RX	Generic
Opioids	HYDROCODONE BITARTRATE/ACETAMINOPHEN/DIETARY SUPPLEMENT #11	RX	Generic
Opioids	HYDROCODONE BITARTRATE/ASPIRIN	RX	Generic
Opioids	HYDROCODONE/IBUPROFEN	RX	Generic
Opioids	HYDROMORPHONE HCL	RX	Generic
Opioids	HYDROMORPHONE HCL IN 0.9 % SODIUM CHLORIDE	RX	Generic
Opioids	HYDROMORPHONE HCL IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	HYDROMORPHONE HCL IN DEXTROSE 5 %-WATER/PF	RX	Generic
Opioids	HYDROMORPHONE HCL IN STERILE WATER/PF	RX	Generic
Opioids	HYDROMORPHONE HCL/BUPIVACAINE HCL IN 0.9% SODIUM CHLORIDE/PF	RX	Generic
Opioids	HYDROMORPHONE HCL/PF	RX	Generic
Opioids	HYDROMORPHONE HCL/ROPIVACAINE IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	IBUPROFEN/OXYCODONE HCL	RX	Generic
Opioids	LEVORPHANOL TARTRATE	RX	Generic
Opioids	MEPERIDINE HCL	RX	Generic
Opioids	MEPERIDINE HCL IN 0.9 % SODIUM CHLORIDE	RX	Generic
Opioids	MEPERIDINE HCL IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	MEPERIDINE HCL/ATROPINE SULFATE	RX	Generic
Opioids	MEPERIDINE HCL/PF	RX	Generic
Opioids	MEPERIDINE HCL/PROMETHAZINE HCL	RX	Generic
Opioids	METHADONE HCL	RX	Generic
Opioids	METHADONE HYDROCHLORIDE IN 0.9 % SODIUM CHLORIDE	RX	Generic
Opioids	MORPHINE SULFATE	RX	Generic
Opioids	MORPHINE SULFATE IN 0.9 % SODIUM CHLORIDE	RX	Generic
Opioids	MORPHINE SULFATE IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Opioids	MORPHINE SULFATE IN SODIUM CHLORIDE, ISO-OSMOTIC/PF	RX	Generic
Opioids	MORPHINE SULFATE LIPOSOMAL/PF	RX	Generic
Opioids	MORPHINE SULFATE/DEXTROSE 5 % IN WATER	RX	Generic
Opioids	MORPHINE SULFATE/DEXTROSE 5%-WATER/PF	RX	Generic
Opioids	MORPHINE SULFATE/NALTREXONE HCL	RX	Generic
Opioids	MORPHINE SULFATE/PF	RX	Generic
Opioids	OPIUM TINCTURE	RX	Generic
Opioids	OPIUM/BELLADONNA ALKALOIDS	RX	Generic
Opioids	OXYCODONE HCL	RX	Generic
Opioids	OXYCODONE HCL/ACETAMINOPHEN	RX	Generic
Opioids	OXYCODONE HCL/ASPIRIN	RX	Generic
Opioids	OXYCODONE HCL/OXYCODONE TEREPHTHALATE/ASPIRIN	RX	Generic
Opioids	OXYCODONE MYRISTATE	RX	Generic
Opioids	OXYCODONE/ASPIRIN	RX	Generic
Opioids	OXYMORPHONE HCL	RX	Generic
Opioids	PENTAZOCINE HCL/ACETAMINOPHEN	RX	Generic
Opioids	PENTAZOCINE HCL/ASPIRIN	RX	Generic
Opioids	PENTAZOCINE HCL/NALOXONE HCL	RX	Generic
Opioids	PENTAZOCINE LACTATE	RX	Generic
Opioids	TAPENTADOL HCL	RX	Generic
Opioids	TRAMADOL HCL	RX	Generic
Opioids	TRAMADOL HCL/ACETAMINOPHEN	RX	Generic
Opioids	TRAMADOL HCL/DIETARY SUPPLEMENT,MISC CB.11	RX	Generic
Anti-depressants	AMITRIPTYLINE HCL	RX	Generic
Anti-depressants	AMITRIPTYLINE HCL/CHLORDIAZEPOXIDE	RX	Generic
Anti-depressants	AMOXAPINE	RX	Generic
Anti-depressants	BUPROPION HBR	RX	Generic
Anti-depressants	BUPROPION HCL	RX	Generic
Anti-depressants	CITALOPRAM HYDROBROMIDE	RX	Generic
Anti-depressants	CLOMIPRAMINE HCL	RX	Generic
Anti-depressants	DESIPRAMINE HCL	RX	Generic
Anti-depressants	DESVENLAFAXINE	RX	Generic
Anti-depressants	DESVENLAFAXINE FUMARATE	RX	Generic
Anti-depressants	DESVENLAFAXINE SUCCINATE	RX	Generic
Anti-depressants	DOXEPIN HCL	RX	Generic
Anti-depressants	DULOXETINE HCL	RX	Generic
Anti-depressants	DULOXETINE HCL/LIDOCAINE HCL	RX	Generic
Anti-depressants	ESCITALOPRAM OXALATE	RX	Generic
Anti-depressants	FLUOXETINE	RX	Generic
Anti-depressants	FLUOXETINE HCL	RX	Generic
Anti-depressants	FLUOXETINE HCL/DIETARY SUPPLEMENT NO.17	RX	Generic
Anti-depressants	FLUOXETINE HCL/DIETARY SUPPLEMENT NO.8	RX	Generic
Anti-depressants	FLUVOXAMINE MALEATE	RX	Generic
Anti-depressants	IMIPRAMINE HCL	RX	Generic
Anti-depressants	IMIPRAMINE PAMOATE	RX	Generic
Anti-depressants	ISOCARBOXAZID	RX	Generic
Anti-depressants	LEVOMILNACIPRAN HCL	RX	Generic
Anti-depressants	MAPROTILINE HCL	RX	Generic
Anti-depressants	MILNACIPRAN HCL	RX	Generic
Anti-depressants	MIRTAZAPINE	RX	Generic
Anti-depressants	NEFAZODONE HCL	RX	Generic
Anti-depressants	NORTRIPTYLINE HCL	RX	Generic
Anti-depressants	OLANZAPINE/FLUOXETINE HCL	RX	Generic
Anti-depressants	PAROXETINE HCL	RX	Generic
Anti-depressants	PAROXETINE MESYLATE	RX	Generic
Anti-depressants	PERPHENAZINE/AMITRIPTYLINE HCL	RX	Generic
Anti-depressants	PHENELZINE SULFATE	RX	Generic
Anti-depressants	PROTRIPTYLINE HCL	RX	Generic
Anti-depressants	SELEGILINE	RX	Generic
Anti-depressants	SELEGILINE HCL	RX	Generic
Anti-depressants	SERTRALINE HCL	RX	Generic
Anti-depressants	TRANYLCYPROMINE SULFATE	RX	Generic
Anti-depressants	TRAZODONE HCL	RX	Generic
Anti-depressants	TRAZODONE HCL/DIETARY SUPPLEMENT NO.8	RX	Generic
Anti-depressants	TRIMIPRAMINE MALEATE	RX	Generic
Anti-depressants	VENLAFAXINE BESYLATE	RX	Generic
Anti-depressants	VENLAFAXINE HCL	RX	Generic
Anti-depressants	VILAZODONE HCL	RX	Generic
Anti-depressants	VORTIOXETINE HYDROBROMIDE	RX	Generic
Dementia meds	DONEPEZIL HCL	RX	Generic
Dementia meds	GALANTAMINE HBR	RX	Generic
Dementia meds	MEMANTINE HCL	RX	Generic
Dementia meds	MEMANTINE HCL/DONEPEZIL HCL	RX	Generic
Dementia meds	RIVASTIGMINE	RX	Generic
Dementia meds	RIVASTIGMINE TARTRATE	RX	Generic
Dementia meds	TACRINE HCL	RX	Generic
Antipsychotics	MESORIDAZINE BESYLATE	RX	Generic
Antipsychotics	TRIFLUOPERAZINE HCL	RX	Generic
Antipsychotics	ACEPROMAZINE MALEATE	RX	Generic
Antipsychotics	CHLORPROMAZINE HCL	RX	Generic
Antipsychotics	DROPERIDOL	RX	Generic
Antipsychotics	LUMATEPERONE TOSYLATE	RX	Generic
Antipsychotics	MOLINDONE HCL	RX	Generic
Antipsychotics	ZIPRASIDONE HCL	RX	Generic
Antipsychotics	ZIPRASIDONE MESYLATE	RX	Generic
Antipsychotics	LOXAPINE	RX	Generic
Antipsychotics	LOXAPINE HCL	RX	Generic
Antipsychotics	LOXAPINE SUCCINATE	RX	Generic
Antipsychotics	OLANZAPINE	RX	Generic
Antipsychotics	OLANZAPINE PAMOATE	RX	Generic
Antipsychotics	OLANZAPINE/FLUOXETINE HCL	RX	Generic
Antipsychotics	OLANZAPINE/SAMIDORPHAN MALATE	RX	Generic
Antipsychotics	QUETIAPINE FUMARATE	RX	Generic
Antipsychotics	ASENAPINE	RX	Generic
Antipsychotics	ASENAPINE MALEATE	RX	Generic
Antipsychotics	PIMOZIDE	RX	Generic
Antipsychotics	RISPERIDONE		Generic
Antipsychotics	RISPERIDONE MICROSPHERES		Generic
Antipsychotics	ARIPIPRAZOLE		Generic
Antipsychotics	ARIPIPRAZOLE LAUROXIL		Generic
Antipsychotics	ARIPIPRAZOLE LAUROXIL, SUBMICRONIZED		Generic
Antipsychotics	PIMAVANSERIN TARTRATE		Generic
Antipsychotics	RESERPINE		Generic
Antipsychotics	CLOZAPINE		Generic
benzodiazepines	CITRATE	RX	Generic
benzodiazepines	HCL	RX	Generic
benzodiazepines	ASPIRIN/DIPHENHYDRAMINE CITRATE	RX	Generic
benzodiazepines	ASPIRIN/DIPHENHYDRAMINE HCL	RX	Generic
benzodiazepines	BICARBONATE/CITRIC ACID	RX	Generic
benzodiazepines	ASPIRIN/MEPROBAMATE	RX	Generic

benzodiazepines	BUSPIRONE HCL	RX	Generic
benzodiazepines	CHLORAL HYDRATE	RX	Generic
benzodiazepines	DIPHENHYDRAMINE CITRATE	RX	Generic
benzodiazepines	DIPHENHYDRAMINE HCL	RX	Generic
benzodiazepines	DOXYLAMINE SUCCINATE	RX	Generic
benzodiazepines	ESZOPICLONE	RX	Generic
benzodiazepines	HYDROXYZINE HCL	RX	Generic
benzodiazepines	HYDROXYZINE PAMOATE	RX	Generic
benzodiazepines	CITRATE	RX	Generic
benzodiazepines	IBUPROFEN/DIPHENHYDRAMINE HCL	RX	Generic
benzodiazepines	MEPROBAMATE	RX	Generic
benzodiazepines	SODIUM/DIPHENHYDRAMINE HCL	RX	Generic
benzodiazepines	RAMELTEON	RX	Generic
benzodiazepines	SUVOREXANT	RX	Generic
benzodiazepines	ZALEPLON	RX	Generic
benzodiazepines	ZOLPIDEM TARTRATE	RX	Generic
benzodiazepines	DOXEPIN HCL	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	ALPRAZOLAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	ALPRAZOLAM/DIETARY SUPPLEMENT,MISC COMBO NO.17	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	AMITRIPTYLINE HCL/CHLORDIAZEPOXIDE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CHLORDIAZEPOXIDE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CHLORDIAZEPOXIDE HCL	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CHLORDIAZEPOXIDE HCL/METHSCOPOLAMINE NITRATE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CHLORDIAZEPOXIDE/CLIDINIUM BROMIDE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CLOBAZAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CLONAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	CLORAZEPATE DIPOTASSIUM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	DIAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	ESTAZOLAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	FLURAZEPAM HCL	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	LORAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	LORAZEPAM IN 0.9 % SODIUM CHLORIDE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	LORAZEPAM IN 5 % DEXTROSE AND WATER	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL IN 0.9 % SODIUM CHLORIDE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL IN 0.9 % SODIUM CHLORIDE/PF	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL IN 5 % DEXTROSE AND WATER/PF	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL IN DEXTROSE 5% IN WATER	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM HCL/PF	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM IN SODIUM CHLORIDE, ISO-OSMOTIC	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM IN SODIUM CHLORIDE, ISO-OSMOTIC/PF	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	MIDAZOLAM/KETAMINE HCL/ONDANSETRON HCL	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	OXAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	QUAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	REMIMAZOLAM BESYLATE	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	TEMAZEPAM	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	TEMAZEPAM/DIETARY SUPPLEMENT NO.8	RX	Generic
Anxiolytics/hypnotics, benzodiazepines	TRIAZOLAM	RX	Generic
Urinary tract infections antibiotics	AMOXICILLIN	RX	Generic
Urinary tract infections antibiotics	AMOXICILLIN/POTASSIUM CLAVULANATE	RX	Generic
Urinary tract infections antibiotics	CEFADROXIL	RX	Generic
Urinary tract infections antibiotics	CEFDINIR	RX	Generic
Urinary tract infections antibiotics	CEFEPIME HCL	RX	Generic
Urinary tract infections antibiotics	CEFEPIME HCL IN DEXTROSE 5 % IN WATER	RX	Generic
Urinary tract infections antibiotics	CEFEPIME HCL IN ISO-OSMOTIC DEXTROSE	RX	Generic
Urinary tract infections antibiotics	CEFPODOXIME PROXETIL	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME IN DEXTROSE 5 % AND WATER	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME IN DEXTROSE, ISO-OSMOTIC	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME SODIUM	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME SODIUM IN 0.9 % SODIUM CHLORIDE	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME SODIUM IN ISO-OSMOTIC DEXTROSE	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME/ARGININE	RX	Generic
Urinary tract infections antibiotics	CEFTAZIDIME/AVIBACTAM SODIUM	RX	Generic
Urinary tract infections antibiotics	CEFTRIAXONE SODIUM	RX	Generic
Urinary tract infections antibiotics	CEFTRIAXONE SODIUM IN ISO-OSMOTIC DEXTROSE	RX	Generic
Urinary tract infections antibiotics	CEFTRIAXONE SODIUM/LIDOCAINE HCL	RX	Generic
Urinary tract infections antibiotics	CEPHALEXIN	RX	Generic
Urinary tract infections antibiotics	CEPHALEXIN HCL	RX	Generic
Urinary tract infections antibiotics	CIPROFLOXACIN	RX	Generic
Urinary tract infections antibiotics	CIPROFLOXACIN HCL	RX	Generic
Urinary tract infections antibiotics	CIPROFLOXACIN LACTATE	RX	Generic
Urinary tract infections antibiotics	CIPROFLOXACIN LACTATE/DEXTROSE 5 % IN WATER	RX	Generic
Urinary tract infections antibiotics	CIPROFLOXACIN/CIPROFLOXACIN HCL	RX	Generic
Urinary tract infections antibiotics	DORIPENEM	RX	Generic
Urinary tract infections antibiotics	ERTAPENEM SODIUM	RX	Generic
Urinary tract infections antibiotics	FOSFOMYCIN TROMETHAMINE	RX	Generic
Urinary tract infections antibiotics	GENTAMICIN SULFATE	RX	Generic
Urinary tract infections antibiotics	GENTAMICIN SULFATE IN SODIUM CHLORIDE, ISO-OSMOTIC	RX	Generic
Urinary tract infections antibiotics	GENTAMICIN SULFATE/PF	RX	Generic
Urinary tract infections antibiotics	GENTAMICIN SULFATE/SODIUM CHLORIDE	RX	Generic
Urinary tract infections antibiotics	GENTAMICIN SULFATE/SODIUM CITRATE	RX	Generic
Urinary tract infections antibiotics	IMIPENEM/CILASTATIN SODIUM	RX	Generic
Urinary tract infections antibiotics	IMIPENEM/CILASTATIN SODIUM/RELEBACTAM	RX	Generic
Urinary tract infections antibiotics	LEVOFLOXACIN	RX	Generic
Urinary tract infections antibiotics	LEVOFLOXACIN/DEXTROSE 5 % IN WATER	RX	Generic
Urinary tract infections antibiotics	MEROPENEM	RX	Generic
Urinary tract infections antibiotics	MEROPENEM IN 0.9 % SODIUM CHLORIDE	RX	Generic
Urinary tract infections antibiotics	MEROPENEM/VABORBACTAM	RX	Generic
Urinary tract infections antibiotics	NITROFURANTOIN	RX	Generic
Urinary tract infections antibiotics	NITROFURANTOIN MACROCRYSTAL	RX	Generic
Urinary tract infections antibiotics	NITROFURANTOIN MONOHYDRATE/MACROCRYSTALS	RX	Generic
Urinary tract infections antibiotics	PIPERACILLIN AND TAZOBACTAM IN DEXTROSE, ISO-OSMOTIC	RX	Generic
Urinary tract infections antibiotics	PIPERACILLIN SODIUM	RX	Generic
Urinary tract infections antibiotics	PIPERACILLIN SODIUM/DEXTROSE 5 % IN WATER	RX	Generic
Urinary tract infections antibiotics	PIPERACILLIN SODIUM/TAZOBACTAM SODIUM	RX	Generic
Urinary tract infections antibiotics	SULFAMETHOXAZOLE	RX	Generic
Urinary tract infections antibiotics	SULFAMETHOXAZOLE/PHENAZOPYRIDINE HCL	RX	Generic
Urinary tract infections antibiotics	SULFAMETHOXAZOLE/TRIMETHOPRIM	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN IN 0.225 % SODIUM CHLORIDE	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN SULFATE	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN SULFATE/DEXTROSE 5 % IN WATER	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN SULFATE/SODIUM CHLORIDE	RX	Generic
Urinary tract infections antibiotics	TOBRAMYCIN SULFATE/VANCOMYCIN HCL	RX	Generic

Urinary tract infections antibiotics	TOBRAMYCIN/LOTEPREDNOL ETABONATE	RX			Generic
Urinary tract infections antibiotics	TRIMETHOPRIM	RX			Generic
Urinary tract infections antibiotics	S0039	PX	INJECTION, SULFAMETHOXAZOLE AND TRIMETHOPRIM, 10 ML		CPT/HCPCS
Urinary tract infections antibiotics	G9313	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS FOR DOCUMENTED REASON		CPT/HCPCS
Urinary tract infections antibiotics	G9314	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS, REASON NOT GIVEN		CPT/HCPCS
Urinary tract infections antibiotics	G9315	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, PRESCRIBED AS A FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS		CPT/HCPCS
Urinary tract infections antibiotics	J0744	PX	INJECTION, CIPROFLOXACIN FOR INTRAVENOUS INFUSION, 200 MG		CPT/HCPCS
Urinary tract infections antibiotics	J7342	PX	INSTILLATION, CIPROFLOXACIN OTIC SUSPENSION, 6 MG		CPT/HCPCS
Urinary tract infections antibiotics	S0024	PX	INJECTION, CIPROFLOXACIN, 200 MG		CPT/HCPCS
Urinary tract infections antibiotics	J1956	PX	INJECTION, LEVOFLOXACIN, 250 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0696	PX	INJECTION, CEFTRIAXONE SODIUM, PER 250 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0692	PX	INJECTION, CEFEPIME HCL, 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0701	PX	INJECTION, CEFEPIME HCL (BAXTER), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0703	PX	INJECTION, CEFEPIME HCL (B. BRAUN), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	J2543	PX	INJECTION, PIPERACILLIN SODIUM/TAZOBACTAM SODIUM, 1 G/0.125 G (1.125 G)		CPT/HCPCS
Urinary tract infections antibiotics	S0081	PX	INJECTION, PIPERACILLIN SODIUM, 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	80170	PX	GENTAMICIN		CPT/HCPCS
Urinary tract infections antibiotics	J1580	PX	INJECTION, GARAMYCIN, GENTAMICIN, UP TO 80 MG		CPT/HCPCS
Urinary tract infections antibiotics	80200	PX	TOBRAMYCIN		CPT/HCPCS
Urinary tract infections antibiotics	J3260	PX	INJECTION, TOBRAMYCIN SULFATE, UP TO 80 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0713	PX	INJECTION, CEFTAZIDIME, PER 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0714	PX	INJECTION, CEFTAZIDIME AND AVIBACTAM, 0.5 G/0.125 G		CPT/HCPCS
Urinary tract infections antibiotics	J2184	PX	INJECTION, MEROPENEM (B. BRAUN) NOT THERAPEUTICALLY EQUIVALENT TO J2185, 100 MG		CPT/HCPCS
Urinary tract infections antibiotics	J2185	PX	INJECTION, MEROPENEM, 100 MG		CPT/HCPCS
Urinary tract infections antibiotics	J2186	PX	INJECTION, MEROPENEM, VABORBACTAM, 10 MG/10 MG, (20 MG)		CPT/HCPCS
Urinary tract infections antibiotics	C9116	PX	INJECTION, ERTAPENEM SODIUM, PER 1 GRAM VIAL		CPT/HCPCS
Urinary tract infections antibiotics	J1335	PX	INJECTION, ERTAPENEM SODIUM, 500 MG		CPT/HCPCS
Urinary tract infections antibiotics	C9241	PX	INJECTION, DORIPENEM, 10 MG		CPT/HCPCS
Urinary tract infections antibiotics	J1267	PX	INJECTION, DORIPENEM, 10 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0742	PX	INJECTION, IMIPENEM 4 MG, CILASTATIN 4 MG AND RELEBACTAM 2 MG		CPT/HCPCS
Urinary tract infections antibiotics	J0743	PX	INJECTION, CILASTATIN SODIUM; IMIPENEM, PER 250 MG		CPT/HCPCS
Laxatives	DOCUSATE CALCIUM	RX			Generic
Laxatives	DOCUSATE POTASSIUM	RX			Generic
Laxatives	DOCUSATE SODIUM	RX			Generic
Laxatives	DOCUSATE SODIUM/BENZOCAINE	RX			Generic
Laxatives	DOCUSATE SODIUM/DEHYDROCHOLIC ACID	RX			Generic
Laxatives	DOCUSATE SODIUM/FOLIC ACID/MULTIVITAMIN WITH IRON/MINERALS	RX			Generic
Laxatives	DOCUSATE SODIUM/UREA/VEHICLE COMBO NO.1/POLYSORBATE 80	RX			Generic
Laxatives	CASANTHRANOL/DOCUSATE POTASSIUM	RX			Generic
Laxatives	CASANTHRANOL/DOCUSATE SODIUM	RX			Generic
Laxatives	DANTHRON/DOCUSATE CALCIUM	RX			Generic
Laxatives	DANTHRON/DOCUSATE SODIUM	RX			Generic
Laxatives	FERROUS FUM/DOCUSATE SOD/VIT C/VIT E/B12-INTRINSIC FACTOR/FA	RX			Generic
Laxatives	FERROUS FUMARATE/DOCUSATE SODIUM	RX			Generic
Laxatives	FERROUS FUMARATE/DOCUSATE SODIUM/FOLIC ACID	RX			Generic
Laxatives	FERROUS FUMARATE/DOCUSATE/ASCORBIC ACID/VIT B12/LIVER EXT	RX			Generic
Laxatives	FERROUS SULF,DRIED/DOCUSATE/C/B12-IF/STOMACH CONC/FOLIC ACID	RX			Generic
Laxatives	IRON B-GL,CARBONYL/FOLATE 6/VIT C/B12/BIOTIN/CUPRIC/DOCUSATE	RX			Generic
Laxatives	IRON BISGLY/IRON PS CPLX/DOCUSATE/VIT C/FOLIC ACID/MV CMB 14	RX			Generic
Laxatives	IRON CARBONYL,GLUC/FOLIC ACID/VIT B12/VIT C/DOCUSATE SODIUM	RX			Generic
Laxatives	IRON, CARBONYL/FOLIC ACID/VIT B12/VITAMIN C/DOCUSATE SODIUM	RX			Generic
Laxatives	IRON,CARBONYL/DOCUSATE SODIUM/B12-IF/FOLIC ACID/MULTIVIT-MIN	RX			Generic
Laxatives	IRON/DOCUSATE SODIUM	RX			Generic
Laxatives	IRON/DOCUSATE SODIUM/ASCORBIC ACID/VIT B12/FOLIC ACID/MIN	RX			Generic
Laxatives	IRON/FOLIC ACID/VIT C/E/B12/BIOTIN/CUPRIC SULF/DOCUSATE SOD	RX			Generic
Laxatives	MINERAL OIL/DOCUSATE SODIUM	RX			Generic
Laxatives	MULTIVITAMIN NO.53/FERROUS FUM/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	MV-MINS NO.72/IRON,CARBON/FOLIC ACID/DOCUSATE SOD/CO-Q10/DHA	RX			Generic
Laxatives	PHENOLPHTHALEIN/DOCUSATE CALCIUM	RX			Generic
Laxatives	PHENOLPHTHALEIN/DOCUSATE SODIUM	RX			Generic
Laxatives	PHENOLPHTHALEIN/DOCUSATE/DEHYDROCHOLIC ACID	RX			Generic
Laxatives	PNV COMB.12/IRON,CARBONYL/FA CMB #1/DOCUSATE SODIUM/DHA	RX			Generic
Laxatives	PNV COMB.NO26/IRON ASP GLY/FA/DOCUSATE SODIUM/FAT COMBO NO.7	RX			Generic
Laxatives	PNV COMBO#14/FERROUS FUM/FOLIC ACID CMB #1/DHA/DOCUSATE CALC	RX			Generic
Laxatives	PNV NO.5/IRON ASP GLY/DOCUSATE/FOLIC ACID/FAT COMBO NO.4	RX			Generic
Laxatives	PNV/IRON,CARBONYL/DOCUSATE/CALCIUM/FOLIC ACID	RX			Generic
Laxatives	PNV/IRON,CARBONYL/DOCUSATE/FOLIC ACID/LEVOMEFOLATE	RX			Generic
Laxatives	PRENATAL VIT NO.20/IRON/FOLIC ACID/DOCUSATE/FISH OIL/DHA/EPA	RX			Generic
Laxatives	PRENATAL VIT NO.22/IRON CBN,GLUC/FOLIC ACID/DOCUSATE SODIUM	RX			Generic
Laxatives	PRENATAL VIT NO.22/IRON CBN,GLUCON/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VIT NO.34/IRON CARB,FUM/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VIT NO.4/IRON CARB-IRON GLUC/FOLIC ACID/DOCUSATE	RX			Generic
Laxatives	PRENATAL VIT NO.72/IRON CARBONY,GLUC/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VIT NO.73/IRON CARBONY,GLUC/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VIT WITH CALCIUM 15/IRON/FOLIC ACID/DOCUSATE SODIUM	RX			Generic
Laxatives	PRENATAL VIT WITH CALCIUM 16/IRON/FOLIC ACID/DOCUSATE SODIUM	RX			Generic
Laxatives	PRENATAL VIT WITH CALCIUM 18/IRON/FOLIC ACID/DOCUSATE SODIUM	RX			Generic
Laxatives	PRENATAL VIT WITH CALCIUM NO.1/IRON,CARB/DOCUSATE/FOLIC ACID	RX			Generic
Laxatives	PRENATAL VIT WITH CALCIUM NO.69/IRON/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VIT,CALCIUM NO.35/IRON/FOLIC ACID/DOCUSATE/OMEGA-3	RX			Generic
Laxatives	PRENATAL VITAMIN NO.17/IRON,CARBONYL/FOLIC ACID/DOCUSATE SOD	RX			Generic
Laxatives	PRENATAL VITAMIN NO.59/IRON CARB,FUM/FOLIC ACID/DOCUSATE/DHA	RX			Generic
Laxatives	PRENATAL VITAMIN W-O VIT A/FERROUS FUM/DOCUSATE/FOLIC AC/ZN	RX			Generic
Laxatives	PRENATAL VITAMINS NO.13/IRON,CARBONYL/FA/DOCUSATE NA/DHA	RX			Generic
Laxatives	PRENATAL VITAMINS NO.22/IRON,CARBONYL/FA/DOCUSATE NA/DHA	RX			Generic
Laxatives	PRENATAL VITAMINS NO.45/IRON,CARBONYL/FA/DOCUSATE SOD/DHA	RX			Generic
Laxatives	PRENATAL VITAMINS WITH CALCIUM/FERROUS FUM/DOCUSATE/FOLIC AC	RX			Generic

Laxatives	PRENATAL VITAMINS WITH CALCIUM/IRON,CARB/DOCUSATE/FOLIC ACID	RX	Generic
Laxatives	PRENATAL VITAMINS/IRON,CARBONYL/DOCUSATE/FOLIC ACID	RX	Generic
Laxatives	PRENATAL VITS NO.115/IRON FUMARATE/FOLIC ACID/DOCUSATE SOD.	RX	Generic
Laxatives	PRENATAL VITS NO.34/IRON,CARB/FOLIC ACID/DOCUSATE SODIUM/DHA	RX	Generic
Laxatives	PRENATAL VITS NO.4/IRON CARB,GLUC/FOLIC ACID/DOCUSATE/DHA	RX	Generic
Laxatives	PRENATAL VITS NO.57/IRON FUM/FOLIC ACID/DOCUSATE CALCIUM/DHA	RX	Generic
Laxatives	PRENATAL VITS WITH CALCIUM 43/IRON/FOLIC ACID/DOCUSATE SOD.	RX	Generic
Laxatives	PRENATAL VITS, CALCIUM NO.7/IRON ASP GLY/DOCUSATE/FOLIC ACID	RX	Generic
Laxatives	PRENATAL VITS,CALCIUM NO.66/IRON FUM/FOLIC ACID/DOCUSATE/DHA	RX	Generic
Laxatives	SENNOSIDES/DOCUSATE SODIUM	RX	Generic
Laxatives	BISACODYL	RX	Generic
Laxatives	BISACODYL/MAGNESIUM CITRATE	RX	Generic
Laxatives	BISACODYL/PHENOLPHTHALEIN/MAGNESIUM	RX	Generic
Laxatives	BISACODYL/SODIUM CHLOR/SODIUM BICARB/POTASSIUM CHL/PEG 3350	RX	Generic
Laxatives	BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC	RX	Generic
Laxatives	BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC/SOAP	RX	Generic
Laxatives	SENNA	RX	Generic
Laxatives	SENNA (WITH SUGAR)	RX	Generic
Laxatives	SENNA LEAF	RX	Generic
Laxatives	SENNA LEAF EXTRACT	RX	Generic
Laxatives	SENNA LEAF/HERBAL COMPLEX NO.324	RX	Generic
Laxatives	SENNA LEAF/PSYLLIUM HUSK/CASCARA/L.ACIDOPHILUS/HERBAL NO.235	RX	Generic
Laxatives	SENNA LEAF/PSYLLIUM HUSK/CASCARA/L.ACIDOPHILUS/HERBAL NO.279	RX	Generic
Laxatives	SENNA/BISACODYL/DOCUSATE	RX	Generic
Laxatives	SENNA/BISACODYL/MAGNESIUM	RX	Generic
Laxatives	SENNA/DOCUSATE SODIUM	RX	Generic
Laxatives	SENNA/FENNEL	RX	Generic
Laxatives	SENNA/HERBAL DRUGS	RX	Generic
Laxatives	SENNA/PSYLLIUM SEED	RX	Generic
Laxatives	CASTOR OIL	RX	Generic
Laxatives	POLYETHYLENE GLYCOL	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 1000	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 1450	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 1500	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 20,000	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 200	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 300	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 3350	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 3350/BOWEL PREP NO.2,TWO PART PREP	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 3350/POLYETHYLENE GLYCOL 400	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 3350/SODIUM CHLORIDE/POTASSIUM CITRATE	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 400	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 400/HYPROMELLOSE/GLYCERIN	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 400/PEG 8000/POLYSORBATE 80	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 400/POLYVINYL ALCOHOL	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 4500	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 600	RX	Generic
Laxatives	POLYETHYLENE GLYCOL 8000	RX	Generic
Laxatives	POLYETHYLENE GLYCOL/POTASSIUM CHL/PROPYLENE GLY/SOD.CHLORIDE	RX	Generic
Laxatives	ALLANTOIN/ONION/POLYETHYLENE GLYCOL/WATER	RX	Generic
Laxatives	DEXTRAN 70/POLYCARBOPHIL/POLYETHYLENE GLYCOL/SODIUM CHLORIDE	RX	Generic
Laxatives	DILUENT FOR MITOMYCIN (HYDROXYPROPYL,POLOXAM,POLYETHYL)	RX	Generic
Laxatives	EDETATE DISODIUM/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	EDETATE SODIUM/POLYETHYLENE GLYCOL/SODIUM LAURYL SULFATE	RX	Generic
Laxatives	FORMIC ACID/SODIUM FORMATE/POLYETHYLENE GLYCOL/GLYM-ST	RX	Generic
Laxatives	GLYCERIN/PROPYLENE GLYCOL/POLYETHYLENE GLYCOL 100	RX	Generic
Laxatives	HYALURONATE SODIUM/HYDROXYETHYLCELLULOSE/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	LANOLIN/MINERAL OIL/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	LANOLIN/MINERAL OIL/POLYETHYLENE GLYCOL/CASTOR OIL	RX	Generic
Laxatives	LANOLIN/PROPYLENE GLYCOL/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA	RX	Generic
Laxatives	METHYLBENZETHONIUM CHLORIDE/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	MINERAL OIL/POLYETHYLENE	RX	Generic
Laxatives	MINERAL OIL/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	MINERAL OIL/POLYETHYLENE/BUTYLATED HYDROXYTOLUENE	RX	Generic
Laxatives	MINERAL OIL/UREA/POLYETHYLENE GLYCOL/WATER	RX	Generic
Laxatives	NAPHAZOLINE HCL/POLYETHYLENE GLYCOL 300	RX	Generic
Laxatives	PROPYLENE GLYCOL/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	PROPYLENE GLYCOL/POLYETHYLENE GLYCOL 400	RX	Generic
Laxatives	PROPYLENE GLYCOL/POLYETHYLENE GLYCOL 400/PF	RX	Generic
Laxatives	SWEETLEAF/POLYETHYLENE GLYCOL 1450	RX	Generic
Laxatives	TETRAHYDROZOLINE HCL/DEXTRAN 70/POLYETHYLENE GL 400/POVIDONE TETRAHYDROZOLINE	RX	Generic
Laxatives	HCL/POLYETHYLENE GLYCOL	RX	Generic
Laxatives	MAGNESIUM HYDROXIDE	RX	Generic
Laxatives	MAGNESIUM HYDROXIDE/ALUMINUM HYDROXIDE	RX	Generic
Laxatives	MAGNESIUM HYDROXIDE/ALUMINUM HYDROXIDE/SIMETHICONE	RX	Generic
Laxatives	CALCIUM CARBONATE/MAGNESIUM HYDROXIDE/ALUMINUM HYDROX/SIMETH	RX	Generic
Laxatives	CALCIUM CARBONATE/MAGNESIUM HYDROXIDE/SIMETHICONE	RX	Generic
Laxatives	CALCIUM PHOSPHAT/MAGNESIUM HYDROXIDE/VIT C/VIT D3/PHOSPHORUS	RX	Generic
Laxatives	CASCARA SAGRADA/MAGNESIUM HYDROXIDE	RX	Generic
Laxatives	FAMOTIDINE/CALCIUM CARBONATE/MAGNESIUM HYDROXIDE	RX	Generic
Laxatives	MINERAL OIL/MAGNESIUM HYDROXIDE	RX	Generic
Laxatives	MAGNESIUM CITRATE, MAGNESIUM OXIDE	RX	Generic
Laxatives	MAGNESIUM CITRATE/POTASSIUM CITRATE	RX	Generic
Laxatives	MAGNESIUM CITRATE/VIT E ACID SUCCIN/HESPERIDIN/HERBAL NO.13	RX	Generic
Laxatives	CALCIUM CARBONATE AND CITRATE/MAGNESIUM CITRATE, GLYCINATE	RX	Generic
Laxatives	CALCIUM CARBONATE,CITRATE/MAGNESIUM CITRATE,OXIDE/VIT D3	RX	Generic
Laxatives	CALCIUM CITRATE/MAGNESIUM CITRATE/CHOLECALCIFEROL (VIT D3)	RX	Generic
Laxatives	CALCIUM LACTATE/MAGNESIUM CITRATE/PASSION FLOWER/VALERIAN	RX	Generic

	Laxatives	CALCIUM PHOSPHATE, TRIBASIC/MAGNESIUM CITRATE/SODIUM CITRATE	RX			Generic
	Laxatives	MELATONIN/GABA/5-HTP/THEANINE/MAGNESIUM CITRATE,OXIDE/HERBS	RX			Generic
	Laxatives	MELATONIN/MAGNESIUM CITRATE	RX			Generic
	Laxatives	POTASSIUM CITRATE/MAGNESIUM CITRATE/SODIUM BICARBONATE	RX			Generic
	Laxatives	RIBOFLAVIN/MAGNESIUM CITRATE,OXIDE/FEVERFEW LEAF AND EXTRACT	RX			Generic
	Laxatives	MAGNESIUM CITRATE	RX			Generic
	Laxatives	SODIUM PHOSPHATE DIBASIC, HEPTAHYDRATE	RX			Generic
	Laxatives	SODIUM PHOSPHATE IN 0.9 % SODIUM CHLORIDE	RX			Generic
	Laxatives	SODIUM PHOSPHATE IN 5 % DEXTROSE IN WATER	RX			Generic
	Laxatives	SODIUM PHOSPHATE,DIBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE,DIBASIC DIHYDRATE	RX			Generic
	Laxatives	SODIUM PHOSPHATE,DIBASIC/POT PHOS,MONOB/SOD PHOSPHATE MONO	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC-DIBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC/POTASSIUM PHOSPHATE,MONOBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC/SODIUM CHLORIDE	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC/SODIUM PHOSPHAT,DIBASIC/CELLULOSE	RX			Generic
	Laxatives	SODIUM PHOSPHATE,MONOBASIC/SODIUM PHOSPHATE,DIBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE,TRIBASIC	RX			Generic
	Laxatives	SODIUM PHOSPHATE/POTASSIUM PHOSPHATES, MONOBASIC AND BIBASIC	RX			Generic
	Laxatives	GLYCERIN	RX			Generic
	Laxatives	LACTULOSE	RX			Generic
	Laxatives	LUBIPROSTONE	RX			Generic
	Laxatives	LINACLOTIDE	RX			Generic
	Laxatives	PLECANATIDE	RX			Generic
	Laxatives	TEGASEROD HYDROGEN MALEATE	RX			Generic
	Laxatives	PRUCALOPRIDE SUCCINATE	RX			Generic
	Laxatives	TENAPANOR HCL	RX			Generic
	Laxatives	SODIUM PICOSULFATE/MAGNESIUM OXIDE/CITRIC ACID	RX			Generic
Healthcare utilization markers	Number of distinct medications	Any distinct NDC Drug Code	RX			
	Number of Emergency department visit	23	Place of service code	Emergency Room		
	Number of emergency department visit (Medicare)	Revenue center codes: 0450, 0451, 0452, 0456, 0459, 0981; Place of service: 23				
	Number of emergency department visit (Optum)	Place of service: 23				
	Number of emergency department visit (Marketscan)	Service sub-category codes: 10120, 10220, 10320, 10420, 10520, 12220, 20120, 20220, 21120, 21220, 22120, 22320, 30120, 30220, 30320, 30420, 30520, 30620, 31120, 31220, 31320, 31420, 31520, 31620; Place of service: 23				
	Number of office visits	99201	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A NEW PATIENT, WHICH REQUIRES THESE 3 KEY COMPONENTS: A PROBLEM FOCUSED HISTORY; A PROBLEM FOCUSED EXAMINATION; STRAIGHTFORWARD MEDICAL DECISION MAKING. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PHYSICIANS, OTHER QUALIFIED HEALTH CARE PROFESSIONALS, OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PRESENTING PROBLEM(S) ARE SELF LIMITED OR MINOR. TYPICALLY, 10 MINUTES ARE SPENT FACE-TO-FACE WITH THE PATIENT AND/OR FAMILY.	CPT/HCPCS
	Number of office visits	99202	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A NEW PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND STRAIGHTFORWARD MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 15-29 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99203	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A NEW PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND LOW LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 30-44 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99204	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A NEW PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND MODERATE LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 45-59 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99205	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A NEW PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND HIGH LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 60-74 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99211	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF AN ESTABLISHED PATIENT THAT MAY NOT REQUIRE THE PRESENCE OF A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
	Number of office visits	99212	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF AN ESTABLISHED PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND STRAIGHTFORWARD MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 10-19 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99213	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF AN ESTABLISHED PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND LOW LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 20-29 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99214	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF AN ESTABLISHED PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND MODERATE LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 30-39 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of office visits	99215	PX	OFFICE OR OTHER OUTPATIENT VISIT FOR THE EVALUATION AND MANAGEMENT OF AN ESTABLISHED PATIENT, WHICH REQUIRES A MEDICALLY APPROPRIATE HISTORY AND/OR EXAMINATION AND HIGH LEVEL OF MEDICAL DECISION MAKING. WHEN USING TIME FOR CODE SELECTION, 40-54 MINUTES OF TOTAL TIME IS SPENT ON THE DATE OF THE ENCOUNTER.	CPT/HCPCS
	Number of endocrinologist visits	0458	Provider category code			
	Number of endocrinologist visits	0459	Provider category code			
	Number of endocrinologist visits	0460	Provider category code			
	Number of endocrinologist visits	0461	Provider category code			
	Number of endocrinologist visits	0462	Provider category code			
	Number of endocrinologist visits	1143	Provider category code			
	Number of endocrinologist visits	1429	Provider category code			
	Number of endocrinologist visits	1824	Provider category code			
	Number of endocrinologist visits	1959	Provider category code			
	Number of endocrinologist visits	2597	Provider category code			
	Number of endocrinologist visits	2860	Provider category code			
	Number of endocrinologist visits	3589	Provider category code			
	Number of endocrinologist visits	5775	Provider category code			
	Number of endocrinologist visits	5853	Provider category code			
	Number of endocrinologist visits	207RE0101X	NUCC Taxonomy Code 1			
	Number of endocrinologist visits	207RE0101X	NUCC Taxonomy Code 2			
	Number of cardiologist visits	0400	Provider category code			
	Number of cardiologist visits	0401	Provider category code			
	Number of cardiologist visits	0402	Provider category code			
	Number of cardiologist visits	0403	Provider category code			
	Number of cardiologist visits	0404	Provider category code			
	Number of cardiologist visits	0405	Provider category code			
	Number of cardiologist visits	0407	Provider category code			
	Number of cardiologist visits	0408	Provider category code			
	Number of cardiologist visits	0409	Provider category code			
	Number of cardiologist visits	0410	Provider category code			
	Number of cardiologist visits	0411	Provider category code			

Number of cardiologist visits	0412	Provider category code
Number of cardiologist visits	0416	Provider category code
Number of cardiologist visits	1108	Provider category code
Number of cardiologist visits	1123	Provider category code
Number of cardiologist visits	1135	Provider category code
Number of cardiologist visits	1162	Provider category code
Number of cardiologist visits	1212	Provider category code
Number of cardiologist visits	1582	Provider category code
Number of cardiologist visits	1629	Provider category code
Number of cardiologist visits	1728	Provider category code
Number of cardiologist visits	1856	Provider category code
Number of cardiologist visits	1947	Provider category code
Number of cardiologist visits	2653	Provider category code
Number of cardiologist visits	2804	Provider category code
Number of cardiologist visits	2810	Provider category code
Number of cardiologist visits	3073	Provider category code
Number of cardiologist visits	3137	Provider category code
Number of cardiologist visits	3249	Provider category code
Number of cardiologist visits	3534	Provider category code
Number of cardiologist visits	4113	Provider category code
Number of cardiologist visits	4163	Provider category code
Number of cardiologist visits	4622	Provider category code
Number of cardiologist visits	4644	Provider category code
Number of cardiologist visits	5726	Provider category code
Number of cardiologist visits	5742	Provider category code
Number of cardiologist visits	5761	Provider category code
Number of cardiologist visits	5771	Provider category code
Number of cardiologist visits	6616	Provider category code
Number of cardiologist visits	6887	Provider category code
Number of cardiologist visits	7034	Provider category code
Number of cardiologist visits	7749	Provider category code
Number of cardiologist visits	207RC0000X	NUCC Taxonomy Code 1
Number of cardiologist visits	207RC0000X	NUCC Taxonomy Code 2
Number of internal medicine/family medicine visits	1661	Provider category code
Number of internal medicine/family medicine visits	2826	Provider category code
Number of internal medicine/family medicine visits	0308	Provider category code
Number of internal medicine/family medicine visits	0311	Provider category code
Number of internal medicine/family medicine visits	0312	Provider category code
Number of internal medicine/family medicine visits	0313	Provider category code
Number of internal medicine/family medicine visits	0314	Provider category code
Number of internal medicine/family medicine visits	0316	Provider category code
Number of internal medicine/family medicine visits	0317	Provider category code
Number of internal medicine/family medicine visits	0318	Provider category code
Number of internal medicine/family medicine visits	0319	Provider category code
Number of internal medicine/family medicine visits	0326	Provider category code
Number of internal medicine/family medicine visits	0327	Provider category code
Number of internal medicine/family medicine visits	0329	Provider category code
Number of internal medicine/family medicine visits	0330	Provider category code
Number of internal medicine/family medicine visits	0331	Provider category code
Number of internal medicine/family medicine visits	0332	Provider category code
Number of internal medicine/family medicine visits	0333	Provider category code
Number of internal medicine/family medicine visits	0334	Provider category code
Number of internal medicine/family medicine visits	0335	Provider category code
Number of internal medicine/family medicine visits	0336	Provider category code
Number of internal medicine/family medicine visits	0337	Provider category code
Number of internal medicine/family medicine visits	0338	Provider category code
Number of internal medicine/family medicine visits	0339	Provider category code
Number of internal medicine/family medicine visits	0340	Provider category code
Number of internal medicine/family medicine visits	0341	Provider category code
Number of internal medicine/family medicine visits	0342	Provider category code
Number of internal medicine/family medicine visits	1046	Provider category code
Number of internal medicine/family medicine visits	1113	Provider category code
Number of internal medicine/family medicine visits	1127	Provider category code
Number of internal medicine/family medicine visits	1133	Provider category code
Number of internal medicine/family medicine visits	1419	Provider category code
Number of internal medicine/family medicine visits	1643	Provider category code
Number of internal medicine/family medicine visits	1646	Provider category code
Number of internal medicine/family medicine visits	1673	Provider category code
Number of internal medicine/family medicine visits	1694	Provider category code
Number of internal medicine/family medicine visits	1697	Provider category code
Number of internal medicine/family medicine visits	1721	Provider category code
Number of internal medicine/family medicine visits	1785	Provider category code
Number of internal medicine/family medicine visits	1832	Provider category code
Number of internal medicine/family medicine visits	1860	Provider category code
Number of internal medicine/family medicine visits	1864	Provider category code
Number of internal medicine/family medicine visits	1865	Provider category code
Number of internal medicine/family medicine visits	1927	Provider category code
Number of internal medicine/family medicine visits	2050	Provider category code
Number of internal medicine/family medicine visits	2068	Provider category code
Number of internal medicine/family medicine visits	2189	Provider category code
Number of internal medicine/family medicine visits	2219	Provider category code
Number of internal medicine/family medicine visits	2233	Provider category code

Number of internal medicine/family medicine visits	2280	Provider category code		
Number of internal medicine/family medicine visits	2286	Provider category code		
Number of internal medicine/family medicine visits	2302	Provider category code		
Number of internal medicine/family medicine visits	2313	Provider category code		
Number of internal medicine/family medicine visits	2314	Provider category code		
Number of internal medicine/family medicine visits	2340	Provider category code		
Number of internal medicine/family medicine visits	2354	Provider category code		
Number of internal medicine/family medicine visits	2373	Provider category code		
Number of internal medicine/family medicine visits	2378	Provider category code		
Number of internal medicine/family medicine visits	2403	Provider category code		
Number of internal medicine/family medicine visits	2574	Provider category code		
Number of internal medicine/family medicine visits	2610	Provider category code		
Number of internal medicine/family medicine visits	2614	Provider category code		
Number of internal medicine/family medicine visits	2615	Provider category code		
Number of internal medicine/family medicine visits	2628	Provider category code		
Number of internal medicine/family medicine visits	2644	Provider category code		
Number of internal medicine/family medicine visits	2790	Provider category code		
Number of internal medicine/family medicine visits	2835	Provider category code		
Number of internal medicine/family medicine visits	2842	Provider category code		
Number of internal medicine/family medicine visits	2978	Provider category code		
Number of internal medicine/family medicine visits	2996	Provider category code		
Number of internal medicine/family medicine visits	3268	Provider category code		
Number of internal medicine/family medicine visits	3755	Provider category code		
Number of internal medicine/family medicine visits	3777	Provider category code		
Number of internal medicine/family medicine visits	3787	Provider category code		
Number of internal medicine/family medicine visits	4362	Provider category code		
Number of internal medicine/family medicine visits	4641	Provider category code		
Number of internal medicine/family medicine visits	4645	Provider category code		
Number of internal medicine/family medicine visits	4648	Provider category code		
Number of internal medicine/family medicine visits	4876	Provider category code		
Number of internal medicine/family medicine visits	5063	Provider category code		
Number of internal medicine/family medicine visits	5683	Provider category code		
Number of internal medicine/family medicine visits	5696	Provider category code		
Number of internal medicine/family medicine visits	5706	Provider category code		
Number of internal medicine/family medicine visits	5724	Provider category code		
Number of internal medicine/family medicine visits	5732	Provider category code		
Number of internal medicine/family medicine visits	5736	Provider category code		
Number of internal medicine/family medicine visits	5774	Provider category code		
Number of internal medicine/family medicine visits	5781	Provider category code		
Number of internal medicine/family medicine visits	5829	Provider category code		
Number of internal medicine/family medicine visits	5991	Provider category code		
Number of internal medicine/family medicine visits	5994	Provider category code		
Number of internal medicine/family medicine visits	5998	Provider category code		
Number of internal medicine/family medicine visits	6000	Provider category code		
Number of internal medicine/family medicine visits	7017	Provider category code		
Number of internal medicine/family medicine visits	7592	Provider category code		
Number of internal medicine/family medicine visits	7777	Provider category code		
Number of internal medicine/family medicine visits	7792	Provider category code		
Number of internal medicine/family medicine visits	207Q00000X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QA0000X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QA0401X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QA0505X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QB0002X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QG0300X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QH0002X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QS0010X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207QS1201X	NUCC Taxonomy Code 1		
Number of internal medicine/family medicine visits	207Q00000X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QA0000X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QA0401X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QA0505X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QB0002X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QG0300X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QH0002X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QS0010X	NUCC Taxonomy Code 2		
Number of internal medicine/family medicine visits	207QS1201X	NUCC Taxonomy Code 2		
Number of electrocardiograms	93000	PX	ELECTROCARDIOGRAM, ROUTINE ECG WITH AT LEAST 12 LEADS; WITH INTERPRETATION AND REPORT	CPT/HCPCS
Number of electrocardiograms	93005	PX	ELECTROCARDIOGRAM, ROUTINE ECG WITH AT LEAST 12 LEADS; TRACING ONLY, WITHOUT INTERPRETATION AND REPORT	CPT/HCPCS
Number of electrocardiograms	93010	PX	ELECTROCARDIOGRAM, ROUTINE ECG WITH AT LEAST 12 LEADS; INTERPRETATION AND REPORT ONLY	CPT/HCPCS
Number of electrocardiograms	93040	PX	RHYTHM ECG, 1-3 LEADS; WITH INTERPRETATION AND REPORT	CPT/HCPCS
Number of electrocardiograms	93041	PX	RHYTHM ECG, 1-3 LEADS; TRACING ONLY WITHOUT INTERPRETATION AND REPORT	CPT/HCPCS
Number of electrocardiograms	93042	PX	RHYTHM ECG, 1-3 LEADS; INTERPRETATION AND REPORT ONLY	CPT/HCPCS
Number of echocardiograms	93352	PX	USE OF ECHOCARDIOGRAPHIC CONTRAST AGENT DURING STRESS ECHOCARDIOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Number of echocardiograms	C8928	PX	TRANSTHORACIC ECHOCARDIOGRAPHY (TTE) WITH CONTRAST, OR WITHOUT CONTRAST FOLLOWED BY WITH CONTRAST, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, DURING REST AND CARDIOVASCULAR STRESS TEST USING TREADMILL, BICYCLE EXERCISE AND/OR PHARMACOLOGICALLY INDUCED STRESS, WITH INTERPRETATION AND REPORT	CPT/HCPCS
Number of echocardiograms	C8930	PX	TRANSTHORACIC ECHOCARDIOGRAPHY (TTE) WITH CONTRAST, OR WITHOUT CONTRAST FOLLOWED BY WITH CONTRAST, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, DURING REST AND CARDIOVASCULAR STRESS TEST USING TREADMILL, BICYCLE EXERCISE AND/OR PHARMACOLOGICALLY INDUCED STRESS, WITH INTERPRETATION AND REPORT; INCLUDING PERFORMANCE OF CONTINUOUS ELECTROCARDIOGRAPHIC MONITORING, WITH PHYSICIAN SUPERVISION	CPT/HCPCS
Number of echocardiograms	93303	PX	TRANSTHORACIC ECHOCARDIOGRAPHY FOR CONGENITAL CARDIAC ANOMALIES; COMPLETE	CPT/HCPCS
Number of echocardiograms	93304	PX	TRANSTHORACIC ECHOCARDIOGRAPHY FOR CONGENITAL CARDIAC ANOMALIES; FOLLOW-UP OR LIMITED STUDY	CPT/HCPCS
Number of echocardiograms	93306	PX	ECHOCARDIOGRAPHY, TRANSTHORACIC, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, COMPLETE, WITH SPECTRAL DOPPLER ECHOCARDIOGRAPHY, AND WITH COLOR FLOW DOPPLER ECHOCARDIOGRAPHY	CPT/HCPCS
Number of echocardiograms	93307	PX	ECHOCARDIOGRAPHY, TRANSTHORACIC, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, COMPLETE, WITHOUT SPECTRAL OR COLOR DOPPLER ECHOCARDIOGRAPHY	CPT/HCPCS
Number of echocardiograms	93308	PX	ECHOCARDIOGRAPHY, TRANSTHORACIC, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, FOLLOW-UP OR LIMITED STUDY	CPT/HCPCS
Number of echocardiograms	93312	PX	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL, REAL-TIME WITH IMAGE DOCUMENTATION (2D) (WITH OR WITHOUT M-MODE RECORDING); INCLUDING PROBE PLACEMENT, IMAGE ACQUISITION, INTERPRETATION AND REPORT	CPT/HCPCS
Number of echocardiograms	93314	PX	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL, REAL-TIME WITH IMAGE DOCUMENTATION (2D) (WITH OR WITHOUT M-MODE RECORDING); IMAGE ACQUISITION, INTERPRETATION AND REPORT ONLY	CPT/HCPCS

	Number of echocardiograms	93315	PX	TRANSESOPHAGEAL ECHOCARDIOGRAPHY FOR CONGENITAL CARDIAC ANOMALIES; INCLUDING PROBE PLACEMENT, IMAGE ACQUISITION, INTERPRETATION AND REPORT	CPT/HCPCS
	Number of echocardiograms	93317	PX	TRANSESOPHAGEAL ECHOCARDIOGRAPHY FOR CONGENITAL CARDIAC ANOMALIES; IMAGE ACQUISITION, INTERPRETATION AND REPORT ONLY	CPT/HCPCS
	Number of echocardiograms	93318	PX	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL (TEE) FOR MONITORING PURPOSES, INCLUDING PROBE PLACEMENT, REAL TIME 2-DIMENSIONAL IMAGE ACQUISITION AND INTERPRETATION LEADING TO ONGOING (CONTINUOUS) ASSESSMENT OF (DYNAMICALLY CHANGING) CARDIAC PUMPING FUNCTION AND TO THERAPEUTIC MEASURES ON AN IMMEDIATE TIME BASIS	CPT/HCPCS
	Number of echocardiograms	93350	PX	ECHOCARDIOGRAPHY, TRANSTHORACIC, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, DURING REST AND CARDIOVASCULAR STRESS TEST USING TREADMILL, BICYCLE EXERCISE AND/OR PHARMACOLOGICALLY INDUCED STRESS, WITH INTERPRETATION AND REPORT;	CPT/HCPCS
	Number of echocardiograms	93351	PX	ECHOCARDIOGRAPHY, TRANSTHORACIC, REAL-TIME WITH IMAGE DOCUMENTATION (2D), INCLUDES M-MODE RECORDING, WHEN PERFORMED, DURING REST AND CARDIOVASCULAR STRESS TEST USING TREADMILL, BICYCLE EXERCISE AND/OR PHARMACOLOGICALLY INDUCED STRESS, WITH INTERPRETATION AND REPORT; INCLUDING PERFORMANCE OF CONTINUOUS ELECTROCARDIOGRAPHIC MONITORING, WITH SUPERVISION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
	Number of echocardiograms	93355	PX	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL (TEE) FOR GUIDANCE OF A TRANSCATHETER INTRACARDIAC OR GREAT VESSEL(S) STRUCTURAL INTERVENTION(S) (EG, TAVR, TRANSCATHETER PULMONARY VALVE REPLACEMENT, MITRAL VALVE REPAIR, PARAVALVULAR REGURGITATION REPAIR, LEFT ATRIAL APPENDAGE OCCLUSION/CLOSURE, VENTRICULAR SEPTAL DEFECT CLOSURE) (PERI-AND INTRA-PROCEDURAL), REAL-TIME IMAGE ACQUISITION AND DOCUMENTATION, GUIDANCE WITH QUANTITATIVE MEASUREMENTS, PROBE MANIPULATION, INTERPRETATION, AND REPORT, INCLUDING DIAGNOSTIC TRANSESOPHAGEAL ECHOCARDIOGRAPHY AND, WHEN PERFORMED, ADMINISTRATION OF ULTRASOUND CONTRAST, DOPPLER, COLOR FLOW, AND 3D	CPT/HCPCS
	Pharmacy out-of-pocket cost	Copayment Amount	RX	N/A	
	Unique brand medications	NDC brand name	RX	N/A	
	Unique generic medications	NDC generic name	RX	N/A	
	Ratio of unique brand to generic medications	Ratio	RX	N/A	
Healthy behavior markers	Colonoscopy, Sigmoidoscopy	0066T	PX	COMPUTED TOMOGRAPHIC (CT) COLONOGRAPHY (IE, VIRTUAL COLONOSCOPY); SCREENING	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	0067T	PX	COMPUTED TOMOGRAPHIC (CT) COLONOGRAPHY (IE, VIRTUAL COLONOSCOPY); DIAGNOSTIC	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45330	PX	SIGMOIDOSCOPY, FLEXIBLE; DIAGNOSTIC, INCLUDING COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING, WHEN PERFORMED (SEPARATE PROCEDURE)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45331	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH BIOPSY, SINGLE OR MULTIPLE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45332	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH REMOVAL OF FOREIGN BODY(S)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45333	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45334	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH CONTROL OF BLEEDING, ANY METHOD	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45335	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH DIRECTED SUBMUCOSAL INJECTION(S), ANY SUBSTANCE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45337	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH DECOMPRESSION (FOR PATHOLOGIC DISTENTION) (EG, VOLVULUS, MEGACOLON), INCLUDING PLACEMENT OF DECOMPRESSION TUBE, WHEN PERFORMED	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45338	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY SNARE TECHNIQUE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45339	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH ABLATION OF TUMOR(S), POLYP(S), OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45340	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH TRANSENDOSCOPIC BALLOON DILATION	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45341	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH ENDOSCOPIC ULTRASOUND EXAMINATION	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45342	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH TRANSENDOSCOPIC ULTRASOUND GUIDED INTRAMURAL OR TRANSMURAL FINE NEEDLE ASPIRATION/BIOPSY(S)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45345	PX	SIGMOIDOSCOPY, FLEXIBLE; WITH TRANSENDOSCOPIC STENT PLACEMENT (INCLUDES PREDILATION)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45378	PX	COLONOSCOPY, FLEXIBLE; DIAGNOSTIC, INCLUDING COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING, WHEN PERFORMED (SEPARATE PROCEDURE)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45379	PX	COLONOSCOPY, FLEXIBLE; WITH REMOVAL OF FOREIGN BODY(S)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45380	PX	COLONOSCOPY, FLEXIBLE; WITH BIOPSY, SINGLE OR MULTIPLE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45381	PX	COLONOSCOPY, FLEXIBLE; WITH DIRECTED SUBMUCOSAL INJECTION(S), ANY SUBSTANCE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45382	PX	COLONOSCOPY, FLEXIBLE; WITH CONTROL OF BLEEDING, ANY METHOD	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45383	PX	COLONOSCOPY, FLEXIBLE, PROXIMAL TO SPLENIC FLEXURE; WITH ABLATION OF TUMOR(S), POLYP(S), OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45384	PX	COLONOSCOPY, FLEXIBLE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45385	PX	COLONOSCOPY, FLEXIBLE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY SNARE TECHNIQUE	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45386	PX	COLONOSCOPY, FLEXIBLE; WITH TRANSENDOSCOPIC BALLOON DILATION	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45387	PX	COLONOSCOPY, FLEXIBLE, PROXIMAL TO SPLENIC FLEXURE; WITH TRANSENDOSCOPIC STENT PLACEMENT (INCLUDES PREDILATION)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45388	PX	COLONOSCOPY, FLEXIBLE; WITH ABLATION OF TUMOR(S), POLYP(S), OR OTHER LESION(S) (INCLUDES PRE- AND POST-DILATION AND GUIDE WIRE PASSAGE, WHEN PERFORMED)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45389	PX	COLONOSCOPY, FLEXIBLE; WITH ENDOSCOPIC STENT PLACEMENT (INCLUDES PRE- AND POST-DILATION AND GUIDE WIRE PASSAGE, WHEN PERFORMED)	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45390	PX	COLONOSCOPY, FLEXIBLE; WITH ENDOSCOPIC MUCOSAL RESECTION	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45391	PX	COLONOSCOPY, FLEXIBLE; WITH ENDOSCOPIC ULTRASOUND EXAMINATION LIMITED TO THE RECTUM, SIGMOID, DESCENDING, TRANSVERSE, OR ASCENDING COLON AND CECUM, AND ADJACENT STRUCTURES	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	45392	PX	COLONOSCOPY, FLEXIBLE; WITH TRANSENDOSCOPIC ULTRASOUND GUIDED INTRAMURAL OR TRANSMURAL FINE NEEDLE ASPIRATION/BIOPSY(S), INCLUDES ENDOSCOPIC ULTRASOUND EXAMINATION LIMITED TO THE RECTUM, SIGMOID, DESCENDING, TRANSVERSE, OR ASCENDING COLON AND CECUM, AND ADJACENT STRUCTURES	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	G0104	PX	COLORECTAL CANCER SCREENING; FLEXIBLE SIGMOIDOSCOPY	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	G0105	PX	COLORECTAL CANCER SCREENING; COLONOSCOPY ON INDIVIDUAL AT HIGH RISK	CPT/HCPCS
	Colonoscopy, Sigmoidoscopy	G0121	PX	COLORECTAL CANCER SCREENING; COLONOSCOPY ON INDIVIDUAL NOT MEETING CRITERIA FOR HIGH RISK	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90470	PX	H1N1 IMMUNIZATION ADMINISTRATION (INTRAMUSCULAR, INTRANASAL), INCLUDING COUNSELING WHEN PERFORMED	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90630	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (IIV4), SPLIT VIRUS, PRESERVATIVE FREE, FOR INTRADERMAL USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90653	PX	INFLUENZA VACCINE, INACTIVATED (IIV), SUBUNIT, ADJUVANTED, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90654	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (IIV3), SPLIT VIRUS, PRESERVATIVE FREE, FOR INTRADERMAL USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90655	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (IIV3), SPLIT VIRUS, PRESERVATIVE FREE, 0.25 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90656	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (IIV3), SPLIT VIRUS, PRESERVATIVE FREE, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90657	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (IIV3), SPLIT VIRUS, 0.25 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90658	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (IIV3), SPLIT VIRUS, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90660	PX	INFLUENZA VIRUS VACCINE, TRIVALENT, LIVE (LAIV3), FOR INTRANASAL USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90661	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (CCIIV3), DERIVED FROM CELL CULTURES, SUBUNIT, PRESERVATIVE AND ANTIBIOTIC FREE, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90662	PX	INFLUENZA VIRUS VACCINE (IIV), SPLIT VIRUS, PRESERVATIVE FREE, ENHANCED IMMUNOGENICITY VIA INCREASED ANTIGEN CONTENT, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90663	PX	INFLUENZA VIRUS VACCINE, PANDEMIC FORMULATION / INFLUENZA VIRUS VACCINE, PANDEMIC FORMULATION, H1N1	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90664	PX	INFLUENZA VIRUS VACCINE, LIVE (LAIV), PANDEMIC FORMULATION, FOR INTRANASAL USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90666	PX	INFLUENZA VIRUS VACCINE (IIV), PANDEMIC FORMULATION, SPLIT VIRUS, PRESERVATIVE FREE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90667	PX	INFLUENZA VIRUS VACCINE (IIV), PANDEMIC FORMULATION, SPLIT VIRUS, ADJUVANTED, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90668	PX	INFLUENZA VIRUS VACCINE (IIV), PANDEMIC FORMULATION, SPLIT VIRUS, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90672	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT, LIVE (LAIV4), FOR INTRANASAL USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90673	PX	INFLUENZA VIRUS VACCINE, TRIVALENT (RIV3), DERIVED FROM RECOMBINANT DNA, HEMAGGLUTININ (HA) PROTEIN ONLY, PRESERVATIVE AND ANTIBIOTIC FREE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90674	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (CCIIV4), DERIVED FROM CELL CULTURES, SUBUNIT, PRESERVATIVE AND ANTIBIOTIC FREE, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90682	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (RIV4), DERIVED FROM RECOMBINANT DNA, HEMAGGLUTININ (HA) PROTEIN ONLY, PRESERVATIVE AND ANTIBIOTIC FREE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90685	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (IIV4), SPLIT VIRUS, PRESERVATIVE FREE, 0.25 ML, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90686	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (IIV4), SPLIT VIRUS, PRESERVATIVE FREE, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90687	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (IIV4), SPLIT VIRUS, 0.25 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90688	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (IIV4), SPLIT VIRUS, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90689	PX	INFLUENZA VIRUS VACCINE QUADRIVALENT (IIV4), INACTIVATED, ADJUVANTED, PRESERVATIVE FREE, 0.25 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90694	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (AIIV4), INACTIVATED, ADJUVANTED, PRESERVATIVE FREE, 0.5 ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90756	PX	INFLUENZA VIRUS VACCINE, QUADRIVALENT (CCIIV4), DERIVED FROM CELL CULTURES, SUBUNIT, ANTIBIOTIC FREE, 0.5ML DOSAGE, FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	G0008	PX	ADMINISTRATION OF INFLUENZA VIRUS VACCINE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	G9141	PX	INFLUENZA A (H1N1) IMMUNIZATION ADMINISTRATION (INCLUDES THE PHYSICIAN COUNSELING THE PATIENT/FAMILY)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	G9142	PX	INFLUENZA A (H1N1) VACCINE, ANY ROUTE OF ADMINISTRATION	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2033	PX	INFLUENZA VACCINE, RECOMBINANT HEMAGGLUTININ ANTIGENS, FOR INTRAMUSCULAR USE (FLUBLOK)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2034	PX	INFLUENZA VIRUS VACCINE, SPLIT VIRUS, FOR INTRAMUSCULAR USE (AGRIFLU)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2035	PX	INFLUENZA VIRUS VACCINE, SPLIT VIRUS, WHEN ADMINISTERED TO INDIVIDUALS 3 YEARS OF AGE AND OLDER, FOR INTRAMUSCULAR USE (AFLURIA)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2036	PX	INFLUENZA VIRUS VACCINE, SPLIT VIRUS, WHEN ADMINISTERED TO INDIVIDUALS 3 YEARS OF AGE AND OLDER, FOR INTRAMUSCULAR USE (FLULAVAL)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2037	PX	INFLUENZA VIRUS VACCINE, SPLIT VIRUS, WHEN ADMINISTERED TO INDIVIDUALS 3 YEARS OF AGE AND OLDER, FOR INTRAMUSCULAR USE (FLUVIRIN)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2038	PX	INFLUENZA VIRUS VACCINE, SPLIT VIRUS, WHEN ADMINISTERED TO INDIVIDUALS 3 YEARS OF AGE AND OLDER, FOR INTRAMUSCULAR USE (FLUZONE)	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	Q2039	PX	INFLUENZA VIRUS VACCINE, NOT OTHERWISE SPECIFIED	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90670	PX	PNEUMOCOCCAL CONJUGATE VACCINE, 13 VALENT (PCV13), FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90671	PX	PNEUMOCOCCAL CONJUGATE VACCINE, 15 VALENT (PCV15), FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90677	PX	PNEUMOCOCCAL CONJUGATE VACCINE, 20 VALENT (PCV20), FOR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	90732	PX	PNEUMOCOCCAL POLYSACCHARIDE VACCINE, 23-VALENT (PPSV23), ADULT OR IMMUNOSUPPRESSED PATIENT DOSAGE, WHEN ADMINISTERED TO INDIVIDUALS 2 YEARS OR OLDER, FOR SUBCUTANEOUS OR INTRAMUSCULAR USE	CPT/HCPCS
	Flu vaccine / Pneumococcal vaccine	G0009	PX	ADMINISTRATION OF PNEUMOCOCCAL VACCINE	CPT/HCPCS
	Pap smear	88141	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), REQUIRING INTERPRETATION BY PHYSICIAN	CPT/HCPCS
	Pap smear	88142	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; MANUAL SCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS

	Pap smear	88143	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; WITH MANUAL SCREENING AND RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88144	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88145	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING USING CELL SELECTION AND REVIEW UNDER PHYSICIAN	CPT/HCPCS
	Pap smear	88147	PX	CYTOPATHOLOGY SMEARS, CERVICAL OR VAGINAL; SCREENING BY AUTOMATED SYSTEM UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88148	PX	CYTOPATHOLOGY SMEARS, CERVICAL OR VAGINAL; SCREENING BY AUTOMATED SYSTEM WITH MANUAL RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88150	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL; MANUAL SCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88151	PX	DESCRIPTOR NOT AVAILABLE	CPT/HCPCS
	Pap smear	88152	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL; WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88153	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL; WITH MANUAL SCREENING AND RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88154	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL; WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING USING CELL SELECTION AND REVIEW UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88155	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL, DEFINITIVE HORMONAL EVALUATION (EG, MATURATION INDEX, KARYOPYKNOTIC INDEX, ESTROGENIC INDEX) (LIST SEPARATELY IN ADDITION TO CODE(S) FOR OTHER TECHNICAL AND INTERPRETATION SERVICES)	CPT/HCPCS
	Pap smear	88164	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL (THE BETHESDA SYSTEM); MANUAL SCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88165	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL (THE BETHESDA SYSTEM); WITH MANUAL SCREENING AND RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88166	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL (THE BETHESDA SYSTEM); WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88167	PX	CYTOPATHOLOGY, SLIDES, CERVICAL OR VAGINAL (THE BETHESDA SYSTEM); WITH MANUAL SCREENING AND COMPUTER-ASSISTED RESCREENING USING CELL SELECTION AND REVIEW UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88174	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; SCREENING BY AUTOMATED SYSTEM, UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	88175	PX	CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION; WITH SCREENING BY AUTOMATED SYSTEM AND MANUAL RESCREENING OR REVIEW, UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	G0101	PX	CERVICAL OR VAGINAL CANCER SCREENING; PELVIC AND CLINICAL BREAST EXAMINATION	CPT/HCPCS
	Pap smear	G0123	PX	SCREENING CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION, SCREENING BY CYTOTECHNOLOGIST UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	G0124	PX	SCREENING CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION, REQUIRING INTERPRETATION BY PHYSICIAN	CPT/HCPCS
	Pap smear	G0141	PX	SCREENING CYTOPATHOLOGY SMEARS, CERVICAL OR VAGINAL, PERFORMED BY AUTOMATED SYSTEM, WITH MANUAL RESCREENING, REQUIRING INTERPRETATION BY PHYSICIAN	CPT/HCPCS
	Pap smear	G0143	PX	SCREENING CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION, WITH MANUAL SCREENING AND RESCREENING BY CYTOTECHNOLOGIST UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	G0144	PX	SCREENING CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION, WITH SCREENING BY AUTOMATED SYSTEM, UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	G0145	PX	SCREENING CYTOPATHOLOGY, CERVICAL OR VAGINAL (ANY REPORTING SYSTEM), COLLECTED IN PRESERVATIVE FLUID, AUTOMATED THIN LAYER PREPARATION, WITH SCREENING BY AUTOMATED SYSTEM AND MANUAL RESCREENING UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	P3000	PX	SCREENING PAPANICOLAOU SMEAR, CERVICAL OR VAGINAL, UP TO THREE SMEARS, BY TECHNICIAN UNDER PHYSICIAN SUPERVISION	CPT/HCPCS
	Pap smear	P3001	PX	SCREENING PAPANICOLAOU SMEAR, CERVICAL OR VAGINAL, UP TO THREE SMEARS, REQUIRING INTERPRETATION BY PHYSICIAN	CPT/HCPCS
	Pap smear	Q0091	PX	SCREENING PAPANICOLAOU SMEAR; OBTAINING, PREPARING AND CONVEYANCE OF CERVICAL OR VAGINAL SMEAR TO LABORATORY	CPT/HCPCS
	Pap smear	Z01.42	DX	ENCOUNTER FOR CERVICAL SMEAR TO CONFIRM FINDINGS OF RECENT NORMAL SMEAR FOLLOWING INITIAL ABNORMAL SMEAR	ICD-10-CM
	Pap smear	Z12.4	DX	ENCOUNTER FOR SCREENING FOR MALIGNANT NEOPLASM OF CERVIX	ICD-10-CM
	PSA test	84152	PX	PROSTATE SPECIFIC ANTIGEN (PSA); COMPLEXED (DIRECT MEASUREMENT)	CPT/HCPCS
	PSA test	84153	PX	PROSTATE SPECIFIC ANTIGEN (PSA); TOTAL	CPT/HCPCS
	PSA test	84154	PX	PROSTATE SPECIFIC ANTIGEN (PSA); FREE	CPT/HCPCS
	PSA test	86316	PX	IMMUNOASSAY FOR TUMOR ANTIGEN, OTHER ANTIGEN, QUANTITATIVE (EG, CA 50, 72-4, 549), EACH	CPT/HCPCS
	PSA test	G0103	PX	PROSTATE CANCER SCREENING; PROSTATE SPECIFIC ANTIGEN TEST (PSA)	CPT/HCPCS
	Fecal occult blood test	82270	PX	UNDER CHEMISTRY PROCEDURES	CPT/HCPCS
	Fecal occult blood test	82274	PX	UNDER CHEMISTRY PROCEDURES	CPT/HCPCS
	Fecal occult blood test	G0328	PX	CODE FOR COLORECTAL CANCER SCREENING; FECAL OCCULT BLOOD TEST, IMMUNOASSAY, 1-3 SIMULTANEOUS	CPT/HCPCS
	Bone mineral density tests	0508T	PX	PULSE-ECHO ULTRASOUND BONE DENSITY MEASUREMENT RESULTING IN INDICATOR OF AXIAL BONE MINERAL DENSITY, TIBIA	CPT/HCPCS
	Bone mineral density tests	0554T	PX	BONE STRENGTH AND FRACTURE RISK USING FINITE ELEMENT ANALYSIS OF FUNCTIONAL DATA, AND BONE-MINERAL DENSITY, UTILIZING DATA FROM A COMPUTED TOMOGRAPHY SCAN; RETRIEVAL AND TRANSMISSION OF THE SCAN DATA, ASSESSMENT OF BONE STRENGTH AND FRACTURE RISK AND BONE MINERAL DENSITY, INTERPRETATION AND REPORT	CPT/HCPCS
	Bone mineral density tests	0555T	PX	BONE STRENGTH AND FRACTURE RISK USING FINITE ELEMENT ANALYSIS OF FUNCTIONAL DATA, AND BONE-MINERAL DENSITY, UTILIZING DATA FROM A COMPUTED TOMOGRAPHY SCAN; RETRIEVAL AND TRANSMISSION OF THE SCAN DATA	CPT/HCPCS
	Bone mineral density tests	0556T	PX	BONE STRENGTH AND FRACTURE RISK USING FINITE ELEMENT ANALYSIS OF FUNCTIONAL DATA, AND BONE-MINERAL DENSITY, UTILIZING DATA FROM A COMPUTED TOMOGRAPHY SCAN; ASSESSMENT OF BONE STRENGTH AND FRACTURE RISK AND BONE MINERAL DENSITY	CPT/HCPCS
	Bone mineral density tests	0557T	PX	BONE STRENGTH AND FRACTURE RISK USING FINITE ELEMENT ANALYSIS OF FUNCTIONAL DATA, AND BONE-MINERAL DENSITY, UTILIZING DATA FROM A COMPUTED TOMOGRAPHY SCAN; INTERPRETATION AND REPORT	CPT/HCPCS
	Bone mineral density tests	0558T	PX	COMPUTED TOMOGRAPHY SCAN TAKEN FOR THE PURPOSE OF BIOMECHANICAL COMPUTED TOMOGRAPHY ANALYSIS	CPT/HCPCS
	Bone mineral density tests	76977	PX	ULTRASOUND BONE DENSITY MEASUREMENT AND INTERPRETATION, PERIPHERAL SITE(S), ANY METHOD	CPT/HCPCS
	Bone mineral density tests	77078	PX	COMPUTED TOMOGRAPHY, BONE MINERAL DENSITY STUDY, 1 OR MORE SITES, AXIAL SKELETON (EG, HIPS, PELVIS, SPINE)	CPT/HCPCS
	Bone mineral density tests	77080	PX	DUAL-ENERGY X-RAY ABSORPTIOMETRY (DXA), BONE DENSITY STUDY, 1 OR MORE SITES; AXIAL SKELETON (EG, HIPS, PELVIS, SPINE)	CPT/HCPCS
	Bone mineral density tests	77081	PX	DUAL-ENERGY X-RAY ABSORPTIOMETRY (DXA), BONE DENSITY STUDY, 1 OR MORE SITES; APPENDICULAR SKELETON (PERIPHERAL) (EG, RADIUS, WRIST, HEEL)	CPT/HCPCS
	Bone mineral density tests	77085	PX	DUAL-ENERGY X-RAY ABSORPTIOMETRY (DXA), BONE DENSITY STUDY, 1 OR MORE SITES; AXIAL SKELETON (EG, HIPS, PELVIS, SPINE), INCLUDING VERTEBRAL FRACTURE ASSESSMENT	CPT/HCPCS
	Bone mineral density tests	77086	PX	VERTEBRAL FRACTURE ASSESSMENT VIA DUAL-ENERGY X-RAY ABSORPTIOMETRY (DXA)	CPT/HCPCS
	Bone mineral density tests	78350	PX	BONE DENSITY (BONE MINERAL CONTENT) STUDY, 1 OR MORE SITES; SINGLE PHOTON ABSORPTIOMETRY	CPT/HCPCS
	Bone mineral density tests	78351	PX	BONE DENSITY (BONE MINERAL CONTENT) STUDY, 1 OR MORE SITES; DUAL PHOTON ABSORPTIOMETRY, 1 OR MORE SITES	CPT/HCPCS
	Bone mineral density tests	G0130	PX	SINGLE ENERGY X-RAY ABSORPTIOMETRY (SEXA) BONE DENSITY STUDY, ONE OR MORE SITES; APPENDICULAR SKELETON (PERIPHERAL) (E.G., RADIUS, WRIST, HEEL)	CPT/HCPCS
	Mammograms	0159T	PX	COMPUTER-AIDED DETECTION, INCLUDING COMPUTER ALGORITHM ANALYSIS OF MRI IMAGE DATA FOR LESION DETECTION/CHARACTERIZATION, PHARMACOKINETIC ANALYSIS, WITH FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, BREAST MRI (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	76082	PX	COMPUTER AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; DIAGNOSTIC MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	76083	PX	COMPUTER AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; SCREENING MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	76085	PX	DIGITIZATION OF FILM RADIOGRAPHIC IMAGES WITH COMPUTER ANALYSIS FOR LESION DETECTION AND FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / DIGITIZATION OF FILM RADIOGRAPHIC IMAGES WITH COMPUTER ANALYSIS FOR LESION DETECTION AND FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, SCREENING MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	76090	PX	MAMMOGRAPHY; UNILATERAL	CPT/HCPCS
	Mammograms	76091	PX	MAMMOGRAPHY; BILATERAL	CPT/HCPCS
	Mammograms	76092	PX	SCREENING MAMMOGRAPHY, BILATERAL (TWO VIEW FILM STUDY OF EACH BREAST)	CPT/HCPCS
	Mammograms	77051	PX	COMPUTER-AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; DIAGNOSTIC MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / COMPUTER-AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; DIAGNOSTIC MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	77052	PX	COMPUTER-AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; SCREENING MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) / COMPUTER-AIDED DETECTION (COMPUTER ALGORITHM ANALYSIS OF DIGITAL IMAGE DATA FOR LESION DETECTION) WITH FURTHER REVIEW FOR INTERPRETATION, WITH OR WITHOUT DIGITIZATION OF FILM RADIOGRAPHIC IMAGES; SCREENING MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
	Mammograms	77055	PX	MAMMOGRAPHY; UNILATERAL	CPT/HCPCS
	Mammograms	77056	PX	MAMMOGRAPHY; BILATERAL	CPT/HCPCS
	Mammograms	77057	PX	SCREENING MAMMOGRAPHY, BILATERAL (2-VIEW FILM STUDY OF EACH BREAST)	CPT/HCPCS
	Mammograms	77065	PX	DIAGNOSTIC MAMMOGRAPHY, INCLUDING COMPUTER-AIDED DETECTION (CAD) WHEN PERFORMED; UNILATERAL	CPT/HCPCS
	Mammograms	77066	PX	DIAGNOSTIC MAMMOGRAPHY, INCLUDING COMPUTER-AIDED DETECTION (CAD) WHEN PERFORMED; BILATERAL	CPT/HCPCS
	Mammograms	77067	PX	SCREENING MAMMOGRAPHY, BILATERAL (2-VIEW STUDY OF EACH BREAST), INCLUDING COMPUTER-AIDED DETECTION (CAD) WHEN PERFORMED	CPT/HCPCS
	Mammograms	G0202	PX	SCREENING MAMMOGRAPHY, PRODUCING DIRECT DIGITAL IMAGE, BILATERAL, ALL VIEWS	CPT/HCPCS
	Mammograms	G0204	PX	DIAGNOSTIC MAMMOGRAPHY, PRODUCING DIRECT 2-D DIGITAL IMAGE, BILATERAL, ALL VIEWS / DIAGNOSTIC MAMMOGRAPHY, PRODUCING DIRECT DIGITAL IMAGE, BILATERAL, ALL VIEWS	CPT/HCPCS
	Mammograms	G0206	PX	DIAGNOSTIC MAMMOGRAPHY, PRODUCING DIRECT 2-D DIGITAL IMAGE, UNILATERAL, ALL VIEWS / DIAGNOSTIC MAMMOGRAPHY, PRODUCING DIRECT DIGITAL IMAGE, UNILATERAL, ALL VIEWS	CPT/HCPCS
	Mammograms	G0207	PX	DIAGNOSTIC MAMMOGRAPHY, FILM PROCESSED TO PRODUCE DIGITAL IMAGE ANALYZED FOR POTENTIAL ABNORMALITIES, UNILATERAL, ALL VIEWS	CPT/HCPCS
	Mammograms	G0236	PX	DIGITIZATION OF FILM RADIOGRAPHIC IMAGES WITH COMPUTER ANALYSIS FOR LESION DETECTION, OR COMPUTER ANALYSIS OF DIGITAL MAMMOGRAM FOR LESION DETECTION, AND FURTHER PHYSICIAN REVIEW FOR INTERPRETATION, DIAGNOSTIC MAMMOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
Laboratory and diagnostic tests	Number of HbA1c tests	83036	PX	HEMOGLOBIN; GLYCOSYLATED (A1C)	CPT/HCPCS
	Number of Lipid panels	80061	PX	LIPID PANEL THIS PANEL MUST INCLUDE THE FOLLOWING: CHOLESTEROL, SERUM, TOTAL (82465) LIPOPROTEIN, DIRECT MEASUREMENT, HIGH DENSITY CHOLESTEROL (HDL CHOLESTEROL) (83718) TRIGLYCERIDES (84478)	CPT/HCPCS
	Number of Lipid panels	82465	PX	CHOLESTEROL, SERUM OR WHOLE BLOOD, TOTAL	CPT/HCPCS
	Number of Lipid panels	83701	PX	LIPOPROTEIN, BLOOD; HIGH RESOLUTION FRACTIONATION AND QUANTITATION OF LIPOPROTEINS INCLUDING LIPOPROTEIN SUBCLASSES WHEN PERFORMED (EG, ELECTROPHORESIS, ULTRACENTRIFUGATION)	CPT/HCPCS
	Number of Lipid panels	83704	PX	LIPOPROTEIN, BLOOD; QUANTITATION OF LIPOPROTEIN PARTICLE NUMBER(S) (EG, BY NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY), INCLUDES LIPOPROTEIN PARTICLE SUBCLASS(ES), WHEN PERFORMED	CPT/HCPCS
	Number of Lipid panels	83718	PX	LIPOPROTEIN, DIRECT MEASUREMENT; HIGH DENSITY CHOLESTEROL (HDL CHOLESTEROL)	CPT/HCPCS
	Number of Lipid panels	83721	PX	LIPOPROTEIN, DIRECT MEASUREMENT; LDL CHOLESTEROL	CPT/HCPCS
	Number of Lipid panels	84478	PX	TRIGLYCERIDES	CPT/HCPCS

	Number of Creatinine tests	80047	PX	BASIC METABOLIC PANEL (CALCIUM, IONIZED) THIS PANEL MUST INCLUDE THE FOLLOWING: CALCIUM, IONIZED (82330) CARBON DIOXIDE (BICARBONATE) (82374) CHLORIDE (82435) CREATININE (82565) GLUCOSE (82947) POTASSIUM (84132) SODIUM (84295) UREA NITROGEN (BUN) (84520)	CPT/HCPCS
	Number of Creatinine tests	80048	PX	BASIC METABOLIC PANEL (CALCIUM, TOTAL) THIS PANEL MUST INCLUDE THE FOLLOWING: CALCIUM, TOTAL (82310) CARBON DIOXIDE (BICARBONATE) (82374) CHLORIDE (82435) CREATININE (82565) GLUCOSE (82947) POTASSIUM (84132) SODIUM (84295) UREA NITROGEN (BUN) (84520)	CPT/HCPCS
	Number of Creatinine tests	80053	PX	COMPREHENSIVE METABOLIC PANEL THIS PANEL MUST INCLUDE THE FOLLOWING: ALBUMIN (82040) BILIRUBIN, TOTAL (82247) CALCIUM, TOTAL (82310) CARBON DIOXIDE (BICARBONATE) (82374) CHLORIDE (82435) CREATININE (82565) GLUCOSE (82947) PHOSPHATASE, ALKALINE (84075) POTASSIUM (84132) PROTEIN, TOTAL (84155) SODIUM (84295) TRANSFERASE, ALANINE AMINO (ALT) (SGPT) (84460) TRANSFERASE, ASPARTATE AMINO (AST) (SGOT) (84450) UREA NITROGEN (BUN) (84520)	CPT/HCPCS
	Number of Creatinine tests	80069	PX	RENAL FUNCTION PANEL THIS PANEL MUST INCLUDE THE FOLLOWING: ALBUMIN (82040) CALCIUM, TOTAL (82310) CARBON DIOXIDE (BICARBONATE) (82374) CHLORIDE (82435) CREATININE (82565) GLUCOSE (82947) PHOSPHORUS INORGANIC (PHOSPHATE) (84100) POTASSIUM (84132) SODIUM (84295) UREA NITROGEN (BUN) (84520)	CPT/HCPCS
	Number of Creatinine tests	84520	PX	UREA NITROGEN; QUANTITATIVE	CPT/HCPCS
	Number of Urine tests	81000	PX	URINALYSIS, BY DIP STICK OR TABLET REAGENT FOR BILIRUBIN, GLUCOSE, HEMOGLOBIN, KETONES, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY, UROBILINOGEN, ANY NUMBER OF THESE CONSTITUENTS; NON	CPT/HCPCS
	Number of Urine tests	81001	PX	URINALYSIS, BY DIP STICK OR TABLET REAGENT FOR BILIRUBIN, GLUCOSE, HEMOGLOBIN, KETONES, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY, UROBILINOGEN, ANY NUMBER OF THESE CONSTITUENTS; AUTOMATED, WITH MICROSCOPY	CPT/HCPCS
	Number of Urine tests	81002	PX	URINALYSIS, BY DIP STICK OR TABLET REAGENT FOR BILIRUBIN, GLUCOSE, HEMOGLOBIN, KETONES, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY, UROBILINOGEN, ANY NUMBER OF THESE CONSTITUENTS; NON	CPT/HCPCS
	Number of Urine tests	81003	PX	URINALYSIS, BY DIP STICK OR TABLET REAGENT FOR BILIRUBIN, GLUCOSE, HEMOGLOBIN, KETONES, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY, UROBILINOGEN, ANY NUMBER OF THESE CONSTITUENTS; AUTOMATED, WITHOUT MICROSCOPY	CPT/HCPCS
	Number of Urine tests	81005	PX	URINALYSIS; QUALITATIVE OR SEMIQUANTITATIVE, EXCEPT IMMUNOASSAYS	CPT/HCPCS
	Number of Urine tests	81007	PX	URINALYSIS; BACTERIURIA SCREEN, EXCEPT BY CULTURE OR DIPSTICK	CPT/HCPCS
	Number of Urine tests	81015	PX	URINALYSIS; MICROSCOPIC ONLY	CPT/HCPCS
	Number of Urine tests	81020	PX	URINALYSIS; 2 OR 3 GLASS TEST	CPT/HCPCS
	Number of Urine tests	81099	PX	UNLISTED URINALYSIS PROCEDURE	CPT/HCPCS
	Number of Urine tests	82101	PX	ALKALOIDS, URINE, QUANTITATIVE	CPT/HCPCS
	Number of Urine tests	83069	PX	HEMOGLOBIN; URINE	CPT/HCPCS
	Number of Urine tests	83070	PX	HEMOSIDERIN, QUALITATIVE	CPT/HCPCS
	Number of Urine tests	86000	PX	AGGLUTININS, FEBRILE (EG, BRUCELLA, FRANCISELLA, MURINE TYPHUS, Q FEVER, ROCKY MOUNTAIN SPOTTED FEVER, SCRUB TYPHUS), EACH ANTIGEN	CPT/HCPCS
	Number of Urine tests	87086	PX	CULTURE, BACTERIAL; QUANTITATIVE COLONY COUNT, URINE	CPT/HCPCS
	Number of Urine tests	87088	PX	CULTURE, BACTERIAL; WITH ISOLATION AND PRESUMPTIVE IDENTIFICATION OF EACH ISOLATE, URINE	CPT/HCPCS
	Number of Urine tests	P7001	PX	CULTURE, BACTERIAL, URINE; QUANTITATIVE, SENSITIVITY STUDY	CPT/HCPCS
Lab values	HbA1c	17855-8	LOINC		
	HbA1c	17856-6	LOINC		
	HbA1c	41995-2	LOINC		
	HbA1c	43150-2	LOINC		
	HbA1c	4548-4	LOINC		
	HbA1c	71875-9	LOINC		
	HbA1c	74246-0	LOINC		
	HbA1c	62388-4	LOINC		
	HbA1c	59261-8	LOINC		
	HbA1c	55454-3	LOINC		
	HbA1c	4549-2	LOINC		
	Glucose	12638-3	LOINC		
	Glucose	14743-9	LOINC		
	Glucose	14749-6	LOINC		
	Glucose	14770-2	LOINC		
	Glucose	1547-9	LOINC		
	Glucose	1556-0	LOINC		
	Glucose	1557-8	LOINC		
	Glucose	1558-6	LOINC		
	Glucose	2339-0	LOINC		
	Glucose	2340-8	LOINC		
	Glucose	2341-6	LOINC		
	Glucose	2345-7	LOINC		
	Glucose	27353-2	LOINC		
	Glucose	32016-8	LOINC		
	Glucose	39480-9	LOINC		
	Glucose	41604-0	LOINC		
	Glucose	41652-9	LOINC		
	Glucose	41653-7	LOINC		
	Glucose	72516-8	LOINC		
	Glucose	74774-1	LOINC		
	Creatinine	11041-1	LOINC		
	Creatinine	11042-9	LOINC		
	Creatinine	14682-9	LOINC		
	Creatinine	16188-5	LOINC		
	Creatinine	16189-3	LOINC		
	Creatinine	21232-4	LOINC		
	Creatinine	2160-0	LOINC		
	Creatinine	38483-4	LOINC		
	Creatinine	39955-0	LOINC		
	Creatinine	39956-8	LOINC		
	Creatinine	39957-6	LOINC		
	Creatinine	39958-4	LOINC		
	Creatinine	39959-2	LOINC		
	Creatinine	40112-5	LOINC		
	Creatinine	40113-3	LOINC		
	Creatinine	40114-1	LOINC		
	Creatinine	40115-8	LOINC		
	Creatinine	40116-6	LOINC		
	Creatinine	40117-4	LOINC		
	Creatinine	40118-2	LOINC		
	Creatinine	40248-7	LOINC		
	Creatinine	40264-4	LOINC		
	Creatinine	44784-7	LOINC		
	Creatinine	51619-5	LOINC		
	Creatinine	51620-3	LOINC		
	Creatinine	59826-8	LOINC		
	Creatinine	62425-4	LOINC		
	Creatinine	72271-0	LOINC		
	Creatinine	77140-2	LOINC		
	Systolic blood pressure	8480-6	LOINC		
	Heart rate	8867-4	LOINC		
	BMI	39156-5	LOINC		
	BNP	30934-4	LOINC		
	BNP	42637-9	LOINC		
	BNP	47092-2	LOINC		
	proBNP	33762-6	LOINC		
	proBNP	33763-4	LOINC		
	proBNP	71425-3	LOINC		
	proBNP	83107-3	LOINC		
	proBNP	83108-1	LOINC		
	eGFR	98979-8	LOINC		
Burden of comorbidities	CCI	See "Algorithm sources"	N/A	N/A	N/A
	Frailty score	See "Algorithm sources"	N/A	N/A	N/A
Baseline hospitalizations and hospital metrics	Number of any hospitalization, median (iqr), mean (sd)	Any inpatient event	N/A	N/A	N/A
	0, 1, >1 hospitalizations for heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50	DX	HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM

	0, 1, >1 hospitalizations for heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM
	0, 1, >1 hospitalizations for heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM
	0, 1, >1 hospitalizations for other reason	Any inpatient event	N/A	N/A	N/A
Calendar year of cohort entry	Calendar year	N/A	N/A	N/A	N/A N/A N/A

	Variable_name	Algorithm sources
Demographics	Age	
	Gender	
	Race	
	Region	If region not available, from State, https://www2.census.gov/geo/pdfs/maps-data/maps/reference/us_regdiv.pdf
Lifestyle risk factors	Smoking / Tobacco use	Investigator review of codes based on: https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://pubmed.ncbi.nlm.nih.gov/34953068/, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9154288/, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721171/
	Overweight, if BMI is 27.0 to 29.9	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34338404/
	Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34338404/
	Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.11	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34338404/
	Class 3 (high-risk) obesity if BMI is equal to or greater than 40.5	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34338404/
	Unspecified obesity	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34338404/
Diabetes complications	Diabetic retinopathy	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34953068/, https://pubmed.ncbi.nlm.nih.gov/35043165/
	Diabetic neuropathy	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34953068/, https://pubmed.ncbi.nlm.nih.gov/35043165/
	Diabetic nephropathy	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/35043165/
	Diabetes with other opthalmic complications	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34953068/, ICD9 to ICD10 conversion
	Diabetes with peripheral circulatory disorders	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/books/NBK368403/table/sb203.t5/, https://www.health.mil/Reference-Center/Publications/2016/03/01/Diabetes-Mellitus, http://www.icd9data.com/2014/Volume1/240-279/249-259/250/default.htm, https://www.icd10data.com/ICD10CM/Codes/E00-E89/E08-E13/E11-
	Diabetic foot	Investigator review of codes based on: (modified codes) https://pubmed.ncbi.nlm.nih.gov/36102675/
	Erectile dysfuntion	Investigator review of codes based on: the paper then used ICD9/ICD10 website to expand it, https://www.icd10data.com/ICD10CM/Codes/N00-N99/N40-N53/N52-, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4857901/
	Hypoglycemia	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/34953068/, https://pubmed.ncbi.nlm.nih.gov/35043165/
	Hyperglycemia/DKA/HONK	Investigator review of codes based on:
	Skin infections	ICD10 conversion
Cardiovascular-related conditions	Angina	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/19337843/, https://pmc.ncbi.nlm.nih.gov/articles/PMC9172873/
	Hypertension	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/35043165/, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8929186/
	Hypotension	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC8064679/
	Hyperlipidemia	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/35043165/, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015
	Atrial fibrillation	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/31933524/
	Myocardial infarction	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/24682186/
	Cerebrovascular procedure	Investigator review of codes, https://www.icd10data.com/
	Coronary atherosclerosis	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC10251803/
	Cardiac conduction disorder	Investigator review of codes based on: https://stacks.cdc.gov/view/cdc/31381/cdc_31381_DS8.pdf, https://www.health.ny.gov/health_care/medicaid/redesign/dsrip/vbp_library/docs/arrblk.pdf, https://www.cdc.gov/dhdsp/maps/atlas/data-sources.html, https://www.cms.gov/medicare/coding/icd10/downloads/icd10clinicalconceptscardiology1.pdf, ICD9 to ICD10 conversion
	Previous cardiac procedure (CABG, PTCA, Stent)	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	Ischemic stroke	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	PVD diagnosis or surgery	Investigator review of codes, https://www.icd10data.com/
	Other cardiac dysrhythmia	Investigator review of codes based on: https://stacks.cdc.gov/view/cdc/31381/cdc_31381_DS8.pdf, https://www.health.ny.gov/health_care/medicaid/redesign/dsrip/vbp_library/docs/arrblk.pdf, https://www.cdc.gov/dhdsp/maps/atlas/data-sources.html, https://www.cms.gov/medicare/coding/icd10/downloads/icd10clinicalconceptscardiology1.pdf, ICD9 to ICD10 conversion
	Cardiomyopathy	Investigator review of codes based on: https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015
	Valve disorders	Investigator review of codes based on: https://stacks.cdc.gov/view/cdc/31381/cdc_31381_DS8.pdf, https://pubmed.ncbi.nlm.nih.gov/38440888/, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8751938/, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=cder_mpl2p_wp009
	Valve replacement	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	TIA	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	Edema	database/view/article.aspx?articleid=52993&ver=45&
	Venous thromboembolism	Investigator review of codes based on: https://www.sciencedirect.com/science/article/pii/S2666572723000251
	Insertion of pacemakers / removal of cardiac lead	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	Implantable cardioverter defibrillator	Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	Hyperkalemia	https://pmc.ncbi.nlm.nih.gov/articles/PMC4399109/
Renal-related conditions	CKD stage 1-2	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/35043165/
	CKD stage 3-4	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC2978782/
	Unspecified CKD	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC5888226/
	Acute kidney injury	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8929186/
	Urolithiasis (kidney or urinary stones)	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC7793999/
	Hypertensive nephropathy	Investigator review of codes based on: https://nccd.cdc.gov/ckd/Methods.aspx?Qnum=Q637, https://www.kidneymedicinejournal.org/cms/10.1016/j.xkme.2022.100414/attachment/5e29ab67-7a7d-4621-9af3-81bd071bbc67/mmc1.pdf, https://www.icd10data.com/ICD10CM/Codes/I00-I99
	Urinary tract infections	Investigator reviewed code based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC7558992/#app1-antibiotics-09-00536
	Genital infections	Investigator reviewed codes based on: https://pubmed.ncbi.nlm.nih.gov/30207042/
Other comorbidities	COPD	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10203971/
	Asthma	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10203971/, modified CCW algorithm (any care setting, any diagnosis position)
	Serious bacterial infections	https://pubmed.ncbi.nlm.nih.gov/29921683/, https://pubmed.ncbi.nlm.nih.gov/17346615/, https://pubmed.ncbi.nlm.nih.gov/23335588/
	Obstructive sleep apnea	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8636332/, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7927325/
	Pneumonia	Investigator review of codes based on: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10203971/

		https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015, Modified algorightm from https://pubmed.ncbi.nlm.nih.gov/34256144/, Modified CCW algorithm
	Liver disease	Investigator review of codes: https://pubmed.ncbi.nlm.nih.gov/32300995/, https://pubmed.ncbi.nlm.nih.gov/39316292/
	MASH/MASLD	Investigator review of codes based on: https://www.cms.gov/icd10m/version37-fullcode-cms/fullcode_cms/P0244.html
	Hyperthyroidism and other thyroid gland disorders	Investigator review of codes based on: https://pmc.ncbi.nlm.nih.gov/articles/PMC10478599/
	Hypothyroidism	packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8202643/, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, CCW Algorithms
	Fractures / Falls	https://pubmed.ncbi.nlm.nih.gov/35043165/, CCW Algorithms
	Osteoporosis	https://pubmed.ncbi.nlm.nih.gov/35043165/, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_mpl2p_wp015
	Depression	https://pubmed.ncbi.nlm.nih.gov/28485014/, https://pubmed.ncbi.nlm.nih.gov/35043165/ Modified codes based on eligibility criteria, here we implement any care setting, any diagnosis position
	Dementia	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/38556924/
	Delirium or psychosis	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/38527324/
	Anemia	Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/37796527/, https://pubmed.ncbi.nlm.nih.gov/35851329/, https://pmc.ncbi.nlm.nih.gov/articles/PMC3985913/, https://pubmed.ncbi.nlm.nih.gov/38503905/, https://pubmed.ncbi.nlm.nih.gov/35513234/
	Influenza	Investigator review of codes: https://pubmed.ncbi.nlm.nih.gov/36222554/, https://pubmed.ncbi.nlm.nih.gov/30287807/, https://pubmed.ncbi.nlm.nih.gov/22262606/
	Urinary incontinence	https://pubmed.ncbi.nlm.nih.gov/28438588/, https://pubmed.ncbi.nlm.nih.gov/31095068/
	Biliary disease	Investigator review of codes: https://pubmed.ncbi.nlm.nih.gov/34624355/
	Pancreatitis	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK518983/
	Bowel obstruction	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK278938/
	Gastroparesis	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK513225/
Diabetes medications	Metformin	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK542331/
	Insulin	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK576405/
	Sulfonylureas	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK551656/, https://pmc.ncbi.nlm.nih.gov/articles/PMC4882495/, https://www.ncbi.nlm.nih.gov/books/NBK557848/
	DPP4i (except sitagliptin)	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	SGLT2i	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK507904/
	Other glucose-lowering drugs	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
Heart failure medications	ACEi / ARB	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	ARNI	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Thiazides	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Beta-Blockers	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK556025/, https://pubchem.ncbi.nlm.nih.gov/compound/441207
	Calcium channel blockers	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Digoxin / Digitoxin	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Loop diuretics	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Other diuretics	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK9626/table/A66/
	Nitrates	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK482322/ (using class I and class II as class 2 is beta blockers and class 4 is calcium channel blockers)
Other medications	Anti-arrhythmics	Investigator review of codes, https://www.drugs.com, https://www.heart.org/en/health-topics/cholesterol/prevention-and-treatment-of-high-cholesterol-hyperlipidemia/cholesterol-medications
	Statins	Investigator review of codes, https://www.drugs.com, https://www.heart.org/en/health-topics/cholesterol/prevention-and-treatment-of-high-cholesterol-hyperlipidemia/cholesterol-medications
	PCSK9 inhibitors and other lipid-lowering drugs	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK537062/
	Antiplatelet agents	Investigator review of codes, https://www.drugs.com, https://www.ahajournals.org/doi/full/10.1161/JAHA.120.017559
	Oral anticoagulants	Investigator review of codes, https://www.copdfoundation.org/Learn-More/I-am-a-Person-with-COPD/Treatments-Medications.aspx, https://getasthmahelp.org/medications-list.aspx
	COPD/Asthma medication	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK547742/
	NSAIDs	Investigator review of codes, https://www.drugs.com, https://www.aaaai.org/tools-for-the-public/drug-guide/oral-corticosteroid-medications
	Oral corticosteroids	Investigator review of codes based on: https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK470248/
	Osteoporosis agents (incl. bisphosphonates)	Investigator review of codes, https://www.drugs.com, https://pubmed.ncbi.nlm.nih.gov/31643200/#:~:text=They%20can%20also%20be%20informally,%2C%20codeine%2C%20oxycodone%2C%20hydrocodone%2C
	Opioids	Investigator review of codes, https://www.drugs.com, https://www.ncbi.nlm.nih.gov/books/NBK538182/
	Anti-depressants	Investigator review of codes, https://www.drugs.com
	Antipsychotics	Investigator review of codes, https://www.drugs.com, https://www.dea.gov/sites/default/files/2020-06/Benzodiazepenes-2020.pdf, https://www.ncbi.nlm.nih.gov/books/NBK470159/, https://www.drugs.com
	Anxiolytics/hypnotics, benzodiazepines	https://pubmed.ncbi.nlm.nih.gov/35790044/
	Urinary tract infections antibiotics	Investigator review of codes, https://www.drugs.com
	Laxatives	N/A
Healthcare utilization markers	Number of distinct medications, median (iqr), mean (sd)	Different in all 3 databases and measure already created in all 3 as well;
	Number of emergency department visit median (iqr), mean (sd)	https://www.cms.gov/files/document/mm13473-how-use-office-and-outpatient-evaluation-and-management-visit-complexity-add-code-g2211.pdf, https://www.cms.gov/files/document/physician-fee-schedule-pfs-payment-officeoutpatient-evaluation-and-management-em-visits-fact-sheet.pdf
	Number of office visits median (iqr), mean (sd)	Data dictionary of Optum, Marketscan and https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/MedicareProviderSupEnroll/downloads/taxonomy.pdf, https://www.cms.gov/medicare/provider-enrollment-and-certification/medicareprovidersupenroll/downloads/taxonomycrosswalk.pdf
	Number of endocrinologist visits, median (iqr), mean (sd)	Data dictionary of Optum, Marketscan and https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/MedicareProviderSupEnroll/downloads/taxonomy.pdf, https://www.cms.gov/medicare/provider-enrollment-and-certification/medicareprovidersupenroll/downloads/taxonomycrosswalk.pdf
	Number of cardiologist visits, median (iqr), mean (sd)	Data dictionary of Optum, Marketscan and https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/MedicareProviderSupEnroll/downloads/taxonomy.pdf, https://www.cms.gov/medicare/provider-enrollment-and-certification/medicareprovidersupenroll/downloads/taxonomycrosswalk.pdf
	Number of internal medicine/family medicine visits, median (iqr), mean (sd	https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=57326, https://firstcoastbillinggroup.com/ekg-billing-and-reimbursement/, https://www.aapc.com/codes/coding-newsletters/my-cardiology-coding-alert/cpt-answer-5-common-ecg-coding-questions-175952-article
	Number of electrocardiograms, median (iqr), mean (sd)	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8511132/, https://pubmed.ncbi.nlm.nih.gov/34778785/, https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=56625&ver=27&, https://www.medicalbillgurus.com/echocardiogram-cpt-code/
	Number of echocardiograms, median (iqr), mean (sd)	

	Pharmacy out-of-pocket cost, median (iqr), mean (sd)	N/A
	Unique brand medications	Investigator review of codes, https://www.drugs.com
	Unique generic medications	Investigator review of codes, https://www.drugs.com
	Ratio of unique brand to generic medications	Investigator review of codes, https://www.drugs.com
Healthy behavior markers	Colonoscopy, Sigmoidoscopy	https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002
	Flu vaccine / Pneumococcal vaccine	https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=54767&DocID=A54767, https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=54767&DocID=A54767
	Pap smear	https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, http://www.icd9data.com/2012/Volume1/V01-V91/V70-V82/V72/default.htm, http://www.icd9data.com/2012/Volume1/V01-V91/V70-V82/V76/default.htm
	PSA test	https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002
	Fecal Occult Blood Test	Investigator review of codes
	Bone mineral density tests	N/A
	Mammograms	Investigator review of codes based on: https://dev.sentinelsystem.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Fcder_sir_wp002, https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=56448&ver=16&bc=0, http://www.icd9data.com/2012/Volume1/V01-V91/V70-V82/V76/default.htm
Laboratory and diagnostic tests	Number of HbA1c tests, median (iqr), mean (sd)	https://pubmed.ncbi.nlm.nih.gov/34953068/
	Number of Lipid panels, median (iqr), mean (sd)	https://pubmed.ncbi.nlm.nih.gov/34953068/
	Number of Creatinine tests, median (iqr), mean (sd)	https://pubmed.ncbi.nlm.nih.gov/34953068/
	Number of Urine tests, median (iqr), mean (sd)	Investigator review of codes
Lab values	HbA1c	N/A
	Glucose	N/A
	Creatinine	N/A
	Systolic blood pressure	N/A
	Heart rate	N/A
	BMI	N/A
	BNP	N/A
	proBNP	N/A
	eGFR	N/A
Burden of comorbidities	Combined comorbidity score	A combined comorbidity score predicted mortality in elderly patients better than existing scores, https://pubmed.ncbi.nlm.nih.gov/21208778/
	Frailty score	Measuring Frailty in Medicare Data: Development and Validation of a Claims-Based Frailty Index, https://pubmed.ncbi.nlm.nih.gov/29244057/
Baseline hospitalizations and hospital metrics	Number of any hospitalization, median (iqr), mean (sd)	N/A
	0, 1, >1 hospitalizations for heart failure	N/A
	0, 1, >1 hospitalizations for other reason	N/A
Calendar year of cohort entry	Calendar year	N/A

Appendices

1 Target Trial Framework, Operational Definitions and Data Fitness Assessment
2 Code algorithms
2a Exposure
2b Inclusion
2c Exclusion
2d Outcome
3 Flowchart for cohort assembly
4 1st feasibility assessment
5 2nd feasibility assessment
6 Balance Assessment - PS Distribution and C-Statistic
7 Balance Assessment - Table 1

	SUMMIT	OPTUM	Marketscan	Notes/Questions	Color coding	Score
Treatment assignment (time 0, index date)	International, double-blind, randomized, placebo-controlled trial to treatment A vs B	Non-randomized initiation of treatment Tirzepatide vs Sitagliptin (first eligible entry to study population)	Non-randomized initiation of treatment Tirzepatide vs Sitagliptin (first eligible entry to study population)			
Exposure	Tirzepatide (up to 15 mg subcutaneously once per week)	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Tirzepatide in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Tirzepatide in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A		Good proxy definition	3
Comparator	Placebo	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Sitagliptin in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Sitagliptin in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	Algorithm detail: Sitagliptin is being used as an active comparator proxy for placebo. We allowed sitagliptin alone OR in combination pills with metformin.	Moderate proxy definition	2
Primary outcome to be emulated	All-cause mortality or heart failure hospitalization	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. [https://pubmed.ncbi.nlm.nih.gov/36688301/]	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status and social security death master file. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. [https://pubmed.ncbi.nlm.nih.gov/36688301/]		Poorly measured in database	1
Secondary outcome to be emulated	All-cause mortality or a worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization, intravenous diuretic therapy in an urgent care setting)	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, outpatient for i.v. diuretics, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. https://pubmed.ncbi.nlm.nih.gov/36688301/	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, outpatient for i.v. diuretics, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status and social security death master file. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. https://pubmed.ncbi.nlm.nih.gov/36688301/			
Follow up start	Randomization date	One day after initiation of treatment with tirzepatide or sitagliptin	One day after initiation of treatment with tirzepatide or sitagliptin		Poorly measured in database and not important	0
Follow up end	104 weeks post randomization	Earliest of: Outcome, end of observation in data, end of study period (365 days), discontinuation of study drug (45 days grace window and risk-window), switch to other GLP-1-RA, nursing home admission	Earliest of: Outcome, end of observation in data, end of study period (365 days), discontinuation of study drug (45 days grace window and risk-window), switch to other GLP-1-RA, nursing home admission	Algorithm detail: Adherence in clinical practice databases is expected to be much worse than in the trial, therefore the on-treatment analysis at 1 year follow-up will be the primary analysis.		
Causal estimand	Intention-to-treat effect	On-treatment effect	On-treatment effect	Algorithm detail: Adherence in clinical practice databases is expected to be much worse than in the trial, therefore the on-treatment analysis at 1 year follow-up will be the primary analysis.		
Effect estimation	Cox proportional hazards model	Cox proportional hazards regression model	Cox proportional hazards regression model			
Inclusion criteria						
1	Patients ≥40 y.o.	**Applied before/after selection of index date:** Before **Assessment window:** [0, 0] **Code type:** N/A **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [0, 0] **Code type:** N/A **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A			
2	6-Minute Walk Distance (MWD) ≤465 meters at both Visit 1 tests, between ≥100 meters and ≤425 meters at Visit 2, and change from the preceding qualifying 6MWD is <20% and <40 meters.	Can't be measured in claims	Can't be measured in claims			
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/36688301/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/36688301/ **Measurement characteristics:** N/A	Algorithm detail: No information on NYHA stage in claims. Instead, ICD-10-CM codes for heart failure applied with assumption that HF is symptomatic, meaning indivuduals have at least NYHA stage II.		
4	LVEF ≥50% demonstrated by echocardiogram performed at Visit 1 or within 6 months of Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	Algorithm detail: Proxied by claims algorithm predicting LVEF.		
	At least one of three:					

5.1	Elevated NT-proBNP >200 pg/mL for participants without atrial AF or >600 pg/mL for participants with AF	Can't be measured in claims	Can't be measured in claims	
5.2	Structural heart disease	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/ https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/ https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	
5.3	Evidence of elevated filling pressure: At rest (PCWP ≥15 mmHg or LVEDP ≥15 mmHg) or with exercise (PCWP ≥25 mmHg) (based on historical record, not associated with hospitalization for decompensation of HF, within 2 years of Visit 1), or E/e' ratio >15 (septal) or >13 (average of septal and lateral) determined by echocardiogram at Visit 1 or within 6 months of Visit 1	Can't be measured in claims	Can't be measured in claims	
6	Either one of:			
6.1	eGFR <70 mL/min/1.73m2 at Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, PROMISE team **Measurement characteristics:** PPV > 80%	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, PROMISE team **Measurement characteristics:** PPV > 80%	Algorithm detail: Proxied by codes for CKD stage 2-4
6.2	HF decompensation within 12 months of Visit 1, defined as hospitalization for HF requiring IV diuretic treatment or urgent HF visit requiring IV diuretic treatment	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] for HF diagnosis or HHF **Code type:** DX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] for HF diagnosis or HHF **Code type:** DX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Diuretics within 91 days of HF visit OR HHF within 365 days OR diagnosis of congestive or acute HF in primary position.
7	Stable dose of all concomitant HF medications (that is, beta blockers, ACEis, ARBs, and MRAs), except for oral diuretics, for at least 4 weeks prior to Visit 1 a	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ **Measurement characteristics:** N/A	Algorithm detail: Individuals who filled a HF medication in the 30 days before CED that has not been filled before will be excluded.
8	If treated with oral diuretics, dose must be stable for at least 2 weeks prior to Visit 1 and throughout the screening period; volume control must be optimally achieved in the opinion of the investigator	**Applied before/after selection of index date:** Before **Assessment window:** [-14, 0] **Code type:** RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-14, 0] **Code type:** RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ **Measurement characteristics:** N/A	Algorithm detail: Individuals who filled a diuretic in the 30 days before CED that has not been filled before will be excluded.
9	KCCQ-CSS ≤80 at Visit 1	Can't be measured in claims	Can't be measured in claims	
10	BMI ≥30.0 kg/m2 at Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-730, 0] **Code type:** DX, LOINC **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-730, 0] **Code type:** DX, LOINC **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data **Measurement characteristics:** N/A	Algorithm detail: FDA approved tirzeparide for individuals either with BMI ≥ 30.0 kg/m2 or BMI ≥ 27.0 kg/m2 and with at least one weight-related condition (such as high blood pressure, type 2 diabetes or high cholesterol). In the SUMMIT emulation, all individuals have T2DM. For this reason we allow individuals with BMI≥ 27.0 kg/m2. https://www.fda.gov/news-events/press-announcements/fda-approves-new-medication-chronic-weight-management If BMI measurement via LOINC code is below 10 or above 100 then measurent is set to missing.
11	Contraceptive use by men or women of childbearing potential	Can't be measured in claims	Can't be measured in claims	
12	Signed informed concent	Can't be measured in claims	Can't be measured in claims	
13	T2DM trial subgroup	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
Exclusion criteria				

13	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] for all except unstable angina [-30, 0] **Code type:** DX, PX **Care setting:** Inpatient/ED for MI, Stroke, TIA, Inpatient for procedures **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] for all except unstable angina [-30, 0] **Code type:** DX, PX **Care setting:** Inpatient/ED for MI, Stroke, TIA, Inpatient for procedures **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	
14	Dominant contribution of noncardiac causes to exercise impairment or symptoms:			
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX **Care setting:** Any, inpatient for severe pulmonary disease **Diagnosis position:** Any, primary for severe pulmonary disease **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX **Care setting:** Any, inpatient for severe pulmonary disease **Diagnosis position:** Any, primary for severe pulmonary disease **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] for anemia and musculoskeletal disease, [-91, 0] for transfusion **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Primary, Any for transfusion **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] for anemia and musculoskeletal disease, [-91, 0] for transfusion **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Primary, Any for transfusion **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Severe anemia requiring at least 3 visits on 3 different days within 183 days prior to CED. https://pubmed.ncbi.nlm.nih.gov/34497146/ We assume that diagnosed thyroid disease is treated.
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Primary for arthritis, Any for leg, knee, hip injuries, hemiplegia or amputation **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Primary for arthritis, Any for leg, knee, hip injuries, hemiplegia or amputation **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Proxied by muscular dystrophies, osteoarthritis, fractures, lower extremity amputation, hip replacement, knee replacement, hemiplegia.
14.4	Any condition that in the opinion of the investigator would interfere with the assessment of 6MWT	See eligibility criteria 14.3	See eligibility criteria 14.4	
15	LVEF <40% by local echocardiography documented any time within 2 years of Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	Algorithm detail: Proxied by claims algorithm predicting LVEF.
16	Acute decompensated HF (exacerbation of HF) requiring IV diuretics, IV inotropes, or IV vasodilators, or left ventricular assist device (LVAD) within 4 weeks prior to Visit 1, and/or during the screening period until randomization	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** DX, PX **Care setting:** Inpatient/ED **Diagnosis position:** Primary for acute decompensated heart failure, any for LVAD **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** DX, PX **Care setting:** Inpatient/ED **Diagnosis position:** Primary for acute decompensated heart failure, any for LVAD **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	Algorithm detail: Proxied by ICD-10-CM codes for acute heart failure and procedure codes for LVAD.
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	Algorithm detail: Proxied by ICD-10-CM codes for chronic kidney disease stage 5 OR end-stage renal disease OR ICD-10-CM procedure codes for dialysis.
18	Any one of the following: Systolic blood pressure (SBP) ≥180 mmHg at Visit 1 SBP >160 mmHg both at Visit 1 and at Visit 2 Have symptomatic hypotension or SBP <100 mmHg at Visit 1 or Visit 2	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Proxied by ICD-10-CM codes for malignant hypertension OR hypertensive emergency/crisis.
19	Resting heart rate (sinus rhythm) ≥100 bpm at either Visit 1 or Visit 2	Can't be measured in claims	Can't be measured in claims	
20	Atrial fibrillation or atrial flutter with a resting heart rate >110 bpm documented by ECG at Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Inpatient **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/31933524/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Inpatient **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/31933524/ **Measurement characteristics:** N/A	

21	Cardiac amyloidosis or cardiomyopathy based on accumulation disease (for example, haemochromatosis, Fabry disease), muscular dystrophy, cardiomyopathy with reversible causes (for example, stress cardiomyopathy), hypertrophic obstructive cardiomyopathy or known pericardial constriction, or any severe (obstructive or regurgitant) valvular heart disease likely to lead to surgery during the study period	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any, Inpatient for severe valvular heart disease **Diagnosis position:** Any, Primary for severe valvular heart disease and congenital heart disease **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any, Inpatient for severe valvular heart disease **Diagnosis position:** Any, Primary for severe valvular heart disease and congenital heart disease **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Severe valvular heart disease is proxied by ICD-10-CM codes for valve disorders in primary position, inpatient setting.
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	
23	Participation in a structured exercise training program in the 1 month prior to Visit 1 or planning to start a program during the study	Can't be measured in claims	Can't be measured in claims	
24	Have T1DM	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
25	For T2DM			
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
25.3	Have HbA1c ≥9.5% (80 mmol/mol) at Visit 1, as analyzed at the central laboratory	Can't be measured in claims	Can't be measured in claims	
25.4	Have a history of proliferative diabetic retinopathy, diabetic maculopathy, or severe nonproliferative diabetic retinopathy that requires acute treatment. Patients with T2DM should have had a dilated fundoscopic examination, performed by an ophthalmologist or optometrist, within 12 months of Visit 1 or prior to randomization	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	Algorithm detail: Proxied by CPT-4 codes for intravitreal injection of anti-VEGFi OR photocoagulation.
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	
26	History of acute or chronic pancreatitis or at high risk for acute pancreatitis (for example, serum triglyceride level >500 mg/dL	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1: ALT or AST levels >2.5X the ULN for the reference range.	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	Algorithm detail: Based on diagnostic codes rather than laboratory values.
28	Have a calcitonin level at Visit 1 of: ≥20 ng/L, if eGFR is ≥60 mL/min/1.73 m2 ≥35 ng/L, if eGFR is <60 mL/min/1.73 m2	Can't be measured in claims	Can't be measured in claims	
29	Have a family or personal history of medullary thyroid carcinoma (MTC) or Multiple Endocrine Neoplasia (MEN) Syndrome type 2	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	

30	Have a history of an active or untreated malignancy or are in remission from a clinically significant malignancy (other than basal- or squamous-cell skin cancer, in situ carcinoma of the cervix, or in situ prostate cancer) for less than 5 years	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
31	Have a history of any other condition (such as known drug or alcohol abuse, diagnosed eating disorder, or other psychiatric disorder) that, in the opinion of the investigator, may preclude the participant from following and completing the protocol	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/22270080/ Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/22270080/ Investigator reviewed codes **Measurement characteristics:** N/A	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, RX **Care setting:** Inpatient, Any for prescriptions **Diagnosis position:** Any **Source of algorithm:** PROMISE team, https://pubmed.ncbi.nlm.nih.gov/35857336/ Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, RX **Care setting:** Inpatient, Any for prescriptions **Diagnosis position:** Any **Source of algorithm:** PROMISE team, https://pubmed.ncbi.nlm.nih.gov/35857336/ Investigator reviewed codes **Measurement characteristics:** N/A	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	
34	Discontinuation of any incretin, GLP-1 RA, or pramlintide due to intolerability any time prior to Visit 1	Can't be measured in claims	Can't be measured in claims	
35	Have any other condition not listed in this section (for example, hypersensitivity or intolerance) that is a contraindication to GLP-1 RA	Can't be measured in claims	Can't be measured in claims	
36	Implantable cardioverter defibrillator (ICD) implantation within 1 month prior to Visit 1 or planned implantation during the course of the study	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] **Code type:** DX, PX **Care setting:** Inpatient **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-91, 0] **Code type:** DX, PX **Care setting:** Inpatient **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	
37	Currently implanted left ventricular assist device (LVAD)	**Applied before/after selection of index date:** Before **Assessment window:** [Start of all available data, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [Start of all available data, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team, Investigator reviewed codes **Measurement characteristics:** N/A	
38	Cardiac resynchronization therapy (CRT) implanted within 6 months prior to Visit 1 or planned implantation during the course of the trial	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Investigator reviewed codes **Measurement characteristics:** N/A	
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	**Applied before/after selection of index date:** Before **Assessment window:** [-30, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	Algorithm detail: Proxied by sulphonylureas, thiazolidinediones, meglitinides (weight gain) GLP-1-RAs, SGLT2i, pramlintide (weight loss).
40	Have participated within the last 6 months in a clinical study involving an investigational product	Can't be measured in claims	Can't be measured in claims	
41	Investigator site personnel directly affiliated with this study and/or their immediate families. Immediate family is defined as a spouse, parent, child, or sibling, whether biological or legally adopted	Can't be measured in claims	Can't be measured in claims	
42	Lilly employees	Can't be measured in claims	Can't be measured in claims	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Pregnancy team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Pregnancy team **Measurement characteristics:** N/A	Algorithm detail: Proxied by ICD-10-CM codes indicative of pregnancy at baseline.

Variable_Name	Code	Code_category	Code_type	Notes
Exposure				
Tirzepatide	TIRZEPATIDE	RX	Generic	NDC Route of administration: SUBCUTANEOUS
Tirzepatide	0002115201	RX	NDC	
Tirzepatide	0002124301	RX	NDC	
Tirzepatide	0002145701	RX	NDC	
Tirzepatide	0002145780	RX	NDC	
Tirzepatide	0002146001	RX	NDC	
Tirzepatide	0002146080	RX	NDC	
Tirzepatide	0002147101	RX	NDC	
Tirzepatide	0002147180	RX	NDC	
Tirzepatide	0002148401	RX	NDC	
Tirzepatide	0002148480	RX	NDC	
Tirzepatide	0002149501	RX	NDC	
Tirzepatide	0002149580	RX	NDC	
Tirzepatide	0002150601	RX	NDC	
Tirzepatide	0002150661	RX	NDC	
Tirzepatide	0002150680	RX	NDC	
Tirzepatide	0002221401	RX	NDC	
Tirzepatide	0002234001	RX	NDC	
Tirzepatide	0002242301	RX	NDC	
Tirzepatide	0002300201	RX	NDC	
Tirzepatide	MOUNJARO	RX	Generic	NDC Route of administration: SUBCUTANEOUS
Tirzepatide	ZEPBOUND	RX	Generic	NDC Route of administration: SUBCUTANEOUS
Comparator				
Sitagliptin	SITAGLIPTIN	RX	Generic	NDC Route of Administration: ORAL
Sitagliptin	0006011201	RX	NDC	
Sitagliptin	0006011228	RX	NDC	
Sitagliptin	0006011231	RX	NDC	
Sitagliptin	0006011254	RX	NDC	
Sitagliptin	0006022101	RX	NDC	
Sitagliptin	0006022128	RX	NDC	
Sitagliptin	0006022131	RX	NDC	
Sitagliptin	0006022154	RX	NDC	
Sitagliptin	0006027701	RX	NDC	
Sitagliptin	0006027702	RX	NDC	
Sitagliptin	0006027714	RX	NDC	
Sitagliptin	0006027727	RX	NDC	
Sitagliptin	0006027728	RX	NDC	
Sitagliptin	0006027730	RX	NDC	
Sitagliptin	0006027731	RX	NDC	
Sitagliptin	0006027733	RX	NDC	

Sitagliptin	0006027754	RX	NDC	
Sitagliptin	0006027782	RX	NDC	
Sitagliptin	0006057501	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057502	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057503	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057552	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057556	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057561	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057562	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057582	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057701	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057702	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057703	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057752	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057756	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057761	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057762	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057782	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007814	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007828	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007861	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007862	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007882	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008014	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008028	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008061	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008062	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008082	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008107	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008114	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008131	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008154	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008182	RX	NDC	Sitagliptin/metformin
Sitagliptin	JANUVIA	RX	Generic	NDC Route of Administration: ORAL
Sitagliptin	SITAGLIPTIN / METFORMIN HYD	RX	Generic	NDC Route of Administration: ORAL

Category	Variable_name	Code	Code_category	Description	Code_type	Notes
1	Patients > 40					
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 1	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 2	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 3	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 4	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 5	I50	DX	HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 6	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 7	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 8	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 10	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 11	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 12	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 13	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 15	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 16	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 17	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 18	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 20	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 21	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 22	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 23	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 25	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 26	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM	

3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 27	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 28	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 29	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 30	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 31	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 32	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 33	I97.130	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING CARDIAC SURGERY	ICD-10-CM
3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 34	I97.131	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING OTHER SURGERY	ICD-10-CM
4	LVEF ≥50% demonstrated by echocardiogram performed at Visit 1 or within 6 months of Visit 1	EF algorithm			
5.2	Structural heart disease	EF algorithm			
	Either one of:				
6.1	eGFR <70 mL/min/1.73m2 at Visit 2	N18.2	DX	CHRONIC KIDNEY DISEASE, STAGE 2 (MILD)	ICD-10-CM
6.1	eGFR <70 mL/min/1.73m2 at Visit 3	N18.3	DX	CHRONIC KIDNEY DISEASE, STAGE 3 (MODERATE)	ICD-10-CM
6.1	eGFR <70 mL/min/1.73m2 at Visit 4	N18.30	DX	CHRONIC KIDNEY DISEASE, STAGE 3 UNSPECIFIED	ICD-10-CM
6.1	eGFR <70 mL/min/1.73m2 at Visit 5	N18.31	DX	CHRONIC KIDNEY DISEASE, STAGE 3A	ICD-10-CM
6.1	eGFR <70 mL/min/1.73m2 at Visit 6	N18.32	DX	CHRONIC KIDNEY DISEASE, STAGE 3B	ICD-10-CM
6.1	eGFR <70 mL/min/1.73m2 at Visit 7	N18.4	DX	CHRONIC KIDNEY DISEASE, STAGE 4 (SEVERE)	ICD-10-CM
6.2	Heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM
6.2	Heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM
6.2	Heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
6.2	Heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
6.2	Heart failure	I50	DX	HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM
6.2	Heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM

6.2	Heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM
6.2	Heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM
6.2	Heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM
6.2	Heart failure	I97.130	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING CARDIAC SURGERY	ICD-10-CM
6.2	Heart failure	I97.131	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING OTHER SURGERY	ICD-10-CM
6.2	Diuretics	BENDROFLUMETHIAZIDE	RX		Generic
6.2	Diuretics	CHLOROTHIAZIDE	RX		Generic
6.2	Diuretics	CHLOROTHIAZIDE SODIUM	RX		Generic
6.2	Diuretics	CHLORTHALIDONE	RX		Generic
6.2	Diuretics	CLONIDINE HCL/CHLORTHALIDONE	RX		Generic
6.2	Diuretics	HYDROCHLOROTHIAZIDE	RX		Generic
6.2	Diuretics	POLYTHIAZIDE	RX		Generic
6.2	Diuretics	PRAZOSIN HCL/POLYTHIAZIDE	RX		Generic
6.2	Diuretics	RESERPINE/POLYTHIAZIDE	RX		Generic
6.2	Diuretics	INDAPAMIDE	RX		Generic
6.2	Diuretics	METOLAZONE	RX		Generic
6.2	Diuretics	BUMETANIDE	RX		Generic
6.2	Diuretics	FUROSEMIDE	RX		Generic
6.2	Diuretics	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE	RX		Generic
6.2	Diuretics	FUROSEMIDE/DEXTROSE 5 % IN WATER	RX		Generic
6.2	Diuretics	TORSEMIDE	RX		Generic
6.2	Diuretics	AMILORIDE HCL	RX		Generic
6.2	Diuretics	AMILORIDE HCL/HYDROCHLOROTHIAZIDE	RX		Generic
6.2	Diuretics	TRIAMTERENE	RX		Generic
6.2	Diuretics	TRIAMTERENE/HYDROCHLOROTHIAZIDE	RX		Generic
6.2	Diuretics	EPLERENONE	RX		Generic
6.2	Diuretics	SPIRONOLACTONE	RX		Generic
6.2	Diuretics	SPIRONOLACTONE, MICRONIZED	RX		Generic
6.2	Diuretics	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX		Generic
6.2	Diuretics	SPIRONOLACTONE/NIACINAMIDE	RX		Generic
6.2	Diuretics	FINERENONE	RX		Generic
6.2	Diuretics	TOLVAPTAN	RX		Generic
6.2	Diuretics	ACETAZOLAMIDE	RX		Generic
6.2	Diuretics	METHAZOLAMIDE	RX		Generic
6.2	Diuretics	J1120	PX	INJECTION, ACETAZOLAMIDE SODIUM, UP TO 500 MG	CPT/HCPCS
6.2	Diuretics	J1205	PX	INJECTION, CHLOROTHIAZIDE SODIUM, PER 500 MG	CPT/HCPCS
6.2	Diuretics	J1940	PX	INJECTION, FUROSEMIDE, UP TO 20 MG	CPT/HCPCS
6.2	Diuretics	J2150	PX	INJECTION, MANNITOL, 25% IN 50 ML	CPT/HCPCS
6.2	Diuretics	J3265	PX	INJECTION, TORSEMIDE, 10 MG/ML	CPT/HCPCS
6.2	Diuretics	J3350	PX	INJECTION, UREA, UP TO 40 GM	CPT/HCPCS
6.2	Diuretics	S0171	PX	INJECTION, BUMETANIDE, 0.5 MG	CPT/HCPCS
6.2	Diuretics	S9361	PX	HOME INFUSION THERAPY, DIURETIC INTRAVENOUS THERAPY; ADMINISTRATIVE SERVICES, PROFESSIONAL PHARMACY SERVICES, CARE COORDINATION, AND ALL NECESSARY SUPPLIES AND EQUIPMENT (DRUGS AND NURSING VISITS CODED SEPARATELY), PER DIEM	CPT/HCPCS
6.2	Acute and congestive heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM

6.2	Acute and congestive heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM
6.2	Acute and congestive heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
7	ACE-I's	CAPTOPRIL	RX		Generic
7	ACE-I's	CAPTOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic
7	ACE-I's	ENALAPRIL MALEATE	RX		Generic
7	ACE-I's	ENALAPRIL MALEATE/DILTIAZEM MALATE	RX		Generic
7	ACE-I's	ENALAPRIL MALEATE/FELODIPINE	RX		Generic
7	ACE-I's	ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE	RX		Generic
7	ACE-I's	FOSINOPRIL SODIUM	RX		Generic
7	ACE-I's	FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE	RX		Generic
7	ACE-I's	LISINOPRIL	RX		Generic
7	ACE-I's	LISINOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic
7	ACE-I's	PERINDOPRIL ARGININE/AMLODIPINE BESYLATE	RX		Generic
7	ACE-I's	PERINDOPRIL ERBUMINE	RX		Generic
7	ACE-I's	QUINAPRIL HCL	RX		Generic
7	ACE-I's	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE	RX		Generic
7	ACE-I's	RAMIPRIL	RX		Generic
7	ACE-I's	TRANDOLAPRIL	RX		Generic
7	ACE-I's	TRANDOLAPRIL/VERAPAMIL HCL	RX		Generic
7	ARB's	CANDESARTAN CILEXETIL	RX		Generic
7	ARB's	CANDESARTAN CILEXETIL/HYDROCHLOROTHIAZIDE	RX		Generic
7	ARB's	LOSARTAN POTASSIUM	RX		Generic
7	ARB's	LOSARTAN POTASSIUM/HYDROCHLOROTHIAZIDE	RX		Generic
7	ARB's	VALSARTAN	RX		Generic
7	ARB's	VALSARTAN/HYDROCHLOROTHIAZIDE	RX		Generic
7	ARNI	SACUBITRIL/VALSARTAN	RX		Generic
7	Beta-blockers	BISOPROLOL FUMARATE	RX		Generic
7	Beta-blockers	BISOPROLOL FUMARATE/HYDROCHLOROTHIAZIDE	RX		Generic
7	Beta-blockers	CARVEDILOL	RX		Generic
7	Beta-blockers	CARVEDILOL PHOSPHATE	RX		Generic
7	Beta-blockers	METOPROLOL SUCCINATE	RX		Generic
7	Beta-blockers	METOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDE	RX		Generic
7	Mineralocorticoid receptor antagonists	DAPSONE/SPIRONOLACTONE/NIACINAMIDE	RX		Generic
7	Mineralocorticoid receptor antagonists	SPIRONOLACTONE	RX		Generic
7	Mineralocorticoid receptor antagonists	SPIRONOLACTONE, MICRONIZED	RX		Generic
7	Mineralocorticoid receptor antagonists	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX		Generic
7	Mineralocorticoid receptor antagonists	SPIRONOLACTONE/NIACINAMIDE	RX		Generic

7	Mineralocorticoid receptor antagonists	EPLERENONE	RX		Generic
7	ivabradine	IVABRADINE HCL	RX		Generic
8	Oral diuretics	CHLOROTHIAZIDE	RX		Generic
8	Oral diuretics	CHLOROTHIAZIDE SODIUM	RX		Generic
8	Oral diuretics	CHLORTHALIDONE	RX		Generic
8	Oral diuretics	CLONIDINE HCL/CHLORTHALIDONE	RX		Generic
8	Oral diuretics	HYDROCHLOROTHIAZIDE	RX		Generic
8	Oral diuretics	POLYTHIAZIDE	RX		Generic
8	Oral diuretics	PRAZOSIN HCL/POLYTHIAZIDE	RX		Generic
8	Oral diuretics	RESERPINE/POLYTHIAZIDE	RX		Generic
8	Oral diuretics	INDAPAMIDE	RX		Generic
8	Oral diuretics	METOLAZONE	RX		Generic
8	Oral diuretics	BUMETANIDE	RX		Generic
8	Oral diuretics	FUROSEMIDE	RX		Generic
8	Oral diuretics	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE	RX		Generic
8	Oral diuretics	FUROSEMIDE/DEXTROSE 5 % IN WATER	RX		Generic
8	Oral diuretics	TORSEMIDE	RX		Generic
8	Oral diuretics	AMILORIDE HCL	RX		Generic
8	Oral diuretics	AMILORIDE HCL/HYDROCHLOROTHIAZIDE	RX		Generic
8	Oral diuretics	TRIAMTERENE	RX		Generic
8	Oral diuretics	TRIAMTERENE/HYDROCHLOROTHIAZIDE	RX		Generic
8	Oral diuretics	EPLERENONE	RX		Generic
8	Oral diuretics	SPIRONOLACTONE	RX		Generic
8	Oral diuretics	SPIRONOLACTONE, MICRONIZED	RX		Generic
8	Oral diuretics	SPIRONOLACTONE/HYDROCHLOROTHIAZIDE	RX		Generic
8	Oral diuretics	SPIRONOLACTONE/NIACINAMIDE	RX		Generic
8	Oral diuretics	FINERENONE	RX		Generic
8	Oral diuretics	TOLVAPTAN	RX		Generic
10	BMI ≥ 27.0 kg/m2	39156-5	LOINC	BODY MASS INDEX (BMI) [Ratio]	
10	BMI ≥ 27.0 kg/m2	Z68.27	DX	BMI 27.0-27.9, ADULT	ICD-10-CM
10	BMI ≥ 27.0 kg/m2	Z68.28	DX	BMI 28.0-28.9, ADULT	ICD-10-CM
10	BMI ≥ 27.0 kg/m2	Z68.29	DX	BMI 29.0-29.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66	DX	OVERWEIGHT AND OBESITY	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.0	DX	OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.01	DX	MORBID (SEVERE) OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.09	DX	OTHER OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.1	DX	DRUG-INDUCED OBESITY	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.2	DX	MORBID (SEVERE) OBESITY WITH ALVEOLAR HYPOVENTILATION	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.8	DX	OTHER OBESITY	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.81	DX	OBESITY CLASS	
10	BMI ≥ 30.0 kg/m2	E66.811	DX	OBESITY, CLASS 1	
10	BMI ≥ 30.0 kg/m2	E66.812	DX	OBESITY, CLASS 2	
10	BMI ≥ 30.0 kg/m2	E66.813	DX	OBESITY, CLASS 3	
10	BMI ≥ 30.0 kg/m2	E66.89	DX	OTHER OBESITY NOT ELSEWHERE CLASSIFIED	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	E66.9	DX	OBESITY, UNSPECIFIED	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.30	DX	BODY MASS INDEX [BMI] 30.0-30.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.31	DX	BODY MASS INDEX [BMI] 31.0-31.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.32	DX	BODY MASS INDEX [BMI] 32.0-32.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.33	DX	BODY MASS INDEX [BMI] 33.0-33.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.34	DX	BODY MASS INDEX [BMI] 34.0-34.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.35	DX	BODY MASS INDEX [BMI] 35.0-35.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.36	DX	BODY MASS INDEX [BMI] 36.0-36.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.37	DX	BODY MASS INDEX [BMI] 37.0-37.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.38	DX	BODY MASS INDEX [BMI] 38.0-38.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.39	DX	BODY MASS INDEX [BMI] 39.0-39.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.4	DX	BODY MASS INDEX [BMI] 40 OR GREATER, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.41	DX	BODY MASS INDEX [BMI] 40.0-44.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.42	DX	BODY MASS INDEX [BMI] 45.0-49.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.43	DX	BODY MASS INDEX [BMI] 50.0-59.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.44	DX	BODY MASS INDEX [BMI] 60.0-69.9, ADULT	ICD-10-CM
10	BMI ≥ 30.0 kg/m2	Z68.45	DX	BODY MASS INDEX [BMI] 70 OR GREATER, ADULT	ICD-10-CM
13	Diagnosed with T2DM	E11.0	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY	ICD-10-CM
13	Diagnosed with T2DM	E11.00	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM
13	Diagnosed with T2DM	E11.01	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM
13	Diagnosed with T2DM	E11.1	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM

13 Diagnosed with T2DM	E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
13 Diagnosed with T2DM	E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
13 Diagnosed with T2DM	E11.2	DX	TYPE 2 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.21	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.22	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
13 Diagnosed with T2DM	E11.29	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM
13 Diagnosed with T2DM	E11.3	DX	TYPE 2 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.31	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.311	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.319	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.32	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.321	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3211	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3212	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3213	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3219	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.329	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3291	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3292	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3293	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3299	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.33	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.331	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3311	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3312	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3313	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3319	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.339	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3391	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3392	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3393	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM

13 Diagnosed with T2DM	E11.3399	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.34	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.341	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3411	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3412	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3413	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3419	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.349	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3491	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3492	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3493	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3499	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.35	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.351	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3511	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3512	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3513	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3519	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.352	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
13 Diagnosed with T2DM	E11.3521	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3522	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3523	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3529	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.353	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
13 Diagnosed with T2DM	E11.3531	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3532	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3533	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM

13 Diagnosed with T2DM	E11.3539	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.354	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
13 Diagnosed with T2DM	E11.3541	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3542	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3543	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3549	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.355	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.3551	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3552	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3553	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3559	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.359	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
13 Diagnosed with T2DM	E11.3591	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3592	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.3593	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.3599	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.36	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
13 Diagnosed with T2DM	E11.37	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
13 Diagnosed with T2DM	E11.37X1	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.37X2	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.37X3	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
13 Diagnosed with T2DM	E11.37X9	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
13 Diagnosed with T2DM	E11.39	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
13 Diagnosed with T2DM	E11.4	DX	TYPE 2 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.40	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
13 Diagnosed with T2DM	E11.41	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.42	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.43	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.44	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
13 Diagnosed with T2DM	E11.49	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
13 Diagnosed with T2DM	E11.5	DX	TYPE 2 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.51	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
13 Diagnosed with T2DM	E11.52	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM

13 Diagnosed with T2DM	E11.59	DX	TYPE 2 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.6	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.61	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC ARTHROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.610	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.618	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC ARTHROPATHY	ICD-10-CM
13 Diagnosed with T2DM	E11.62	DX	TYPE 2 DIABETES MELLITUS WITH SKIN COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.620	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC DERMATITIS	ICD-10-CM
13 Diagnosed with T2DM	E11.621	DX	TYPE 2 DIABETES MELLITUS WITH FOOT ULCER	ICD-10-CM
13 Diagnosed with T2DM	E11.622	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN ULCER	ICD-10-CM
13 Diagnosed with T2DM	E11.628	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.63	DX	TYPE 2 DIABETES MELLITUS WITH ORAL COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.630	DX	TYPE 2 DIABETES MELLITUS WITH PERIODONTAL DISEASE	ICD-10-CM
13 Diagnosed with T2DM	E11.638	DX	TYPE 2 DIABETES MELLITUS WITH OTHER ORAL COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.64	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA	ICD-10-CM
13 Diagnosed with T2DM	E11.641	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
13 Diagnosed with T2DM	E11.649	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
13 Diagnosed with T2DM	E11.65	DX	TYPE 2 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
13 Diagnosed with T2DM	E11.69	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
13 Diagnosed with T2DM	E11.8	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
13 Diagnosed with T2DM	E11.9	DX	TYPE 2 DIABETES MELLITUS WITHOUT COMPLICATIONS	ICD-10-CM

Category	Variable_name	Variable_subtype	Code	Code_category	Description	Code_type	Notes
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, NOT INTRACTABLE, WITHOUT STATUS MIGRAINOSUS		
13.1	during screening		G43.609	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, INTRACTABLE, WITHOUT STATUS MIGRAINOSUS		
13.1	during screening		G43.619	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				VERTEBRO-BASILAR ARTERY SYNDROME		
13.1	during screening		G45.0	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				CAROTID ARTERY SYNDROME (HEMISPHERIC)		
13.1	during screening		G45.1	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				MULTIPLE AND BILATERAL PRECEREBRAL ARTERY SYNDROMES		
13.1	during screening		G45.2	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				OTHER TRANSIENT CEREBRAL ISCHEMIC ATTACKS AND RELATED SYNDROMES		
13.1	during screening		G45.8	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				TRANSIENT CEREBRAL ISCHEMIC ATTACK, UNSPECIFIED		
13.1	during screening		G45.9	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				MIDDLE CEREBRAL ARTERY SYNDROME		
13.1	during screening		G46.0	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ANTERIOR CEREBRAL ARTERY SYNDROME		
13.1	during screening		G46.1	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				POSTERIOR CEREBRAL ARTERY SYNDROME		
13.1	during screening		G46.2	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				BRAIN STEM STROKE SYNDROME		
13.1	during screening		G46.3	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				CEREBELLAR STROKE SYNDROME		
13.1	during screening		G46.4	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ACUTE MYOCARDIAL INFARCTION		
13.1	during screening		I21	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL		
13.1	during screening		I21.0	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT MAIN CORONARY ARTERY		
13.1	during screening		I21.01	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT ANTERIOR DESCENDING CORONARY ARTERY		
13.1	during screening		I21.02	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF ANTERIOR WALL		
13.1	during screening		I21.09	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL		
13.1	during screening		I21.1	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING RIGHT CORONARY ARTERY		
13.1	during screening		I21.11	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF INFERIOR WALL		
13.1	during screening		I21.19	DX		ICD-10-CM	
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or				ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES		
13.1	during screening		I21.2	DX		ICD-10-CM	

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.21	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT CIRCUMFLEX CORONARY ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.29	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER SITES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.3	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.4	DX	NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.9	DX	ACUTE MYOCARDIAL INFARCTION, UNSPECIFIED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.A	DX	OTHER TYPE OF MYOCARDIAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.A1	DX	MYOCARDIAL INFARCTION TYPE 2	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I21.A9	DX	OTHER MYOCARDIAL INFARCTION TYPE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22	DX	SUBSEQUENT ST ELEVATION (STEMI) AND NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22.0	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22.1	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22.2	DX	SUBSEQUENT NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22.8	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I22.9	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.0	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM CAROTID SIPHON AND BIFURCATION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.00	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED CAROTID SIPHON AND BIFURCATION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.01	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT CAROTID SIPHON AND BIFURCATION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.02	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT CAROTID SIPHON AND BIFURCATION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.1	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.10	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.11	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.12	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.2	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM ANTERIOR COMMUNICATING ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.3	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.30	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.31	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.32	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.4	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM BASILAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.5	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.50	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.51	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.52	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.6	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM OTHER INTRACRANIAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.7	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED INTRACRANIAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.8	DX	OTHER NONTRAUMATIC SUBARACHNOID HEMORRHAGE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I60.9	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE, UNSPECIFIED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.0	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, SUBCORTICAL	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.1	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, CORTICAL	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.2	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, UNSPECIFIED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.3	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN BRAIN STEM	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.4	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN CEREBELLUM	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.5	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, INTRAVENTRICULAR	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.6	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, MULTIPLE LOCALIZED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.8	DX	OTHER NONTRAUMATIC INTRACEREBRAL HEMORRHAGE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I61.9	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, UNSPECIFIED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63	DX	CEREBRAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.0	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.01	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.011	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.012	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.013	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.019	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.02	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BASILAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.03	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.031	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.032	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.033	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.039	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.09	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.1	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF PRECEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.10	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED PRECEREBRAL ARTERY	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.11	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.111	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.112	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.113	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.119	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.12	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BASILAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.13	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.131	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.132	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.133	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CAROTID ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.139	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.19	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.2	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.20	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.21	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF VERTEBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.211	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.212	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.213	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.219	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.22	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BASILAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.23	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CAROTID ARTERIES	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.231	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CAROTID ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.232	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CAROTID ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.233	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.239	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.29	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER PRECEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.3	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.30	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.31	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.311	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.312	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.313	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.319	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.32	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.321	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.322	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.323	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.329	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.33	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.331	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.332	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.333	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.339	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.34	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.341	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.342	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.343	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.349	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.39	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.4	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.40	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.41	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.411	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.412	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.413	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.419	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.42	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.421	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.422	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.423	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.429	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.43	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.431	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.432	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.433	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.439	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.44	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.441	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.442	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.443	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.449	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.49	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.5	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.50	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.51	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.511	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.512	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.513	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.519	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.52	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.521	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.522	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.523	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.529	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.53	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.531	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.532	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.533	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.539	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.54	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.541	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.542	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.543	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.549	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.59	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.6	DX	CEREBRAL INFARCTION DUE TO CEREBRAL VENOUS THROMBOSIS, NONPYOGENIC	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.8	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.81	DX	OTHER CEREBRAL INFARCTION DUE TO OCCLUSION OR STENOSIS OF SMALL ARTERY	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.89	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	I63.9	DX	CEREBRAL INFARCTION, UNSPECIFIED	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T82.211A	DX	BREAKDOWN (MECHANICAL) OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T82.212A	DX	DISPLACEMENT OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T82.213A	DX	LEAKAGE OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T82.218A	DX	OTHER MECHANICAL COMPLICATION OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T86.30	DX	UNSPECIFIED COMPLICATION OF HEART-LUNG TRANSPLANT	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T86.31	DX	HEART-LUNG TRANSPLANT REJECTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T86.32	DX	HEART-LUNG TRANSPLANT FAILURE	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T86.33	DX	HEART-LUNG TRANSPLANT INFECTION	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	T86.39	DX	OTHER COMPLICATIONS OF HEART-LUNG TRANSPLANT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Z48.280	DX	ENCOUNTER FOR AFTERCARE FOLLOWING HEART-LUNG TRANSPLANT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Z95.1	DX	PRESENCE OF AORTOCORONARY BYPASS GRAFT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210083	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210088	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210089	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021008C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021008F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021008W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210093	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210098	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210099	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021009C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021009F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021009W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02100ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210344	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02103D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210444	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210483	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210488	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210489	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021048C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021048F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021048W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210493	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210498	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0210499	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021049C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021049F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021049W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02104ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211083	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211088	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211089	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021108C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021108F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021108W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211093	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211098	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211099	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021109C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021109F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021109W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110A3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110A8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110A9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110AC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110AF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110AW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02110ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211344	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02113D4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211444	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211483	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211488	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211489	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021148C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021148F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021148W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211493	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211498	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0211499	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021149C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021149F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021149W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114A3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114A8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114A9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114AC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114AF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114AW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114D4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02114ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212083	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212088	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212089	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021208C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021208F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021208W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212093	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212098	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212099	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021209C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021209F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021209W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120A3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120A8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120A9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120AC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120AF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120AW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120K8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02120ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212344	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02123D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212444	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212483	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212488	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212489	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021248C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021248F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021248W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212493	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212498	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0212499	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021249C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021249F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021249W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124A3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124A8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124A9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124AC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124AF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124AW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124K8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02124ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213083	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213088	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213089	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021308C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021308F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021308W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213093	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213098	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213099	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021309C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021309F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021309W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02130ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213344	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02133D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213444	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213483	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213488	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213489	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021348C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021348F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021348W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213493	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213498	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0213499	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021349C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021349F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021349W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02134ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021608P	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021608Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021608R	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021609P	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021609Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021609R	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160AP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160AQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160AR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160JP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160JQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160JR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160KP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160KQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160KR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160ZP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160ZQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02160ZR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02163Z7	PX	BYPASS RIGHT ATRIUM TO LEFT ATRIUM, PERCUTANEOUS APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021648P	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021648Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021648R	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021649P	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021649Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021649R	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164AP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164AQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164AR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164JP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164JQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164JR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164KP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164KQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164KR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164ZP	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164ZQ	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02164ZR	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021708S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021708T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021708U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021709S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021709T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021709U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170AS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170AT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170AU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170JS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170JT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170JU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170KS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170KT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170KU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170ZS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170ZT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN, OPEN APPROACH	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02170ZU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021748S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021748T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021748U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021749S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021749T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021749U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174AS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174AT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174AU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174JS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174JT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174JU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174KS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174KT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174KU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174ZS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174ZT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02174ZU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K08P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K08Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K08R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K09P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K09Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K09R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0AP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0AQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0AR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0JP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0JQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0JR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0KP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0KQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0KR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0Z8	PX	BYPASS RIGHT VENTRICLE TO RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0Z9	PX	BYPASS RIGHT VENTRICLE TO LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZC	PX	BYPASS RIGHT VENTRICLE TO THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZF	PX	BYPASS RIGHT VENTRICLE TO ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K0ZW	PX	BYPASS RIGHT VENTRICLE TO AORTA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K48P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K48Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K48R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K49P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K49Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K49R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4AP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4AQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4AR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4JP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4JQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4JR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4KP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4KQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4KR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4Z8	PX	BYPASS RIGHT VENTRICLE TO RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4Z9	PX	BYPASS RIGHT VENTRICLE TO LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZC	PX	BYPASS RIGHT VENTRICLE TO THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZF	PX	BYPASS RIGHT VENTRICLE TO ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021K4ZW	PX	BYPASS RIGHT VENTRICLE TO AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L08P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L08Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L08R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L09P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L09Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L09R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0AP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0AQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0AR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0JP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0JQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0JR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0KP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0KQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0KR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0Z8	PX	BYPASS LEFT VENTRICLE TO RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0Z9	PX	BYPASS LEFT VENTRICLE TO LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZC	PX	BYPASS LEFT VENTRICLE TO THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZF	PX	BYPASS LEFT VENTRICLE TO ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L0ZW	PX	BYPASS LEFT VENTRICLE TO AORTA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L48P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L48Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L48R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L49P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L49Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L49R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4AP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4AQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4AR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4JP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4JQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4JR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4KP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4KQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4KR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4Z8	PX	BYPASS LEFT VENTRICLE TO RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4Z9	PX	BYPASS LEFT VENTRICLE TO LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZC	PX	BYPASS LEFT VENTRICLE TO THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZF	PX	BYPASS LEFT VENTRICLE TO ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021L4ZW	PX	BYPASS LEFT VENTRICLE TO AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V08S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V08T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V08U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V09S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V09T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V09U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0AS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0AT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0AU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0JS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0JT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0JU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0KS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0KT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0KU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0ZS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0ZT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V0ZU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V48S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V48T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V48U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V49S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V49T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V49U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4AS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4AT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4AU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4JS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4JT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4JU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4KS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	021V4KT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024F07J	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024F08J	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024F0JJ	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024F0KJ	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024G0J2	PX	CREATION OF MITRAL VALVE FROM COMMON ATRIOVENTRICULAR VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	024J0J2	PX	CREATION OF TRICUSPID VALVE FROM COMMON ATRIOVENTRICULAR VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02560ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02563ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02564ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02570ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02570ZZ	PX	DESTRUCTION OF LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02573ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02573ZZ	PX	DESTRUCTION OF LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02574ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02574ZZ	PX	DESTRUCTION OF LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025K0ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025K3ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025K4ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025L0ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025L3ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	025L4ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027F04Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027F0DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027F0ZZ	PX	DILATION OF AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027F3ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027F4ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027G04Z	PX	DILATION OF MITRAL VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027G0DZ	PX	DILATION OF MITRAL VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027G0ZZ	PX	DILATION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027G3ZZ	PX	DILATION OF MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027G4ZZ	PX	DILATION OF MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027H04Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027H0DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027H0ZZ	PX	DILATION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027H3ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027H4ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027J04Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027J0DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027J0ZZ	PX	DILATION OF TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027J3ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	027J4ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02890ZZ	PX	DIVISION OF CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02893ZZ	PX	DIVISION OF CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02894ZZ	PX	DIVISION OF CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	028D0ZZ	PX	DIVISION OF PAPILLARY MUSCLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	028D3ZZ	PX	DIVISION OF PAPILLARY MUSCLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	028D4ZZ	PX	DIVISION OF PAPILLARY MUSCLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B50ZZ	PX	EXCISION OF ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B53ZZ	PX	EXCISION OF ATRIAL SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B54ZZ	PX	EXCISION OF ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B60ZZ	PX	EXCISION OF RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B63ZZ	PX	EXCISION OF RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B64ZZ	PX	EXCISION OF RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B70ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B70ZZ	PX	EXCISION OF LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B73ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B73ZZ	PX	EXCISION OF LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B74ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02B74ZZ	PX	EXCISION OF LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BK0ZZ	PX	EXCISION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BK3ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BK4ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BL0ZZ	PX	EXCISION OF LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BL3ZZ	PX	EXCISION OF LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BL4ZZ	PX	EXCISION OF LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BN0ZZ	PX	EXCISION OF PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BN3ZZ	PX	EXCISION OF PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BN4ZZ	PX	EXCISION OF PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BP0ZZ	PX	EXCISION OF PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BP4ZZ	PX	EXCISION OF PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BQ0ZZ	PX	EXCISION OF RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BQ4ZZ	PX	EXCISION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BR0ZZ	PX	EXCISION OF LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BR4ZZ	PX	EXCISION OF LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BS0ZZ	PX	EXCISION OF RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BS4ZZ	PX	EXCISION OF RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BT0ZZ	PX	EXCISION OF LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BT4ZZ	PX	EXCISION OF LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BV0ZZ	PX	EXCISION OF SUPERIOR VENA CAVA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BV4ZZ	PX	EXCISION OF SUPERIOR VENA CAVA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BW0ZZ	PX	EXCISION OF THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BW4ZZ	PX	EXCISION OF THORACIC AORTA, DESCENDING, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BX0ZZ	PX	EXCISION OF THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02BX4ZZ	PX	EXCISION OF THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C60ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C63ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C64ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C70ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C73ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C74ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C80ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C83ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C84ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C90ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C93ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02C94ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CK0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CK4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CL0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CL4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CN0ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CN3ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CN4ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CP3ZZ	PX	EXTIRPATION OF MATTER FROM PULMONARY TRUNK, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CQ3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CR3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CS3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CT3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CV3ZZ	PX	EXTIRPATION OF MATTER FROM SUPERIOR VENA CAVA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CW3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, DESCENDING, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02CX3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H40YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H43YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H44YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H60YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H63YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H64YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H70YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H73YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02H74YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA0QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA0RJ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, INTRAOPERATIVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA0RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA0RZ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA0YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA3QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA3RJ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, INTRAOPERATIVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA3RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA3RZ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA3YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA4QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA4RJ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, INTRAOPERATIVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA4RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA4RZ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HA4YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HK0YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HK3YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HK4YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HL0YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HL3YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HL4YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HN0YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HN3YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02HN4YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02L70ZK	PX	OCCLUSION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02L73ZK	PX	OCCLUSION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02L74ZK	PX	OCCLUSION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH0CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH0DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH0ZZ	PX	OCCLUSION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH3CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH3DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH3ZZ	PX	OCCLUSION OF PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH4CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH4DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LH4ZZ	PX	OCCLUSION OF PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LS3DZ	PX	OCCLUSION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LS3ZZ	PX	OCCLUSION OF RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LT3DZ	PX	OCCLUSION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02LT3ZZ	PX	OCCLUSION OF LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N00ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N03ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N04ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N10ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N13ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N14ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N20ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N23ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N24ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N30ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N33ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N34ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N60ZZ	PX	RELEASE RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N63ZZ	PX	RELEASE RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N64ZZ	PX	RELEASE RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N70ZZ	PX	RELEASE LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N73ZZ	PX	RELEASE LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02N74ZZ	PX	RELEASE LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NF0ZZ	PX	RELEASE AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NF3ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NF4ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NG0ZZ	PX	RELEASE MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NG3ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NG4ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NH0ZZ	PX	RELEASE PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NH3ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NH4ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NJ0ZZ	PX	RELEASE TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NJ3ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NJ4ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NK0ZZ	PX	RELEASE RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NK3ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NK4ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NL0ZZ	PX	RELEASE LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NL3ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NL4ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NN0ZZ	PX	RELEASE PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NN3ZZ	PX	RELEASE PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02NN4ZZ	PX	RELEASE PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA0QZ	PX	REMOVAL OF IMPLANTABLE HEART ASSIST SYSTEM FROM HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA0RS	PX	REMOVAL OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM FROM HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA0RZ	PX	REMOVAL OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM FROM HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA0YZ	PX	REMOVAL OF OTHER DEVICE FROM HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA3QZ	PX	REMOVAL OF IMPLANTABLE HEART ASSIST SYSTEM FROM HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA3RZ	PX	REMOVAL OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM FROM HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA4QZ	PX	REMOVAL OF IMPLANTABLE HEART ASSIST SYSTEM FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA4RS	PX	REMOVAL OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA4RZ	PX	REMOVAL OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02PA4YZ	PX	REMOVAL OF OTHER DEVICE FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q00ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q03ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q04ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q40ZZ	PX	REPAIR CORONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q43ZZ	PX	REPAIR CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q44ZZ	PX	REPAIR CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q50ZZ	PX	REPAIR ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q53ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q54ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q90ZZ	PX	REPAIR CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q93ZZ	PX	REPAIR CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02Q94ZZ	PX	REPAIR CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QA0ZZ	PX	REPAIR HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QA3ZZ	PX	REPAIR HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QA4ZZ	PX	REPAIR HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QB0ZZ	PX	REPAIR RIGHT HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QB3ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QB4ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QC0ZZ	PX	REPAIR LEFT HEART, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QC3ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QC4ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QD0ZZ	PX	REPAIR PAPILLARY MUSCLE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QD3ZZ	PX	REPAIR PAPILLARY MUSCLE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QD4ZZ	PX	REPAIR PAPILLARY MUSCLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF0ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF3ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF3ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF4ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QF4ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG0ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG3ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG3ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG4ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QG4ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QH3ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QH4ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ0ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ3ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ3ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ4ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QJ4ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QM0ZZ	PX	REPAIR VENTRICULAR SEPTUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QM3ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QM4ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QN0ZZ	PX	REPAIR PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QN3ZZ	PX	REPAIR PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02QN4ZZ	PX	REPAIR PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF07Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF08Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF0JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF0KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF37H	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF37Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF38H	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF38Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF3JH	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF3JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF3KH	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF3KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF47Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF48Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF4JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RF4KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG07Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG08Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG0JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG0KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG37H	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG37Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG38H	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG38Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG3JH	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG3JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG3KH	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG3KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG47Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG48Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG4JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RG4KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH07Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH08Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH0JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH0KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH37H	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH37Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH38H	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH38Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH3JH	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH3JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH3KH	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH3KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH47Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH48Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH4JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RH4KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ07Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ08Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ0JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ0KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ37H	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ37Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ38H	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ38Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ3JH	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ3JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ3KH	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ3KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ47Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ48Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ4JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RJ4KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RK0JZ	PX	REPLACEMENT OF RIGHT VENTRICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RL0JZ	PX	REPLACEMENT OF LEFT VENTRICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM07Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM0JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM0KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM47Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM4JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RM4KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP07Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP08Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP0JZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP0KZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP47Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP48Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP4JZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RP4KZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ07Z	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ08Z	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ0JZ	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ0KZ	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ47Z	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ48Z	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ4JZ	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RQ4KZ	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR07Z	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR08Z	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR0JZ	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR0KZ	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR47Z	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR48Z	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR4JZ	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RR4KZ	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS07Z	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS08Z	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS0JZ	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS0KZ	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS47Z	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS48Z	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS4JZ	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RS4KZ	PX	REPLACEMENT OF RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT07Z	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT08Z	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT0JZ	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT0KZ	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT47Z	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT48Z	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT4JZ	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02RT4KZ	PX	REPLACEMENT OF LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02S00ZZ	PX	REPOSITION CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02S10ZZ	PX	REPOSITION CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02SP0ZZ	PX	REPOSITION PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02SW0ZZ	PX	REPOSITION THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02SX0ZZ	PX	REPOSITION THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02T80ZZ	PX	RESECTION OF CONDUCTION MECHANISM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02TN0ZZ	PX	RESECTION OF PERICARDIUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02TN3ZZ	PX	RESECTION OF PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02TN4ZZ	PX	RESECTION OF PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U507Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U508Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U50JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U50KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U537Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U538Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U53JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U53KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U547Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U548Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U54JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02U54KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UA0JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UA3JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UA4JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UG3JZ	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM07Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM0JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM0KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM37Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM38Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM3JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM3KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM47Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM48Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM4JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UM4KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UW3JZ	PX	SUPPLEMENT THORACIC AORTA, DESCENDING WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UW4JZ	PX	SUPPLEMENT THORACIC AORTA, DESCENDING WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UX3JZ	PX	SUPPLEMENT THORACIC AORTA, ASCENDING/ARCH WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02UX4JZ	PX	SUPPLEMENT THORACIC AORTA, ASCENDING/ARCH WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VG0ZZ	PX	RESTRICTION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VG3ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VG4ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP0DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP0ZZ	PX	RESTRICTION OF PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP3DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP3ZZ	PX	RESTRICTION OF PULMONARY TRUNK, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP4DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VP4ZZ	PX	RESTRICTION OF PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ0DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ0ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ3DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ3ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ4DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VQ4ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR0DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR0DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR0ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR0ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR3DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR3DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR3ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR3ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR4DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR4DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR4ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VR4ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS0DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS0ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS3DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS3ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS4DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VS4ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT0DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT0ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT3DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT3ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT4DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VT4ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VW0DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VW0ZZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VW3DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VW4DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VW4ZZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VX0DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VX0ZZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VX3DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VX4DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02VX4ZZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02W50JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02W54JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA0QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA0RS	PX	REVISION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA0RZ	PX	REVISION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA0YZ	PX	REVISION OF OTHER DEVICE IN HEART, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA3QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA3RS	PX	REVISION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA3RZ	PX	REVISION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA3YZ	PX	REVISION OF OTHER DEVICE IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA4QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA4RS	PX	REVISION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA4RZ	PX	REVISION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WA4YZ	PX	REVISION OF OTHER DEVICE IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WF4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WG4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WH4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WJ4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WM0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN VENTRICULAR SEPTUM, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	02WM4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN VENTRICULAR SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209B	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209C	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209D	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209F	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209J	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031209K	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A0	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A1	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A2	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A3	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A4	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A5	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A6	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A7	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A8	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120A9	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AB	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120AK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J0	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J1	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J2	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J3	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J4	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J5	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J6	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J7	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J8	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120J9	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JB	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120JK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K0	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K1	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K2	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K3	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K4	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K5	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K6	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K7	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K8	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120K9	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KB	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120KK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z0	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z1	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z2	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z3	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z4	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z5	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z6	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z7	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z8	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120Z9	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZB	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03120ZK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309B	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309C	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309D	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309F	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309J	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031309K	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A0	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A1	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A2	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A3	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A4	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A5	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A6	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130A9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130AK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J0	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J1	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J2	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J3	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J4	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J5	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J6	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130J9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130JK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K0	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K1	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K2	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K3	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K4	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K5	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K6	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130K9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130KK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z0	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z1	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z2	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z3	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z4	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z5	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z6	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130Z9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03130ZK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409B	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409C	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409D	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409F	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409J	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031409K	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A0	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A1	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A2	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A3	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A4	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A5	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A6	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A7	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A8	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140A9	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AB	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AC	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AD	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AF	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AJ	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140AK	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J0	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J1	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J2	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J3	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J4	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J5	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J6	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J7	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J8	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140J9	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JB	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JC	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JD	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JF	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JJ	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140JK	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K0	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K1	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K2	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K3	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K4	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K5	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K6	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K7	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K8	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140K9	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KB	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KC	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KD	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KF	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KJ	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140KK	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z0	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z1	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z2	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z3	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z4	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z5	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z6	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z7	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z8	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140Z9	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZB	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZC	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZD	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZF	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZJ	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03140ZK	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509B	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509C	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509D	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509F	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509J	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031509K	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A0	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A1	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A2	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A3	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A4	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A5	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A6	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A7	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A8	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150A9	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AB	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AC	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AD	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AF	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AJ	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150AK	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J0	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J1	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J2	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J3	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J4	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J5	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J6	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J7	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J8	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150J9	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JB	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JC	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JD	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JF	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JJ	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150JK	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K0	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K1	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K2	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K3	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K4	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K5	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K6	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K7	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K8	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150K9	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KB	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KC	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KD	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KF	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KJ	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150KK	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z0	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z1	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z2	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z3	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z4	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z5	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z6	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z7	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z8	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150Z9	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZB	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZC	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZD	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZF	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZJ	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03150ZK	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609B	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609C	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609D	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609F	PX	BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609J	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031609K	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A2	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A5	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A8	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160A9	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AB	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AC	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AD	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AF	PX	BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AJ	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160AK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J2	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J5	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J8	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160J9	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JB	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JC	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JD	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JF	PX	BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JJ	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160JK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K2	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K5	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K8	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160K9	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KB	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KC	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KD	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KF	PX	BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KJ	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160KK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z2	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z5	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z8	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160Z9	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZB	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZC	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZD	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZF	PX	BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZJ	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03160ZK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031709D	PX	BYPASS RIGHT BRACHIAL ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031709F	PX	BYPASS RIGHT BRACHIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170A0	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170A3	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170AD	PX	BYPASS RIGHT BRACHIAL ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170AF	PX	BYPASS RIGHT BRACHIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170J0	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170J3	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170JD	PX	BYPASS RIGHT BRACHIAL ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170JF	PX	BYPASS RIGHT BRACHIAL ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170K0	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170K3	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170KD	PX	BYPASS RIGHT BRACHIAL ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170KF	PX	BYPASS RIGHT BRACHIAL ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170Z0	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170Z3	PX	BYPASS RIGHT BRACHIAL ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170ZD	PX	BYPASS RIGHT BRACHIAL ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03170ZF	PX	BYPASS RIGHT BRACHIAL ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031809D	PX	BYPASS LEFT BRACHIAL ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031809F	PX	BYPASS LEFT BRACHIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180A1	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180A4	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180AD	PX	BYPASS LEFT BRACHIAL ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180AF	PX	BYPASS LEFT BRACHIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180J1	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT UPPER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180J4	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180JD	PX	BYPASS LEFT BRACHIAL ARTERY TO UPPER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180JF	PX	BYPASS LEFT BRACHIAL ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180K1	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180K4	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180KD	PX	BYPASS LEFT BRACHIAL ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180KF	PX	BYPASS LEFT BRACHIAL ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180Z1	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180Z4	PX	BYPASS LEFT BRACHIAL ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180ZD	PX	BYPASS LEFT BRACHIAL ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03180ZF	PX	BYPASS LEFT BRACHIAL ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190F9	PX	BYPASS RIGHT ULNAR ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190A3	PX	BYPASS RIGHT ULNAR ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190AF	PX	BYPASS RIGHT ULNAR ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190J3	PX	BYPASS RIGHT ULNAR ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190JF	PX	BYPASS RIGHT ULNAR ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190K3	PX	BYPASS RIGHT ULNAR ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190KF	PX	BYPASS RIGHT ULNAR ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190Z3	PX	BYPASS RIGHT ULNAR ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03190ZF	PX	BYPASS RIGHT ULNAR ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A094	PX	BYPASS LEFT ULNAR ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A09F	PX	BYPASS LEFT ULNAR ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0A4	PX	BYPASS LEFT ULNAR ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0AF	PX	BYPASS LEFT ULNAR ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0J4	PX	BYPASS LEFT ULNAR ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0JF	PX	BYPASS LEFT ULNAR ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0K4	PX	BYPASS LEFT ULNAR ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0KF	PX	BYPASS LEFT ULNAR ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0Z4	PX	BYPASS LEFT ULNAR ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031A0ZF	PX	BYPASS LEFT ULNAR ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B093	PX	BYPASS RIGHT RADIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B09F	PX	BYPASS RIGHT RADIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0A3	PX	BYPASS RIGHT RADIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0AF	PX	BYPASS RIGHT RADIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0J3	PX	BYPASS RIGHT RADIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0JF	PX	BYPASS RIGHT RADIAL ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0K3	PX	BYPASS RIGHT RADIAL ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0KF	PX	BYPASS RIGHT RADIAL ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0Z3	PX	BYPASS RIGHT RADIAL ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031B0ZF	PX	BYPASS RIGHT RADIAL ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C094	PX	BYPASS LEFT RADIAL ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C09F	PX	BYPASS LEFT RADIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0A4	PX	BYPASS LEFT RADIAL ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0AF	PX	BYPASS LEFT RADIAL ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0J4	PX	BYPASS LEFT RADIAL ARTERY TO LEFT LOWER ARM ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0JF	PX	BYPASS LEFT RADIAL ARTERY TO LOWER ARM VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0K4	PX	BYPASS LEFT RADIAL ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0KF	PX	BYPASS LEFT RADIAL ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0Z4	PX	BYPASS LEFT RADIAL ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031C0ZF	PX	BYPASS LEFT RADIAL ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031G09G	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031G0AG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031G0JG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031G0KG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031G0ZG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031H09J	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031H0AJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031H0JJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031H0KJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031H0ZJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031J09K	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031J0AK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031J0JK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031J0KK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031J0ZK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031K09J	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031K0AJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031K0JJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031K0KJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031K0ZJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031L09K	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031L0AK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031L0JK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031L0KK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031L0ZK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031M09J	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031M0AJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031M0JJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031M0KJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031M0ZJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031N09K	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031N0AK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031N0JK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031N0KK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	031N0ZK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B00ZZ	PX	EXCISION OF RIGHT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B04ZZ	PX	EXCISION OF RIGHT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B10ZZ	PX	EXCISION OF LEFT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B14ZZ	PX	EXCISION OF LEFT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B20ZZ	PX	EXCISION OF INNOMINATE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B24ZZ	PX	EXCISION OF INNOMINATE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B30ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B34ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B40ZZ	PX	EXCISION OF LEFT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03B44ZZ	PX	EXCISION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03C23ZZ	PX	EXTIRPATION OF MATTER FROM INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03C33ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03C43ZZ	PX	EXTIRPATION OF MATTER FROM LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03L23ZZ	PX	OCCLUSION OF INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03L33ZZ	PX	OCCLUSION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03L43ZZ	PX	OCCLUSION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LH3ZZ	PX	OCCLUSION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LJ3ZZ	PX	OCCLUSION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LK3ZZ	PX	OCCLUSION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LL3ZZ	PX	OCCLUSION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LM3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03LN3ZZ	PX	OCCLUSION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R147Z	PX	REPLACEMENT OF LEFT INTERNAL MAMMARY ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R14JZ	PX	REPLACEMENT OF LEFT INTERNAL MAMMARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R14KZ	PX	REPLACEMENT OF LEFT INTERNAL MAMMARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R207Z	PX	REPLACEMENT OF INNOMINATE ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R20JZ	PX	REPLACEMENT OF INNOMINATE ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R20KZ	PX	REPLACEMENT OF INNOMINATE ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R247Z	PX	REPLACEMENT OF INNOMINATE ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R24JZ	PX	REPLACEMENT OF INNOMINATE ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R24KZ	PX	REPLACEMENT OF INNOMINATE ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R307Z	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R30JZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R30KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R347Z	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R34JZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R34KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R407Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R40JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R40KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R447Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R44JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03R44KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V00ZZ	PX	RESTRICTION OF RIGHT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V04ZZ	PX	RESTRICTION OF RIGHT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V10ZZ	PX	RESTRICTION OF LEFT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V14ZZ	PX	RESTRICTION OF LEFT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V20DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V20ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V23DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V23ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V24DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V24ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V30DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V30ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V33DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V33ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V34DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V34ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V40DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V40ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V43DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V43ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V44DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V44ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V50ZZ	PX	RESTRICTION OF RIGHT AXILLARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V54ZZ	PX	RESTRICTION OF RIGHT AXILLARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V60ZZ	PX	RESTRICTION OF LEFT AXILLARY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V64ZZ	PX	RESTRICTION OF LEFT AXILLARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V70ZZ	PX	RESTRICTION OF RIGHT BRACHIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V74ZZ	PX	RESTRICTION OF RIGHT BRACHIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V80ZZ	PX	RESTRICTION OF LEFT BRACHIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V84ZZ	PX	RESTRICTION OF LEFT BRACHIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V90ZZ	PX	RESTRICTION OF RIGHT ULNAR ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03V94ZZ	PX	RESTRICTION OF RIGHT ULNAR ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VA0ZZ	PX	RESTRICTION OF LEFT ULNAR ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VA4ZZ	PX	RESTRICTION OF LEFT ULNAR ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VB0ZZ	PX	RESTRICTION OF RIGHT RADIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VB4ZZ	PX	RESTRICTION OF RIGHT RADIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VC0ZZ	PX	RESTRICTION OF LEFT RADIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VC4ZZ	PX	RESTRICTION OF LEFT RADIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VD0ZZ	PX	RESTRICTION OF RIGHT HAND ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VD4ZZ	PX	RESTRICTION OF RIGHT HAND ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VF0ZZ	PX	RESTRICTION OF LEFT HAND ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VF4ZZ	PX	RESTRICTION OF LEFT HAND ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VG0ZZ	PX	RESTRICTION OF INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VG4ZZ	PX	RESTRICTION OF INTRACRANIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VH0ZZ	PX	RESTRICTION OF RIGHT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VH4ZZ	PX	RESTRICTION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VJ0ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VJ3ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VJ4ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VK0ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VK3ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VK4ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VL0ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VL3ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VL4ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VM0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VM3ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VM4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VN0ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VN3ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VN4ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VP0ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VP4ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VQ0ZZ	PX	RESTRICTION OF LEFT VERTEBRAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VQ4ZZ	PX	RESTRICTION OF LEFT VERTEBRAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VR0ZZ	PX	RESTRICTION OF FACE ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VR4ZZ	PX	RESTRICTION OF FACE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VS0ZZ	PX	RESTRICTION OF RIGHT TEMPORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VS4ZZ	PX	RESTRICTION OF RIGHT TEMPORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VT0ZZ	PX	RESTRICTION OF LEFT TEMPORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VT4ZZ	PX	RESTRICTION OF LEFT TEMPORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VU0ZZ	PX	RESTRICTION OF RIGHT THYROID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VU4ZZ	PX	RESTRICTION OF RIGHT THYROID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VV0ZZ	PX	RESTRICTION OF LEFT THYROID ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VV4ZZ	PX	RESTRICTION OF LEFT THYROID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VY0ZZ	PX	RESTRICTION OF UPPER ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	03VY4ZZ	PX	RESTRICTION OF UPPER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009G	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009H	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009J	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009K	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009Q	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041009R	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100A6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100A7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100A8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100A9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100AR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100J6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100J7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100J8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100J9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100JR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100K6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100K7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100K8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100K9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100KR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100Z6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100Z7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100Z8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100Z9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04100ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049G	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049H	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049J	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049K	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049Q	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041049R	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104A6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104A7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104A8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104A9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104AR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104J6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104J7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104J8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104J9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104JR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104K6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104K7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104K8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104K9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104KR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104Z6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104Z7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104Z8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104Z9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04104ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C09H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C09J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C09K	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0AH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0AJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0AK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0JH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0JJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0JK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0KH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0KJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0KK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0ZH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0ZJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C0ZK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C49H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C49J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C49K	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4AH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4AJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4AK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4JH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4JJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4JK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4KH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4KJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4KK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4ZH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4ZJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041C4ZK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D09H	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D09J	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D09K	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0AH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0AJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0AK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0JH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0JJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0JK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0KH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0KJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0KK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0ZH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D0ZK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D49H	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D49J	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D49K	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4AH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4AJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4AK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4JH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4JJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4JK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4KH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4KJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4KK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4ZH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041D4ZK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E09H	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E09J	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E09K	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0AH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0AJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0AK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0JH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0JJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0JK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0KH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0KJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0KK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0ZH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0ZJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E0ZK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E49H	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E49J	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E49K	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4AH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4AJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4AK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4JH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4JJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4JK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4KH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4KJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4KK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4ZH	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4ZJ	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041E4ZK	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F09H	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F09J	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F09K	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0AH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0AJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0AK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0JH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0JJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0JK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0KH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0KJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0KK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0ZH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0ZJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F0ZK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F49H	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F49J	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F49K	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4AH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4AJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4AK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4JH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4JJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4JK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4KH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4KJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4KK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4ZH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4ZJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041F4ZK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H09H	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H09J	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H09K	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0AH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0AJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0AK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0JH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0JJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0JK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0KH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0KJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0KK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0ZH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0ZJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H0ZK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H49H	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H49J	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H49K	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4AH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4AJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4AK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4JH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4JJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4JK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4KH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4KJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4KK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4ZH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4ZJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041H4ZK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J09H	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J09J	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J09K	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0AH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0AJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0AK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0JH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0JJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0JK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0KH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0KJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0KK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0ZH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0ZJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J0ZK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J49H	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J49J	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J49K	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4AH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4AJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4AK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4JH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4JJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4JK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4KH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4KJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4KK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4ZH	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4ZJ	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041J4ZK	PX	BYPASS LEFT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K09S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0AS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0JS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0KS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K0ZS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K49S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4AS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4JS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4KS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041K4ZS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09H	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09J	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09K	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09L	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09M	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09N	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09P	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09Q	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L09S	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0AS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0JS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0KS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L0ZS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49H	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49J	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49K	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49L	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49M	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49N	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49P	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49Q	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L49S	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4AS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4JS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4KS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041L4ZS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M09L	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M09M	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M09P	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M09Q	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M09S	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0AL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0AM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0AP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0AQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0AS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0JL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0JM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0JP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0JQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0JS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0KL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0KM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0KP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0KQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0KS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0ZL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0ZM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0ZP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0ZQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M0ZS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M49L	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M49M	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M49P	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M49Q	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M49S	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4AL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4AM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4AP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4AQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4AS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4JL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4JM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4JP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4JQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4JS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4KL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4KM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4KP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4KQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4KS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4ZL	PX	BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4ZM	PX	BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4ZP	PX	BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4ZQ	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041M4ZS	PX	BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N09L	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N09M	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N09P	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N09Q	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N09S	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0AL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0AM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0AP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0AQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0AS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0JL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0JM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0JP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0JQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0JS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0KL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0KM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0KP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0KQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0KS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0ZL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0ZM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0ZP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0ZQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N0ZS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N49L	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N49M	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N49P	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N49Q	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N49S	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4AL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4AM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4AP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4AQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4AS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4JL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4JM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4JP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4JQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4JS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4KL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4KM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4KP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4KQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4KS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4ZL	PX	BYPASS LEFT POPLITEAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4ZM	PX	BYPASS LEFT POPLITEAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4ZP	PX	BYPASS LEFT POPLITEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4ZQ	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041N4ZS	PX	BYPASS LEFT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T09P	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T09Q	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T09S	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0AP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0AQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0AS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0JP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0JQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0JS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0KP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0KQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0KS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0ZP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0ZQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T0ZS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T49P	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T49Q	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T49S	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4AP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4AQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4AS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4JP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4JQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4JS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4KP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4KQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4KS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4ZP	PX	BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4ZQ	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041T4ZS	PX	BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U09P	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U09Q	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U09S	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0AP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0AQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0AS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0JP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0JQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0JS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0KP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0KQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0KS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0ZP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0ZQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U0ZS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U49P	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U49Q	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U49S	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4AP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4AQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4AS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4JP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4JQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4JS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4KP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4KQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4KS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4ZP	PX	BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4ZQ	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041U4ZS	PX	BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V09P	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V09Q	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V09S	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0AP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0AQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0AS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0JP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0JQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0JS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0KP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0KQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0KS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0ZP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0ZQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V0ZS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V49P	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V49Q	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V49S	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4AP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4AQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4AS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4JP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4JQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4JS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4KP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4KQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4KS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4ZP	PX	BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4ZQ	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041V4ZS	PX	BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W09P	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W09Q	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W09S	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0AP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0AQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0AS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0JP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0JQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0JS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0KP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0KQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0KS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0ZP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0ZQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W0ZS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W49P	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W49Q	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W49S	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4AP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4AQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4AS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4JP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4JQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4JS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4KP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4KQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4KS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4ZP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4ZQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	041W4ZS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04500ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04503ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04504ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B00ZZ	PX	EXCISION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B03ZZ	PX	EXCISION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B04ZZ	PX	EXCISION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B10ZZ	PX	EXCISION OF CELIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B14ZZ	PX	EXCISION OF CELIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B20ZZ	PX	EXCISION OF GASTRIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B24ZZ	PX	EXCISION OF GASTRIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B30ZZ	PX	EXCISION OF HEPATIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B34ZZ	PX	EXCISION OF HEPATIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B40ZZ	PX	EXCISION OF SPLENIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B44ZZ	PX	EXCISION OF SPLENIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B50ZZ	PX	EXCISION OF SUPERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B54ZZ	PX	EXCISION OF SUPERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B60ZZ	PX	EXCISION OF RIGHT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B64ZZ	PX	EXCISION OF RIGHT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B70ZZ	PX	EXCISION OF LEFT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B74ZZ	PX	EXCISION OF LEFT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B80ZZ	PX	EXCISION OF MIDDLE COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B84ZZ	PX	EXCISION OF MIDDLE COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B90ZZ	PX	EXCISION OF RIGHT RENAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04B94ZZ	PX	EXCISION OF RIGHT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BA0ZZ	PX	EXCISION OF LEFT RENAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BA4ZZ	PX	EXCISION OF LEFT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BB0ZZ	PX	EXCISION OF INFERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BB4ZZ	PX	EXCISION OF INFERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BC0ZZ	PX	EXCISION OF RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BC4ZZ	PX	EXCISION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BD0ZZ	PX	EXCISION OF LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BD4ZZ	PX	EXCISION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BE0ZZ	PX	EXCISION OF RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BE4ZZ	PX	EXCISION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BF0ZZ	PX	EXCISION OF LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BF4ZZ	PX	EXCISION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BH0ZZ	PX	EXCISION OF RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BH4ZZ	PX	EXCISION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BJ0ZZ	PX	EXCISION OF LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BJ4ZZ	PX	EXCISION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BK0ZZ	PX	EXCISION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BK4ZZ	PX	EXCISION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BL0ZZ	PX	EXCISION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BL4ZZ	PX	EXCISION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BM0ZZ	PX	EXCISION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BM4ZZ	PX	EXCISION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BN0ZZ	PX	EXCISION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	13.1	04BN4ZZ	PX	EXCISION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BP0ZZ	PX	EXCISION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BP4ZZ	PX	EXCISION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BQ0ZZ	PX	EXCISION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BQ4ZZ	PX	EXCISION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BR0ZZ	PX	EXCISION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BR4ZZ	PX	EXCISION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BS0ZZ	PX	EXCISION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BS4ZZ	PX	EXCISION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BT0ZZ	PX	EXCISION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BT4ZZ	PX	EXCISION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BU0ZZ	PX	EXCISION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BU4ZZ	PX	EXCISION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BV0ZZ	PX	EXCISION OF RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BV4ZZ	PX	EXCISION OF RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BW0ZZ	PX	EXCISION OF LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BW4ZZ	PX	EXCISION OF LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BY0ZZ	PX	EXCISION OF LOWER ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04BY4ZZ	PX	EXCISION OF LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04C03ZZ	PX	EXTIRPATION OF MATTER FROM ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CC3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CD3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CE3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CF3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CH3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CJ3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04L03ZZ	PX	OCCLUSION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LC0DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LC3DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LC3ZZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LC4DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LD0DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LD3DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LD3ZZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LD4DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LE0DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LE3DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LE3ZZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LE4DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LF0DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LF3DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LF3ZZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LF4DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LH0DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LH3DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LH3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LH4DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LJ0DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LJ3DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LJ3ZZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LJ4DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK0CZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK0DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK0ZZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK3CZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK3DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK3ZZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK4CZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK4DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LK4ZZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL0CZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL0DZ	PX		ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL0ZZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL3CZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL3DZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL3ZZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL4CZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL4DZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LL4ZZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM0CZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM0DZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM0ZZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM3CZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM3DZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM3ZZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM4CZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM4DZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LM4ZZ	PX	OCCLUSION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN0CZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN0DZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN0ZZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN3CZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN3DZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN3ZZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN4CZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN4DZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LN4ZZ	PX	OCCLUSION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP0CZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP0DZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP0ZZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP3CZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP3DZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP3ZZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP4CZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP4DZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LP4ZZ	PX	OCCLUSION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ0CZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ0DZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ0ZZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ3CZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ3DZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ3ZZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ4CZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ4DZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LQ4ZZ	PX	OCCLUSION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR0CZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR0DZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR0ZZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR3CZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR3DZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR3ZZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR4CZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR4DZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LR4ZZ	PX	OCCLUSION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS0CZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS0DZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS0ZZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS3CZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS3DZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS3ZZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS4CZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS4DZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LS4ZZ	PX	OCCLUSION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT0CZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT0DZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT0ZZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT3CZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT3DZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT3ZZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT4CZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT4DZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LT4ZZ	PX	OCCLUSION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU0CZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU0DZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU0ZZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU3CZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU3DZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU3ZZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU4CZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU4DZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LU4ZZ	PX	OCCLUSION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV0CZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV0DZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV0ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV3CZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV3DZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV3ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV4CZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV4DZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LV4ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW0CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW0DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW0ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW3CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW3DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW3ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW4CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW4DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04LW4ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R007Z	PX	REPLACEMENT OF ABDOMINAL AORTA WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R00JZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R00KZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R047Z	PX	REPLACEMENT OF ABDOMINAL AORTA WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R04JZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04R04KZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RK07Z	PX	REPLACEMENT OF RIGHT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RK0JZ	PX	REPLACEMENT OF RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RK0KZ	PX	REPLACEMENT OF RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RK47Z	PX	REPLACEMENT OF RIGHT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RK4JZ	PX	REPLACEMENT OF RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL07Z	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL0JZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL0KZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL47Z	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL4JZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RL4KZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM07Z	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM0JZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM0KZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM47Z	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM4JZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RM4KZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN07Z	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN0JZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN0KZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN47Z	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN4JZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RN4KZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP07Z	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP0JZ	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP0KZ	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP47Z	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP4JZ	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RP4KZ	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ07Z	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ0JZ	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ0KZ	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ47Z	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ4JZ	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RQ4KZ	PX	REPLACEMENT OF LEFT ANTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR07Z	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR0JZ	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR0KZ	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR47Z	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR4JZ	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RR4KZ	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS07Z	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS0JZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS0KZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS47Z	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS4JZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RS4KZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT07Z	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT0JZ	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT0KZ	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT47Z	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT4JZ	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RT4KZ	PX	REPLACEMENT OF RIGHT PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU07Z	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU0JZ	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU0KZ	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU47Z	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU4JZ	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RU4KZ	PX	REPLACEMENT OF LEFT PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV07Z	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV0JZ	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV0KZ	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV47Z	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV4JZ	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RV4KZ	PX	REPLACEMENT OF RIGHT FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW07Z	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW0JZ	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW0KZ	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW47Z	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW4JZ	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RW4KZ	PX	REPLACEMENT OF LEFT FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY07Z	PX	REPLACEMENT OF LOWER ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY0JZ	PX	REPLACEMENT OF LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY0KZ	PX	REPLACEMENT OF LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY47Z	PX	REPLACEMENT OF LOWER ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY4JZ	PX	REPLACEMENT OF LOWER ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04RY4KZ	PX	REPLACEMENT OF LOWER ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V00ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V03ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V04ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V10ZZ	PX	RESTRICTION OF CELIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V14ZZ	PX	RESTRICTION OF CELIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V20ZZ	PX	RESTRICTION OF GASTRIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V24ZZ	PX	RESTRICTION OF GASTRIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V30ZZ	PX	RESTRICTION OF HEPATIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V34ZZ	PX	RESTRICTION OF HEPATIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V40ZZ	PX	RESTRICTION OF SPLENIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V44ZZ	PX	RESTRICTION OF SPLENIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V50ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V54ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V60ZZ	PX	RESTRICTION OF RIGHT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V64ZZ	PX	RESTRICTION OF RIGHT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V70ZZ	PX	RESTRICTION OF LEFT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V74ZZ	PX	RESTRICTION OF LEFT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V80ZZ	PX	RESTRICTION OF MIDDLE COLIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V84ZZ	PX	RESTRICTION OF MIDDLE COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V90ZZ	PX	RESTRICTION OF RIGHT RENAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04V94ZZ	PX	RESTRICTION OF RIGHT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VA0ZZ	PX	RESTRICTION OF LEFT RENAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VA4ZZ	PX	RESTRICTION OF LEFT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VB0ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VB4ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC0DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC0EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC0ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC3DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC3EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC3ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC4DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC4EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VC4ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD0DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD0EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD0ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD3DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD3EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD3ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD4DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD4EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VD4ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VE0ZZ	PX	RESTRICTION OF RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VE4ZZ	PX	RESTRICTION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VF0ZZ	PX	RESTRICTION OF LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VF4ZZ	PX	RESTRICTION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VH0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VH4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VJ0ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VJ4ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK0DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK0ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK3DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK3ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK4DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VK4ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL0DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL0ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL3DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL3ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL4DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VL4ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VM0ZZ	PX	RESTRICTION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VM4ZZ	PX	RESTRICTION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VN0ZZ	PX	RESTRICTION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VN4ZZ	PX	RESTRICTION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VP0ZZ	PX	RESTRICTION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VP4ZZ	PX	RESTRICTION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VQ0ZZ	PX	RESTRICTION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VQ4ZZ	PX	RESTRICTION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VR0ZZ	PX	RESTRICTION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VR4ZZ	PX	RESTRICTION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VS0ZZ	PX	RESTRICTION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VS4ZZ	PX	RESTRICTION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VT0ZZ	PX	RESTRICTION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VT4ZZ	PX	RESTRICTION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VU0ZZ	PX	RESTRICTION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VU4ZZ	PX	RESTRICTION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VY0ZZ	PX	RESTRICTION OF LOWER ARTERY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	04VY4ZZ	PX	RESTRICTION OF LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051707Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051709Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05170AY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05170JY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05170KY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05170ZY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051747Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051749Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05174AY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05174JY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05174KY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05174ZY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051807Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051809Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05180AY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05180JY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05180KY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05180ZY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051847Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051849Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05184AY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05184JY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05184KY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05184ZY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051907Y	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051909Y	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05190AY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05190JY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05190KY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05190ZY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051947Y	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051949Y	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05194AY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05194JY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05194KY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05194ZY	PX	BYPASS RIGHT BRACHIAL VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A07Y	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A09Y	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A0AY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A0JY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A0KY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A0ZY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A47Y	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A49Y	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A4AY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A4JY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A4KY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051A4ZY	PX	BYPASS LEFT BRACHIAL VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B07Y	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B09Y	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B0AY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B0JY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B0KY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B0ZY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B47Y	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B49Y	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B4AY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B4JY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B4KY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051B4ZY	PX	BYPASS RIGHT BASILIC VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C07Y	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C09Y	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C0AY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C0JY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C0KY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C0ZY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C47Y	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C49Y	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C4AY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C4JY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C4KY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051C4ZY	PX	BYPASS LEFT BASILIC VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D07Y	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D09Y	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D0AY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D0JY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D0KY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D0ZY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D47Y	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D49Y	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D4AY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D4JY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D4KY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051D4ZY	PX	BYPASS RIGHT CEPHALIC VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F07Y	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F09Y	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F0AY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F0JY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F0KY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F0ZY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F47Y	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F49Y	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F4AY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F4JY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F4KY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051F4ZY	PX	BYPASS LEFT CEPHALIC VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G07Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G09Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G0AY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G0JY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G0KY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G0ZY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G47Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G49Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G4AY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G4JY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G4KY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051G4ZY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H07Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H09Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H0AY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H0JY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H0KY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H0ZY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H47Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H49Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H4AY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H4JY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H4KY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051H4ZY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L07Y	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L09Y	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L0AY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L0JY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L0KY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L0ZY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L47Y	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L49Y	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L4AY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L4JY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L4KY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051L4ZY	PX	BYPASS INTRACRANIAL VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M07Y	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M09Y	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M0AY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M0JY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M0KY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M0ZY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M47Y	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M49Y	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M4AY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M4JY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M4KY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051M4ZY	PX	BYPASS RIGHT INTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N07Y	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N09Y	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N0AY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N0JY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N0KY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N0ZY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N47Y	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N49Y	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N4AY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N4JY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N4KY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051N4ZY	PX	BYPASS LEFT INTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P07Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P09Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P0AY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P0JY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P0KY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P0ZY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P47Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P49Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P4AY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P4JY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P4KY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051P4ZY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q07Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q09Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q0AY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q0JY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q0KY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q0ZY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q47Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q49Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q4AY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q4JY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q4KY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051Q4ZY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R07Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R09Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R0AY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R0JY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R0KY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R0ZY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R47Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R49Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R4AY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R4JY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R4KY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051R4ZY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S07Y	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S09Y	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S0AY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S0JY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S0KY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S0ZY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S47Y	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S49Y	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S4AY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S4JY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S4KY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051S4ZY	PX	BYPASS LEFT VERTEBRAL VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T07Y	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T09Y	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T0AY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T0JY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T0KY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T0ZY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T47Y	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T49Y	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T4AY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T4JY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T4KY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051T4ZY	PX	BYPASS RIGHT FACE VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V07Y	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V09Y	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V0AY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V0JY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V0KY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V0ZY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V47Y	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V49Y	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V4AY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V4JY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V4KY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	051V4ZY	PX	BYPASS LEFT FACE VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B00ZZ	PX	EXCISION OF AZYGOS VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B04ZZ	PX	EXCISION OF AZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B10ZZ	PX	EXCISION OF HEMIAZYGOS VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B14ZZ	PX	EXCISION OF HEMIAZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B30ZZ	PX	EXCISION OF RIGHT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B34ZZ	PX	EXCISION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B40ZZ	PX	EXCISION OF LEFT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B44ZZ	PX	EXCISION OF LEFT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B50ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B54ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B60ZZ	PX	EXCISION OF LEFT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05B64ZZ	PX	EXCISION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05C33ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05C43ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05C53ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05C63ZZ	PX	EXTIRPATION OF MATTER FROM LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05L33ZZ	PX	OCCLUSION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05L43ZZ	PX	OCCLUSION OF LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05L53ZZ	PX	OCCLUSION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05L63ZZ	PX	OCCLUSION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R007Z	PX	REPLACEMENT OF AZYGOS VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R00JZ	PX	REPLACEMENT OF AZYGOS VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R00KZ	PX	REPLACEMENT OF AZYGOS VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R047Z	PX	REPLACEMENT OF AZYGOS VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R04JZ	PX	REPLACEMENT OF AZYGOS VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R04KZ	PX	REPLACEMENT OF AZYGOS VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R107Z	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R10JZ	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R10KZ	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R147Z	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R14JZ	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R14KZ	PX	REPLACEMENT OF HEMIAZYGOS VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R307Z	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R30JZ	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R30KZ	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R347Z	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R34JZ	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R34KZ	PX	REPLACEMENT OF RIGHT INNOMINATE VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R407Z	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R40JZ	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R40KZ	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R447Z	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R44JZ	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R44KZ	PX	REPLACEMENT OF LEFT INNOMINATE VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R507Z	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R50JZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R50KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R547Z	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R54JZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R54KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R607Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R60JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R60KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R647Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R64JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05R64KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V00ZZ	PX	RESTRICTION OF AZYGOS VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V04ZZ	PX	RESTRICTION OF AZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V10ZZ	PX	RESTRICTION OF HEMIAZYGOS VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V14ZZ	PX	RESTRICTION OF HEMIAZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V30DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V30ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V33DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V33ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V34DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V34ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V40DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V40ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V43DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V43ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V44DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V44ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V50DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V50ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V53DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V53ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V54DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V54ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V60DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V60ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V63DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V63ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V64DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V64ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V70ZZ	PX	RESTRICTION OF RIGHT AXILLARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V74ZZ	PX	RESTRICTION OF RIGHT AXILLARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V80ZZ	PX	RESTRICTION OF LEFT AXILLARY VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V84ZZ	PX	RESTRICTION OF LEFT AXILLARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V90ZZ	PX	RESTRICTION OF RIGHT BRACHIAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05V94ZZ	PX	RESTRICTION OF RIGHT BRACHIAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VA0ZZ	PX	RESTRICTION OF LEFT BRACHIAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VA4ZZ	PX	RESTRICTION OF LEFT BRACHIAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VB0ZZ	PX	RESTRICTION OF RIGHT BASILIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VB4ZZ	PX	RESTRICTION OF RIGHT BASILIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VC0ZZ	PX	RESTRICTION OF LEFT BASILIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VC4ZZ	PX	RESTRICTION OF LEFT BASILIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VD0ZZ	PX	RESTRICTION OF RIGHT CEPHALIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VD4ZZ	PX	RESTRICTION OF RIGHT CEPHALIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VF0ZZ	PX	RESTRICTION OF LEFT CEPHALIC VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VF4ZZ	PX	RESTRICTION OF LEFT CEPHALIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VL0ZZ	PX	RESTRICTION OF INTRACRANIAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VL4ZZ	PX	RESTRICTION OF INTRACRANIAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VM0ZZ	PX	RESTRICTION OF RIGHT INTERNAL JUGULAR VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VM4ZZ	PX	RESTRICTION OF RIGHT INTERNAL JUGULAR VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VN0ZZ	PX	RESTRICTION OF LEFT INTERNAL JUGULAR VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VN4ZZ	PX	RESTRICTION OF LEFT INTERNAL JUGULAR VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VP0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL JUGULAR VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VP4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL JUGULAR VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VQ0ZZ	PX	RESTRICTION OF LEFT EXTERNAL JUGULAR VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VQ4ZZ	PX	RESTRICTION OF LEFT EXTERNAL JUGULAR VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VR0ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VR4ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VS0ZZ	PX	RESTRICTION OF LEFT VERTEBRAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VS4ZZ	PX	RESTRICTION OF LEFT VERTEBRAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VT0ZZ	PX	RESTRICTION OF RIGHT FACE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VT4ZZ	PX	RESTRICTION OF RIGHT FACE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VV0ZZ	PX	RESTRICTION OF LEFT FACE VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VV4ZZ	PX	RESTRICTION OF LEFT FACE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VY0DZ	PX	RESTRICTION OF UPPER VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VY0ZZ	PX	RESTRICTION OF UPPER VEIN, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VY4DZ	PX	RESTRICTION OF UPPER VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	05VY4ZZ	PX	RESTRICTION OF UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061307Y	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061309Y	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06130AY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06130JY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06130KY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06130ZY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061347Y	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061349Y	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06134AY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06134JY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06134KY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06134ZY	PX	BYPASS ESOPHAGEAL VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C07Y	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C09Y	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C0AY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C0JY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C0KY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C0ZY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C47Y	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C49Y	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C4AY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C4JY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C4KY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061C4ZY	PX	BYPASS RIGHT COMMON ILIAC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D07Y	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D09Y	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D0AY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D0JY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D0KY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D0ZY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D47Y	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D49Y	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D4AY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D4JY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D4KY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061D4ZY	PX	BYPASS LEFT COMMON ILIAC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F07Y	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F09Y	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F0AY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F0JY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F0KY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F0ZY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F47Y	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F49Y	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F4AY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F4JY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F4KY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061F4ZY	PX	BYPASS RIGHT EXTERNAL ILIAC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G07Y	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G09Y	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G0AY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G0JY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G0KY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G0ZY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G47Y	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G49Y	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G4AY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G4JY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G4KY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061G4ZY	PX	BYPASS LEFT EXTERNAL ILIAC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H07Y	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H09Y	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H0AY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H0JY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H0KY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H0ZY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H47Y	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H49Y	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H4AY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H4JY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H4KY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061H4ZY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M07Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M09Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M0AY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M0JY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M0KY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M0ZY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M47Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M49Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M4AY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M4JY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M4KY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061M4ZY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N07Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N09Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N0AY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N0JY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N0KY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N0ZY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N47Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N49Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N4AY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N4JY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N4KY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061N4ZY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P07Y	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P09Y	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P0AY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P0JY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P0KY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P0ZY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P47Y	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P49Y	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P4AY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P4JY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P4KY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061P4ZY	PX	BYPASS RIGHT SAPHENOUS VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q07Y	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q09Y	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q0AY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q0JY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q0KY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q0ZY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q47Y	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q49Y	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q4AY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q4JY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q4KY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061Q4ZY	PX	BYPASS LEFT SAPHENOUS VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T07Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T09Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T0AY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T0JY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T0KY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T0ZY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T47Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T49Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T4AY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T4JY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T4KY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061T4ZY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V07Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V09Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V0AY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V0JY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V0KY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V0ZY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V47Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V49Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V4AY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V4JY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V4KY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	061V4ZY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06C03ZZ	PX	EXTIRPATION OF MATTER FROM INFERIOR VENA CAVA, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CC3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CD3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CF3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CG3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CM3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06CN3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LC0DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LC3DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LC3ZZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LC4DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LD0DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LD3DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LD3ZZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LD4DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LF0DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LF3DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LF3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LF4DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LG0DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LG3DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LG3ZZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LG4DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LM0DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LM3DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LM3ZZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LM4DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LN0DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LN3DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LN3ZZ	PX	OCCLUSION OF LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06LN4DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V10ZZ	PX	RESTRICTION OF SPLENIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V14ZZ	PX	RESTRICTION OF SPLENIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V20ZZ	PX	RESTRICTION OF GASTRIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V24ZZ	PX	RESTRICTION OF GASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V30ZZ	PX	RESTRICTION OF ESOPHAGEAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V34ZZ	PX	RESTRICTION OF ESOPHAGEAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V40ZZ	PX	RESTRICTION OF HEPATIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V44ZZ	PX	RESTRICTION OF HEPATIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V50ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V54ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V60ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V64ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V70ZZ	PX	RESTRICTION OF COLIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V74ZZ	PX	RESTRICTION OF COLIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V80ZZ	PX	RESTRICTION OF PORTAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V84ZZ	PX	RESTRICTION OF PORTAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V90ZZ	PX	RESTRICTION OF RIGHT RENAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06V94ZZ	PX	RESTRICTION OF RIGHT RENAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VB0ZZ	PX	RESTRICTION OF LEFT RENAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VB4ZZ	PX	RESTRICTION OF LEFT RENAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC0DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC0ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC3DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC3ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC4DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VC4ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD0DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD0ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD3DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD3ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD4DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VD4ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF0DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF3DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF3ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF4DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VF4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG0DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG0ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG3DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG3ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG4DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VG4ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VH0ZZ	PX	RESTRICTION OF RIGHT HYPOGASTRIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VH4ZZ	PX	RESTRICTION OF RIGHT HYPOGASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VJ0ZZ	PX	RESTRICTION OF LEFT HYPOGASTRIC VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VJ4ZZ	PX	RESTRICTION OF LEFT HYPOGASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM0DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM0ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM3DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM3ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM4DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VM4ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN0DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN0ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN3DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN3ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN4DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VN4ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VP0ZZ	PX	RESTRICTION OF RIGHT SAPHENOUS VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VP4ZZ	PX	RESTRICTION OF RIGHT SAPHENOUS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VQ0ZZ	PX	RESTRICTION OF LEFT SAPHENOUS VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VQ4ZZ	PX	RESTRICTION OF LEFT SAPHENOUS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VT0ZZ	PX	RESTRICTION OF RIGHT FOOT VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VT4ZZ	PX	RESTRICTION OF RIGHT FOOT VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VV0ZZ	PX	RESTRICTION OF LEFT FOOT VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VV4ZZ	PX	RESTRICTION OF LEFT FOOT VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VY0DZ	PX	RESTRICTION OF LOWER VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VY0ZZ	PX	RESTRICTION OF LOWER VEIN, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VY4DZ	PX	RESTRICTION OF LOWER VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	06VY4ZZ	PX	RESTRICTION OF LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYC0Z0	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYC0Z1	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYC0Z2	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYD0Z0	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYD0Z1	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYD0Z2	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYF0Z0	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYF0Z1	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYF0Z2	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYG0Z0	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYG0Z1	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYG0Z2	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYH0Z0	PX	TRANSPLANTATION OF LUNG LINGULA, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYH0Z1	PX	TRANSPLANTATION OF LUNG LINGULA, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYH0Z2	PX	TRANSPLANTATION OF LUNG LINGULA, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYJ0Z0	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYJ0Z1	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYJ0Z2	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYK0Z0	PX	TRANSPLANTATION OF RIGHT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYK0Z1	PX	TRANSPLANTATION OF RIGHT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYK0Z2	PX	TRANSPLANTATION OF RIGHT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYL0Z0	PX	TRANSPLANTATION OF LEFT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYL0Z1	PX	TRANSPLANTATION OF LEFT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYL0Z2	PX	TRANSPLANTATION OF LEFT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYM0Z0	PX	TRANSPLANTATION OF BILATERAL LUNGS, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYM0Z1	PX	TRANSPLANTATION OF BILATERAL LUNGS, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0BYM0Z2	PX	TRANSPLANTATION OF BILATERAL LUNGS, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9C30Z	PX	DRAINAGE OF MEDIASTINUM WITH DRAINAGE DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9C3ZZ	PX	DRAINAGE OF MEDIASTINUM, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D00Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D0ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, OPEN APPROACH, DIAGNOSTIC	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D0ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D30Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D3ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS APPROACH, DIAGNOSTIC	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D3ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D40Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D4ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH, DIAGNOSTIC	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0W9D4ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0WCD0ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, OPEN APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0WCD3ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0WCD4ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A02110	PX	ASSISTANCE WITH CARDIAC OUTPUT USING BALLOON PUMP, INTERMITTENT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A02116	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, INTERMITTENT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A0211D	PX	ASSISTANCE WITH CARDIAC OUTPUT USING IMPELLER PUMP, INTERMITTENT	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A02210	PX	ASSISTANCE WITH CARDIAC OUTPUT USING BALLOON PUMP, CONTINUOUS	ICD-10-CM

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A02216	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	5A0221D	PX	ASSISTANCE WITH CARDIAC OUTPUT USING IMPELLER PUMP, CONTINUOUS	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	X2RF032	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, OPEN APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	X2RF332	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	X2RF432	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS ENDOSCOPIC APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0257T	PX	IMPLANTATION OF CATHETER-DELIVERED PROSTHETIC AORTIC HEART VALVE; OPEN THORACIC APPROACH (EG, TRANSAPICAL, TRANSVENTRICULAR)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0258T	PX	TRANSTHORACIC CARDIAC EXPOSURE (EG, STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER-DELIVERED AORTIC VALVE REPLACEMENT; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0259T	PX	TRANSTHORACIC CARDIAC EXPOSURE (EG, STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER-DELIVERED AORTIC VALVE REPLACEMENT; WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0262T	PX	IMPLANTATION OF CATHETER-DELIVERED PROSTHETIC PULMONARY VALVE, ENDOVASCULAR APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0343T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	0344T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS(ES) DURING SAME SESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	32851	PX	LUNG TRANSPLANT, SINGLE; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	32852	PX	LUNG TRANSPLANT, SINGLE; WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	32853	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	32854	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33361	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; PERCUTANEOUS FEMORAL ARTERY APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33362	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN FEMORAL ARTERY APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33363	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN AXILLARY ARTERY APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33364	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN ILIAC ARTERY APPROACH	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33365	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; TRANSAORTIC APPROACH (EG, MEDIAN STERNOTOMY, MEDIASTINOTOMY)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33367	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH PERCUTANEOUS PERIPHERAL ARTERIAL AND VENOUS CANNULATION (EG, FEMORAL VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33368	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH OPEN PERIPHERAL ARTERIAL AND VENOUS CANNULATION (EG, FEMORAL, ILIAC, AXILLARY VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33369	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH CENTRAL ARTERIAL AND VENOUS CANNULATION (EG, AORTA, RIGHT ATRIUM, PULMONARY ARTERY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33400	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33401	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH INFLOW OCCLUSION	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33403	PX	VALVULOPLASTY, AORTIC VALVE; USING TRANSVENTRICULAR DILATION, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33405	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH PROSTHETIC VALVE OTHER THAN HOMOGRAFT OR STENTLESS VALVE	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33406	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH ALLOGRAFT VALVE (FREEHAND)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33410	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH STENTLESS TISSUE VALVE	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33418	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33419	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS(ES) DURING SAME SESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33420	PX	VALVOTOMY, MITRAL VALVE; CLOSED HEART	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33422	PX	VALVOTOMY, MITRAL VALVE; OPEN HEART, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33425	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS;	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33426	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS; WITH PROSTHETIC RING	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33427	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS; RADICAL RECONSTRUCTION, WITH OR WITHOUT RING	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33430	PX	REPLACEMENT, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33460	PX	VALVECTOMY, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33463	PX	VALVULOPLASTY, TRICUSPID VALVE; WITHOUT RING INSERTION	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33464	PX	VALVULOPLASTY, TRICUSPID VALVE; WITH RING INSERTION	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33465	PX	REPLACEMENT, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS

13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33468	PX	TRICUSPID VALVE REPOSITIONING AND PLICATION FOR EBSTEIN ANOMALY	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33475	PX	REPLACEMENT, PULMONARY VALVE	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33477	PX	TRANSCATHETER PULMONARY VALVE IMPLANTATION, PERCUTANEOUS APPROACH, INCLUDING PRE-STENTING OF THE VALVE DELIVERY SITE, WHEN PERFORMED	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33496	PX	REPAIR OF NON-STRUCTURAL PROSTHETIC VALVE DYSFUNCTION WITH CARDIOPULMONARY BYPASS (SEPARATE PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33510	PX	CORONARY ARTERY BYPASS, VEIN ONLY; SINGLE CORONARY VENOUS GRAFT	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33511	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 2 CORONARY VENOUS GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33512	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 3 CORONARY VENOUS GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33513	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 4 CORONARY VENOUS GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33514	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 5 CORONARY VENOUS GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33516	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 6 OR MORE CORONARY VENOUS GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33517	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33518	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 2 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33519	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 3 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33521	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 4 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33522	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 5 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33523	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 6 OR MORE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33530	PX	REOPERATION, CORONARY ARTERY BYPASS PROCEDURE OR VALVE PROCEDURE, MORE THAN 1 MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33533	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); SINGLE ARTERIAL GRAFT	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33534	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 2 CORONARY ARTERIAL GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33535	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 3 CORONARY ARTERIAL GRAFTS	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	33536	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 4 OR MORE CORONARY ARTERIAL GRAFTS	CPT/HCPCS

	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33542	PX	MYOCARDIAL RESECTION (EG, VENTRICULAR ANEURYSMECTOMY)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33545	PX	REPAIR OF POSTINFARCTION VENTRICULAR SEPTAL DEFECT, WITH OR WITHOUT MYOCARDIAL RESECTION	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33548	PX	SURGICAL VENTRICULAR RESTORATION PROCEDURE, INCLUDES PROSTHETIC PATCH, WHEN PERFORMED (EG, VENTRICULAR REMODELING, SVR, SAVER, DOR PROCEDURES)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33572	PX	CORONARY ENDARTERECTOMY, OPEN, ANY METHOD, OF LEFT ANTERIOR DESCENDING, CIRCUMFLEX, OR RIGHT CORONARY ARTERY PERFORMED IN CONJUNCTION WITH CORONARY ARTERY BYPASS GRAFT PROCEDURE, EACH VESSEL (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33665	PX	REPAIR OF INTERMEDIATE OR TRANSITIONAL ATRIOVENTRICULAR CANAL, WITH OR WITHOUT ATRIOVENTRICULAR VALVE REPAIR	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		33999	PX	UNLISTED PROCEDURE, CARDIAC SURGERY	CPT/HCPCS
13.1	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening		S2060	PX	LOBAR LUNG TRANSPLANTATION	CPT/HCPCS
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I20.0	DX	UNSTABLE ANGINA	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.0	DX	ACUTE CORONARY THROMBOSIS NOT RESULTING IN MYOCARDIAL INFARCTION	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.1	DX	DRESSLER'S SYNDROME	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.8*	DX	OTHER FORMS OF ACUTE ISCHEMIC HEART DISEASE	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.81	DX	ACUTE CORONARY MICROVASCULAR DYSFUNCTION	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.89	DX	OTHER FORMS OF ACUTE ISCHEMIC HEART DISEASE	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I24.9	DX	ACUTE ISCHEMIC HEART DISEASE, UNSPECIFIED	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.110	DX	ATHEROSCLEROTIC HEART DISEASE OF NATIVE CORONARY ARTERY WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.700	DX	ATHEROSCLEROSIS OF CORONARY ARTERY BYPASS GRAFT(S), UNSPECIFIED, WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.710	DX	ATHEROSCLEROSIS OF AUTOLOGOUS VEIN CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.720	DX	ATHEROSCLEROSIS OF AUTOLOGOUS ARTERY CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.730	DX	ATHEROSCLEROSIS OF NONAUTOLOGOUS BIOLOGICAL CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.750	DX	ATHEROSCLEROSIS OF NATIVE CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSTABLE ANGINA	ICD-10-CM

13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.760	DX	ATHEROSCLEROSIS OF BYPASS GRAFT OF CORONARY ARTERY OF TRANSPLANTED HEART WITH UNSTABLE ANGINA	ICD-10-CM
13.2	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Unstable angina	I25.790	DX	ATHEROSCLEROSIS OF OTHER CORONARY ARTERY BYPASS GRAFT(S) WITH UNSTABLE ANGINA PECTORIS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.0	DX	PRIMARY PULMONARY HYPERTENSION	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.1	DX	KYPHOSCOLIOTIC HEART DISEASE	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.23	DX	PULMONARY HYPERTENSION DUE TO LUNG DISEASES AND HYPOXIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic thromboembolic pulmonary hypertension	I27.24	DX	CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.81	DX	COR PULMONALE (CHRONIC)	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.82	DX	CHRONIC PULMONARY EMBOLISM	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	I27.83	DX	EISENMENGER'S SYNDROME	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.1	DX	CHRONIC RESPIRATORY FAILURE	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.10	DX	CHRONIC RESPIRATORY FAILURE, UNSPECIFIED WHETHER WITH HYPOXIA OR HYPERCAPNIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.11	DX	CHRONIC RESPIRATORY FAILURE WITH HYPOXIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.12	DX	CHRONIC RESPIRATORY FAILURE WITH HYPERCAPNIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.2	DX	CHRONIC RESPIRATORY ACIDOSIS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.20	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.21	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPOXIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Chronic respiratory failure	J96.22	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPERCAPNIA	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34	DX	MALIGNANT NEOPLASM OF BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.0	DX	MALIGNANT NEOPLASM OF MAIN BRONCHUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED MAIN BRONCHUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.01	DX	MALIGNANT NEOPLASM OF RIGHT MAIN BRONCHUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.02	DX	MALIGNANT NEOPLASM OF LEFT MAIN BRONCHUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.1	DX	MALIGNANT NEOPLASM OF UPPER LOBE, BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.10	DX	MALIGNANT NEOPLASM OF UPPER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.11	DX	MALIGNANT NEOPLASM OF UPPER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.12	DX	MALIGNANT NEOPLASM OF UPPER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.2	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-10-CM

14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.3	DX	MALIGNANT NEOPLASM OF LOWER LOBE, BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.30	DX	MALIGNANT NEOPLASM OF LOWER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.31	DX	MALIGNANT NEOPLASM OF LOWER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.32	DX	MALIGNANT NEOPLASM OF LOWER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	C34.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	D02.2	DX	CARCINOMA IN SITU OF BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	D02.20	DX	CARCINOMA IN SITU OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	D02.21	DX	CARCINOMA IN SITU OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung/Pulmonary Malignancies	D02.22	DX	CARCINOMA IN SITU OF LEFT BRONCHUS AND LUNG	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	Z94.2	DX	LUNG TRANSPLANT STATUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	T86.810	DX	LUNG TRANSPLANT REJECTION	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	T86.811	DX	LUNG TRANSPLANT FAILURE	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	T86.819	DX	UNSPECIFIED COMPLICATION OF LUNG TRANSPLANT	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYC0Z0	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYC0Z1	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYC0Z2	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYD0Z0	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYD0Z1	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYD0Z2	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYF0Z0	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM

14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYF0Z1	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYF0Z2	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYG0Z0	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYG0Z1	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYG0Z2	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYH0Z0	PX	TRANSPLANTATION OF LUNG LINGULA, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYH0Z1	PX	TRANSPLANTATION OF LUNG LINGULA, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYH0Z2	PX	TRANSPLANTATION OF LUNG LINGULA, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYJ0Z0	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYJ0Z1	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYJ0Z2	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYM0Z0	PX	TRANSPLANTATION OF BILATERAL LUNGS, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYM0Z1	PX	TRANSPLANTATION OF BILATERAL LUNGS, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYM0Z2	PX	TRANSPLANTATION OF BILATERAL LUNGS, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYK0Z0	PX	TRANSPLANTATION OF RIGHT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYK0Z1	PX	TRANSPLANTATION OF RIGHT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYK0Z2	PX	TRANSPLANTATION OF RIGHT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYL0Z0	PX	TRANSPLANTATION OF LEFT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYL0Z1	PX	TRANSPLANTATION OF LEFT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	0BYL0Z2	PX	TRANSPLANTATION OF LEFT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	32851	PX	LUNG TRANSPLANT, SINGLE; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	32852	PX	LUNG TRANSPLANT, SINGLE; WITH CARDIOPULMONARY BYPASS	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	32853	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	32854	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITH CARDIOPULMONARY BYPASS	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	S2060	PX	LOBAR LUNG TRANSPLANTATION	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Lung transplant	33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPCS	
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J41	DX	SIMPLE AND MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J41.0	DX	SIMPLE CHRONIC BRONCHITIS	ICD-10-CM	Inpatient

14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J41.1	DX	MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J41.8	DX	MIXED SIMPLE AND MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J42	DX	UNSPECIFIED CHRONIC BRONCHITIS	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J43.0	DX	UNILATERAL PULMONARY EMPHYSEMA [MACLEOD'S SYNDROME]	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J43.1	DX	PANLOBULAR EMPHYSEMA	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J43.2	DX	CENTRILOBULAR EMPHYSEMA	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J43.8	DX	OTHER EMPHYSEMA	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J43.9	DX	EMPHYSEMA, UNSPECIFIED	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.0	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) LOWER RESPIRATORY INFECTION	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.1	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) EXACERBATION	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.8	DX	OTHER SPECIFIED CHRONIC OBSTRUCTIVE PULMONARY DISEASE	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.81	DX	BRONCHIOLITIS OBLITERANS AND BRONCHIOLITIS OBLITERANS SYNDROME	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.89	DX	OTHER SPECIFIED CHRONIC OBSTRUCTIVE PULMONARY DISEASE	ICD-10-CM	Inpatient
14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	COPD	J44.9	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE, UNSPECIFIED	ICD-10-CM	Inpatient
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D50	DX	IRON DEFICIENCY ANEMIA INCLUDES ASIDEROTIC ANEMIA HYPOCHROMIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D50.0	DX	IRON DEFICIENCY ANEMIA SECONDARY TO BLOOD LOSS (CHRONIC) POSTHEMORRHAGIC ANEMIA (CHRONIC) EXCLUDES1 ACUTE POSTHEMORRHAGIC ANEMIA (D62) CONGENITAL ANEMIA FROM FETAL BLOOD LOSS (P61.3) SIDEROPENIC DYSPHAGIA KELLY-PATERSON SYNDROME PLUMMER-VINSON SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D50.1	DX	OTHER IRON DEFICIENCY ANEMIAS IRON DEFICIENCY ANEMIA DUE TO INADEQUATE DIETARY IRON INTAKE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D50.8	DX	IRON DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D50.9	DX	VITAMIN B12 DEFICIENCY ANEMIA EXCLUDES1 VITAMIN B12 DEFICIENCY (E53.8)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51	DX	VITAMIN B12 DEFICIENCY ANEMIA DUE TO INTRINSIC FACTOR DEFICIENCY ADDISON ANEMIA BIERMER ANEMIA PERNICIOUS (CONGENITAL) ANEMIA CONGENITAL INTRINSIC FACTOR DEFICIENCY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.0	DX	VITAMIN B12 DEFICIENCY ANEMIA DUE TO SELECTIVE VITAMIN B12 MALABSORPTION WITH PROTEINURIA IMERSLUND (GRÄSBECK) SYNDROME MEGALOBLASTIC HEREDITARY ANEMIA TRANSCOBALAMIN II DEFICIENCY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.1	DX	OTHER DIETARY VITAMIN B12 DEFICIENCY ANEMIA VEGAN ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.2	DX	OTHER VITAMIN B12 DEFICIENCY ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.3	DX	VITAMIN B12 DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.8	DX	FOLATE DEFICIENCY ANEMIA EXCLUDES1 FOLATE DEFICIENCY WITHOUT ANEMIA (E53.8)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D51.9	DX	DIETARY FOLATE DEFICIENCY ANEMIA NUTRITIONAL MEGALOBLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D52	DX		ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D52.0	DX		ICD-10-CM	In primar

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D52.1	DX	DRUG-INDUCED FOLATE DEFICIENCY ANEMIA USE ADDITIONAL CODE FOR ADVERSE EFFECT, IF APPLICABLE, TO IDENTIFY DRUG (T36-T50 WITH FIFTH OR SIXTH CHARACTER 5)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D52.8	DX	OTHER FOLATE DEFICIENCY ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D52.9	DX	FOLATE DEFICIENCY ANEMIA, UNSPECIFIED FOLIC ACID DEFICIENCY ANEMIA NOS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53	DX	OTHER NUTRITIONAL ANEMIAS INCLUDES MEGALOBLASTIC ANEMIA UNRESPONSIVE TO VITAMIN B12 OR FOLATE THERAPY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53.0	DX	PROTEIN DEFICIENCY ANEMIA AMINO-ACID DEFICIENCY ANEMIA OROTACIDURIC ANEMIA EXCLUDES1 LESCH-NYHAN SYNDROME (E79.1)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53.1	DX	OTHER MEGALOBLASTIC ANEMIAS, NOT ELSEWHERE CLASSIFIED MEGALOBLASTIC ANEMIA NOS EXCLUDES1 DI GUGLIELMO'S DISEASE (C94.0)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53.2	DX	SCORBUTIC ANEMIA EXCLUDES1 SCURVY (E54)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53.8	DX	OTHER SPECIFIED NUTRITIONAL ANEMIAS ANEMIA ASSOCIATED WITH DEFICIENCY OF COPPER ANEMIA ASSOCIATED WITH DEFICIENCY OF MOLYBDENUM ANEMIA ASSOCIATED WITH DEFICIENCY OF ZINC EXCLUDES1 NUTRITIONAL DEFICIENCIES WITHOUT ANEMIA, SUCH AS COPPER DEFICIENCY NOS (E61.0) MOLYBDENUM DEFICIENCY NOS (E61.5) ZINC DEFICIENCY NOS (E60)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D53.9	DX	NUTRITIONAL ANEMIA, UNSPECIFIED SIMPLE CHRONIC ANEMIA EXCLUDES1 ANEMIA NOS (D64.9) HEMOLYTIC ANEMIAS (D55-D59)	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56	DX	THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.0	DX	ALPHA THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.1	DX	BETA THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.2	DX	DELTA-BETA THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.3	DX	THALASSEMIA MINOR	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.4	DX	HEREDITARY PERSISTENCE OF FETAL HEMOGLOBIN [HPFH]	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.5	DX	HEMOGLOBIN E-BETA THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.8	DX	OTHER THALASSEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D56.9	DX	THALASSEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57	DX	SICKLE-CELL DISORDERS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.0	DX	HB-SS DISEASE WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.00	DX	HB-SS DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.01	DX	HB-SS DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.02	DX	HB-SS DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.03	DX	HB-SS DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.04	DX	HB-SS DISEASE WITH DACTYLITIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.09	DX	HB-SS DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.1	DX	SICKLE-CELL DISEASE WITHOUT CRISIS	ICD-10-CM	In primar

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.2	DX	SICKLE-CELL/HB-C DISEASE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.20	DX	SICKLE-CELL/HB-C DISEASE WITHOUT CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.21	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.211	DX	SICKLE-CELL/HB-C DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.212	DX	SICKLE-CELL/HB-C DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.213	DX	SICKLE-CELL/HB-C DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.214	DX	SICKLE-CELL/HB-C DISEASE WITH DACTYLITIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.218	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.219	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.3	DX	SICKLE-CELL TRAIT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.4	DX	SICKLE-CELL THALASSEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.40	DX	SICKLE-CELL THALASSEMIA WITHOUT CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.41	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.411	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.412	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.413	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.414	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH DACTYLITIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.418	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.419	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.42	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITHOUT CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.43	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.431	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.432	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.433	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.438	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.439	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.44	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITHOUT CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.45	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS	ICD-10-CM	In primar

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.451	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.452	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.453	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.458	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.459	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.8	DX	OTHER SICKLE-CELL DISORDERS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.80	DX	OTHER SICKLE-CELL DISORDERS WITHOUT CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.81	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.811	DX	OTHER SICKLE-CELL DISORDERS WITH ACUTE CHEST SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.812	DX	OTHER SICKLE-CELL DISORDERS WITH SPLENIC SEQUESTRATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.813	DX	OTHER SICKLE-CELL DISORDERS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.814	DX	OTHER SICKLE-CELL DISORDERS WITH DACTYLITIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.818	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D57.819	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58	DX	OTHER HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58.0	DX	HEREDITARY SPHEROCYTOSIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58.1	DX	HEREDITARY ELLIPTOCYTOSIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58.2	DX	OTHER HEMOGLOBINOPATHIES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58.8	DX	OTHER SPECIFIED HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D58.9	DX	HEREDITARY HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59	DX	ACQUIRED HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.0	DX	DRUG-INDUCED AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.1	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.10	DX	AUTOIMMUNE HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.11	DX	WARM AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.12	DX	COLD AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.13	DX	MIXED TYPE AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.19	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.2	DX	DRUG-INDUCED NONAUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.3	DX	HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.30	DX	HEMOLYTIC-UREMIC SYNDROME, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.31	DX	INFECTION-ASSOCIATED HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.32	DX	HEREDITARY HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.39	DX	OTHER HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.4	DX	OTHER NONAUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.5	DX	PAROXYSMAL NOCTURNAL HEMOGLOBINURIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.6	DX	HEMOGLOBINURIA DUE TO HEMOLYSIS FROM OTHER EXTERNAL CAUSES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.8	DX	OTHER ACQUIRED HEMOLYTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D59.9	DX	ACQUIRED HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D60	DX	ACQUIRED PURE RED CELL APLASIA [ERYTHROBLASTOPENIA]	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D60.0	DX	CHRONIC ACQUIRED PURE RED CELL APLASIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D60.1	DX	TRANSIENT ACQUIRED PURE RED CELL APLASIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D60.8	DX	OTHER ACQUIRED PURE RED CELL APLASIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D60.9	DX	ACQUIRED PURE RED CELL APLASIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61	DX	OTHER APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.0	DX	CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.01	DX	CONSTITUTIONAL (PURE) RED BLOOD CELL APLASIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.02	DX	SHWACHMAN-DIAMOND SYNDROME	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.09	DX	OTHER CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.1	DX	DRUG-INDUCED APLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.2	DX	APLASTIC ANEMIA DUE TO OTHER EXTERNAL AGENTS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.3	DX	IDIOPATHIC APLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.8	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.81	DX	PANCYTOPENIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.810	DX	ANTINEOPLASTIC CHEMOTHERAPY INDUCED PANCYTOPENIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.811	DX	OTHER DRUG-INDUCED PANCYTOPENIA	ICD-10-CM	In primar

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.818	DX	OTHER PANCYTOPENIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.82	DX	MYELOPHTHISIS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.89	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D61.9	DX	APLASTIC ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D62	DX	ACUTE POSTHEMORRHAGIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D63	DX	ANEMIA IN CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D63.1	DX	ANEMIA IN CHRONIC KIDNEY DISEASE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D63.8	DX	ANEMIA IN OTHER CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D63.0	DX	ANEMIA IN NEOPLASTIC DISEASE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.0	DX	HEREDITARY SIDEROBLASTIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.1	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DISEASE	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.2	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DRUGS AND TOXINS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.3	DX	OTHER SIDEROBLASTIC ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.4	DX	CONGENITAL DYSERYTHROPOIETIC ANEMIA	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.8	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.81	DX	ANEMIA DUE TO ANTINEOPLASTIC CHEMOTHERAPY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.89	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Hb < 9mg/dl	D64.9	DX	ANEMIA, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233H0	PX	TRANSFUSION OF AUTOLOGOUS WHOLE BLOOD INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233N0	PX	TRANSFUSION OF AUTOLOGOUS RED BLOOD CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243H0	PX	TRANSFUSION OF AUTOLOGOUS WHOLE BLOOD INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243N0	PX	TRANSFUSION OF AUTOLOGOUS RED BLOOD CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233H1	PX	TRANSFUSION OF NONAUTOLOGOUS WHOLE BLOOD INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243H1	PX	TRANSFUSION OF NONAUTOLOGOUS WHOLE BLOOD INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233W0	PX	TRANSFUSION OF AUTOLOGOUS FACTOR IX INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243W0	PX	TRANSFUSION OF AUTOLOGOUS FACTOR IX INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233N1	PX	TRANSFUSION OF NONAUTOLOGOUS RED BLOOD CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30233P1	PX	TRANSFUSION OF NONAUTOLOGOUS FROZEN RED CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit

14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243N1	PX	TRANSFUSION OF NONAUTOLOGOUS RED BLOOD CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	30243P1	PX	TRANSFUSION OF NONAUTOLOGOUS FROZEN RED CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Transfusion	36430	PX	TRANSFUSION, BLOOD OR BLOOD COMPONENTS	CPT/HCPCS	Any posit
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.0	DX	MUSCULAR DYSTROPHY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.00	DX	MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.01	DX	DUCHENNE OR BECKER MUSCULAR DYSTROPHY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.02	DX	FACIOSCAPULOHUMERAL MUSCULAR DYSTROPHY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.03	DX	LIMB GIRDLE MUSCULAR DYSTROPHIES	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.031	DX	AUTOSOMAL DOMINANT LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.032	DX	AUTOSOMAL RECESSIVE LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO CALPAIN-3 DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.033	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO DYSFERLIN DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.034	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.0340	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN DYSFUNCTION, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.0341	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ALPHA SARCOGLYCAN DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.0342	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO BETA SARCOGLYCAN DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.0349	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO OTHER SARCOGLYCAN DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.035	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ANOCTAMIN-5 DYSFUNCTION	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.038	DX	OTHER LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.039	DX	LIMB GIRDLE MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM	In primar
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Muscular dystrophies	G71.09	DX	OTHER SPECIFIED MUSCULAR DYSTROPHIES	ICD-10-CM	In primar
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15	DX	POLYOSTEOARTHRITIS	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.0	DX	PRIMARY GENERALIZED (OSTEO)ARTHRITIS	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.1	DX	HEBERDEN'S NODES (WITH ARTHROPATHY)	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.2	DX	BOUCHARD'S NODES (WITH ARTHROPATHY)	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.3	DX	SECONDARY MULTIPLE ARTHRITIS	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.4	DX	EROSIVE (OSTEO)ARTHRITIS	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.8	DX	OTHER POLYOSTEOARTHRITIS	ICD-10-CM	Primary p
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M15.9	DX	POLYOSTEOARTHRITIS, UNSPECIFIED	ICD-10-CM	Primary p

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16	DX	OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.0	DX	BILATERAL PRIMARY OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.1	DX	UNILATERAL PRIMARY OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.10	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.11	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, RIGHT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.12	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, LEFT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.2	DX	BILATERAL OSTEOARTHRITIS RESULTING FROM HIP DYSPLASIA	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.3	DX	UNILATERAL OSTEOARTHRITIS RESULTING FROM HIP DYSPLASIA	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.30	DX	UNILATERAL OSTEOARTHRITIS RESULTING FROM HIP DYSPLASIA, UNSPECIFIED HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.31	DX	UNILATERAL OSTEOARTHRITIS RESULTING FROM HIP DYSPLASIA, RIGHT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.32	DX	UNILATERAL OSTEOARTHRITIS RESULTING FROM HIP DYSPLASIA, LEFT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.4	DX	BILATERAL POST-TRAUMATIC OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.5	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.50	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.51	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, RIGHT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.52	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, LEFT HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.6	DX	OTHER BILATERAL SECONDARY OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.7	DX	OTHER UNILATERAL SECONDARY OSTEOARTHRITIS OF HIP	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M16.9	DX	OSTEOARTHRITIS OF HIP, UNSPECIFIED	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17	DX	OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.0	DX	BILATERAL PRIMARY OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.1	DX	UNILATERAL PRIMARY OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.10	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.11	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, RIGHT KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.12	DX	UNILATERAL PRIMARY OSTEOARTHRITIS, LEFT KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.2	DX	BILATERAL POST-TRAUMATIC OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.3	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.30	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Primary

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.31	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, RIGHT KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.32	DX	UNILATERAL POST-TRAUMATIC OSTEOARTHRITIS, LEFT KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.4	DX	OTHER BILATERAL SECONDARY OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.5	DX	OTHER UNILATERAL SECONDARY OSTEOARTHRITIS OF KNEE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M17.9	DX	OSTEOARTHRITIS OF KNEE, UNSPECIFIED	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19	DX	OTHER AND UNSPECIFIED OSTEOARTHRITIS	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.0	DX	PRIMARY OSTEOARTHRITIS OF OTHER JOINTS	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.07	DX	PRIMARY OSTEOARTHRITIS ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.071	DX	PRIMARY OSTEOARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.072	DX	PRIMARY OSTEOARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.079	DX	PRIMARY OSTEOARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.09	DX	PRIMARY OSTEOARTHRITIS, OTHER SPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.17	DX	POSTTRAUMATIC OSTEOARTHRITIS, ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.171	DX	POSTTRAUMATIC OSTEOARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.172	DX	POSTTRAUMATIC OSTEOARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.179	DX	POSTTRAUMATIC OSTEOARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.19	DX	POSTTRAUMATIC OSTEOARTHRITIS, OTHER SPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.2	DX	SECONDARY OSTEOARTHRITIS OF OTHER JOINTS	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.27	DX	SECONDARY OSTEOARTHRITIS, ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.271	DX	SECONDARY OSTEOARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.272	DX	SECONDARY OSTEOARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.279	DX	SECONDARY OSTEOARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.29	DX	SECONDARY OSTEOARTHRITIS, OTHER SPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.9	DX	OSTEOARTHRITIS, UNSPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.90	DX	UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.91	DX	PRIMARY OSTEOARTHRITIS, UNSPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.92	DX	POST-TRAUMATIC OSTEOARTHRITIS, UNSPECIFIED SITE	ICD-10-CM	Primary
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Osteoarthritis	M19.93	DX	SECONDARY OSTEOARTHRITIS, UNSPECIFIED SITE	ICD-10-CM	Primary

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023B	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023C	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023D	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023E	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023F	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023G	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023H	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023J	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023K	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023M	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023N	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023P	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023Q	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023R	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.023S	DX	DISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.024S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.025S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026A	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026B	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026C	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026D	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026E	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026F	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026G	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026H	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026J	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026K	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026M	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026N	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026P	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026Q	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026R	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.026S	DX	NONDISPLACED FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.03	DX	MIDCERVICAL FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031A	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031B	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031C	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031D	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031E	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031F	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031G	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031H	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031J	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031K	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031M	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031N	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031P	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031Q	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031R	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.031S	DX	DISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032A	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032B	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032C	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032D	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032E	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032F	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032G	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032H	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032J	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032K	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032M	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032N	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032P	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032Q	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032R	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.032S	DX	DISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033A	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033B	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033C	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033D	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033E	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033F	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033G	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033H	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033J	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033K	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033M	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033N	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033P	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033Q	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033R	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.033S	DX	DISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.034S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.035S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036A	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036B	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036C	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036D	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036E	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036F	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036G	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036H	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036J	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036K	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036M	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036N	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036P	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036Q	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036R	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.036S	DX	NONDISPLACED MIDCERVICAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.04	DX	FRACTURE OF BASE OF NECK OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041A	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041B	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041C	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041D	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041E	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041F	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041G	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041H	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041J	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041K	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041M	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041N	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041P	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041R	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.041S	DX	DISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042A	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042B	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042C	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042D	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042E	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042F	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042G	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042H	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042J	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042K	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042M	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042N	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042P	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042R	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.042S	DX	DISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043A	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043B	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043C	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043D	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043E	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043F	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043G	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043H	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043J	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043K	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043M	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043N	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043P	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043Q	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043R	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.043S	DX	DISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.044S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.045S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046A	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046B	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046C	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046D	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046E	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046F	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046G	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046H	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046J	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046K	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046M	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046N	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046P	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046Q	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046R	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.046S	DX	NONDISPLACED FRACTURE OF BASE OF NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.05	DX	UNSPECIFIED FRACTURE OF HEAD OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051A	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051B	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051C	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051D	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051E	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051F	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051G	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051H	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051J	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051K	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051M	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051N	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051P	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051Q	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051R	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.051S	DX	UNSPECIFIED FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052A	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052B	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052C	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052D	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052E	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052F	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052G	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052H	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052J	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052K	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052M	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052N	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052P	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052Q	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052R	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.052S	DX	UNSPECIFIED FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059A	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059B	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059C	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059D	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059E	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059F	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059G	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059H	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059J	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059K	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059M	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059N	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059P	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059Q	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059R	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.059S	DX	UNSPECIFIED FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.06	DX	ARTICULAR FRACTURE OF HEAD OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.061S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.062S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063A	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063B	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063C	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063D	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063E	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063F	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063G	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063H	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063J	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063K	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063M	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063N	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063P	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063Q	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063R	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.063S	DX	DISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.064S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.065S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066A	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066B	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066C	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066D	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066E	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066F	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066G	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066H	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066J	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066K	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066M	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066N	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066P	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066Q	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066R	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.066S	DX	NONDISPLACED ARTICULAR FRACTURE OF HEAD OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.09	DX	OTHER FRACTURE OF HEAD AND NECK OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091A	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091B	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091C	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091D	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091E	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091F	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091G	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091H	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091J	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091K	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091M	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091N	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091P	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091Q	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091R	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.091S	DX	OTHER FRACTURE OF HEAD AND NECK OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092A	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092B	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092C	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092D	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092E	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092F	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092G	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092H	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092J	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092K	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092M	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092N	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092P	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092Q	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092R	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.092S	DX	OTHER FRACTURE OF HEAD AND NECK OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099A	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099B	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099C	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099D	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099E	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099F	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099G	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099H	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099J	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099K	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099M	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099N	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099P	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099Q	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099R	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.099S	DX	OTHER FRACTURE OF HEAD AND NECK OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.1	DX	PERTROCHANTERIC FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.10	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.101S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.102S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109A	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109B	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109C	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109D	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109E	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109F	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109G	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109H	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109J	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109K	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109M	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109N	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109P	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109Q	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109R	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.109S	DX	UNSPECIFIED TROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.11	DX	FRACTURE OF GREATER TROCHANTER OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.111S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.112S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113A	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113B	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113C	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113D	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113E	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113F	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113G	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113H	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113J	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113K	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113M	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113N	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113P	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113Q	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113R	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.113S	DX	DISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.114S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.115S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116A	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116B	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116C	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116D	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116E	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116F	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116G	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116H	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116J	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116K	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116M	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116N	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116P	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116Q	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116R	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.116S	DX	NONDISPLACED FRACTURE OF GREATER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.12	DX	FRACTURE OF LESSER TROCHANTER OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.121S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.122S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123A	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123B	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123C	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123D	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123E	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123F	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123G	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123H	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123J	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123K	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123M	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123N	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123P	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123Q	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123R	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.123S	DX	DISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.124S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.125S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126A	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126B	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126C	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126D	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126E	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126F	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126G	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126H	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126J	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126K	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126M	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126N	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126P	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126Q	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126R	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.126S	DX	NONDISPLACED FRACTURE OF LESSER TROCHANTER OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.13	DX	APOPHYSEAL FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131A	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131B	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131C	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131D	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131E	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131F	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131G	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131H	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131J	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131K	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131M	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131N	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131P	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131Q	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131R	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.131S	DX	DISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132A	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132B	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132C	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132D	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132E	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132F	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132G	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132H	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132J	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132K	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132M	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132N	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132P	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132Q	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132R	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.132S	DX	DISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133A	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133B	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133C	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133D	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133E	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133F	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133G	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133H	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133J	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133K	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133M	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133N	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133P	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133Q	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133R	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.133S	DX	DISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.134S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.135S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136A	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136B	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136C	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136D	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136E	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136F	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136G	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136H	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136J	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136K	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136M	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136N	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136P	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136Q	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136R	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.136S	DX	NONDISPLACED APOPHYSEAL FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.14	DX	INTERTROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.141S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.142S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143A	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143B	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143C	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143D	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143E	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143F	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143G	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143H	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143J	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143K	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143M	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143N	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143P	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143Q	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143R	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.143S	DX	DISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.144S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.145S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146A	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146B	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146C	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146D	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146E	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146F	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146G	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146H	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146J	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146K	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146M	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146N	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146P	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146Q	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146R	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.146S	DX	NONDISPLACED INTERTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.2	DX	SUBTROCHANTERIC FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.21XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.22XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XA	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XB	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XC	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XD	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XE	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XF	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XG	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XH	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XJ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XK	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XM	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XN	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XP	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XQ	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XR	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.23XS	DX	DISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.24XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.25XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XA	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XB	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XC	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XD	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XE	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XF	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XG	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XH	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XJ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XK	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XM	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XN	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XP	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XQ	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XR	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.26XS	DX	NONDISPLACED SUBTROCHANTERIC FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.3	DX	FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.30	DX	UNSPECIFIED FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301A	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301B	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301C	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301D	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301E	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301F	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301G	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301H	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301J	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301K	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301M	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301N	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301P	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301R	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.301S	DX	UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302A	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302B	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302C	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302D	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302E	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302F	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302G	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302H	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302J	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302K	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302M	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302N	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302P	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302R	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.302S	DX	UNSPECIFIED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309A	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309B	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309C	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309D	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309E	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309F	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309G	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309H	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309J	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309K	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309M	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309N	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309P	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309Q	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309R	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.309S	DX	UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.32	DX	TRANSVERSE FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.321S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.322S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323A	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323B	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323C	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323D	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323E	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323F	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323G	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323H	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323J	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323K	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323M	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323N	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323P	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323Q	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323R	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.323S	DX	DISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.324S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.325S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326A	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326B	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326C	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326D	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326E	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326F	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326G	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326H	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326J	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326K	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326M	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326N	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326P	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326Q	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326R	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.326S	DX	NONDISPLACED TRANSVERSE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.33	DX	OBLIQUE FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.331S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.332S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333A	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333B	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333C	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333D	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333E	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333F	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333G	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333H	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333J	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333K	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333M	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333N	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333P	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333Q	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333R	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.333S	DX	DISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.334S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.335S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336A	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336B	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336C	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336D	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336E	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336F	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336G	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336H	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336J	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336K	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336M	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336N	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336P	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336Q	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336R	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.336S	DX	NONDISPLACED OBLIQUE FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.34	DX	SPIRAL FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.341S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.342S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343A	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343B	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343C	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343D	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343E	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343F	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343G	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343H	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343J	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343K	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343M	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343N	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343P	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343Q	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343R	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.343S	DX	DISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.344S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.345S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346A	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346B	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346C	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346D	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346E	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346F	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346G	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346H	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346J	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346K	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346M	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346N	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346P	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346Q	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346R	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.346S	DX	NONDISPLACED SPIRAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.35	DX	COMMINUTED FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.351S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.352S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353A	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353B	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353C	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353D	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353E	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353F	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353G	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353H	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353J	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353K	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353M	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353N	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353P	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353Q	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353R	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.353S	DX	DISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.354S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.355S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356A	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356B	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356C	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356D	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356E	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356F	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356G	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356H	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356J	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356K	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356M	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356N	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356P	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356Q	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356R	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.356S	DX	NONDISPLACED COMMINUTED FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.36	DX	SEGMENTAL FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.361S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.362S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363A	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363B	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363C	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363D	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363E	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363F	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363G	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363H	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363J	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363K	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363M	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363N	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363P	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363Q	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363R	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.363S	DX	DISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.364S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.365S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366A	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366B	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366C	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366D	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366E	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366F	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366G	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366H	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366J	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366K	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366M	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366N	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366P	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366Q	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366R	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.366S	DX	NONDISPLACED SEGMENTAL FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.39	DX	OTHER FRACTURE OF SHAFT OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391A	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391B	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391C	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391D	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391E	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391F	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391G	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391H	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391J	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391K	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391M	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391N	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391P	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391Q	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391R	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.391S	DX	OTHER FRACTURE OF SHAFT OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392A	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392B	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392C	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392D	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392E	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392F	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392G	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392H	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392J	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392K	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392M	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392N	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392P	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392Q	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392R	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.392S	DX	OTHER FRACTURE OF SHAFT OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399A	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399B	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399C	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399D	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399E	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399F	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399G	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399H	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399J	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399K	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399M	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399N	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399P	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399Q	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399R	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.399S	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.4	DX	FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.40	DX	UNSPECIFIED FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401A	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401B	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401C	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401D	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401E	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401F	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401G	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401H	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401J	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401K	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401M	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401N	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401P	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401R	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.401S	DX	UNSPECIFIED FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402A	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402B	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402C	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402D	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402E	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402F	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402G	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402H	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402J	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402K	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402M	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402N	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402P	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402R	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.402S	DX	UNSPECIFIED FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409A	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409B	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409C	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409D	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409E	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409F	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409G	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409H	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409J	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409K	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409M	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409N	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409P	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409Q	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409R	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.409S	DX	UNSPECIFIED FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.41	DX	UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.411S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.412S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413A	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413B	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413C	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413D	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413E	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413F	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413G	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413H	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413J	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413K	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413M	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413N	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413P	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413Q	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413R	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.413S	DX	DISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.414S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.415S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416A	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416B	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416C	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416D	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416E	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416F	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416G	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416H	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416J	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416K	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416M	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416N	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416P	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416Q	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416R	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.416S	DX	NONDISPLACED UNSPECIFIED CONDYLE FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.42	DX	FRACTURE OF LATERAL CONDYLE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.421S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.422S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423A	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423B	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423C	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423D	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423E	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423F	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423G	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423H	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423J	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423K	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423M	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423N	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423P	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423Q	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423R	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.423S	DX	DISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.424S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.425S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426A	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426B	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426C	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426D	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426E	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426F	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426G	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426H	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426J	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426K	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426M	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426N	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426P	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426Q	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426R	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.426S	DX	NONDISPLACED FRACTURE OF LATERAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.43	DX	FRACTURE OF MEDIAL CONDYLE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.431S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.432S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433A	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433B	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433C	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433D	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433E	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433F	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433G	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433H	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433J	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433K	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433M	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433N	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433P	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433Q	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433R	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.433S	DX	DISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.434S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.435S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436A	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436B	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436C	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436D	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436E	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436F	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436G	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436H	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436J	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436K	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436M	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436N	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436P	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436Q	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436R	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.436S	DX	NONDISPLACED FRACTURE OF MEDIAL CONDYLE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.44	DX	FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.441S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.442S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443A	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443B	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443C	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443D	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443E	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443F	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443G	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443H	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443J	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443K	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443M	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443N	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443P	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443Q	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443R	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.443S	DX	DISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.444S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.445S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446A	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446B	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446C	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446D	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446E	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446F	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446G	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446H	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446J	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446K	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446M	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446N	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446P	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446Q	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446R	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.446S	DX	NONDISPLACED FRACTURE OF LOWER EPIPHYSIS (SEPARATION) OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.45	DX	SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.451S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.452S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.453S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.454S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.455S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.456S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITHOUT INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.46	DX	SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.461S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.462S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463A	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463B	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463C	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463D	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463E	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463F	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463G	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463H	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463J	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463K	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463M	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463N	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463P	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463Q	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463R	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.463S	DX	DISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.464S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.465S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466A	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466B	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466C	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466D	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466E	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466F	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466G	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466H	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466J	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466K	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466M	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466N	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466P	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466Q	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466R	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.466S	DX	NONDISPLACED SUPRACONDYLAR FRACTURE WITH INTRACONDYLAR EXTENSION OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.47	DX	TORUS FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471A	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471D	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471G	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471K	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471P	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.471S	DX	TORUS FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472A	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472D	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472G	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472K	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472P	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.472S	DX	TORUS FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479A	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479D	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479G	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479K	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479P	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.479S	DX	TORUS FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.49	DX	OTHER FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491A	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491B	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491C	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491D	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491E	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491F	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491G	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491H	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491J	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491K	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491M	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491N	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491P	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491Q	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491R	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.491S	DX	OTHER FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492A	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492B	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492C	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492D	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492E	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492F	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492G	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492H	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492J	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492K	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492M	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492N	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492P	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492Q	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492R	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.492S	DX	OTHER FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499A	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499B	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499C	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499D	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499E	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499F	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499G	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499H	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499J	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499K	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499M	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499N	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499P	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499Q	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499R	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.499S	DX	OTHER FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8	DX	OTHER FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X	DX	OTHER FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1	DX	OTHER FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1A	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1B	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1C	DX	OTHER FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1D	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1E	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1F	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1G	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1H	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1J	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1K	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1M	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1N	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1P	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1Q	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1R	DX	OTHER FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X1S	DX	OTHER FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2	DX	OTHER FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2A	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2B	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2C	DX	OTHER FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2D	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2E	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2F	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2G	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2H	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2J	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2K	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2M	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2N	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2P	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2Q	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2R	DX	OTHER FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X2S	DX	OTHER FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9A	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9B	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9C	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9D	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9E	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9F	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9G	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9H	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9J	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9K	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9M	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9N	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9P	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9Q	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9R	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.8X9S	DX	OTHER FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.9	DX	UNSPECIFIED FRACTURE OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XA	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XB	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XC	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XD	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XE	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XF	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XG	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XH	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XJ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XK	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XM	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XN	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XP	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XQ	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XR	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.90XS	DX	UNSPECIFIED FRACTURE OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XA	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XB	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XC	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XD	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XE	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XF	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XG	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XH	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XJ	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XK	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XM	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XN	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XP	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XQ	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XR	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.91XS	DX	UNSPECIFIED FRACTURE OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XA	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XB	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE I OR II	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XC	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, INITIAL ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XD	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XE	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XF	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XG	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XH	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XJ	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XK	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XM	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XN	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XP	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XQ	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XR	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S72.92XS	DX	UNSPECIFIED FRACTURE OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.0	DX	PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.00	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.001S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.002S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009A	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009D	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009G	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009K	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009P	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.009S	DX	UNSPECIFIED PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.01	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.011S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.012S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.019S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF UPPER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.09	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.091S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.092S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099A	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099D	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099G	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099K	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099P	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.099S	DX	SALTER-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.1	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.10	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.101S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.102S	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109A	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109D	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109G	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109K	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109P	DX	SALTER-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.109S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.11	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.111S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.112S	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119A	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119D	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119G	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119K	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119P	DX	SALTER-HARRIS TYPE III PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.119S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF FEMUR-HARRIS TYPE I PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.12	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.121S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF RIGHT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.122S	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF LEFT FEMUR, SEQUELA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129A	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129D	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129G	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129K	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	S79.129P	DX	SALTER-HARRIS TYPE IV PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SEQUELA-HARRIS TYPE II PHYSEAL FRACTURE OF LOWER END OF UNSPECIFIED FEMUR, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH MALUNION	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QB60ZZ	PX	EXCISION OF RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QB70ZZ	PX	EXCISION OF LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QB80ZZ	PX	EXCISION OF RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QB90ZZ	PX	EXCISION OF LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QBB0ZZ	PX	EXCISION OF RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QBC0ZZ	PX	EXCISION OF LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH604Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH605Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH606Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH60BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH60CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH60DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH634Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH635Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH636Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH63BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH63CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH63DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH644Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH645Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH646Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH64BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH64CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH64DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH704Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH705Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH706Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH70BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH70CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH70DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH734Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH735Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH736Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH73BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH73CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH73DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH744Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH745Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH746Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH74BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH74CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH74DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH804Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH805Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH806Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH80BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH80CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH80DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH834Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH835Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH836Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH83BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH83CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH83DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH844Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH845Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH846Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH84BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH84CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH84DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH904Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH905Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH906Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH90BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH90CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH90DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH934Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH935Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH936Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH93BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH93CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH93DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH944Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH945Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH946Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH94BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH94CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QH94DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHB4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC35Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QHC4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN60ZZ	PX	RELEASE RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN63ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN64ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN70ZZ	PX	RELEASE LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN73ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN74ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN80ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN83ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN84ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN90ZZ	PX	RELEASE LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN93ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QN94ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNB0ZZ	PX	RELEASE RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNB3ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNB4ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNC0ZZ	PX	RELEASE LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNC3ZZ	PX	RELEASE LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QNC4ZZ	PX	RELEASE LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP604Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP605Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP607Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP60JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP60KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP634Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP635Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP637Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP63JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP63KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP644Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP645Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP647Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP64JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP64KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP704Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP705Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP707Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP70JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP70KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP734Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP735Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP737Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP73JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP73KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP744Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP745Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP747Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP74JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP74KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP804Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP805Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP807Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP80JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP80KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP834Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP835Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP837Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP83JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP83KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP844Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP845Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP847Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP84JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP84KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP904Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP905Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP907Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP90JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP90KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP934Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP935Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP937Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP93JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP93KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP944Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP945Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP947Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP94JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QP94KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPB4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC04Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC05Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC07Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC35Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC37Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC3JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC44Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC4JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QPC4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ60ZZ	PX	REPAIR RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ63ZZ	PX	REPAIR RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ64ZZ	PX	REPAIR RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ6XZZ	PX	REPAIR RIGHT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ70ZZ	PX	REPAIR LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ73ZZ	PX	REPAIR LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ74ZZ	PX	REPAIR LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ7XZZ	PX	REPAIR LEFT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ80ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ83ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ84ZZ	PX	REPAIR RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ8XZZ	PX	REPAIR RIGHT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ90ZZ	PX	REPAIR LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ93ZZ	PX	REPAIR LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ94ZZ	PX	REPAIR LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQ9XZZ	PX	REPAIR LEFT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQB0ZZ	PX	REPAIR RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQB3ZZ	PX	REPAIR RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQB4ZZ	PX	REPAIR RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQBXZZ	PX	REPAIR RIGHT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQC0ZZ	PX	REPAIR LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQC3ZZ	PX	REPAIR LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQC4ZZ	PX	REPAIR LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QQCXZZ	PX	REPAIR LEFT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR60JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR63JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR64JZ	PX	REPLACEMENT OF RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR70JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR73JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR74JZ	PX	REPLACEMENT OF LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR80JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR83JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR84JZ	PX	REPLACEMENT OF RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR90JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR93JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QR94JZ	PX	REPLACEMENT OF LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRB0JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRB3JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRB4JZ	PX	REPLACEMENT OF RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRC0JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRC3JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QRC4JZ	PX	REPLACEMENT OF LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS604Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS605Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS606Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS60BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS60CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS60DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS60ZZ	PX	REPOSITION RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS634Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS635Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS636Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS63BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS63CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS63DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS63ZZ	PX	REPOSITION RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS644Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS645Z	PX	REPOSITION RIGHT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS646Z	PX	REPOSITION RIGHT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS64BZ	PX	REPOSITION RIGHT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS64CZ	PX	REPOSITION RIGHT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS64DZ	PX	REPOSITION RIGHT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS64ZZ	PX	REPOSITION RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS6XZZ	PX	REPOSITION RIGHT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS704Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS705Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS706Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS70BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS70CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS70DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS70ZZ	PX	REPOSITION LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS734Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS735Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS736Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS73BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS73CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS73DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS73ZZ	PX	REPOSITION LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS744Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS745Z	PX	REPOSITION LEFT UPPER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS746Z	PX	REPOSITION LEFT UPPER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS74BZ	PX	REPOSITION LEFT UPPER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS74CZ	PX	REPOSITION LEFT UPPER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS74DZ	PX	REPOSITION LEFT UPPER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS74ZZ	PX	REPOSITION LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS7XZZ	PX	REPOSITION LEFT UPPER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS804Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS805Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS806Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS80BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS80CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS80DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS80ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS834Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS835Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS836Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS83BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS83CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS83DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS83ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS844Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS845Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS846Z	PX	REPOSITION RIGHT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS84BZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS84CZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS84DZ	PX	REPOSITION RIGHT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS84ZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS8XZZ	PX	REPOSITION RIGHT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS904Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS905Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS906Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS90BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS90CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS90DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS90ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS934Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS935Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS936Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS93BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS93CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS93DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS93ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS944Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS945Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS946Z	PX	REPOSITION LEFT FEMORAL SHAFT WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS94BZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS94CZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS94DZ	PX	REPOSITION LEFT FEMORAL SHAFT WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS94ZZ	PX	REPOSITION LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QS9XZZ	PX	REPOSITION LEFT FEMORAL SHAFT, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB04Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB05Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB06Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB0BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB0CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB0DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB0ZZ	PX	REPOSITION RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB34Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB35Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB36Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB3BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB3CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB3DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB3ZZ	PX	REPOSITION RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB44Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB45Z	PX	REPOSITION RIGHT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB46Z	PX	REPOSITION RIGHT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB4BZ	PX	REPOSITION RIGHT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB4CZ	PX	REPOSITION RIGHT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB4DZ	PX	REPOSITION RIGHT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSB4ZZ	PX	REPOSITION RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSBXZZ	PX	REPOSITION RIGHT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC04Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC05Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC06Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC0BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC0CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC0DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC0ZZ	PX	REPOSITION LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC34Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC35Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC36Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC3BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC3CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC3DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC3ZZ	PX	REPOSITION LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC44Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC45Z	PX	REPOSITION LEFT LOWER FEMUR WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC46Z	PX	REPOSITION LEFT LOWER FEMUR WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC4BZ	PX	REPOSITION LEFT LOWER FEMUR WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC4CZ	PX	REPOSITION LEFT LOWER FEMUR WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC4DZ	PX	REPOSITION LEFT LOWER FEMUR WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSC4ZZ	PX	REPOSITION LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QSCXZZ	PX	REPOSITION LEFT LOWER FEMUR, EXTERNAL APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU60JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU63JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU64JZ	PX	SUPPLEMENT RIGHT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU70JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU73JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU74JZ	PX	SUPPLEMENT LEFT UPPER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU80JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU83JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU84JZ	PX	SUPPLEMENT RIGHT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU90JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU93JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QU94JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUB0JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUB3JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUB4JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUC0JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUC3JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	0QUC4JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y62	PX	DETACHMENT / HINDQUARTER, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y620ZZ	PX	DETACHMENT AT RIGHT HINDQUARTER, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y63	PX	DETACHMENT / HINDQUARTER, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y630ZZ	PX	DETACHMENT AT LEFT HINDQUARTER, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y64	PX	DETACHMENT / HINDQUARTER, BILATERAL	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y640ZZ	PX	DETACHMENT AT BILATERAL HINDQUARTER, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y67	PX	DETACHMENT / FEMORAL REGION, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y670ZZ	PX	DETACHMENT AT RIGHT FEMORAL REGION, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y68	PX	DETACHMENT / FEMORAL REGION, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y680ZZ	PX	DETACHMENT AT LEFT FEMORAL REGION, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6C	PX	DETACHMENT / UPPER LEG, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6C0Z1	PX	DETACHMENT AT RIGHT UPPER LEG, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6C0Z2	PX	DETACHMENT AT RIGHT UPPER LEG, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6C0Z3	PX	DETACHMENT AT RIGHT UPPER LEG, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6D	PX	DETACHMENT / UPPER LEG, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6D0Z1	PX	DETACHMENT AT LEFT UPPER LEG, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6D0Z2	PX	DETACHMENT AT LEFT UPPER LEG, MID, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6D0Z3	PX	DETACHMENT AT LEFT UPPER LEG, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6F	PX	DETACHMENT / KNEE REGION, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6F0ZZ	PX	DETACHMENT AT RIGHT KNEE REGION, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6G	PX	DETACHMENT / KNEE REGION, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6G0ZZ	PX	DETACHMENT AT LEFT KNEE REGION, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6H	PX	DETACHMENT / LOWER LEG, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6H0Z1	PX	DETACHMENT AT RIGHT LOWER LEG, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6H0Z2	PX	DETACHMENT AT RIGHT LOWER LEG, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6H0Z3	PX	DETACHMENT AT RIGHT LOWER LEG, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6J	PX	DETACHMENT / LOWER LEG, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6J0Z1	PX	DETACHMENT AT LEFT LOWER LEG, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6J0Z2	PX	DETACHMENT AT LEFT LOWER LEG, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6J0Z3	PX	DETACHMENT AT LEFT LOWER LEG, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M	PX	DETACHMENT / FOOT, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z0	PX	DETACHMENT AT RIGHT FOOT, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z4	PX	DETACHMENT AT RIGHT FOOT, COMPLETE 1ST RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z5	PX	DETACHMENT AT RIGHT FOOT, COMPLETE 2ND RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z6	PX	DETACHMENT AT RIGHT FOOT, COMPLETE 3RD RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z7	PX	DETACHMENT AT RIGHT FOOT, COMPLETE 4TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z8	PX	DETACHMENT AT RIGHT FOOT, COMPLETE 5TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0Z9	PX	DETACHMENT AT RIGHT FOOT, PARTIAL 1ST RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0ZB	PX	DETACHMENT AT RIGHT FOOT, PARTIAL 2ND RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0ZC	PX	DETACHMENT AT RIGHT FOOT, PARTIAL 3RD RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0ZD	PX	DETACHMENT AT RIGHT FOOT, PARTIAL 4TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6M0ZF	PX	DETACHMENT AT RIGHT FOOT, PARTIAL 5TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N	PX	DETACHMENT / FOOT, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z0	PX	DETACHMENT AT LEFT FOOT, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z4	PX	DETACHMENT AT LEFT FOOT, COMPLETE 1ST RAY, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z5	PX	DETACHMENT AT LEFT FOOT, COMPLETE 2ND RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z6	PX	DETACHMENT AT LEFT FOOT, COMPLETE 3RD RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z7	PX	DETACHMENT AT LEFT FOOT, COMPLETE 4TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z8	PX	DETACHMENT AT LEFT FOOT, COMPLETE 5TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0Z9	PX	DETACHMENT AT LEFT FOOT, PARTIAL 1ST RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0ZB	PX	DETACHMENT AT LEFT FOOT, PARTIAL 2ND RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0ZC	PX	DETACHMENT AT LEFT FOOT, PARTIAL 3RD RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0ZD	PX	DETACHMENT AT LEFT FOOT, PARTIAL 4TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6N0ZF	PX	DETACHMENT AT LEFT FOOT, PARTIAL 5TH RAY, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6P	PX	DETACHMENT / 1ST TOE, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6P0Z0	PX	DETACHMENT AT RIGHT 1ST TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6P0Z1	PX	DETACHMENT AT RIGHT 1ST TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6P0Z2	PX	DETACHMENT AT RIGHT 1ST TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6P0Z3	PX	DETACHMENT AT RIGHT 1ST TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Q	PX	DETACHMENT / 1ST TOE, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Q0Z0	PX	DETACHMENT AT LEFT 1ST TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Q0Z1	PX	DETACHMENT AT LEFT 1ST TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Q0Z2	PX	DETACHMENT AT LEFT 1ST TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Q0Z3	PX	DETACHMENT AT LEFT 1ST TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6R	PX	DETACHMENT / 2ND TOE, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6R0Z0	PX	DETACHMENT AT RIGHT 2ND TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6R0Z1	PX	DETACHMENT AT RIGHT 2ND TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6R0Z2	PX	DETACHMENT AT RIGHT 2ND TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6R0Z3	PX	DETACHMENT AT RIGHT 2ND TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6S	PX	DETACHMENT / 2ND TOE, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6S0Z0	PX	DETACHMENT AT LEFT 2ND TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6S0Z1	PX	DETACHMENT AT LEFT 2ND TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6S0Z2	PX	DETACHMENT AT LEFT 2ND TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6S0Z3	PX	DETACHMENT AT LEFT 2ND TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6T	PX	DETACHMENT / 3RD TOE, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6T0Z0	PX	DETACHMENT AT RIGHT 3RD TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6T0Z1	PX	DETACHMENT AT RIGHT 3RD TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6T0Z2	PX	DETACHMENT AT RIGHT 3RD TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6T0Z3	PX	DETACHMENT AT RIGHT 3RD TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6U	PX	DETACHMENT / 3RD TOE, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6U0Z0	PX	DETACHMENT AT LEFT 3RD TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6U0Z1	PX	DETACHMENT AT LEFT 3RD TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6U0Z2	PX	DETACHMENT AT LEFT 3RD TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6U0Z3	PX	DETACHMENT AT LEFT 3RD TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6V	PX	DETACHMENT / 4TH TOE, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6V0Z0	PX	DETACHMENT AT RIGHT 4TH TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6V0Z1	PX	DETACHMENT AT RIGHT 4TH TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6V0Z2	PX	DETACHMENT AT RIGHT 4TH TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6V0Z3	PX	DETACHMENT AT RIGHT 4TH TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6W	PX	DETACHMENT / 4TH TOE, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6W0Z0	PX	DETACHMENT AT LEFT 4TH TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6W0Z1	PX	DETACHMENT AT LEFT 4TH TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6W0Z2	PX	DETACHMENT AT LEFT 4TH TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6W0Z3	PX	DETACHMENT AT LEFT 4TH TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6X	PX	DETACHMENT / 5TH TOE, RIGHT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6X0Z0	PX	DETACHMENT AT RIGHT 5TH TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6X0Z1	PX	DETACHMENT AT RIGHT 5TH TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6X0Z2	PX	DETACHMENT AT RIGHT 5TH TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6X0Z3	PX	DETACHMENT AT RIGHT 5TH TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Y	PX	DETACHMENT / 5TH TOE, LEFT	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Y0Z0	PX	DETACHMENT AT LEFT 5TH TOE, COMPLETE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Y0Z1	PX	DETACHMENT AT LEFT 5TH TOE, HIGH, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Y0Z2	PX	DETACHMENT AT LEFT 5TH TOE, MID, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	0Y6Y0Z3	PX	DETACHMENT AT LEFT 5TH TOE, LOW, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27590	PX	AMPUTATION, THIGH, THROUGH FEMUR, ANY LEVEL;	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27591	PX	AMPUTATION, THIGH, THROUGH FEMUR, ANY LEVEL; IMMEDIATE FITTING TECHNIQUE INCLUDING FIRST CAST	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27592	PX	AMPUTATION, THIGH, THROUGH FEMUR, ANY LEVEL; OPEN, CIRCULAR (GUILLOTINE)	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27594	PX	AMPUTATION, THIGH, THROUGH FEMUR, ANY LEVEL; SECONDARY CLOSURE OR SCAR REVISION	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27596	PX	AMPUTATION, THIGH, THROUGH FEMUR, ANY LEVEL; RE-AMPUTATION	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27598	PX	DISARTICULATION AT KNEE	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27880	PX	AMPUTATION, LEG, THROUGH TIBIA AND FIBULA;	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27881	PX	AMPUTATION, LEG, THROUGH TIBIA AND FIBULA; WITH IMMEDIATE FITTING TECHNIQUE INCLUDING APPLICATION OF FIRST CAST	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27882	PX	AMPUTATION, LEG, THROUGH TIBIA AND FIBULA; OPEN, CIRCULAR (GUILLOTINE)	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27884	PX	AMPUTATION, LEG, THROUGH TIBIA AND FIBULA; SECONDARY CLOSURE OR SCAR REVISION	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27886	PX	AMPUTATION, LEG, THROUGH TIBIA AND FIBULA; RE-AMPUTATION	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27888	PX	AMPUTATION, ANKLE, THROUGH MALLEOLI OF TIBIA AND FIBULA (EG, SYME, PIROGOFF TYPE PROCEDURES), WITH PLASTIC CLOSURE AND RESECTION OF NERVES ANKLE DISARTICULATION	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	27889	PX	AMPUTATION, FOOT; MIDTARSAL (EG, CHOPART TYPE PROCEDURE)	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	28800	PX	AMPUTATION, FOOT; TRANSMETATARSAL	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	28805	PX	AMPUTATION, METATARSAL, WITH TOE, SINGLE	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	28810	PX	AMPUTATION, TOE; METATARSOPHALANGEAL JOINT	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	28820	PX	AMPUTATION, TOE; INTERPHALANGEAL JOINT	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Lower extremity amputation	28825	PX	HEMIPLEGIA AND HEMIPARESIS	CPT/HCPCS	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81	PX	FLACCID HEMIPLEGIA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.0	PX	FLACCID HEMIPLEGIA AFFECTING UNSPECIFIED SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.00	PX	FLACCID HEMIPLEGIA AFFECTING RIGHT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.01	PX	FLACCID HEMIPLEGIA AFFECTING LEFT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.02	PX	FLACCID HEMIPLEGIA AFFECTING RIGHT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.03	PX	FLACCID HEMIPLEGIA AFFECTING LEFT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.04	PX		ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.1	PX	SPASTIC HEMIPLEGIA	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.10	PX	SPASTIC HEMIPLEGIA AFFECTING UNSPECIFIED SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.11	PX	SPASTIC HEMIPLEGIA AFFECTING RIGHT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.12	PX	SPASTIC HEMIPLEGIA AFFECTING LEFT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.13	PX	SPASTIC HEMIPLEGIA AFFECTING RIGHT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.14	PX	SPASTIC HEMIPLEGIA AFFECTING LEFT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.9	PX	HEMIPLEGIA, UNSPECIFIED	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.90	PX	HEMIPLEGIA AFFECTING UNSPECIFIED SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.91	PX	HEMIPLEGIA AFFECTING RIGHT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.92	PX	HEMIPLEGIA AFFECTING LEFT DOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.93	PX	HEMIPLEGIA AFFECTING RIGHT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hemiplegia and hemiparesis	G81.94	PX	HEMIPLEGIA AFFECTING LEFT NONDOMINANT SIDE	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR90J9	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR90JA	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR90JZ	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB0J9	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB0JA	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB0JZ	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR9019	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR901A	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR901Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR9029	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR902A	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR902Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR9039	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR903A	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR903Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR9049	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR904A	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR904Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR907Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SR90KZ	PX	REPLACEMENT OF RIGHT HIP JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA009	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA00A	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA00Z	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA019	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA01A	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA01Z	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA039	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA03A	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA03Z	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA07Z	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA0J9	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA0JA	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA0JZ	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRA0KZ	PX	REPLACEMENT OF RIGHT HIP JOINT, ACETABULAR SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB019	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB01A	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB01Z	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB029	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB02A	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB02Z	PX	REPLACEMENT OF LEFT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB039	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB03A	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB03Z	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB049	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB04A	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB04Z	PX	REPLACEMENT OF LEFT HIP JOINT WITH CERAMIC ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB07Z	PX	REPLACEMENT OF LEFT HIP JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRB0KZ	PX	REPLACEMENT OF LEFT HIP JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE009	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE00A	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE00Z	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE019	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE01A	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE01Z	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE039	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE03A	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE03Z	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE07Z	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE0J9	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE0JA	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE0JZ	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRE0KZ	PX	REPLACEMENT OF LEFT HIP JOINT, ACETABULAR SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR019	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR01A	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR01Z	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR039	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR03A	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR03Z	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR07Z	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR0J9	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR0JA	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR0JZ	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRR0KZ	PX	REPLACEMENT OF RIGHT HIP JOINT, FEMORAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS019	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS01A	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS01Z	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS039	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS03A	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS03Z	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH CERAMIC SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS07Z	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS0J9	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS0JA	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS0JZ	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Hip replacement	0SRS0KZ	PX	REPLACEMENT OF LEFT HIP JOINT, FEMORAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRC06Z	PX	REPLACEMENT OF RIGHT KNEE JOINT WITH OXIDIZED ZIRCONIUM ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRC07Z	PX	REPLACEMENT OF RIGHT KNEE JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRC0JZ	PX	REPLACEMENT OF RIGHT KNEE JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRC0KZ	PX	REPLACEMENT OF RIGHT KNEE JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRC0LZ	PX	REPLACEMENT OF RIGHT KNEE JOINT WITH MEDIAL UNICONDYLAR SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD06Z	PX	REPLACEMENT OF LEFT KNEE JOINT WITH OXIDIZED ZIRCONIUM ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD07Z	PX	REPLACEMENT OF LEFT KNEE JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0JZ	PX	REPLACEMENT OF LEFT KNEE JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0KZ	PX	REPLACEMENT OF LEFT KNEE JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0LZ	PX	REPLACEMENT OF LEFT KNEE JOINT WITH MEDIAL UNICONDYLAR SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRT07Z	PX	REPLACEMENT OF RIGHT KNEE JOINT, FEMORAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRT0JZ	PX	REPLACEMENT OF RIGHT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRT0KZ	PX	REPLACEMENT OF RIGHT KNEE JOINT, FEMORAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRU07Z	PX	REPLACEMENT OF LEFT KNEE JOINT, FEMORAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRU0JZ	PX	REPLACEMENT OF LEFT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRU0KZ	PX	REPLACEMENT OF LEFT KNEE JOINT, FEMORAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit

14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRV07Z	PX	REPLACEMENT OF RIGHT KNEE JOINT, TIBIAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRV0JZ	PX	REPLACEMENT OF RIGHT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRV0KZ	PX	REPLACEMENT OF RIGHT KNEE JOINT, TIBIAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRW07Z	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRW0JZ	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRW0KZ	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0J9	PX	REPLACEMENT OF LEFT KNEE JOINT WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0JA	PX	REPLACEMENT OF LEFT KNEE JOINT WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0L9	PX	REPLACEMENT OF LEFT KNEE JOINT WITH MEDIAL UNICONDYLAR SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRD0LA	PX	REPLACEMENT OF LEFT KNEE JOINT WITH MEDIAL UNICONDYLAR SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRT0J9	PX	REPLACEMENT OF RIGHT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRT0JA	PX	REPLACEMENT OF RIGHT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRU0J9	PX	REPLACEMENT OF LEFT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRU0JA	PX	REPLACEMENT OF LEFT KNEE JOINT, FEMORAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRV0J9	PX	REPLACEMENT OF RIGHT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRV0JA	PX	REPLACEMENT OF RIGHT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRW0J9	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Knee replacement	0SRW0JA	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM	Any posit
15	LVEF <40% by local echocardiography documented any time within 2 years of Visit 1		EF algorithm				
16	Acute decompensated HF		I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF		I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM	Primary p
16	Acute decompensated HF	LVAD	02HA0RS	DX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02HA3RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02HA4RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	5A02116	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, INTERMITTENT	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	5A02216	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02HA0QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02HA3QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02HA4QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02WA0QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, OPEN APPROACH	ICD-10-CM	Any posit

16	Acute decompensated HF	LVAD	02WA3QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	02WA4QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Any posit
16	Acute decompensated HF	LVAD	33975	PX	INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33976	PX	INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, BIVENTRICULAR	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33977	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33978	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, BIVENTRICULAR	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33979	PX	INSERTION OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE, INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33980	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33881	PX	REPLACEMENT OF EXTRACORPOREAL VENTRICULAR ASSIST DEVICE, SINGLE OR BIVENTRICULAR, PUMP(S), SINGLE OR EACH PUMP	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33982	PX	REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE, WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPSC	Any posit
16	Acute decompensated HF	LVAD	33983	PX	REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE, WITH CARDIOPULMONARY BYPASS	CPT/HCPSC	Any posit
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		N18.5	DX	CHRONIC KIDNEY DISEASE, STAGE 5	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		N18.6	DX	END STAGE RENAL DISEASE	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		I12.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5 CHRONIC KIDNEY DISEASE OR END STAGE RENAL DISEASE	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49	DX	ENCOUNTER FOR CARE INVOLVING RENAL DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.0	DX	PREPARATORY CARE FOR RENAL DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.3	DX	ENCOUNTER FOR ADEQUACY TESTING FOR DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.01	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z49.02	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		Z99.2	DX	DEPENDENCE ON RENAL DIALYSIS	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		R88.0	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS EFFLUENT	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.41	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.41XA	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.41XD	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.41XS	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.42	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.42XA	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.42XD	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.42XS	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.43	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.43XA	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.43XD	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.43XS	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.49	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.49XA	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.49XD	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM	
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		T82.49XS	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM	

17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.611	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.611A	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.611D	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.611S	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.621	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.621A	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.621D	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.621S	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.631	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.631A	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.631D	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.631S	DX	LEAKAGE OF INTRAPER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.691	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.691A	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.691D	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.691S	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.71	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.71XA	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.71XD	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T85.71XS	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	Y84.1	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF THE PROCEDURE	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	Z94.0	DX	KIDNEY TRANSPLANT STATUS	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.1	DX	COMPLICATIONS OF KIDNEY TRANSPLANT	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.10	DX	UNSPECIFIED COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.11	DX	KIDNEY TRANSPLANT REJECTION	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.12	DX	KIDNEY TRANSPLANT FAILURE	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.13	DX	KIDNEY TRANSPLANT INFECTION	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	T86.19	DX	OTHER COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	Z48.22	DX	ENCOUNTER FOR AFTERCARE FOLLOWING KIDNEY TRANSPLANT	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	5A1D70Z	PX	PERFORMANCE OF URINARY FILTRATION, INTERMITTENT, LESS THAN 6 HOURS PER DAY	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	5A1D80Z	PX	PERFORMANCE OF URINARY FILTRATION, PROLONGED INTERMITTENT, 6-18 HOURS PER DAY	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	5A1D90Z	PX	PERFORMANCE OF URINARY FILTRATION, CONTINUOUS, GREATER THAN 18 HOURS PER DAY	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	5A1D00Z	PX	PERFORMANCE OF URINARY FILTRATION, SINGLE	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	5A1D60Z	PX	PERFORMANCE OF URINARY FILTRATION, MULTIPLE	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	3E1M39Z	PX	IRRIGATION OF PERITONEAL CAVITY USING DIALYSATE, PERCUTANEOUS APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY00Z0	PX	TRANSPLANTATION OF RIGHT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY00Z1	PX	TRANSPLANTATION OF RIGHT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY00Z2	PX	TRANSPLANTATION OF RIGHT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY10Z0	PX	TRANSPLANTATION OF LEFT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY10Z1	PX	TRANSPLANTATION OF LEFT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TY10Z2	PX	TRANSPLANTATION OF LEFT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TS00ZZ	PX	REPOSITION RIGHT KIDNEY, OPEN APPROACH	ICD-10-CM

17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	0TS10ZZ	PX	REPOSITION LEFT KIDNEY, OPEN APPROACH	ICD-10-CM
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90989	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COMPLETED COURSE	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90993	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COURSE NOT COMPLETED, PER TRAINING SESSION	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90999	PX	UNLISTED DIALYSIS PROCEDURE, INPATIENT OR OUTPATIENT	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	99512	PX	HOME VISIT FOR HEMODIALYSIS	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	99559	PX	HOME INFUSION OF PERITONEAL DIALYSIS, PER DIEM / HOME INFUSION OF PERITONEAL DIALYSIS, PER VISIT	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	50360	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITHOUT RECIPIENT NEPHRECTOMY	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	50365	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITH RECIPIENT NEPHRECTOMY	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	50370	PX	REMOVAL OF TRANSPLANTED RENAL ALLOGRAFT	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	50380	PX	RENAL AUTOTRANSPLANTATION, REIMPLANTATION OF KIDNEY	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	G0257	PX	UNSCHEDULED OR EMERGENCY DIALYSIS TREATMENT FOR AN ESRD PATIENT IN A HOSPITAL OUTPATIENT DEPARTMENT THAT IS NOT CERTIFIED AS AN ESRD FACILITY	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	G0319	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	G0326	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES LESS THAN FULL MONTH, PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	S9335	PX	HOME THERAPY, HEMODIALYSIS; ADMINISTRATIVE SERVICES, PROFESSIONAL PHARMACY SERVICES, CARE COORDINATION, AND ALL NECESSARY SUPPLIES AND EQUIPMENT (DRUGS AND NURSING SERVICES CODED SEPARATELY), PER DIEM	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90920	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90921	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90924	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90935	PX	HEMODIALYSIS PROCEDURE WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90937	PX	HEMODIALYSIS PROCEDURE REQUIRING REPEATED EVALUATION(S) WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90939	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR DILUTION METHOD, HOOK-UP; TRANSCUTANEOUS MEASUREMENT AND DISCONNECTION	CPT/HCPCS
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1	90940	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR METHOD	CPT/HCPCS

	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90945	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES), WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90947	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES) REQUIRING REPEATED EVALUATIONS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL, WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90957	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90958	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90959	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90960	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90961	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90962	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90965	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90966	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90969	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 12-19 YEARS OF AGE	CPT/HCPCS
	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1					
17			90970	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
18	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.0	DX	HYPERTENSIVE URGENCY	ICD-10-CM
18	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.1	DX	HYPERTENSIVE EMERGENCY	ICD-10-CM
18	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.9	DX	HYPERTENSIVE CRISIS, UNSPECIFIED	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95	DX	HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.0	DX	IDIOPATHIC HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.1	DX	ORTHOSTATIC HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.2	DX	HYPOTENSION DUE TO DRUGS	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.3	DX	HYPOTENSION OF HEMODIALYSIS	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.8	DX	OTHER HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.81	DX	POSTPROCEDURAL HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.89	DX	OTHER HYPOTENSION	ICD-10-CM
18	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 7	Hypotension	I95.9	DX	HYPOTENSION, UNSPECIFIED	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial fibrillation	I48.0	DX	PAROXYSMAL ATRIAL FIBRILLATION	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial fibrillation	I48.1	DX	PERSISTENT ATRIAL FIBRILLATION	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial fibrillation	I48.19	DX	OTHER PERSISTENT ATRIAL FIBRILLATION	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial fibrillation	I48.2	DX	CHRONIC ATRIAL FIBRILLATION	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial fibrillation	I48.91	DX	UNSPECIFIED ATRIAL FIBRILLATION	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial flutter	I48.3	DX	TYPICAL ATRIAL FLUTTER	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial flutter	I48.4	DX	ATYPICAL ATRIAL FLUTTER	ICD-10-CM
20	Atrial fibrillation / flutter	Atrial flutter	I48.92	DX	UNSPECIFIED ATRIAL FLUTTER	ICD-10-CM
20	Atrial fibrillation / flutter	Tachycardia	I47.1	DX	SUPRAVENTRICULAR TACHYCARDIA	ICD-10-CM
20	Atrial fibrillation / flutter	Tachycardia	I47.2	DX	VENTRICULAR TACHYCARDIA	ICD-10-CM
21	Cardiomyopathy	Cardiomyopathy	I42.1	DX	OBSTRUCTIVE HYPERTROPHIC CARDIOMYOPATHY	ICD-10-CM
21	Cardiomyopathy	Cardiomyopathy	I42.5	DX	OTHER RESTRICTIVE CARDIOMYOPATHY	ICD-10-CM
21	Cardiomyopathy	Cardiomyopathy	I42.6	DX	ALCOHOLIC CARDIOMYOPATHY	ICD-10-CM
21	Cardiomyopathy	Cardiomyopathy	I42.7	DX	CARDIOMYOPATHY DUE TO DRUG AND EXTERNAL AGENT	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85	DX	AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.0	DX	NON-NEUROPATHIC HEREDOFAMILIAL AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.1	DX	NEUROPATHIC HEREDOFAMILIAL AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.2	DX	HEREDOFAMILIAL AMYLOIDOSIS, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.3	DX	SECONDARY SYSTEMIC AMYLOIDOSIS	ICD-10-CM

21	Cardiomyopathy	Amyloidosis	E85.4	DX	ORGAN-LIMITED AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.8	DX	OTHER AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.81	DX	LIGHT CHAIN (AL) AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.82	DX	WILD-TYPE TRANSTHYRETIN-RELATED (ATTR) AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.89	DX	OTHER AMYLOIDOSIS	ICD-10-CM
21	Cardiomyopathy	Amyloidosis	E85.9	DX	AMYLOIDOSIS, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Hemochromatosis	E83.11	DX	HEMOCHROMATOSIS	ICD-10-CM
21	Cardiomyopathy	Hemochromatosis	E83.110	DX	HEREDITARY HEMOCHROMATOSIS	ICD-10-CM
21	Cardiomyopathy	Hemochromatosis	E83.111	DX	HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL TRANSFUSIONS	ICD-10-CM
21	Cardiomyopathy	Hemochromatosis	E83.118	DX	OTHER HEMOCHROMATOSIS	ICD-10-CM
21	Cardiomyopathy	Hemochromatosis	E83.119	DX	HEMOCHROMATOSIS, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.0	DX	MUSCULAR DYSTROPHY	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.00	DX	MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.01	DX	DUCHENNE OR BECKER MUSCULAR DYSTROPHY	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.02	DX	FACIOSCAPULOHUMERAL MUSCULAR DYSTROPHY	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.03	DX	LIMB GIRDLE MUSCULAR DYSTROPHIES	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.031	DX	AUTOSOMAL DOMINANT LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.032	DX	AUTOSOMAL RECESSIVE LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO CALPAIN-3 DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.033	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO DYSFERLIN DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.034	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.0340	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN DYSFUNCTION, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.0341	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ALPHA SARCOGLYCAN DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.0342	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO BETA SARCOGLYCAN DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.0349	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO OTHER SARCOGLYCAN DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.035	DX	LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ANOCTAMIN-5 DYSFUNCTION	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.038	DX	OTHER LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.039	DX	LIMB GIRDLE MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Muscular dystrophies	G71.09	DX	OTHER SPECIFIED MUSCULAR DYSTROPHIES	ICD-10-CM
21	Cardiomyopathy	Takotsubo syndrome	I51.81	DX	TAKOTSUBO SYNDROME	ICD-10-CM
21	Cardiomyopathy	Pericardial constriction	I31.1	DX	CHRONIC CONSTRICTIVE PERICARDITIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I05.0	DX	RHEUMATIC MITRAL STENOSIS (MITRAL VALVE OBSTRUCTION, RHEUMATIC)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I05.1	DX	RHEUMATIC MITRAL INSUFFICIENCY (RHEUMATIC MITRAL INCOMPETENCE, RHEUMATIC MITRAL REGURGITATION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I05.2	DX	RHEUMATIC MITRAL STENOSIS WITH INSUFFICIENCY (RHEUMATIC MITRAL STENOSIS WITH INCOMPETENCE OR REGURGITATION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I05.8	DX	OTHER RHEUMATIC MITRAL VALVE DISEASES (RHEUMATIC MITRAL VALVE FAILURE)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I05.9	DX	RHEUMATIC MITRAL VALVE DISEASE, UNSPECIFIED (RHEUMATIC MITRAL VALVE DISORDER (CHRONIC) NOS)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06	DX	RHEUMATIC AORTIC VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06.0	DX	RHEUMATIC AORTIC STENOSIS (RHEUMATIC AORTIC VALVE OBSTRUCTION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06.1	DX	RHEUMATIC AORTIC INSUFFICIENCY (RHEUMATIC AORTIC INCOMPETENCE OR REGURGITATION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06.2	DX	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY (INCOMPETENCE OR REGURGITATION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06.8	DX	OTHER RHEUMATIC AORTIC VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I06.9	DX	RHEUMATIC AORTIC VALVE DISEASE, UNSPECIFIED (RHEUMATIC AORTIC VALVE DISEASE NOS)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07	DX	RHEUMATIC TRICUSPID VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07.0	DX	RHEUMATIC TRICUSPID STENOSIS (TRICUSPID VALVE STENOSIS, RHEUMATIC)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07.1	DX	RHEUMATIC TRICUSPID INSUFFICIENCY (TRICUSPID VALVE INSUFFICIENCY, RHEUMATIC)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07.2	DX	RHEUMATIC TRICUSPID STENOSIS AND INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07.8	DX	OTHER RHEUMATIC TRICUSPID VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I07.9	DX	RHEUMATIC TRICUSPID VALVE DISEASE, UNSPECIFIED (RHEUMATIC TRICUSPID VALVE DISORDER NOS)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08	DX	MULTIPLE VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.0	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND AORTIC VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.1	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND TRICUSPID VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.2	DX	RHEUMATIC DISORDERS OF BOTH AORTIC AND TRICUSPID VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.3	DX	COMBINED RHEUMATIC DISORDERS OF MITRAL, AORTIC, AND TRICUSPID VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.8	DX	OTHER RHEUMATIC MULTIPLE VALVE DISEASES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I08.9	DX	RHEUMATIC MULTIPLE VALVE DISEASE, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I09.1	DX	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34	DX	NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.0	DX	NONRHEUMATIC MITRAL (VALVE) INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.1	DX	NONRHEUMATIC MITRAL (VALVE) PROLAPSE	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.2	DX	NONRHEUMATIC MITRAL (VALVE) STENOSIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.8	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.81	DX	NONRHEUMATIC MITRAL (VALVE) ANNULUS CALCIFICATION	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.89	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I34.9	DX	NONRHEUMATIC MITRAL VALVE DISORDER, UNSPECIFIED	ICD-10-CM

21	Cardiomyopathy	Valvular heart disease	I35	DX	NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I35.0	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I35.1	DX	NONRHEUMATIC AORTIC (VALVE) INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I35.2	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I35.8	DX	OTHER NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I35.9	DX	NONRHEUMATIC AORTIC VALVE DISORDER, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36	DX	NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36.0	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36.1	DX	NONRHEUMATIC TRICUSPID (VALVE) INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36.2	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36.8	DX	OTHER NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I36.9	DX	NONRHEUMATIC TRICUSPID VALVE DISORDER, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37	DX	NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37.0	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37.1	DX	NONRHEUMATIC PULMONARY VALVE INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37.2	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS WITH INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37.8	DX	OTHER NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I37.9	DX	NONRHEUMATIC PULMONARY VALVE DISORDER, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I38	DX	ENDOCARDITIS, VALVE UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.0	DX	PULMONARY VALVE ATRESIA	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.1	DX	CONGENITAL PULMONARY VALVE STENOSIS	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.2	DX	CONGENITAL PULMONARY VALVE INSUFFICIENCY (CONGENITAL PULMONARY VALVE REGURGITATION)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.3	DX	OTHER CONGENITAL MALFORMATIONS OF PULMONARY VALVE (SUPERNUMERARY CUSPS OF PULMONARY VALVE)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.4	DX	CONGENITAL TRICUSPID STENOSIS (CONGENITAL TRICUSPID ATRESIA)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.5	DX	EBSTEIN'S ANOMALY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.6	DX	HYPOPLASTIC RIGHT HEART SYNDROME	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.8	DX	OTHER CONGENITAL MALFORMATIONS OF TRICUSPID VALVE	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q22.9	DX	CONGENITAL MALFORMATION OF TRICUSPID VALVE, UNSPECIFIED	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23	DX	CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.0	DX	CONGENITAL STENOSIS OF AORTIC VALVE (CONGENITAL AORTIC ATRESIA)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.1	DX	CONGENITAL INSUFFICIENCY OF AORTIC VALVE (CONGENITAL AORTIC INSUFFICIENCY)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.2	DX	CONGENITAL MITRAL STENOSIS (CONGENITAL MITRAL ATRESIA)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.3	DX	CONGENITAL MITRAL INSUFFICIENCY	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.8	DX	OTHER CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.81	DX	BICUSPID AORTIC VALVE (CONGENITAL BICUSPID AORTIC VALVE, UNICUSPID AORTIC VALVE)	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.82	DX	CONGENITAL MITRAL VALVE CLEFT LEAFLET	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.88	DX	OTHER CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
21	Cardiomyopathy	Valvular heart disease	Q23.9	DX	CONGENITAL MALFORMATION OF AORTIC AND MITRAL VALVES, UNSPECIFIED	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	Z98.84	DX	BARIATRIC SURGERY STATUS	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	K95.01	DX	INFECTION DUE TO GASTRIC BAND PROCEDURE	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	K95.09	DX	OTHER COMPLICATIONS OF GASTRIC BAND PROCEDURE	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	K95.81	DX	INFECTION DUE TO OTHER BARIATRIC PROCEDURE	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	K95.89	DX	OTHER COMPLICATIONS OF OTHER BARIATRIC PROCEDURE	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0DB60ZZ	PX	EXCISION OF STOMACH, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0DB63ZZ	PX	EXCISION OF STOMACH, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0DB67ZZ	PX	EXCISION OF STOMACH, VIA NATURAL OR ARTIFICIAL OPENING	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1607A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1607B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1607L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160ZA	PX	BYPASS STOMACH TO JEJUNUM, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160ZB	PX	BYPASS STOMACH TO ILEUM, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1687A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1687B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1687L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168ZA	PX	BYPASS STOMACH TO JEJUNUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168ZB	PX	BYPASS STOMACH TO ILEUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D16479	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1647A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1647B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D1647L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164Z9	PX	BYPASS STOMACH TO DUODENUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164ZA	PX	BYPASS STOMACH TO JEJUNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164ZB	PX	BYPASS STOMACH TO ILEUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D164ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D16079	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D160Z9	PX	BYPASS STOMACH TO DUODENUM, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D16879	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0D168Z9	PX	BYPASS STOMACH TO DUODENUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	0DQ64ZZ	PX	REPAIR STOMACH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43770	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE: PLACEMENT OF ADJUSTABLE GASTRIC BAND	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43644	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX-EN-Y GASTROENTEROSTOMY (ROUX LIMB 150 CM OR LESS)	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43645	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE WITH GASTRIC BYPASS AND SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43842	PX	GASTRIC RESTRICTIVE PROCEDURE, WITHOUT GASTRIC BYPASS, FOR MORBID OBESITY, VERTICAL BANDED GASTROPLASTY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43843	PX	OTHER GASTRIC RESTRICTIVE PROCEDURES, WITHOUT GASTRIC BYPASS, AND OTHER THAN VERTICAL BANDED GASTROPLASTY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43844	PX	LAPAROSCOPIC GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX EN Y GASTROENTEROSTOMY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43845	PX	GASTRIC RESTRICTIVE PROCEDURE WITH PARTIAL GASTRECTOMY, PYLORUS-PRESERVING DUODENOILEOSTOMY AND ILEOLIEOSTOMY TO LIMIT ABSORPTION (BPD)	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43846	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH GASTRIC BYPASS, FOR MORBID OBESITY; WITH SHORT LIMB (LESS THAN 100 CM) ROUX-EN-Y GASTROENTEROSTOMY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43847	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION; WITH LONG LIMB (>150 CM) ROUX-EN-Y	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43659	PX	GASTRECTOMY, TOTAL; WITH ROUX-EN-Y RECONSTRUCTION; MINI-GASTRIC BYPASS	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	S2082	PX	LAPAROSCOPY, SURGICAL; GASTRIC RESTRICTIVE PROCEDURE, ADJUSTABLE GASTRIC BAND INCLUDES PLACEMENT OF SUBCUTANEOUS PORT	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	S2085	PX	LAPAROSCOPIC GASTRIC BYPASS	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43775	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE; LONGITUDINAL GASTRECTOMY (E.G., SLEEVE GASTRECTOMY)	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Bariatric surgeries	43848	PX	REVISION RYGB	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15876	PX	SUCTION ASSISTED LIPECTOMY; HEAD AND NECK	CPT/HCPCS

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15877	PX	SUCTION ASSISTED LIPECTOMY; TRUNK	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15878	PX	SUCTION ASSISTED LIPECTOMY; UPPER EXTREMITY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15879	PX	SUCTION ASSISTED LIPECTOMY; LOWER EXTREMITY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15832	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); THIGH	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15833	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); LEG	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15834	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); HIP	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15835	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); BUTTOCK	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	15836	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); ARM	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDF3ZZ	PX	EXTRACTION OF LEFT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0M3ZZ	PX	ALTERATION OF LEFT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J093ZZ	PX	ALTERATION OF BUTTOCK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0D3ZZ	PX	ALTERATION OF RIGHT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0F3ZZ	PX	ALTERATION OF LEFT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0G3ZZ	PX	ALTERATION OF RIGHT LOWER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0H3ZZ	PX	ALTERATION OF LEFT LOWER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0L3ZZ	PX	ALTERATION OF RIGHT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0M3ZZ	PX	ALTERATION OF LEFT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0N3ZZ	PX	ALTERATION OF RIGHT LOWER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J0P3ZZ	PX	ALTERATION OF LEFT LOWER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0037Z	PX	ALTERATION OF RIGHT BUTTOCK WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y003JZ	PX	ALTERATION OF RIGHT BUTTOCK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM

	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y003KZ	PX	ALTERATION OF RIGHT BUTTOCK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y003ZZ	PX	ALTERATION OF RIGHT BUTTOCK, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0137Z	PX	ALTERATION OF LEFT BUTTOCK WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y013JZ	PX	ALTERATION OF LEFT BUTTOCK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y013KZ	PX	ALTERATION OF LEFT BUTTOCK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y013ZZ	PX	ALTERATION OF LEFT BUTTOCK, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0937Z	PX	ALTERATION OF RIGHT LOWER EXTREMITY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y093JZ	PX	ALTERATION OF RIGHT LOWER EXTREMITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y093KZ	PX	ALTERATION OF RIGHT LOWER EXTREMITY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y093ZZ	PX	ALTERATION OF RIGHT LOWER EXTREMITY, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0B37Z	PX	ALTERATION OF LEFT LOWER EXTREMITY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0B3JZ	PX	ALTERATION OF LEFT LOWER EXTREMITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0B3KZ	PX	ALTERATION OF LEFT LOWER EXTREMITY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0B3ZZ	PX	ALTERATION OF LEFT LOWER EXTREMITY, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0C37Z	PX	ALTERATION OF RIGHT UPPER LEG WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0C3JZ	PX	ALTERATION OF RIGHT UPPER LEG WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0C3KZ	PX	ALTERATION OF RIGHT UPPER LEG WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0C3ZZ	PX	ALTERATION OF RIGHT UPPER LEG, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0D37Z	PX	ALTERATION OF LEFT UPPER LEG WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0D3JZ	PX	ALTERATION OF LEFT UPPER LEG WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0Y0D3KZ	PX	ALTERATION OF LEFT UPPER LEG WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM

	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF LEFT UPPER LEG, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0D3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF RIGHT KNEE REGION WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0F37Z	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF RIGHT KNEE REGION WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0F3JZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF RIGHT KNEE REGION WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0F3KZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF RIGHT KNEE REGION, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0F3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF LEFT KNEE REGION WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0G37Z	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF LEFT KNEE REGION WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0G3JZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF LEFT KNEE REGION WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0G3KZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				ALTERATION OF LEFT KNEE REGION, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0Y0G3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF BUTTOCK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD93ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF RIGHT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDD3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF LEFT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDF3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF RIGHT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDL3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF LEFT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDM3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD63ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF BACK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD73ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF BUTTOCK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD93ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF RIGHT NECK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD43ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF LEFT NECK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JD53ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF PELVIC REGION SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDC3ZZ	PX		ICD-10-CM
	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty				EXTRACTION OF RIGHT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	
22	during the duration of the study are excluded.	Liposuction	0JDD3ZZ	PX		ICD-10-CM

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDF3ZZ	PX	EXTRACTION OF LEFT UPPER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDG3ZZ	PX	EXTRACTION OF RIGHT LOWER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDH3ZZ	PX	EXTRACTION OF LEFT LOWER ARM SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDJ3ZZ	PX	EXTRACTION OF RIGHT HAND SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDK3ZZ	PX	EXTRACTION OF LEFT HAND SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDL3ZZ	PX	EXTRACTION OF RIGHT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDM3ZZ	PX	EXTRACTION OF LEFT UPPER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDN3ZZ	PX	EXTRACTION OF RIGHT LOWER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDP3ZZ	PX	EXTRACTION OF LEFT LOWER LEG SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDQ3ZZ	PX	EXTRACTION OF RIGHT FOOT SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0JDR3ZZ	PX	EXTRACTION OF LEFT FOOT SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J063ZZ	PX	ALTERATION OF CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J073ZZ	PX	ALTERATION OF BACK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Liposuction	0J093ZZ	PX	ALTERATION OF BUTTOCK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F0ZZ	PX	ALTERATION OF ABDOMINAL WALL, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	15830	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); ABDOMEN, INFRAUMBILICAL PANNICULECTOMY	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	15847	PX	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDES LIPECTOMY); ABDOMEN (E.G., ABDOMINOPLASTY) (INCLUDES UMBILICAL TRANSPOSITION AND FASCIAL PLICATION)	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	15877	PX	SUCTION LIPECTOMY TRUNK	CPT/HCPCS
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0J083ZZ	PX	ALTERATION OF ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F07Z	PX	ALTERATION OF ABDOMINAL WALL WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F0JZ	PX	ALTERATION OF ABDOMINAL WALL WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F0KZ	PX	ALTERATION OF ABDOMINAL WALL WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F0ZZ	PX	ALTERATION OF ABDOMINAL WALL, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F37Z	PX	ALTERATION OF ABDOMINAL WALL WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F3JZ	PX	ALTERATION OF ABDOMINAL WALL WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F3KZ	PX	ALTERATION OF ABDOMINAL WALL WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F3ZZ	PX	ALTERATION OF ABDOMINAL WALL, PERCUTANEOUS APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F47Z	PX	ALTERATION OF ABDOMINAL WALL WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F4JZ	PX	ALTERATION OF ABDOMINAL WALL WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F4KZ	PX	ALTERATION OF ABDOMINAL WALL WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0W0F4ZZ	PX	ALTERATION OF ABDOMINAL WALL, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0JD80ZZ	PX	EXTRACTION OF ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.	Abdominoplasty	0JD83ZZ	PX	EXTRACTION OF ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
24	Have T1DM		E10.1	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM
24	Have T1DM		E10.10	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
24	Have T1DM		E10.11	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
24	Have T1DM		E10.2	DX	TYPE 1 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM
24	Have T1DM		E10.21	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
24	Have T1DM		E10.22	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
24	Have T1DM		E10.29	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM
24	Have T1DM		E10.3	DX	TYPE 1 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM
24	Have T1DM		E10.31	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM
24	Have T1DM		E10.311	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
24	Have T1DM		E10.319	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
24	Have T1DM		E10.32	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
24	Have T1DM		E10.321	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
24	Have T1DM		E10.3211	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM		E10.3212	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM		E10.3213	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM		E10.3219	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM		E10.329	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
24	Have T1DM		E10.3291	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM		E10.3292	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM		E10.3293	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM		E10.3299	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM

24	Have T1DM	E10.33	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
24	Have T1DM	E10.331	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
24	Have T1DM	E10.3311	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3312	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3313	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3319	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.339	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
24	Have T1DM	E10.3391	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3392	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3393	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3399	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.34	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
24	Have T1DM	E10.341	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
24	Have T1DM	E10.3411	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3412	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3413	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3419	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.349	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
24	Have T1DM	E10.3491	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3492	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3493	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3499	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.35	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
24	Have T1DM	E10.351	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
24	Have T1DM	E10.3511	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3512	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3513	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3519	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.352	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
24	Have T1DM	E10.3521	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3522	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3523	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
24	Have T1DM	E10.3529	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.353	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
24	Have T1DM	E10.3531	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
24	Have T1DM	E10.3532	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
24	Have T1DM	E10.3533	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM

	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING	
24		E10.3539	DX		THE MACULA, UNSPECIFIED EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND	
24		E10.354	DX		RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND	
24		E10.3541	DX		RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND	
24		E10.3542	DX		RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND	
24		E10.3543	DX		RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND	
24		E10.3549	DX		RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC	
24		E10.355	DX		RETINOPATHY	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC	
24		E10.3551	DX		RETINOPATHY, RIGHT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC	
24		E10.3552	DX		RETINOPATHY, LEFT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC	
24		E10.3553	DX		RETINOPATHY, BILATERAL	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC	
24		E10.3559	DX		RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC	
24		E10.359	DX		RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC	
24		E10.3591	DX		RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC	
24		E10.3592	DX		RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC	
24		E10.3593	DX		RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC	
24		E10.3599	DX		RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
24	Have T1DM	E10.36	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA,	
24		E10.37	DX		RESOLVED FOLLOWING TREATMENT	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA,	
24		E10.37X1	DX		RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA,	
24		E10.37X2	DX		RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA,	
24		E10.37X3	DX		RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA,	
24		E10.37X9	DX		RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC	
24		E10.39	DX		COMPLICATION	ICD-10-CM
24	Have T1DM	E10.4	DX		TYPE 1 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	
24		E10.40	DX			ICD-10-CM
24	Have T1DM	E10.41	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
24	Have T1DM	E10.42	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC	
24		E10.43	DX		(POLY)NEUROPATHY	ICD-10-CM
24	Have T1DM	E10.44	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL	
24		E10.49	DX		COMPLICATION	ICD-10-CM
24	Have T1DM	E10.5	DX		TYPE 1 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY	
24		E10.51	DX		WITHOUT GANGRENE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY	
24		E10.52	DX		WITH GANGRENE	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	
24		E10.59	DX			ICD-10-CM
24	Have T1DM	E10.6	DX		TYPE 1 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATIONS	ICD-10-CM
24	Have T1DM	E10.61	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC ARTHROPATHY	ICD-10-CM
	Have T1DM				TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC	
24		E10.610	DX		ARTHROPATHY	ICD-10-CM
24	Have T1DM	E10.618	DX		TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC ARTHROPATHY	ICD-10-CM
24	Have T1DM	E10.62	DX		TYPE 1 DIABETES MELLITUS WITH SKIN COMPLICATIONS	ICD-10-CM
24	Have T1DM	E10.620	DX		TYPE 1 DIABETES MELLITUS WITH DIABETIC DERMATITIS	ICD-10-CM
24	Have T1DM	E10.621	DX		TYPE 1 DIABETES MELLITUS WITH FOOT ULCER	ICD-10-CM
24	Have T1DM	E10.622	DX		TYPE 1 DIABETES MELLITUS WITH OTHER SKIN ULCER	ICD-10-CM
24	Have T1DM	E10.628	DX		TYPE 1 DIABETES MELLITUS WITH OTHER SKIN COMPLICATIONS	ICD-10-CM
24	Have T1DM	E10.630	DX		TYPE 1 DIABETES MELLITUS WITH PERIODONTAL DISEASE	ICD-10-CM
24	Have T1DM	E10.638	DX		TYPE 1 DIABETES MELLITUS WITH OTHER ORAL COMPLICATIONS	ICD-10-CM
24	Have T1DM	E10.64	DX		TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA	ICD-10-CM
24	Have T1DM	E10.641	DX		TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
24	Have T1DM	E10.649	DX		TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
24	Have T1DM	E10.65	DX		TYPE 1 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
24	Have T1DM	E10.69	DX		TYPE 1 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM

24	Have T1DM			E10.8	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
24	Have T1DM			E10.9	DX	TYPE 1 DIABETES MELLITUS WITHOUT COMPLICATIONS	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E08.10	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E08.11	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH KETOACIDOSIS WITH COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E09.10	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E09.11	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E10.10	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E10.11	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E13.10	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician			E13.11	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E10.64	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E10.641	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E10.649	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E11.64	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E11.641	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E11.649	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E13.64	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPOGLYCEMIA	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E13.641	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E13.649	DX	OTHER SPECIFIED DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E15	DX	NONDIABETIC HYPOGLYCEMIC COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E16.0	DX	DRUG-INDUCED HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E16.1	DX	OTHER HYPOGLYCEMIA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		E16.2	DX	HYPOGLYCEMIA, UNSPECIFIED	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		T38.3X1A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), INITIAL ENCOUNTER	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		T38.3X1D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), SUBSEQUENT ENCOUNTER	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		T38.3X1S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ACCIDENTAL (UNINTENTIONAL), SEQUELA	ICD-10-CM
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia		T38.3X2A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM

25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X2D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X2S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INTENTIONAL SELF	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X3	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X3A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, INITIAL ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X3D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, SUBSEQUENT ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X3S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, ASSAULT, SEQUELA	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X4	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X4A	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, INITIAL ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X4D	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, SUBSEQUENT ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X4S	DX	POISONING BY INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, UNDETERMINED, SEQUELA	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X5	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X5A	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, INITIAL ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X5D	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, SUBSEQUENT ENCOUNTER	ICD-10-CM	
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)	Hypoglycemia	T38.3X5S	DX	ADVERSE EFFECT OF INSULIN AND ORAL HYPOGLYCEMIC [ANTIDIABETIC] DRUGS, SEQUELA	ICD-10-CM	
25.4	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy. Verified by a fundus examination performed within 90 days prior to screening or in the period between screening and randomisation. Pharmacological pupil-dilation is a requirement unless using a digital fundus photography camera specified for non-dilated examination.	Anti-VEGFi (component 2)	67028	PX	INTRAVITREAL INJECTION OF A PHARMACOLOGIC AGENT (SEPARATE PROCEDURE)	CPT/HCPCS	Compone
25.4	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy. Verified by a fundus examination performed within 90 days prior to screening or in the period between screening and randomisation. Pharmacological pupil-dilation is a requirement unless using a digital fundus photography camera specified for non-dilated examination.	Photocoagulation (component 3)	67028	PX	INTRAVITREAL INJECTION OF A PHARMACOLOGIC AGENT (SEPARATE PROCEDURE)	CPT/HCPCS	Compone
25.4	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy. Verified by a fundus examination performed within 90 days prior to screening or in the period between screening and randomisation. Pharmacological pupil-dilation is a requirement unless using a digital fundus photography camera specified for non-dilated examination.	Photocoagulation (component 3)	67220	PX	DESTRUCTION OF LOCALIZED LESION OF CHOROID (EG, CHOROIDAL NEOVASCULARIZATION); PHOTOCOAGULATION (EG, LASER), 1 OR MORE SESSIONS	CPT/HCPCS	Compone
25.4	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy. Verified by a fundus examination performed within 90 days prior to screening or in the period between screening and randomisation. Pharmacological pupil-dilation is a requirement unless using a digital fundus photography camera specified for non-dilated examination.	Photocoagulation (component 3)	67228	PX	TREATMENT OF EXTENSIVE OR PROGRESSIVE RETINOPATHY (EG, DIABETIC RETINOPATHY), PHOTOCOAGULATION	CPT/HCPCS	Compone
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN ASPART	RX		Generic	
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN ASPART (NIACI	RX		Generic	
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN ASPART PROT/	RX		Generic	
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN GLULISINE	RX		Generic	

25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN INHALATION CI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN LISPRO	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN LISPRO PROTAI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN LISPRO-AABC	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN NPH HUMAN AI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN NPH HUMAN IS	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN POWDER INHAI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PROTAMINE ZI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PROTAMINE ZN	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PROTAMINE ZN	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PROTAMINE ZN	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PUMP CARTRID	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PUMP CONTRO	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PUMP SYRINGE	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PUMP SYRINGE	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PUMP/INFUSIOI	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REG HUMAN SE	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REG, HUM S-S I	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR, HUM	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR, HUM	RX		Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR, HUM	RX		Generic

25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR,BEEF	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR,HUM.	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN RELEASE UNIT	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN GLARGINE-YFG	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PEN, REUSABLI	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN PEN, REUSABLI	RX			Generic
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1	Insulins	INSULIN REGULAR, HUM	RX			Generic
26	Pancreatitis		B25.2	DX	CYTOMEGALOVIRAL PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.0	DX	IDIOPATHIC ACUTE PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.00	DX	IDIOPATHIC ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION		ICD-10-CM
26	Pancreatitis		K85.01	DX	IDIOPATHIC ACUTE PANCREATITIS WITH UNINFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.02	DX	IDIOPATHIC ACUTE PANCREATITIS WITH INFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.1	DX	BILIARY ACUTE PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.10	DX	BILIARY ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION		ICD-10-CM
26	Pancreatitis		K85.11	DX	BILIARY ACUTE PANCREATITIS WITH UNINFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.12	DX	BILIARY ACUTE PANCREATITIS WITH INFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.2	DX	ALCOHOL INDUCED ACUTE PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.20	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION		ICD-10-CM
26	Pancreatitis		K85.21	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.22	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.3	DX	DRUG INDUCED ACUTE PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.30	DX	DRUG INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION		ICD-10-CM
26	Pancreatitis		K85.31	DX	DRUG INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.32	DX	DRUG INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.8	DX	OTHER ACUTE PANCREATITIS		ICD-10-CM
26	Pancreatitis		K85.80	DX	OTHER ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION		ICD-10-CM
26	Pancreatitis		K85.81	DX	OTHER ACUTE PANCREATITIS WITH UNINFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.82	DX	OTHER ACUTE PANCREATITIS WITH INFECTED NECROSIS		ICD-10-CM
26	Pancreatitis		K85.9	DX	ACUTE PANCREATITIS, UNSPECIFIED		ICD-10-CM
26	Pancreatitis		K85.90	DX	ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION, UNSPECIFIED		ICD-10-CM
26	Pancreatitis		K85.91	DX	ACUTE PANCREATITIS WITH UNINFECTED NECROSIS, UNSPECIFIED		ICD-10-CM
26	Pancreatitis		K85.92	DX	ACUTE PANCREATITIS WITH INFECTED NECROSIS, UNSPECIFIED		ICD-10-CM
26	Pancreatitis		K86.0	DX	ALCOHOL-INDUCED CHRONIC PANCREATITIS		ICD-10-CM
26	Pancreatitis		K86.1	DX	OTHER CHRONIC PANCREATITIS		ICD-10-CM
26	Pancreatitis		K86.2	DX	CYST OF PANCREAS		ICD-10-CM
26	Pancreatitis		K86.3	DX	PSEUDOCYST OF PANCREAS		ICD-10-CM
26	Pancreatitis		K86.8	DX	OTHER SPECIFIED DISEASES OF PANCREAS		ICD-10-CM
26	Pancreatitis		K86.81	DX	EXOCRINE PANCREATIC INSUFFICIENCY		ICD-10-CM
26	Pancreatitis		K86.89	DX	OTHER SPECIFIED DISEASES OF PANCREAS		ICD-10-CM
26	Pancreatitis		K86.9	DX	DISEASE OF PANCREAS, UNSPECIFIED		ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Hepatic Cancer	C22	DX	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS		ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Hepatic Cancer	C22.0	DX	LIVER CELL CARCINOMA (HEPATOCELLULAR CARCINOMA, HEPATOMA)		ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Hepatic Cancer	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA (CHOLANGIOCARCINOMA)		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				HEPATOBLASTOMA	
27	central laboratory during Visit 1	Hepatic Cancer	C22.2	DX	ANGIOSARCOMA OF LIVER (KUPFFER CELL SARCOMA)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatic Cancer	C22.3	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatic Cancer	C22.4	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatic Cancer	C22.7	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatic Cancer	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatic Cancer	C22.9	DX	HEPATORENAL SYNDROME	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Hepatorenal syndrome	K76.7	DX	LIVER TRANSPLANT STATUS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	Z94.4	DX	ENCOUNTER FOR AFTERCARE FOLLOWING LIVER TRANSPLANT	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	Z48.23	DX	UNSPECIFIED COMPLICATION OF LIVER TRANSPLANT	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	T86.40	DX	LIVER TRANSPLANT REJECTION	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	T86.41	DX	LIVER TRANSPLANT FAILURE	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	T86.42	DX	LIVER TRANSPLANT INFECTION	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	T86.43	DX	OTHER COMPLICATIONS OF LIVER TRANSPLANT	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	T86.49	DX	TRANSPLANTATION OF LIVER, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	0FY00Z0	PX	TRANSPLANTATION OF LIVER, SYNGENEIC, OPEN APPROACH	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	0FY00Z1	PX	TRANSPLANTATION OF LIVER, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Liver transplant	0FY00Z2	PX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				LIVER TRANSPLANTATION PROCEDURES	
27	central laboratory during Visit 1	Liver transplant	47135	PX		CPT/HCPCS
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				DISORDER OF COPPER METABOLISM, UNSPECIFIED	
27	central laboratory during Visit 1	Other hepatic diseases	E83.00	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				WILSON'S DISEASE	
27	central laboratory during Visit 1	Other hepatic diseases	E83.01	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				OTHER DISORDERS OF COPPER METABOLISM	
27	central laboratory during Visit 1	Other hepatic diseases	E83.09	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				BUDD-CHIARI SYNDROME	
27	central laboratory during Visit 1	Other hepatic diseases	I82.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				MALIGNANT ASCITES	
27	central laboratory during Visit 1	Other hepatic diseases	R18.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.2	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC CIRRHOSIS OF LIVER	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.3	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.30	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.31	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC HEPATIC FAILURE	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.4	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.40	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ALCOHOLIC HEPATIC FAILURE WITH COMA	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K70.41	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				TOXIC LIVER DISEASE INCLUDES DRUG-INDUCED IDIOSYNCRATIC OR TOXIC LIVER DISEASE	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				TOXIC LIVER DISEASE WITH CHOLESTASIS	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				TOXIC LIVER DISEASE WITH HEPATIC NECROSIS	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.1	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITHOUT COMA	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.10	DX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITH COMA	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.11	DX	TOXIC LIVER DISEASE WITH ACUTE HEPATITIS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.2	DX	TOXIC LIVER DISEASE WITH CHRONIC PERSISTENT HEPATITIS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.3	DX	TOXIC LIVER DISEASE WITH CHRONIC LOBULAR HEPATITIS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.4	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.5	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITHOUT ASCITES	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.50	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITH ASCITES	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.51	DX	TOXIC LIVER DISEASE WITH HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.6	DX	TOXIC LIVER DISEASE WITH FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.7	DX	TOXIC LIVER DISEASE WITH OTHER DISORDERS OF LIVER	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.8	DX	TOXIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K71.9	DX	HEPATIC FAILURE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72	DX	ACUTE AND SUBACUTE HEPATIC FAILURE	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.0	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.00	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITH COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.01	DX	CHRONIC HEPATIC FAILURE	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.1	DX	CHRONIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.10	DX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				CHRONIC HEPATIC FAILURE WITH COMA	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.11	DX	HEPATIC FAILURE, UNSPECIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.9	DX	HEPATIC FAILURE, UNSPECIFIED WITHOUT COMA	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.90	DX	HEPATIC FAILURE, UNSPECIFIED WITH COMA	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K72.91	DX	CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73	DX	CHRONIC PERSISTENT HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73.0	DX	CHRONIC LOBULAR HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73.1	DX	CHRONIC ACTIVE HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73.2	DX	OTHER CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73.8	DX	CHRONIC HEPATITIS, UNSPECIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K73.9	DX	FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74	DX	HEPATIC FIBROSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.0	DX	HEPATIC FIBROSIS, ADVANCED FIBROSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.02	DX	HEPATIC SCLEROSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.1	DX	HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.2	DX	PRIMARY BILIARY CIRRHOSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.3	DX	SECONDARY BILIARY CIRRHOSIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.4	DX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				BILIARY CIRRHOSIS, UNSPECIFIED	
27	central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.5	DX	OTHER AND UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.6	DX	UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.60	DX	OTHER CIRRHOSIS OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K74.69	DX	NONSPECIFIC REACTIVE HEPATITIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K75.2	DX	GRANULOMATOUS HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K75.3	DX	AUTOIMMUNE HEPATITIS	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K75.4	DX	CHRONIC PASSIVE CONGESTION OF LIVER (CARDIAC CIRRHOSIS OR SCLEROSIS)	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.1	DX	CENTRAL HEMORRHAGIC NECROSIS OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.2	DX	INFARCTION OF LIVER	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.3	DX	PELIOSIS HEPATIS (HEPATIC ANGIOMATOSIS)	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.4	DX	HEPATIC VENO-OCCLUSIVE DISEASE	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.5	DX	HEPATORENAL SYNDROME	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.7	DX	HEPATOPULMONARY SYNDROME	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.81	DX	HEPATIC ENCEPHALOPATHY	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Cirrhosis/Chronic hepatic disease	K76.82	DX	ACUTE HEPATITIS A	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Viral hepatitis	B15	DX	HEPATITIS A WITH HEPATIC COMA	ICD-10-CM
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Viral hepatitis	B15.0	DX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				HEPATITIS A WITHOUT HEPATIC COMA (HEPATITIS A (ACUTE)(VIRAL) NOS)	
27	central laboratory during Visit 1	Viral hepatitis	B15.9	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS B	
27	central laboratory during Visit 1	Viral hepatitis	B16	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS B WITH DELTA-AGENT WITH HEPATIC COMA	
27	central laboratory during Visit 1	Viral hepatitis	B16.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS B WITH DELTA-AGENT WITHOUT HEPATIC COMA	
27	central laboratory during Visit 1	Viral hepatitis	B16.1	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS B WITHOUT DELTA-AGENT WITH HEPATIC COMA	
27	central laboratory during Visit 1	Viral hepatitis	B16.2	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS B WITHOUT DELTA-AGENT AND WITHOUT HEPATIC COMA (HEPATITIS B (ACUTE)(VIRAL) NOS)	
27	central laboratory during Visit 1	Viral hepatitis	B16.9	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				OTHER ACUTE VIRAL HEPATITIS	
27	central laboratory during Visit 1	Viral hepatitis	B17	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE DELTA-(SUPER) INFECTION OF HEPATITIS B CARRIER	
27	central laboratory during Visit 1	Viral hepatitis	B17.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS C	
27	central laboratory during Visit 1	Viral hepatitis	B17.1	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS C WITHOUT HEPATIC COMA (ACUTE HEPATITIS C NOS)	
27	central laboratory during Visit 1	Viral hepatitis	B17.10	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS C WITH HEPATIC COMA	
27	central laboratory during Visit 1	Viral hepatitis	B17.11	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE HEPATITIS E	
27	central laboratory during Visit 1	Viral hepatitis	B17.2	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				OTHER SPECIFIED ACUTE VIRAL HEPATITIS (HEPATITIS NON-A NON-B (ACUTE) (VIRAL) NEC)	
27	central laboratory during Visit 1	Viral hepatitis	B17.8	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				ACUTE VIRAL HEPATITIS, UNSPECIFIED (ACUTE HEPATITIS NOS, ACUTE INFECTIOUS HEPATITIS NOS)	
27	central laboratory during Visit 1	Viral hepatitis	B17.9	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				CHRONIC VIRAL HEPATITIS	
27	central laboratory during Visit 1	Viral hepatitis	B18	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				CHRONIC VIRAL HEPATITIS B WITH DELTA-AGENT	
27	central laboratory during Visit 1	Viral hepatitis	B18.0	DX		ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the				CHRONIC VIRAL HEPATITIS B WITHOUT DELTA-AGENT (CARRIER OF VIRAL HEPATITIS B, CHRONIC VIRAL HEPATITIS B)	
27	central laboratory during Visit 1	Viral hepatitis	B18.1	DX		ICD-10-CM

	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B18.2	DX	CHRONIC VIRAL HEPATITIS C (CARRIER OF VIRAL HEPATITIS C)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B18.8	DX	OTHER CHRONIC VIRAL HEPATITIS (CARRIER OF OTHER VIRAL HEPATITIS)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B18.9	DX	CHRONIC VIRAL HEPATITIS, UNSPECIFIED (CARRIER OF UNSPECIFIED VIRAL HEPATITIS)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19	DX	UNSPECIFIED VIRAL HEPATITIS	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.0	DX	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.1	DX	UNSPECIFIED VIRAL HEPATITIS B	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.10	DX	UNSPECIFIED VIRAL HEPATITIS B WITHOUT HEPATIC COMA (UNSPECIFIED VIRAL HEPATITIS B NOS)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.11	DX	UNSPECIFIED VIRAL HEPATITIS B WITH HEPATIC COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.2	DX	UNSPECIFIED VIRAL HEPATITIS C	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.20	DX	UNSPECIFIED VIRAL HEPATITIS C WITHOUT HEPATIC COMA (VIRAL HEPATITIS C NOS)	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.21	DX	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the					
27	central laboratory during Visit 1	Viral hepatitis	B19.9	DX	UNSPECIFIED VIRAL HEPATITIS WITHOUT HEPATIC COMA (VIRAL HEPATITIS NOS)	ICD-10-CM
29	MEN-2		E31.22	DX	MULTIPLE ENDOCRINE NEOPLASIA [MEN] TYPE IIA	ICD-10-CM
29	MEN-2		E31.23	DX	MULTIPLE ENDOCRINE NEOPLASIA [MEN] TYPE IIB	ICD-10-CM
29	Malignant neoplasm of thyroid gland		C73	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF EXTERNAL UPPER LIP	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF EXTERNAL LOWER LIP	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF EXTERNAL LIP, UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UPPER LIP, INNER ASPECT	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.3	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.4	DX	MALIGNANT NEOPLASM OF LOWER LIP, INNER ASPECT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.5	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED, INNER ASPECT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.6	DX	MALIGNANT NEOPLASM OF COMMISSURE OF LIP, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.9	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C01	DX	MALIGNANT NEOPLASM OF BASE OF TONGUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.0	DX	MALIGNANT NEOPLASM OF DORSAL SURFACE OF TONGUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.1	DX	MALIGNANT NEOPLASM OF BORDER OF TONGUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.2	DX	MALIGNANT NEOPLASM OF VENTRAL SURFACE OF TONGUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.3	DX	MALIGNANT NEOPLASM OF ANTERIOR TWO-THIRDS OF TONGUE, PART UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.4	DX	MALIGNANT NEOPLASM OF LINGUAL TONSIL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONGUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.9	DX	MALIGNANT NEOPLASM OF TONGUE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.0	DX	MALIGNANT NEOPLASM OF UPPER GUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.1	DX	MALIGNANT NEOPLASM OF LOWER GUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.9	DX	MALIGNANT NEOPLASM OF GUM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.0	DX	MALIGNANT NEOPLASM OF ANTERIOR FLOOR OF MOUTH	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.1	DX	MALIGNANT NEOPLASM OF LATERAL FLOOR OF MOUTH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FLOOR OF MOUTH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.9	DX	MALIGNANT NEOPLASM OF FLOOR OF MOUTH, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.0	DX	MALIGNANT NEOPLASM OF HARD PALATE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.1	DX	MALIGNANT NEOPLASM OF SOFT PALATE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.2	DX	MALIGNANT NEOPLASM OF UVULA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PALATE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.9	DX	MALIGNANT NEOPLASM OF PALATE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.0	DX	MALIGNANT NEOPLASM OF CHEEK MUCOSA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.1	DX	MALIGNANT NEOPLASM OF VESTIBULE OF MOUTH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.2	DX	MALIGNANT NEOPLASM OF RETROMOLAR AREA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED PARTS OF MOUTH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.89	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OTHER PARTS OF MOUTH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.9	DX	MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C07	DX	MALIGNANT NEOPLASM OF PAROTID GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.0	DX	MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.1	DX	MALIGNANT NEOPLASM OF SUBLINGUAL GLAND	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.9	DX	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLAND, UNSPECIFIED	
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.0	DX	MALIGNANT NEOPLASM OF TONSILLAR FOSSA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.1	DX	MALIGNANT NEOPLASM OF TONSILLAR PILLAR (ANTERIOR) (POSTERIOR)	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONSIL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.9	DX	MALIGNANT NEOPLASM OF TONSIL, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.0	DX	MALIGNANT NEOPLASM OF VALLECULA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.1	DX	MALIGNANT NEOPLASM OF ANTERIOR SURFACE OF EPIGLOTTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF OROPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.3	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF OROPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.4	DX	MALIGNANT NEOPLASM OF BRANCHIAL CLEFT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OROPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.9	DX	MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.0	DX	MALIGNANT NEOPLASM OF SUPERIOR WALL OF NASOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.1	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF NASOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF NASOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF NASOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF NASOPHARYNX	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF NASOPHARYNX, UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.9	DX	MALIGNANT NEOPLASM OF PYRIFORM SINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C12	DX	MALIGNANT NEOPLASM OF POSTCRICOID REGION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.0	DX	MALIGNANT NEOPLASM OF ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.1	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF HYPOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.2	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HYPOPHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.8	DX	MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.9	DX	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.0	DX	MALIGNANT NEOPLASM OF WALDEYER'S RING	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.2	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP, ORAL CAVITY AND PHARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.8	DX	MALIGNANT NEOPLASM OF UPPER THIRD OF ESOPHAGUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.3	DX	MALIGNANT NEOPLASM OF MIDDLE THIRD OF ESOPHAGUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.4	DX	MALIGNANT NEOPLASM OF LOWER THIRD OF ESOPHAGUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.5	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ESOPHAGUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.8	DX	MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.9	DX	MALIGNANT NEOPLASM OF CARDIA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.0	DX	MALIGNANT NEOPLASM OF FUNDUS OF STOMACH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.1	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.2	DX	MALIGNANT NEOPLASM OF BODY OF STOMACH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.3	DX	MALIGNANT NEOPLASM OF PYLORIC ANTRUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.4	DX	MALIGNANT NEOPLASM OF PYLORUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.5	DX	MALIGNANT NEOPLASM OF LESSER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.6	DX	MALIGNANT NEOPLASM OF GREATER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF STOMACH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.9	DX	MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.0	DX	MALIGNANT NEOPLASM OF DUODENUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.1	DX	MALIGNANT NEOPLASM OF JEJUNUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.2	DX	MALIGNANT NEOPLASM OF ILEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.3	DX	MECKEL'S DIVERTICULUM, MALIGNANT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF SMALL INTESTINE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.9	DX	MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.0	DX	MALIGNANT NEOPLASM OF CECUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.1	DX	MALIGNANT NEOPLASM OF APPENDIX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.2	DX	MALIGNANT NEOPLASM OF ASCENDING COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.3	DX	MALIGNANT NEOPLASM OF HEPATIC FLEXURE	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.4	DX	MALIGNANT NEOPLASM OF TRANSVERSE COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.5	DX	MALIGNANT NEOPLASM OF SPLENIC FLEXURE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.6	DX	MALIGNANT NEOPLASM OF DESCENDING COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.7	DX	MALIGNANT NEOPLASM OF SIGMOID COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.9	DX	MALIGNANT NEOPLASM OF COLON, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C19	DX	MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C20	DX	MALIGNANT NEOPLASM OF RECTUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.0	DX	MALIGNANT NEOPLASM OF ANUS, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.1	DX	MALIGNANT NEOPLASM OF ANAL CANAL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.2	DX	MALIGNANT NEOPLASM OF CLOACOGENIC ZONE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RECTUM, ANUS AND ANAL CANAL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.0	DX	LIVER CELL CARCINOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.2	DX	HEPATOBLASTOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.3	DX	ANGIOSARCOMA OF LIVER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.4	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.7	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.9	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C23	DX	MALIGNANT NEOPLASM OF GALLBLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.0	DX	MALIGNANT NEOPLASM OF EXTRAHEPATIC BILE DUCT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.1	DX	MALIGNANT NEOPLASM OF AMPULLA OF VATER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BILIARY TRACT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.9	DX	MALIGNANT NEOPLASM OF BILIARY TRACT, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.0	DX	MALIGNANT NEOPLASM OF HEAD OF PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.1	DX	MALIGNANT NEOPLASM OF BODY OF PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.2	DX	MALIGNANT NEOPLASM OF TAIL OF PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.3	DX	MALIGNANT NEOPLASM OF PANCREATIC DUCT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.4	DX	MALIGNANT NEOPLASM OF ENDOCRINE PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.7	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PANCREAS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.9	DX	MALIGNANT NEOPLASM OF PANCREAS, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.0	DX	MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.1	DX	MALIGNANT NEOPLASM OF SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE DIGESTIVE SYSTEM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C30.0	DX	MALIGNANT NEOPLASM OF NASAL CAVITY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C30.1	DX	MALIGNANT NEOPLASM OF MIDDLE EAR	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.0	DX	MALIGNANT NEOPLASM OF MAXILLARY SINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.1	DX	MALIGNANT NEOPLASM OF ETHMOIDAL SINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.2	DX	MALIGNANT NEOPLASM OF FRONTAL SINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.3	DX	MALIGNANT NEOPLASM OF SPHENOID SINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ACCESSORY SINUSES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.9	DX	MALIGNANT NEOPLASM OF ACCESSORY SINUS, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.0	DX	MALIGNANT NEOPLASM OF GLOTTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.1	DX	MALIGNANT NEOPLASM OF SUPRAGLOTTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.2	DX	MALIGNANT NEOPLASM OF SUBGLOTTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.3	DX	MALIGNANT NEOPLASM OF LARYNGEAL CARTILAGE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LARYNX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.9	DX	MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C33	DX	MALIGNANT NEOPLASM OF TRACHEA	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED MAIN BRONCHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.01	DX	MALIGNANT NEOPLASM OF RIGHT MAIN BRONCHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.02	DX	MALIGNANT NEOPLASM OF LEFT MAIN BRONCHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.10	DX	MALIGNANT NEOPLASM OF UPPER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.12	DX	MALIGNANT NEOPLASM OF UPPER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.2	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.30	DX	MALIGNANT NEOPLASM OF LOWER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.31	DX	MALIGNANT NEOPLASM OF LOWER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.32	DX	MALIGNANT NEOPLASM OF LOWER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT BRONCHUS AND LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C37	DX	MALIGNANT NEOPLASM OF THYMUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.0	DX	MALIGNANT NEOPLASM OF HEART	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF ANTERIOR MEDIASTINUM	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF POSTERIOR MEDIASTINUM	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF MEDIASTINUM, PART UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.3	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF PLEURA	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.4	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HEART, MEDIASTINUM AND PLEURA	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.8	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UPPER RESPIRATORY TRACT, PART UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C39.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LOWER RESPIRATORY TRACT, PART UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C39.9	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF UNSPECIFIED UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.00	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF RIGHT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.01	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF LEFT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.02	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.10	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.11	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF LEFT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.12	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LONG BONES OF UNSPECIFIED LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.20	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LONG BONES OF RIGHT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.21	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LONG BONES OF LEFT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.22	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.30	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.31	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SHORT BONES OF LEFT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.32	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.80	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF RIGHT LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.81	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF LEFT LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.82	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.90	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF RIGHT LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.91	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF LEFT LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.92	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF BONES OF SKULL AND FACE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF MANDIBLE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF VERTEBRAL COLUMN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF RIBS, STERNUM AND CLAVICLE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.3	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF PELVIC BONES, SACRUM AND COCCYX	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.4	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.9	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT MELANOMA OF LIP	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT MELANOMA OF UNSPECIFIED EYELID, INCLUDING CANTHUS	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.10	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT MELANOMA OF RIGHT UPPER EYELID, INCLUDING CANTHUS	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.111	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.112	DX	MALIGNANT MELANOMA OF RIGHT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.12	DX	MALIGNANT MELANOMA OF LEFT EYELID, INCLUDING CANTHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.121	DX	MALIGNANT MELANOMA OF LEFT UPPER EYELID, INCLUDING CANTHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.122	DX	MALIGNANT MELANOMA OF LEFT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.20	DX	MALIGNANT MELANOMA OF UNSPECIFIED EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.21	DX	MALIGNANT MELANOMA OF RIGHT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.22	DX	MALIGNANT MELANOMA OF LEFT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.30	DX	MALIGNANT MELANOMA OF UNSPECIFIED PART OF FACE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.31	DX	MALIGNANT MELANOMA OF NOSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.39	DX	MALIGNANT MELANOMA OF OTHER PARTS OF FACE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.4	DX	MALIGNANT MELANOMA OF SCALP AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.51	DX	MALIGNANT MELANOMA OF ANAL SKIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.52	DX	MALIGNANT MELANOMA OF SKIN OF BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.59	DX	MALIGNANT MELANOMA OF OTHER PART OF TRUNK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.60	DX	MALIGNANT MELANOMA OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.61	DX	MALIGNANT MELANOMA OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.62	DX	MALIGNANT MELANOMA OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT MELANOMA OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.70	DX	MALIGNANT MELANOMA OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.71	DX	MALIGNANT MELANOMA OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.72	DX	MALIGNANT MELANOMA OF OVERLAPPING SITES OF SKIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.8	DX	MALIGNANT MELANOMA OF SKIN, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.9	DX	MESOTHELIOMA OF PLEURA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.0	DX	MESOTHELIOMA OF PERITONEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.1	DX	MESOTHELIOMA OF PERICARDIUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.2	DX	MESOTHELIOMA OF OTHER SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.7	DX	MESOTHELIOMA, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.9	DX	KAPOSI'S SARCOMA OF SKIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.0	DX	KAPOSI'S SARCOMA OF SOFT TISSUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.1	DX	KAPOSI'S SARCOMA OF PALATE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.2	DX	KAPOSI'S SARCOMA OF LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.3	DX	KAPOSI'S SARCOMA OF GASTROINTESTINAL SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.4	DX	KAPOSI'S SARCOMA OF UNSPECIFIED LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.50	DX	KAPOSI'S SARCOMA OF RIGHT LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.51	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				KAPOSI'S SARCOMA OF LEFT LUNG	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.52	DX	KAPOSI'S SARCOMA OF OTHER SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.7	DX	KAPOSI'S SARCOMA, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.9	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF HEAD, FACE AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.0	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.10	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.11	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.12	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.20	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.21	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.22	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF THORAX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.3	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF ABDOMEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.4	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.5	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF TRUNK, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.6	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.8	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.9	DX	MALIGNANT NEOPLASM OF RETROPERITONEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.0	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF SPECIFIED PARTS OF PERITONEUM	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.1	DX	MALIGNANT NEOPLASM OF PERITONEUM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.2	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.8	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF HEAD, FACE AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.0	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.10	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.11	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.12	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.20	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.21	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.22	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF THORAX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.3	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF ABDOMEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.4	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.5	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF TRUNK, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.6	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CONNECTIVE AND SOFT TISSUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.8	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.9	DX	GASTROINTESTINAL STROMAL TUMOR, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A0	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A1	DX	GASTROINTESTINAL STROMAL TUMOR OF ESOPHAGUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A2	DX	GASTROINTESTINAL STROMAL TUMOR OF STOMACH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A3	DX	GASTROINTESTINAL STROMAL TUMOR OF SMALL INTESTINE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A4	DX	GASTROINTESTINAL STROMAL TUMOR OF LARGE INTESTINE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A5	DX	GASTROINTESTINAL STROMAL TUMOR OF RECTUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A9	DX	GASTROINTESTINAL STROMAL TUMOR OF OTHER SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.011	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.012	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.019	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.021	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.022	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.029	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.111	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.112	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.119	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.211	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.212	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.219	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.221	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.222	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.229	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.311	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.312	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.319	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.321	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.322	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.329	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.411	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.412	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.419	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.421	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.422	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.429	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.511	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.512	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.519	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.521	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.522	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.529	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.611	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.612	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.619	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.621	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.622	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF LEFT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.629	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.829	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.911	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.912	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.919	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.921	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.922	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT MALE BREAST	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C50.929	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED MALE BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C51.0	DX	MALIGNANT NEOPLASM OF LABIUM MAJUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C51.1	DX	MALIGNANT NEOPLASM OF LABIUM MINUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C51.2	DX	MALIGNANT NEOPLASM OF CLITORIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C51.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF VULVA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C51.9	DX	MALIGNANT NEOPLASM OF VULVA, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C52	DX	MALIGNANT NEOPLASM OF VAGINA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.0	DX	MALIGNANT NEOPLASM OF ENDOCERVIX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.1	DX	MALIGNANT NEOPLASM OF EXOCERVIX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CERVIX UTERI	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.9	DX	MALIGNANT NEOPLASM OF CERVIX UTERI, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.0	DX	MALIGNANT NEOPLASM OF ISTHMUS UTERI	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.1	DX	MALIGNANT NEOPLASM OF ENDOMETRIUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.2	DX	MALIGNANT NEOPLASM OF MYOMETRIUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.3	DX	MALIGNANT NEOPLASM OF FUNDUS UTERI	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CORPUS UTERI	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.9	DX	MALIGNANT NEOPLASM OF CORPUS UTERI, UNSPECIFIED	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C55	DX	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C56.1	DX	MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C56.2	DX	MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C56.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OVARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED FALLOPIAN TUBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.01	DX	MALIGNANT NEOPLASM OF RIGHT FALLOPIAN TUBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.02	DX	MALIGNANT NEOPLASM OF LEFT FALLOPIAN TUBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BROAD LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.11	DX	MALIGNANT NEOPLASM OF RIGHT BROAD LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.12	DX	MALIGNANT NEOPLASM OF LEFT BROAD LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED ROUND LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.21	DX	MALIGNANT NEOPLASM OF RIGHT ROUND LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.22	DX	MALIGNANT NEOPLASM OF LEFT ROUND LIGAMENT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.3	DX	MALIGNANT NEOPLASM OF PARAMETRIUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.4	DX	MALIGNANT NEOPLASM OF UTERINE ADNEXA, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.7	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED FEMALE GENITAL ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FEMALE GENITAL ORGANS	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.9	DX	MALIGNANT NEOPLASM OF FEMALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C58	DX	MALIGNANT NEOPLASM OF PLACENTA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.0	DX	MALIGNANT NEOPLASM OF PREPUCE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.1	DX	MALIGNANT NEOPLASM OF GLANS PENIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.2	DX	MALIGNANT NEOPLASM OF BODY OF PENIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PENIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.9	DX	MALIGNANT NEOPLASM OF PENIS, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C61	DX	MALIGNANT NEOPLASM OF PROSTATE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED UNDESCENDED TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.01	DX	MALIGNANT NEOPLASM OF UNDESCENDED RIGHT TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.02	DX	MALIGNANT NEOPLASM OF UNDESCENDED LEFT TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED DESCENDED TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.11	DX	MALIGNANT NEOPLASM OF DESCENDED RIGHT TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.12	DX	MALIGNANT NEOPLASM OF DESCENDED LEFT TESTIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.91	DX	MALIGNANT NEOPLASM OF RIGHT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.92	DX	MALIGNANT NEOPLASM OF LEFT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED EPIDIDYMIS	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.00	DX	MALIGNANT NEOPLASM OF RIGHT EPIDIDYMIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.01	DX	MALIGNANT NEOPLASM OF LEFT EPIDIDYMIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.02	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SPERMATIC CORD	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.10	DX	MALIGNANT NEOPLASM OF RIGHT SPERMATIC CORD	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.11	DX	MALIGNANT NEOPLASM OF LEFT SPERMATIC CORD	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.12	DX	MALIGNANT NEOPLASM OF SCROTUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.2	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED MALE GENITAL ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.7	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF MALE GENITAL ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.8	DX	MALIGNANT NEOPLASM OF MALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.9	DX	MALIGNANT NEOPLASM OF RIGHT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.1	DX	MALIGNANT NEOPLASM OF LEFT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.2	DX	MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.9	DX	MALIGNANT NEOPLASM OF RIGHT RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.1	DX	MALIGNANT NEOPLASM OF LEFT RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.2	DX	MALIGNANT NEOPLASM OF UNSPECIFIED RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.9	DX	MALIGNANT NEOPLASM OF RIGHT URETER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.1	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LEFT URETER	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.2	DX	MALIGNANT NEOPLASM OF UNSPECIFIED URETER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.9	DX	MALIGNANT NEOPLASM OF TRIGONE OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.0	DX	MALIGNANT NEOPLASM OF DOME OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.1	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.2	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.3	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.4	DX	MALIGNANT NEOPLASM OF BLADDER NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.5	DX	MALIGNANT NEOPLASM OF URETERIC ORIFICE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.6	DX	MALIGNANT NEOPLASM OF URACHUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.7	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.8	DX	MALIGNANT NEOPLASM OF BLADDER, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.9	DX	MALIGNANT NEOPLASM OF URETHRA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.0	DX	MALIGNANT NEOPLASM OF PARAURETHRAL GLANDS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.1	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF URINARY ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.8	DX	MALIGNANT NEOPLASM OF URINARY ORGAN, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CONJUNCTIVA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.00	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.01	DX	MALIGNANT NEOPLASM OF RIGHT CONJUNCTIVA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.02	DX	MALIGNANT NEOPLASM OF LEFT CONJUNCTIVA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CORNEA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.11	DX	MALIGNANT NEOPLASM OF RIGHT CORNEA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.12	DX	MALIGNANT NEOPLASM OF LEFT CORNEA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED RETINA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.21	DX	MALIGNANT NEOPLASM OF RIGHT RETINA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.22	DX	MALIGNANT NEOPLASM OF LEFT RETINA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.30	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CHOROID	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.31	DX	MALIGNANT NEOPLASM OF RIGHT CHOROID	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.32	DX	MALIGNANT NEOPLASM OF LEFT CHOROID	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CILIARY BODY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.41	DX	MALIGNANT NEOPLASM OF RIGHT CILIARY BODY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.42	DX	MALIGNANT NEOPLASM OF LEFT CILIARY BODY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED LACRIMAL GLAND AND DUCT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.51	DX	MALIGNANT NEOPLASM OF RIGHT LACRIMAL GLAND AND DUCT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.52	DX	MALIGNANT NEOPLASM OF LEFT LACRIMAL GLAND AND DUCT	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED ORBIT	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.60	DX	MALIGNANT NEOPLASM OF RIGHT ORBIT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.61	DX	MALIGNANT NEOPLASM OF LEFT ORBIT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.62	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED EYE AND ADNEXA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT EYE AND ADNEXA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT EYE AND ADNEXA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.82	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED EYE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT EYE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT EYE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.92	DX	MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.0	DX	MALIGNANT NEOPLASM OF SPINAL MENINGES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.1	DX	MALIGNANT NEOPLASM OF MENINGES, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.9	DX	MALIGNANT NEOPLASM OF CEREBRUM, EXCEPT LOBES AND VENTRICLES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.0	DX	MALIGNANT NEOPLASM OF FRONTAL LOBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.1	DX	MALIGNANT NEOPLASM OF TEMPORAL LOBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.2	DX	MALIGNANT NEOPLASM OF PARIETAL LOBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.3	DX	MALIGNANT NEOPLASM OF OCCIPITAL LOBE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.4	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.5	DX	MALIGNANT NEOPLASM OF CEREBRAL VENTRICLE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.6	DX	MALIGNANT NEOPLASM OF CEREBELLUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.7	DX	MALIGNANT NEOPLASM OF BRAIN STEM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRAIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.9	DX	MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.0	DX	MALIGNANT NEOPLASM OF SPINAL CORD	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.1	DX	MALIGNANT NEOPLASM OF CAUDA EQUINA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OLFACTORY NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.21	DX	MALIGNANT NEOPLASM OF RIGHT OLFACTORY NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.22	DX	MALIGNANT NEOPLASM OF LEFT OLFACTORY NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.30	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OPTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.31	DX	MALIGNANT NEOPLASM OF RIGHT OPTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.32	DX	MALIGNANT NEOPLASM OF LEFT OPTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED ACOUSTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.41	DX	MALIGNANT NEOPLASM OF RIGHT ACOUSTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.42	DX	MALIGNANT NEOPLASM OF LEFT ACOUSTIC NERVE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CRANIAL NERVE	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.59	DX	MALIGNANT NEOPLASM OF OTHER CRANIAL NERVES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C72.9	DX	MALIGNANT NEOPLASM OF CENTRAL NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C73	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.00	DX	MALIGNANT NEOPLASM OF CORTEX OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.01	DX	MALIGNANT NEOPLASM OF CORTEX OF RIGHT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.02	DX	MALIGNANT NEOPLASM OF CORTEX OF LEFT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.10	DX	MALIGNANT NEOPLASM OF MEDULLA OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.11	DX	MALIGNANT NEOPLASM OF MEDULLA OF RIGHT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.12	DX	MALIGNANT NEOPLASM OF MEDULLA OF LEFT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C74.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.0	DX	MALIGNANT NEOPLASM OF PARATHYROID GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.1	DX	MALIGNANT NEOPLASM OF PITUITARY GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.2	DX	MALIGNANT NEOPLASM OF CRANIOPHARYNGEAL DUCT	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.3	DX	MALIGNANT NEOPLASM OF PINEAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.4	DX	MALIGNANT NEOPLASM OF CAROTID BODY	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF AORTIC BODY AND OTHER PARAGANGLIA	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.5	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM WITH PLURIGLANDULAR INVOLVEMENT, UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.8	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF ENDOCRINE GLAND, UNSPECIFIED	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.9	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF HEAD, FACE AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF THORAX	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF ABDOMEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF PELVIS	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.3	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.4	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.40	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF RIGHT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.41	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LEFT UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.42	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF UNSPECIFIED LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.50	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF RIGHT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.51	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF LEFT LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.52	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MALIGNANT NEOPLASM OF OTHER SPECIFIED ILL-DEFINED SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.8	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF HEAD, FACE AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.1	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.2	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.3	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF AXILLA AND UPPER LIMB LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.4	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INGUINAL AND LOWER LIMB LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.5	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.8	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF MULTIPLE REGIONS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.9	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.1	DX	SECONDARY MALIGNANT NEOPLASM OF MEDIASTINUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.2	DX	SECONDARY MALIGNANT NEOPLASM OF PLEURA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.30	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED RESPIRATORY ORGAN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.39	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER RESPIRATORY ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.4	DX	SECONDARY MALIGNANT NEOPLASM OF SMALL INTESTINE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.5	DX	SECONDARY MALIGNANT NEOPLASM OF LARGE INTESTINE AND RECTUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.6	DX	SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.7	DX	SECONDARY MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCT	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.8	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED DIGESTIVE ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.80	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGAN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER DIGESTIVE ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY AND RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT KIDNEY AND RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT KIDNEY AND RENAL PELVIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.10	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED URINARY ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.11	DX	SECONDARY MALIGNANT NEOPLASM OF BLADDER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.19	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER URINARY ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.2	DX	SECONDARY MALIGNANT NEOPLASM OF SKIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.31	DX	SECONDARY MALIGNANT NEOPLASM OF BRAIN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.32	DX	SECONDARY MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.40	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED PART OF NERVOUS SYSTEM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.49	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.51	DX	SECONDARY MALIGNANT NEOPLASM OF BONE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.52	DX	SECONDARY MALIGNANT NEOPLASM OF BONE MARROW	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.60	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED OVARY	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.61	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.62	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.70	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.71	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.72	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT ADRENAL GLAND	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.81	DX	SECONDARY MALIGNANT NEOPLASM OF BREAST	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.82	DX	SECONDARY MALIGNANT NEOPLASM OF GENITAL ORGANS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.9	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.0	DX	MALIGNANT CARCINOID TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.00	DX	MALIGNANT CARCINOID TUMOR OF UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.01	DX	MALIGNANT CARCINOID TUMORS OF THE SMALL INTESTINE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.010	DX	MALIGNANT CARCINOID TUMOR OF THE DUODENUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.011	DX	MALIGNANT CARCINOID TUMOR OF THE JEJUNUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.012	DX	MALIGNANT CARCINOID TUMOR OF THE ILEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.019	DX	MALIGNANT CARCINOID TUMOR OF THE SMALL INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.02	DX	MALIGNANT CARCINOID TUMORS OF THE APPENDIX, LARGE INTESTINE, AND RECTUM	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.020	DX	MALIGNANT CARCINOID TUMOR OF THE APPENDIX	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.021	DX	MALIGNANT CARCINOID TUMOR OF THE CECUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.022	DX	MALIGNANT CARCINOID TUMOR OF THE ASCENDING COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.023	DX	MALIGNANT CARCINOID TUMOR OF THE TRANSVERSE COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.024	DX	MALIGNANT CARCINOID TUMOR OF THE DESCENDING COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.025	DX	MALIGNANT CARCINOID TUMOR OF THE SIGMOID COLON	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.026	DX	MALIGNANT CARCINOID TUMOR OF THE RECTUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.029	DX	MALIGNANT CARCINOID TUMOR OF THE LARGE INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.09	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.090	DX	MALIGNANT CARCINOID TUMOR OF THE BRONCHUS AND LUNG	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.091	DX	MALIGNANT CARCINOID TUMOR OF THE THYMUS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.092	DX	MALIGNANT CARCINOID TUMOR OF THE STOMACH	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.093	DX	MALIGNANT CARCINOID TUMOR OF THE KIDNEY	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.094	DX	MALIGNANT CARCINOID TUMOR OF THE FOREGUT, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.095	DX	MALIGNANT CARCINOID TUMOR OF THE MIDGUT, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.096	DX	MALIGNANT CARCINOID TUMOR OF THE HINDGUT, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.098	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.1	DX	MALIGNANT POORLY DIFFERENTIATED NEUROENDOCRINE TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.8	DX	OTHER MALIGNANT NEUROENDOCRINE TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B	DX	SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.0	DX	SECONDARY CARCINOID TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.00	DX	SECONDARY CARCINOID TUMORS, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.01	DX	SECONDARY CARCINOID TUMORS OF DISTANT LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.02	DX	SECONDARY CARCINOID TUMORS OF LIVER	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.03	DX	SECONDARY CARCINOID TUMORS OF BONE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.04	DX	SECONDARY CARCINOID TUMORS OF PERITONEUM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.09	DX	SECONDARY CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.1	DX	SECONDARY MERKEL CELL CARCINOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.8	DX	OTHER SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.0	DX	DISSEMINATED MALIGNANT NEOPLASM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.1	DX	MALIGNANT (PRIMARY) NEOPLASM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.2	DX	MALIGNANT NEOPLASM ASSOCIATED WITH TRANSPLANTED ORGAN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.00	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.01	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.02	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.03	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.04	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.05	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.06	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.07	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.08	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.09	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.10	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.11	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.12	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.13	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.14	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.15	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.16	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.17	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.18	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NODULAR SCLEROSIS HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.19	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.20	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.21	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.22	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.23	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.24	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.25	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.26	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.27	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.28	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.29	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.30	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.31	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.32	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.33	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.34	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.35	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.36	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.37	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.38	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.39	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.40	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.41	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.42	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.43	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.44	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.45	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.46	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.47	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.48	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.49	DX	OTHER HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.70	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.71	DX	OTHER HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.72	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.73	DX	OTHER HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.74	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.75	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.76	DX	OTHER HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.77	DX	OTHER HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.78	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.79	DX	OTHER HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.90	DX	HODGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.91	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.92	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.93	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.94	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.95	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.96	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.97	DX	HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.98	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.99	DX	HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.00	DX	FOLLICULAR LYMPHOMA GRADE I, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.01	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.02	DX	FOLLICULAR LYMPHOMA GRADE I, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.03	DX	FOLLICULAR LYMPHOMA GRADE I, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.04	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.05	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.06	DX	FOLLICULAR LYMPHOMA GRADE I, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.07	DX	FOLLICULAR LYMPHOMA GRADE I, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.08	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.09	DX	FOLLICULAR LYMPHOMA GRADE I, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.10	DX	FOLLICULAR LYMPHOMA GRADE II, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.11	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.12	DX	FOLLICULAR LYMPHOMA GRADE II, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.13	DX	FOLLICULAR LYMPHOMA GRADE II, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.14	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.15	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.16	DX	FOLLICULAR LYMPHOMA GRADE II, INTRAPELVIC LYMPH NODES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				FOLLICULAR LYMPHOMA GRADE II, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.17	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.18	DX	FOLLICULAR LYMPHOMA GRADE II, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.19	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.20	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.21	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.22	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.23	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.24	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.25	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.26	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.27	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.28	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.29	DX	FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.30	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.31	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.32	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.33	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.34	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.35	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.36	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.37	DX	FOLLICULAR LYMPHOMA GRADE IIIA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.38	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.39	DX	FOLLICULAR LYMPHOMA GRADE IIIA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.40	DX	FOLLICULAR LYMPHOMA GRADE IIIB, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.41	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.42	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.43	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.44	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.45	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.46	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.47	DX	FOLLICULAR LYMPHOMA GRADE IIIB, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.48	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.49	DX	FOLLICULAR LYMPHOMA GRADE IIIB, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.81	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.82	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.83	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.84	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.85	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.86	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.87	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.88	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.89	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.90	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.91	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.92	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.93	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.94	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.95	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.96	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.97	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.98	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				FOLLICULAR LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.99	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.00	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.01	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.02	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.03	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.04	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.05	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.06	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.07	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.08	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SMALL CELL B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.09	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.10	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.11	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.12	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.13	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.14	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.15	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MANTLE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.16	DX	MANTLE CELL LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.17	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.18	DX	MANTLE CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.19	DX	DIFFUSE LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.30	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.31	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.32	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.33	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.34	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.35	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.36	DX	DIFFUSE LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.37	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.38	DX	DIFFUSE LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.39	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.50	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.51	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.52	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.53	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.54	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.55	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.56	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.57	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.58	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.59	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.70	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.71	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.72	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.73	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.74	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.75	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.76	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.77	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.78	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				BURKITT LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.79	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER NON-FOLLICULAR LYMPHOMA, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.80	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.81	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.82	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.83	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.84	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.85	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.86	DX	OTHER NON-FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.87	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.88	DX	OTHER NON-FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.89	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.90	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.91	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.92	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.93	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.94	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.95	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.96	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.97	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.98	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.99	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.00	DX	MYCOSIS FUNGOIDES, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.01	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.02	DX	MYCOSIS FUNGOIDES, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.03	DX	MYCOSIS FUNGOIDES, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.04	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.05	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.06	DX	MYCOSIS FUNGOIDES, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.07	DX	MYCOSIS FUNGOIDES, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.08	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.09	DX	MYCOSIS FUNGOIDES, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.10	DX	SEZARY DISEASE, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.11	DX	SEZARY DISEASE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.12	DX	SEZARY DISEASE, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.13	DX	SEZARY DISEASE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				SEZARY DISEASE, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.14	DX	SEZARY DISEASE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.15	DX	SEZARY DISEASE, INTRAPELVIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.16	DX	SEZARY DISEASE, SPLEEN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.17	DX	SEZARY DISEASE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.18	DX	SEZARY DISEASE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.19	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, UNSPECIFIED SITE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.40	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.41	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.42	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.43	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.44	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.45	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.46	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, SPLEEN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.47	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.48	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.49	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, UNSPECIFIED SITE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.60	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.61	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.62	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.63	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.64	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.65	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.66	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.67	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.68	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.69	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.70	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.71	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.72	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.73	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.74	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.75	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.76	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.77	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, SPLEEN	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.78	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.79	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.90	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.91	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.92	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.93	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.94	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.95	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.96	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.97	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.98	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.99	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A3	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A4	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A5	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A6	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A7	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A8	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A9	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z0	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z1	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z2	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z3	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z4	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z5	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z6	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z7	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z8	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z9	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.10	DX	UNSPECIFIED B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.11	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.12	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.13	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.14	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.15	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.16	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.17	DX	UNSPECIFIED B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.18	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.19	DX	UNSPECIFIED B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.20	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.21	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.22	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.23	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.24	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.25	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.26	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.27	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.28	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.29	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, UNSPECIFIED SITE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.80	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.81	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.82	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.83	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.84	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.85	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.86	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, SPLEEN	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.87	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.88	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.89	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.91	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.92	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.93	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.94	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.95	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.96	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.97	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.98	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.99	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.0	DX	EXTRANODAL NK/T-CELL LYMPHOMA, NASAL TYPE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.1	DX	HEPATOSPLENIC T-CELL LYMPHOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.2	DX	ENTEROPATHY-TYPE (INTESTINAL) T-CELL LYMPHOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.3	DX	SUBCUTANEOUS PANNICULITIS-LIKE T-CELL LYMPHOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.4	DX	BLASTIC NK-CELL LYMPHOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.5	DX	ANGIOIMMUNOBLASTIC T-CELL LYMPHOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.6	DX	PRIMARY CUTANEOUS CD30-POSITIVE T-CELL PROLIFERATIONS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.0	DX	WALDENSTROM MACROGLOBULINEMIA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.2	DX	HEAVY CHAIN DISEASE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.3	DX	IMMUNOPROLIFERATIVE SMALL INTESTINAL DISEASE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.4	DX	EXTRANODAL MARGINAL ZONE B-CELL LYMPHOMA OF MUCOSA-ASSOCIATED LYMPHOID TISSUE [MALT-LYMPHOMA]	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.8	DX	OTHER MALIGNANT IMMUNOPROLIFERATIVE DISEASES	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.9	DX	MALIGNANT IMMUNOPROLIFERATIVE DISEASE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.00	DX	MULTIPLE MYELOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MULTIPLE MYELOMA IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.01	DX	MULTIPLE MYELOMA IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.02	DX	PLASMA CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.10	DX	PLASMA CELL LEUKEMIA IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.11	DX	PLASMA CELL LEUKEMIA IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.12	DX	EXTRAMEDULLARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.20	DX	EXTRAMEDULLARY PLASMACYTOMA IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.21	DX	EXTRAMEDULLARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.22	DX	SOLITARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.30	DX	SOLITARY PLASMACYTOMA IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.31	DX	SOLITARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.32	DX	ACUTE LYMPHOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.00	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.01	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.02	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.10	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.11	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.12	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.30	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.31	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.32	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.40	DX	HAIRY CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.41	DX	HAIRY CELL LEUKEMIA, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.42	DX	HAIRY CELL LEUKEMIA, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.50	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED) NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.51	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.52	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.60	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.61	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.62	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.90	DX	LYMPHOID LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.91	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.92	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A0	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A1	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN PERSON	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A2	DX	OTHER LYMPHOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z0	DX	OTHER LYMPHOID LEUKEMIA, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z1	DX	OTHER LYMPHOID LEUKEMIA, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z2	DX	ACUTE MYELOBLASTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.00	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.01	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.02	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.10	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.11	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.12	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.20	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.21	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.22	DX	MYELOID SARCOMA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.30	DX	MYELOID SARCOMA, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.31	DX	MYELOID SARCOMA, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.32	DX	ACUTE PROMYELOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.40	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE PROMYELOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.41	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE PROMYELOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.42	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.50	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.51	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.52	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.60	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.61	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.62	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MYELOID LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.90	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MYELOID LEUKEMIA, UNSPECIFIED IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.91	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MYELOID LEUKEMIA, UNSPECIFIED IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.92	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MYELOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MYELOID LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MYELOID LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z2	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.00	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.01	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.02	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CHRONIC MYELOMONOCYTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.10	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CHRONIC MYELOMONOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.11	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CHRONIC MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.12	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				JUVENILE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.30	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				JUVENILE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.31	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				JUVENILE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.32	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MONOCYTIC LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.90	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MONOCYTIC LEUKEMIA, UNSPECIFIED IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.91	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				MONOCYTIC LEUKEMIA, UNSPECIFIED IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.92	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z0	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MONOCYTIC LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z1	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				OTHER MONOCYTIC LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z2	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE ERYTHROID LEUKEMIA, NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.00	DX		ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE ERYTHROID LEUKEMIA, IN REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.01	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				ACUTE ERYTHROID LEUKEMIA, IN RELAPSE	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.02	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.20	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.21	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.22	DX	MAST CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.30	DX	MAST CELL LEUKEMIA, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.31	DX	MAST CELL LEUKEMIA, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.32	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.40	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.41	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.42	DX	MYELODYSPLASTIC DISEASE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.6	DX	OTHER SPECIFIED LEUKEMIAS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.80	DX	OTHER SPECIFIED LEUKEMIAS, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.81	DX	OTHER SPECIFIED LEUKEMIAS, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.82	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.00	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.01	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy					
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.02	DX		ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy				CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	
30	Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.10	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.11	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.12	DX	LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.90	DX	LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.91	DX	LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.92	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96	DX	MULTIFOCAL AND MULTISYSTEMIC (DISSEMINATED) LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.0	DX	MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.2	DX	MALIGNANT MAST CELL NEOPLASM, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.20	DX	AGGRESSIVE SYSTEMIC MASTOCYTOSIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.21	DX	MAST CELL SARCOMA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.22	DX	OTHER MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.29	DX	SARCOMA OF DENDRITIC CELLS (ACCESSORY CELLS)	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.4	DX	MULTIFOCAL AND UNISYSTEMIC LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.5	DX	UNIFOCAL LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.6	DX	MALIGNANT NEOPLASM OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE, UNSPECIFIED	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.9	DX		ICD-10-CM

30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.A	DX	HISTIOCYTIC SARCOMA	
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.Z	DX	OTHER SPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	D45	DX	POLYCYTHEMIA VERA	ICD-10-CM
30	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	R18.0	DX	MALIGNANT ASCITES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.1	DX	ALCOHOL ABUSE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.10	DX	ALCOHOL ABUSE, UNCOMPLICATED (ALCOHOL USE DISORDER, MILD)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.11	DX	ALCOHOL ABUSE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.12	DX	ALCOHOL ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.120	DX	ALCOHOL ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.121	DX	ALCOHOL ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.129	DX	ALCOHOL ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.13	DX	ALCOHOL ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.130	DX	ALCOHOL ABUSE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.131	DX	ALCOHOL ABUSE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.132	DX	ALCOHOL ABUSE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.139	DX	ALCOHOL ABUSE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.14	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL USE DISORDER, MILD, WITH ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.15	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.150	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.151	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.159	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.18	DX	ALCOHOL ABUSE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.180	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.181	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.182	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED SLEEP DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.188	DX	ALCOHOL ABUSE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.19	DX	ALCOHOL ABUSE WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.2	DX	ALCOHOL DEPENDENCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.20	DX	ALCOHOL DEPENDENCE, UNCOMPLICATED (ALCOHOL USE DISORDER, MODERATE OR SEVERE)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.21	DX	ALCOHOL DEPENDENCE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.22	DX	ALCOHOL DEPENDENCE WITH INTOXICATION (ACUTE DRUNKENNESS IN ALCOHOLISM)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.220	DX	ALCOHOL DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.221	DX	ALCOHOL DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.229	DX	ALCOHOL DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.23	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.230	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.231	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.232	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.239	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.24	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.25	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.250	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.251	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.259	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.26	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.27	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING DEMENTIA (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.28	DX	ALCOHOL DEPENDENCE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.280	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.281	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.282	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.288	DX	ALCOHOL DEPENDENCE WITH OTHER ALCOHOL-INDUCED DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.29	DX	ALCOHOL DEPENDENCE WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.92	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.920	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.921	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.929	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.93	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.930	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.931	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.932	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.939	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.94	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.95	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.950	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.951	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.959	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED (ALCOHOL-INDUCED PSYCHOTIC DISORDER WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.96	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER (ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.97	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING DEMENTIA (ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.98	DX	ALCOHOL USE, UNSPECIFIED WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.980	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED ANXIETY DISORDER (ALCOHOL-INDUCED ANXIETY DISORDER WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.981	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION (ALCOHOL-INDUCED SEXUAL DYSFUNCTION WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.982	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED SLEEP DISORDER (ALCOHOL-INDUCED SLEEP DISORDER WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.988	DX	ALCOHOL USE, UNSPECIFIED WITH OTHER ALCOHOL-INDUCED DISORDER (ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER WITHOUT USE DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.99	DX	ALCOHOL USE, UNSPECIFIED WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.0	DX	ALCOHOLIC FATTY LIVER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.1	DX	ALCOHOLIC HEPATITIS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.10	DX	ALCOHOLIC HEPATITIS WITHOUT ASCITES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.11	DX	ALCOHOLIC HEPATITIS WITH ASCITES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.2	DX	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.3	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.30	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.31	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.4	DX	ALCOHOLIC HEPATIC FAILURE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.40	DX	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.41	DX	ALCOHOLIC HEPATIC FAILURE WITH COMA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.9	DX	ALCOHOLIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	G62.1	DX	ALCOHOLIC POLYNEUROPATHY	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	I42.6	DX	ALCOHOLIC CARDIOMYOPATHY	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	Z71.41	DX	ALCOHOL ABUSE COUNSELING AND SURVEILLANCE OF ALCOHOLIC	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.0	DX	OPIOID DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.02	DX	OPIOID DEPENDENCE, WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.020	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.09	DX	OPIOID DEPENDENCE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.1	DX	OPIOID ABUSE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.10	DX	OPIOID ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.12	DX	OPIOID ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.120	DX	OPIOID ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.121	DX	OPIOID ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.122	DX	OPIOID ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.129	DX	OPIOID ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.13	DX	OPIOID ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.14	DX	OPIOID ABUSE WITH OPIOID-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.15	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.150	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.151	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.159	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.18	DX	OPIOID ABUSE WITH OTHER OPIOID-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.181	DX	OPIOID ABUSE WITH OPIOID-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.182	DX	OPIOID ABUSE WITH OPIOID-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.188	DX	OPIOID ABUSE WITH OTHER OPIOID-INDUCED DISORDERS (INCLUDES OPIOID-ASSOCIATED AMNESTIC SYNDROME WITH OPIOID ABUSE)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.19	DX	OPIOID ABUSE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.2	DX	OPIOID DEPENDENCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.20	DX	OPIOID DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.22	DX	OPIOID DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.220	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.221	DX	OPIOID DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.222	DX	OPIOID DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.229	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.23	DX	OPIOID DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.24	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.25	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.250	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.251	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.259	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.28	DX	OPIOID DEPENDENCE WITH OTHER OPIOID-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.281	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.282	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.288	DX	OPIOID DEPENDENCE WITH OTHER OPIOID-INDUCED DISORDERS (INCLUDES OPIOID-ASSOCIATED AMNESTIC SYNDROME WITH OPIOID DEPENDENCE)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.29	DX	OPIOID DEPENDENCE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.9	DX	OPIOID USE, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.10	DX	CANNABIS ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.12	DX	CANNABIS ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.120	DX	CANNABIS ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.121	DX	CANNABIS ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.122	DX	CANNABIS ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.129	DX	CANNABIS ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.13	DX	CANNABIS ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.15	DX	CANNABIS ABUSE WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.150	DX	CANNABIS ABUSE WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.151	DX	CANNABIS ABUSE WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.159	DX	CANNABIS ABUSE WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.18	DX	CANNABIS ABUSE WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.180	DX	CANNABIS ABUSE WITH CANNABIS-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.188	DX	CANNABIS ABUSE WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.19	DX	CANNABIS ABUSE WITH UNSPECIFIED CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.20	DX	CANNABIS DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.22	DX	CANNABIS DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.220	DX	CANNABIS DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.221	DX	CANNABIS DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.222	DX	CANNABIS DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.229	DX	CANNABIS DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.23	DX	CANNABIS DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.25	DX	CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.250	DX	CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.251	DX	CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.259	DX	CANNABIS DEPENDENCE WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.28	DX	CANNABIS DEPENDENCE WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.280	DX	CANNABIS DEPENDENCE WITH CANNABIS-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.288	DX	CANNABIS DEPENDENCE WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.29	DX	CANNABIS DEPENDENCE WITH UNSPECIFIED CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.90	DX	CANNABIS USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.92	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.920	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.921	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.922	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.929	DX	CANNABIS USE, UNSPECIFIED WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.93	DX	CANNABIS USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.95	DX	CANNABIS USE, UNSPECIFIED WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.950	DX	CANNABIS USE, UNSPECIFIED WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.951	DX	CANNABIS USE, UNSPECIFIED WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.959	DX	CANNABIS USE, UNSPECIFIED WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.98	DX	CANNABIS USE, UNSPECIFIED WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.980	DX	CANNABIS USE, UNSPECIFIED WITH ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.988	DX	CANNABIS USE, UNSPECIFIED WITH OTHER CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.99	DX	CANNABIS USE, UNSPECIFIED WITH UNSPECIFIED CANNABIS-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.10	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.12	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.13	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.130	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.131	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.132	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.139	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.14	DX	WITH INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.15	DX	WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.150	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.151	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.159	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.18	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.180	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.181	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.182	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.188	DX	WITH OTHER INDUCED DISORDERS (INCLUDES AMNESTIC SYNDROME)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.19	DX	WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.20	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.22	DX	DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.220	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.221	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.229	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.23	DX	DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.230	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.231	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.232	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.239	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.24	DX	WITH INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.25	DX	WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.250	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.251	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.259	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.26	DX	WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.27	DX	WITH PERSISTING DEMENTIA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.28	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.280	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.281	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.282	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.288	DX	WITH OTHER INDUCED DISORDERS (INCLUDES AMNESTIC SYNDROME)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.29	DX	WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.90	DX	USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.92	DX	USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.93	DX	USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.930	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.931	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.932	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.939	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.94	DX	USE, UNSPECIFIED WITH MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.95	DX	USE, UNSPECIFIED WITH PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.96	DX	USE, UNSPECIFIED WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.97	DX	USE, UNSPECIFIED WITH PERSISTING DEMENTIA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.98	DX	USE, UNSPECIFIED WITH OTHER INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.980	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.981	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.982	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.988	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.99	DX	USE, UNSPECIFIED WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.10	DX	COCAINE ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.12	DX	COCAINE ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.122	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.13	DX	COCAINE ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.14	DX	COCAINE ABUSE WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.15	DX	COCAINE ABUSE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.150	DX	COCAINE ABUSE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.151	DX	COCAINE ABUSE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.159	DX	COCAINE ABUSE WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.18	DX	COCAINE ABUSE WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.180	DX	COCAINE ABUSE WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.181	DX	COCAINE ABUSE WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.182	DX	COCAINE ABUSE WITH OTHER COCAINE-INDUCED DISORDER (INCLUDES COCAINE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.188	DX	COCAINE ABUSE WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.19	DX	COCAINE DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.20	DX	COCAINE DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.22	DX	COCAINE DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.220	DX	COCAINE DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.221	DX	COCAINE DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.222	DX	COCAINE DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.229	DX	COCAINE DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.23	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.24	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.25	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.250	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.251	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC DISORDER WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.259	DX	COCAINE DEPENDENCE WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.28	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.280	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.281	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.282	DX		ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.288	DX	WITH OTHER COCAINE-INDUCED DISORDER (INCLUDES COCAINE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.29	DX	WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.90	DX	COCAINE USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.92	DX	COCAINE USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.93	DX	COCAINE USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.94	DX	COCAINE USE, UNSPECIFIED WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.95	DX	COCAINE USE, UNSPECIFIED WITH COCAINE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.98	DX	COCAINE USE, UNSPECIFIED WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.980	DX	WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.981	DX	WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.982	DX	WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.988	DX	WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.99	DX	COCAINE USE, UNSPECIFIED WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.10	DX	OTHER STIMULANT ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.12	DX	OTHER STIMULANT ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.122	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.13	DX	OTHER STIMULANT ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.14	DX	OTHER STIMULANT ABUSE WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.15	DX	OTHER STIMULANT ABUSE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.150	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.151	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.159	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.18	DX	OTHER STIMULANT ABUSE WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.180	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.181	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.182	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.188	DX	WITH OTHER STIMULANT-INDUCED DISORDER (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.19	DX	WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.20	DX	OTHER STIMULANT DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.22	DX	OTHER STIMULANT DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.220	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.221	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.222	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.229	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.23	DX	OTHER STIMULANT DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.24	DX	OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.25	DX	OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.250	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.251	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.259	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.26	DX	OTHER STIMULANT DEPENDENCE WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.28	DX	OTHER STIMULANT DEPENDENCE WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.280	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.281	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.282	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.288	DX	WITH OTHER STIMULANT-INDUCED DISORDERS (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.29	DX	OTHER STIMULANT DEPENDENCE WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.90	DX	OTHER STIMULANT USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.92	DX	OTHER STIMULANT USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.93	DX	OTHER STIMULANT USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.94	DX	OTHER STIMULANT USE, UNSPECIFIED WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.95	DX	OTHER STIMULANT USE, UNSPECIFIED WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.98	DX	OTHER STIMULANT USE, UNSPECIFIED WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.980	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.981	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.982	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.988	DX	WITH OTHER STIMULANT-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.99	DX	OTHER STIMULANT USE, UNSPECIFIED WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.1	DX	HALLUCINOGEN ABUSE EXCLUDES1: HALLUCINOGEN DEPENDENCE (F16.2-), HALLUCINOGEN USE, UNSPECIFIED (F16.9-)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.10	DX	HALLUCINOGEN ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.11	DX	HALLUCINOGEN ABUSE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.12	DX	HALLUCINOGEN ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.120	DX	HALLUCINOGEN ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.121	DX	HALLUCINOGEN ABUSE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.122	DX	HALLUCINOGEN ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.129	DX	HALLUCINOGEN ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.14	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.15	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.150	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.151	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.159	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.18	DX	HALLUCINOGEN ABUSE WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.180	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.183	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN PERSISTING PERCEPTION DISORDER (FLASHBACKS)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.188	DX	HALLUCINOGEN ABUSE WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.19	DX	HALLUCINOGEN ABUSE WITH UNSPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.2	DX	HALLUCINOGEN DEPENDENCE EXCLUDES1: HALLUCINOGEN ABUSE (F16.1-), HALLUCINOGEN USE, UNSPECIFIED (F16.9-)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.20	DX	HALLUCINOGEN DEPENDENCE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.21	DX	HALLUCINOGEN DEPENDENCE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.22	DX	HALLUCINOGEN DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.220	DX	HALLUCINOGEN DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.221	DX	HALLUCINOGEN DEPENDENCE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.229	DX	HALLUCINOGEN DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.24	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.25	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.250	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.251	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.259	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.28	DX	HALLUCINOGEN DEPENDENCE WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.280	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.283	DX	HALLUCINOGEN DEPENDENCE WITH HALLUCINOGEN PERSISTING PERCEPTION DISORDER (FLASHBACKS)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.288	DX	HALLUCINOGEN DEPENDENCE WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.29	DX	HALLUCINOGEN DEPENDENCE WITH UNSPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.9	DX	HALLUCINOGEN USE, UNSPECIFIED EXCLUDES1: HALLUCINOGEN ABUSE (F16.1-), HALLUCINOGEN DEPENDENCE (F16.2-)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.90	DX	HALLUCINOGEN USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.91	DX	HALLUCINOGEN USE, UNSPECIFIED, IN REMISSION	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.92	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.920	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.921	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.929	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.94	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.95	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.950	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.951	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.959	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.98	DX	HALLUCINOGEN USE, UNSPECIFIED WITH OTHER SPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.980	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.983	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN PERSISTING PERCEPTION DISORDER (FLASHBACKS)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.988	DX	HALLUCINOGEN USE, UNSPECIFIED WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.99	DX	HALLUCINOGEN USE, UNSPECIFIED WITH UNSPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.10	DX	INHALANT ABUSE, UNCOMPLICATED; INHALANT USE DISORDER, MILD	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.11	DX	INHALANT ABUSE, IN REMISSION; INHALANT USE DISORDER, MILD, IN EARLY REMISSION; INHALANT USE DISORDER, MILD, IN SUSTAINED REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.12	DX	INHALANT ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.120	DX	INHALANT ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.121	DX	INHALANT ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.129	DX	INHALANT ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.14	DX	INHALANT ABUSE WITH INHALANT-INDUCED MOOD DISORDER; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED DEPRESSIVE DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.15	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.150	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.151	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.159	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.17	DX	INHALANT ABUSE WITH INHALANT-INDUCED DEMENTIA; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED MAJOR NEUROCOGNITIVE DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.18	DX	INHALANT ABUSE WITH OTHER INHALANT-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.180	DX	INHALANT ABUSE WITH INHALANT-INDUCED ANXIETY DISORDER	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.188	DX	INHALANT ABUSE WITH OTHER INHALANT-INDUCED DISORDER; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED MILD NEUROCOGNITIVE DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.19	DX	INHALANT ABUSE WITH UNSPECIFIED INHALANT-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.10	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.11	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.12	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.120	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.121	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.122	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.129	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.13	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.130	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.131	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.132	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.139	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.14	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.15	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.150	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.151	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.159	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.16	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.17	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.18	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.180	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.181	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.182	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.188	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.19	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.20	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE, UNCOMPLICATED	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.21	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.22	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.220	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.221	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.222	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.229	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.23	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.230	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.231	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.232	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.239	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.24	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.25	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.250	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.251	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.259	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.26	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.27	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.28	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.280	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.281	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.282	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.288	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.29	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.90	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.91	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED, IN REMISSION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.92	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.921	DX	WITH INTOXICATION DELIRIUM (INCLUDES OTHER STIMULANT INTOXICATION DELIRIUM)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.93	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.930	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.931	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.932	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.939	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.94	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.95	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.96	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.97	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.98	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.980	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.981	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.982	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.988	DX	WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.99	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	Z71.51	DX	DRUG ABUSE COUNSELING AND SURVEILLANCE OF DRUG ABUSER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.120	DX	PATIENT'S INTENTIONAL UNDERDOSING OF MEDICATION REGIMEN DUE TO FINANCIAL HARDSHIP	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.128	DX	PATIENT'S INTENTIONAL UNDERDOSING OF MEDICATION REGIMEN FOR OTHER REASON	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.13	DX	PATIENT'S UNINTENTIONAL UNDERDOSING OF MEDICATION REGIMEN	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.14	DX	PATIENT'S OTHER NONCOMPLIANCE WITH MEDICATION REGIMEN	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Non-compliance/Non-adherence	Z91.19	DX	PATIENT'S NONCOMPLIANCE WITH OTHER MEDICAL TREATMENT AND REGIMEN	ICD-10-CM

31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	R63.0	DX	ANOREXIA	
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.0	DX	ANOREXIA NERVOSA EXCLUDES1: LOSS OF APPETITE (R63.0), PSYCHOGENIC LOSS OF APPETITE (F50.89)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.00	DX	ANOREXIA NERVOSA, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.01	DX	ANOREXIA NERVOSA, RESTRICTING TYPE	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.02	DX	ANOREXIA NERVOSA, BINGE EATING/PURGING TYPE EXCLUDES1: BULIMIA NERVOSA (F50.2-)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.2	DX	BULIMIA NERVOSA, HYPEROREXIA NERVOSA EXCLUDES1: ANOREXIA NERVOSA, BINGE EATING/PURGING TYPE (F50.02-)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.20	DX	BULIMIA NERVOSA, UNSPECIFIED	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.8	DX	OTHER EATING DISORDERS	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.81	DX	BINGE EATING DISORDER	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.811	DX	BINGE EATING DISORDER, MODERATE (4-7 EPISODES PER WEEK)	ICD-10-CM
31	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Eating disorder	F50.82	DX	AVOIDANT/RESTRICTIVE FOOD INTAKE DISORDER (INCLUDING IN REMISSION)	ICD-10-CM
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Gastroparesis	K31.84	DX	GASTROPARESIS	ICD-10-CM
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Gastric outlet obstruction	K31.1	DX	Adult hypertrophic pyloric stenosis	ICD-10-CM
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Gastric outlet obstruction	K31.2	DX	Hourglass stricture and stenosis of stomach	ICD-10-CM
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Gastric outlet obstruction	K31.5	DX	Obstruction of duodenum	ICD-10-CM
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	BUTORPHANOL TARTRA	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	DIHYDROCODEINE BITAI	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	FENTANYL	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	FENTANYL CITRATE	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	FENTANYL CITRATE/DR	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	FENTANYL HCL	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	HYDROMORPHONE HCL	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	LEVORPHANOL TARTRA	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	MEPERIDINE HCL	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	MEPERIDINE HCL/ATROI	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	MEPERIDINE HCL/PROM	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	METHADONE HCL	RX		Generic
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	MORPHINE SULFATE	RX		Generic

32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OPIUM TINCTURE	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYMORPHONE HCL	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	PENTAZOCINE HCL/NAL	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	PENTAZOCINE LACTATI	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	TAPENTADOL HCL	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	ACETAMINOPHEN WITH	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	BUTALBITAL/ACETAMIN	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	CODEINE PHOSPHATE	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	CODEINE PHOSPHATE/E	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	CODEINE SULFATE	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	CODEINE/ASPIRIN/SALIC	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	HYDROCODONE BITART	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE HCL	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE HCL/ACET.	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE HCL/ASPIR	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE HCL/OXYC	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE MYRISTAT	RX	Generic	
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Opioids	OXYCODONE/ASPIRIN	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		LIXISENATIDE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 2		DULAGLUTIDE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		LIRAGLUTIDE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		ALBIGLUTIDE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		EXENATIDE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		EXENATIDE MICROSPHE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		PRAMLINTIDE ACETATE	RX	Generic	
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		SEMAGLUTIDE	RX	Generic	
36	ICD		02H43KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD		02H40KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
36	ICD		02H44KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD		02H60KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
36	ICD		02H63KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD		02H64KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD		02H70KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
36	ICD		02H73KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM

36	ICD	02H74KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD	02HK0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
36	ICD	02HK3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	02HK4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD	02HL0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
36	ICD	02HL3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	02HL4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD	02HN0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, OPEN APPROACH	ICD-10-CM
36	ICD	02HN3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	02HN4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
36	ICD	0JH608Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
36	ICD	0JH60FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
36	ICD	0JH638Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	0JH63FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	0JH808Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
36	ICD	0JH838Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	0JPT0FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM
36	ICD	0JPT3FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	02H40JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
36	ICD	02H43JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
36	ICD	33223	PX	RELOCATION OF SKIN POCKET FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	CPT/HCPSC
36	ICD	33230	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING DUAL LEADS	CPT/HCPSC
36	ICD	33231	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING MULTIPLE LEADS	CPT/HCPSC
36	ICD	33240	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING SINGLE LEAD	CPT/HCPSC
36	ICD	33241	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY	CPT/HCPSC
36	ICD	33243	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY THORACOTOMY	CPT/HCPSC
36	ICD	33244	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY TRANSVENOUS EXTRACTION	CPT/HCPSC
36	ICD	33249	PX	INSERTION OR REPLACEMENT OF PERMANENT IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH TRANSVENOUS LEAD(S), SINGLE OR DUAL CHAMBER	CPT/HCPSC
36	ICD	33262	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; SINGLE LEAD SYSTEM	CPT/HCPSC
36	ICD	33263	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; DUAL LEAD SYSTEM	CPT/HCPSC
36	ICD	33264	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; MULTIPLE LEAD SYSTEM	CPT/HCPSC
36	ICD	33270	PX	INSERTION OR REPLACEMENT OF PERMANENT SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH SUBCUTANEOUS ELECTRODE, INCLUDING DEFIBRILLATION THRESHOLD EVALUATION, INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING FOR ARRHYTHMIA TERMINATION, AND PROGRAMMING OR REPROGRAMMING OF SENSING OR THERAPEUTIC PARAMETERS, WHEN PERFORMED	CPT/HCPSC
36	ICD	33271	PX	INSERTION OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC
36	ICD	33272	PX	REMOVAL OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC
36	ICD	33273	PX	REPOSITIONING OF PREVIOUSLY IMPLANTED SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC
37	LVAD	Z95.811	DX	PRESENCE OF HEART ASSIST DEVICE	ICD-10-CM
37	LVAD	Z95.812	DX	PRESENCE OF FULLY IMPLANTABLE ARTIFICIAL HEART	ICD-10-CM
37	LVAD	02HA0RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
37	LVAD	02HA3RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM

	LVAD						
37			02HA4RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
	LVAD				ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP,		
37			5A02116	PX	INTERMITTENT	ICD-10-CM	
	LVAD				ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS		
37			5A02216	PX		ICD-10-CM	
	LVAD				INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, OPEN		
37			02HA0QZ	PX	APPROACH	ICD-10-CM	
	LVAD				INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART,		
37			02HA3QZ	PX	PERCUTANEOUS APPROACH	ICD-10-CM	
	LVAD				INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART,		
37			02HA4QZ	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
	LVAD				REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, OPEN		
37			02WA0QZ	PX	APPROACH	ICD-10-CM	
	LVAD				REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART,		
37			02WA3QZ	PX	PERCUTANEOUS APPROACH	ICD-10-CM	
	LVAD				REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART,		
37			02WA4QZ	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
	LVAD				INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE		
37			33975	PX	VENTRICLE	CPT/HCPSC	
	LVAD				INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL,		
37			33976	PX	BIVENTRICULAR	CPT/HCPSC	
	LVAD				REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE		
37			33977	PX	VENTRICLE	CPT/HCPSC	
	LVAD				REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL,		
37			33978	PX	BIVENTRICULAR	CPT/HCPSC	
	LVAD				INSERTION OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE,		
37			33979	PX	INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	
	LVAD				REMOVAL OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE		
37			33980	PX	INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC	
	LVAD				REPLACEMENT OF EXTRACORPOREAL VENTRICULAR ASSIST DEVICE,		
37			33881	PX	SINGLE OR BIVENTRICULAR, PUMP(S), SINGLE OR EACH PUMP	CPT/HCPSC	
	LVAD				REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE		
37			33982	PX	INTRACORPOREAL, SINGLE VENTRICLE, WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPSC	
	LVAD				REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE		
37			33983	PX	INTRACORPOREAL, SINGLE VENTRICLE, WITH CARDIOPULMONARY BYPASS	CPT/HCPSC	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE		
38		CRT-P	0JH607Z	PX	GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE		
38		CRT-P	0JH637Z	PX	GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE		
38		CRT-P	0JH807Z	PX	GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE		
38		CRT-P	0JH837Z	PX	GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE		
38		CRT-D	0JH609Z	PX	GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE		
38		CRT-D	0JH639Z	PX	GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE		
38		CRT-D	0JH809Z	PX	GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	
	CRT				INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE		
38		CRT-D	0JH839Z	PX	GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	
	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the						
39	study period		ACETOHEXAMIDE	RX		Generic	Metform
	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the						
39	study period		ALBIGLUTIDE	RX		Generic	Sulfonylu
	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the						
39	study period		CANAGLIFLOZIN	RX		Generic	Sulfonylu
	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the						
39	study period		CHLORPROPAMIDE	RX		Generic	Sulfonylu

39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	EMPAGLIFLOZIN	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	EXENATIDE	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	EXENATIDE MICROSPHE	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLIMEPIRIDE	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLIPIZIDE	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLIPIZIDE/METFORMIN I	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLYBURIDE	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLYBURIDE,MICRONIZEI	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	GLYBURIDE/METFORMI	RX		Generic	Sulfonylu
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	INSULIN DEGLUDEC/LIR	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	INSULIN GLARGINE,HUM	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	LIRAGLUTIDE	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	LIXISENATIDE	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	PIOGLITAZONE HCL	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	PIOGLITAZONE HCL/GLI	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	PIOGLITAZONE HCL/ME	RX		Generic	GLP-1RA
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	PRAMLINTIDE ACETATE	RX		Generic	GLP-1RA

39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ROSIGLITAZONE MALEA	RX		Generic	Glinides
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ROSIGLITAZONE MALEA	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ROSIGLITAZONE MALEA	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		TOLAZAMIDE	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		TOLBUTAMIDE	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		TROGLITAZONE	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		DAPAGLIFLOZIN PROPA	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		DAPAGLIFLOZIN PROPA	RX		Generic	Glitazone
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		DAPAGLIFLOZIN PROPA	RX		Generic	SGLT2i
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ERTUGLIFLOZIN PIDOLA	RX		Generic	SGLT2i
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ERTUGLIFLOZIN PIDOLA	RX		Generic	SGLT2i
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		ERTUGLIFLOZIN PIDOLA	RX		Generic	SGLT2i
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		SEMAGLUTIDE	RX		Generic	SGLT2i
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period		DULAGLUTIDE	RX		Generic	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.1	DX	RETINOPATHY OF PREMATURITY	ICD-10-CM	

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETINOPATHY OF PREMATURITY, UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.10	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.101	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.102	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.103	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.109	DX	RETINOPATHY OF PREMATURITY, STAGE 0	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.11	DX	RETINOPATHY OF PREMATURITY, STAGE 0, RIGHT EYE	ICD-10-CM
43		Pregnancy	H35.111	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETINOPATHY OF PREMATURITY, STAGE 0, LEFT EYE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.112	DX	RETINOPATHY OF PREMATURITY, STAGE 0, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.113	DX	RETINOPATHY OF PREMATURITY, STAGE 0, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.119	DX	RETINOPATHY OF PREMATURITY, STAGE 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.12	DX	RETINOPATHY OF PREMATURITY, STAGE 1, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.121	DX	RETINOPATHY OF PREMATURITY, STAGE 1, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.122	DX	RETINOPATHY OF PREMATURITY, STAGE 1, BILATERAL	ICD-10-CM
43		Pregnancy	H35.123	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETINOPATHY OF PREMATURITY, STAGE 1, UNSPECIFIED EYE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.129	DX	RETINOPATHY OF PREMATURITY, STAGE 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.13	DX	RETINOPATHY OF PREMATURITY, STAGE 2, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.131	DX	RETINOPATHY OF PREMATURITY, STAGE 2, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.132	DX	RETINOPATHY OF PREMATURITY, STAGE 2, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.133	DX	RETINOPATHY OF PREMATURITY, STAGE 2, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.139	DX	RETINOPATHY OF PREMATURITY, STAGE 3	ICD-10-CM
43		Pregnancy	H35.14	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETINOPATHY OF PREMATURITY, STAGE 3, RIGHT EYE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.141	DX	RETINOPATHY OF PREMATURITY, STAGE 3, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.142	DX	RETINOPATHY OF PREMATURITY, STAGE 3, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.143	DX	RETINOPATHY OF PREMATURITY, STAGE 3, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.149	DX	RETINOPATHY OF PREMATURITY, STAGE 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.15	DX	RETINOPATHY OF PREMATURITY, STAGE 4, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.151	DX	RETINOPATHY OF PREMATURITY, STAGE 4, LEFT EYE	ICD-10-CM
43		Pregnancy	H35.152	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETINOPATHY OF PREMATURITY, STAGE 4, BILATERAL	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.153	DX	RETINOPATHY OF PREMATURITY, STAGE 4, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.159	DX	RETINOPATHY OF PREMATURITY, STAGE 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.16	DX	RETINOPATHY OF PREMATURITY, STAGE 5, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.161	DX	RETINOPATHY OF PREMATURITY, STAGE 5, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.162	DX	RETINOPATHY OF PREMATURITY, STAGE 5, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.163	DX	RETINOPATHY OF PREMATURITY, STAGE 5, UNSPECIFIED EYE	ICD-10-CM
43		Pregnancy	H35.169	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETROLENTAL FIBROPLASIA	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.17	DX	RETROLENTAL FIBROPLASIA, RIGHT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.171	DX	RETROLENTAL FIBROPLASIA, LEFT EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.172	DX	RETROLENTAL FIBROPLASIA, BILATERAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.173	DX	RETROLENTAL FIBROPLASIA, UNSPECIFIED EYE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	H35.179	DX	ECTOPIC PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00	DX	ABDOMINAL PREGNANCY	ICD-10-CM
43		Pregnancy	O00.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ABDOMINAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.00	DX	ABDOMINAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.01	DX	TUBAL PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.1	DX	TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.10	DX	RIGHT TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.101	DX	LEFT TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.102	DX	UNSPECIFIED TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43		Pregnancy	O00.109	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.11	DX	RIGHT TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.111	DX	LEFT TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.112	DX	UNSPECIFIED TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.119	DX	OVARIAN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.2	DX	OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.20	DX	RIGHT OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43		Pregnancy	O00.201	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				LEFT OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.202	DX	UNSPECIFIED OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.209	DX	OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.21	DX	RIGHT OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.211	DX	LEFT OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.212	DX	UNSPECIFIED OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.219	DX	OTHER ECTOPIC PREGNANCY	ICD-10-CM
43		Pregnancy	O00.8	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.80	DX	OTHER ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.81	DX	ECTOPIC PREGNANCY, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.9	DX	UNSPECIFIED ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.90	DX	UNSPECIFIED ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O00.91	DX	HYDATIDIFORM MOLE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O01	DX	CLASSICAL HYDATIDIFORM MOLE	ICD-10-CM
43		Pregnancy	O01.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INCOMPLETE AND PARTIAL HYDATIDIFORM MOLE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O01.1	DX	HYDATIDIFORM MOLE, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O01.9	DX	OTHER ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02	DX	BLIGHTED OVUM AND NONHYDATIDIFORM MOLE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02.0	DX	MISSED ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02.1	DX	OTHER SPECIFIED ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02.8	DX	INAPPROPRIATE CHANGE IN QUANTITATIVE HUMAN CHORIONIC GONADOTROPIN (HCG) IN EARLY PREGNANCY	ICD-10-CM
43		Pregnancy	O02.81	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER ABNORMAL PRODUCTS OF CONCEPTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02.89	DX	ABNORMAL PRODUCT OF CONCEPTION, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O02.9	DX	SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.0	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.1	DX	EMBOLISM FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.2	DX	OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43		Pregnancy	O03.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED COMPLICATION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.30	DX	SHOCK FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.31	DX	RENAL FAILURE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.32	DX	METABOLIC DISORDER FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.33	DX	DAMAGE TO PELVIC ORGANS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.34	DX	OTHER VENOUS COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.35	DX	CARDIAC ARREST FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43		Pregnancy	O03.36	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SEPSIS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.37	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.38	DX	INCOMPLETE SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.39	DX	INCOMPLETE SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.4	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.5	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.6	DX	EMBOLISM FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43		Pregnancy	O03.7	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.8	DX	UNSPECIFIED COMPLICATION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.80	DX	SHOCK FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.81	DX	RENAL FAILURE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.82	DX	METABOLIC DISORDER FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.83	DX	DAMAGE TO PELVIC ORGANS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.84	DX	OTHER VENOUS COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43		Pregnancy	O03.85	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CARDIAC ARREST FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.86	DX	SEPSIS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.87	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.88	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.89	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O03.9	DX	COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	O04.5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.6	DX	EMBOLISM FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.7	DX	(INDUCED) TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.8	DX	(INDUCED) TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.80	DX	SHOCK FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.81	DX	RENAL FAILURE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.82	DX	METABOLIC DISORDER FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	O04.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DAMAGE TO PELVIC ORGANS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.84	DX	OTHER VENOUS COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.85	DX	CARDIAC ARREST FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.86	DX	SEPSIS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.87	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.88	DX	(INDUCED) TERMINATION OF PREGNANCY WITH OTHER COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O04.89	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	O07	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GENITAL TRACT AND PELVIC INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.0	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.1	DX	EMBOLISM FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.2	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.3	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.30	DX	SHOCK FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.31	DX	RENAL FAILURE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	O07.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				METABOLIC DISORDER FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.33	DX	DAMAGE TO PELVIC ORGANS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.34	DX	OTHER VENOUS COMPLICATIONS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.35	DX	CARDIAC ARREST FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.36	DX	SEPSIS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.37	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.38	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER COMPLICATIONS	ICD-10-CM
43		Pregnancy	O07.39	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FAILED ATTEMPTED TERMINATION OF PREGNANCY WITHOUT COMPLICATION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O07.4	DX	COMPLICATIONS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.0	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.1	DX	EMBOLISM FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.2	DX	SHOCK FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.3	DX	RENAL FAILURE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43		Pregnancy	O08.4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				METABOLIC DISORDERS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.5	DX	DAMAGE TO PELVIC ORGANS AND TISSUES FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.6	DX	OTHER VENOUS COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.7	DX	OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.8	DX	CARDIAC ARREST FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.81	DX	SEPSIS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.82	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43		Pregnancy	O08.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.89	DX	UNSPECIFIED COMPLICATION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O08.9	DX	SUPERVISION OF HIGH RISK PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.0	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.00	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.01	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O09.02	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.03	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.1	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.10	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.11	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.12	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.13	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY	ICD-10-CM
43		Pregnancy	O09.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.21	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.211	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.212	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.213	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.219	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.29	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O09.291	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.292	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.293	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.299	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.3	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.30	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.31	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O09.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.33	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.4	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.40	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.41	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.42	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.43	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA AND MULTIGRAVIDA	ICD-10-CM
43		Pregnancy	O09.5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF ELDERLY PRIMIGRAVIDA	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.51	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.511	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.512	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.513	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.519	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.52	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O09.521	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF ELDERLY MULTIGRAVIDA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.522	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.523	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.529	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA AND MULTIGRAVIDA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.6	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.61	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.611	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O09.612	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF YOUNG PRIMIGRAVIDA, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.613	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.619	DX	SUPERVISION OF YOUNG MULTIGRAVIDA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.62	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.621	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.622	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.623	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O09.629	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.7	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.70	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.71	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.72	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.73	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.8	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY	ICD-10-CM
43		Pregnancy	O09.81	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.811	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.812	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.813	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.819	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.82	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.821	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O09.822	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.823	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.829	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.89	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.891	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.892	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	009.893	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	009.899	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.9	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.90	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.91	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.92	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.93	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.A	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O09.A0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.A1	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.A2	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O09.A3	DX	PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.0	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.01	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O10.011	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.012	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.013	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.019	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.02	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.03	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.1	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY	ICD-10-CM
43		Pregnancy	O10.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.111	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.112	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.113	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.119	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.12	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.13	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O10.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.21	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.211	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.212	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.213	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.219	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.22	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O10.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.3	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.31	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.311	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.312	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.313	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.319	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O10.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.33	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.4	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.41	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.411	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.412	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.413	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O10.419	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.42	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.43	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.9	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.91	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.911	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.912	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O10.913	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.919	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.92	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O10.93	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11.1	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11.2	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O11.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11.4	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11.5	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O11.9	DX	GESTATIONAL [PREGNANCY-GESTATIONAL [PREGNANCY-INDUCED] EDEMA AND PROTEINURIA WITHOUT HYPERTENSION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12	DX	GESTATIONAL EDEMA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.0	DX	GESTATIONAL EDEMA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.00	DX	GESTATIONAL EDEMA, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O12.01	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL EDEMA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.02	DX	GESTATIONAL EDEMA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.03	DX	GESTATIONAL EDEMA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.04	DX	GESTATIONAL EDEMA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.05	DX	GESTATIONAL PROTEINURIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.1	DX	GESTATIONAL PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.10	DX	GESTATIONAL PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O12.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL PROTEINURIA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.12	DX	GESTATIONAL PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.13	DX	GESTATIONAL PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.14	DX	GESTATIONAL PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.15	DX	GESTATIONAL EDEMA WITH PROTEINURIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.2	DX	GESTATIONAL EDEMA WITH PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.20	DX	GESTATIONAL EDEMA WITH PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O12.21	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL EDEMA WITH PROTEINURIA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.22	DX	GESTATIONAL EDEMA WITH PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.23	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.24	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O12.25	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13.1	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O13.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13.3	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13.4	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13.5	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O13.9	DX	PRE-ECLAMPSIA-ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14	DX	MILD TO MODERATE PRE-ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.0	DX	MILD TO MODERATE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O14.00	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MILD TO MODERATE PRE-ECLAMPSIA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.02	DX	MILD TO MODERATE PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.03	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.04	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.05	DX	SEVERE PRE-ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.1	DX	SEVERE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.10	DX	SEVERE PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O14.12	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SEVERE PRE-ECLAMPSIA, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.13	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.14	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.15	DX	HELLP SYNDROME	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.2	DX	HELLP SYNDROME (HELLP), UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.20	DX	HELLP SYNDROME (HELLP), SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.22	DX	HELLP SYNDROME (HELLP), THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O14.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				HELLP SYNDROME, COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.24	DX	HELLP SYNDROME, COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.25	DX	UNSPECIFIED PRE-ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.9	DX	UNSPECIFIED PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.90	DX	UNSPECIFIED PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.92	DX	UNSPECIFIED PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.93	DX	UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O14.94	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O14.95	DX	ECLAMPSIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15	DX	ECLAMPSIA COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.0	DX	ECLAMPSIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.00	DX	ECLAMPSIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.02	DX	ECLAMPSIA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.03	DX	ECLAMPSIA COMPLICATING LABOR	ICD-10-CM
43		Pregnancy	O15.1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ECLAMPSIA COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.2	DX	ECLAMPSIA, UNSPECIFIED AS TO TIME PERIOD	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O15.9	DX	UNSPECIFIED MATERNAL HYPERTENSION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16	DX	UNSPECIFIED MATERNAL HYPERTENSION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16.1	DX	UNSPECIFIED MATERNAL HYPERTENSION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16.2	DX	UNSPECIFIED MATERNAL HYPERTENSION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16.3	DX	UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O16.4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16.5	DX	UNSPECIFIED MATERNAL HYPERTENSION, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O16.9	DX	HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O20	DX	THREATENED ABORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O20.0	DX	OTHER HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O20.8	DX	HEMORRHAGE IN EARLY PREGNANCY, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O20.9	DX	EXCESSIVE VOMITING IN PREGNANCY	ICD-10-CM
43		Pregnancy	O21	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MILD HYPEREMESIS GRAVIDARUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O21.0	DX	HYPEREMESIS GRAVIDARUM WITH METABOLIC DISTURBANCE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O21.1	DX	LATE VOMITING OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O21.2	DX	OTHER VOMITING COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O21.8	DX	VOMITING OF PREGNANCY, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O21.9	DX	VENOUS COMPLICATIONS AND HEMORRHOIDS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY	ICD-10-CM
43		Pregnancy	O22.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.00	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.01	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.02	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.03	DX	GENITAL VARICES IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.1	DX	GENITAL VARICES IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.10	DX	GENITAL VARICES IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O22.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GENITAL VARICES IN PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.12	DX	GENITAL VARICES IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.13	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.2	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.20	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.21	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.22	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O22.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DEEP PHLEBOTHROMBOSIS IN PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.3	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.30	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.31	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.32	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.33	DX	HEMORRHOIDS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.4	DX	HEMORRHOIDS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O22.40	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				HEMORRHOIDS IN PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.41	DX	HEMORRHOIDS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.42	DX	HEMORRHOIDS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.43	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.5	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.50	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.51	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O22.52	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.53	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.8	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.8X	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.8X1	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.8X2	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.8X3	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O22.8X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.9	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.90	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.91	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.92	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O22.93	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23	DX	INFECTIONS OF KIDNEY IN PREGNANCY	ICD-10-CM
43		Pregnancy	O23.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTIONS OF KIDNEY IN PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.00	DX	INFECTIONS OF KIDNEY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.01	DX	INFECTIONS OF KIDNEY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.02	DX	INFECTIONS OF KIDNEY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.03	DX	INFECTIONS OF BLADDER IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.1	DX	INFECTIONS OF BLADDER IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.10	DX	INFECTIONS OF BLADDER IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O23.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTIONS OF BLADDER IN PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.12	DX	INFECTIONS OF BLADDER IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.13	DX	INFECTIONS OF URETHRA IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.2	DX	INFECTIONS OF URETHRA IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.20	DX	INFECTIONS OF URETHRA IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.21	DX	INFECTIONS OF URETHRA IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.22	DX	INFECTIONS OF URETHRA IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O23.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.3	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.30	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.31	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.32	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.33	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.4	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O23.40	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.41	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.42	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.43	DX	INFECTIONS OF THE GENITAL TRACT IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.5	DX	INFECTION OF CERVIX IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.51	DX	INFECTIONS OF CERVIX IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.511	DX	INFECTIONS OF CERVIX IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O23.512	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTIONS OF CERVIX IN PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.513	DX	INFECTIONS OF CERVIX IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.519	DX	SALPINGO-OOPHORITIS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.52	DX	SALPINGO-OOPHORITIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.521	DX	SALPINGO-OOPHORITIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.522	DX	SALPINGO-OOPHORITIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.523	DX	SALPINGO-OOPHORITIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O23.529	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.59	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.591	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.592	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.593	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.599	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.9	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O23.90	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.91	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.92	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O23.93	DX	DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.0	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.01	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O24.011	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.012	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.013	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.019	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.02	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.03	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.1	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY	ICD-10-CM
43		Pregnancy	O24.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.111	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.112	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.113	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.119	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.12	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.13	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O24.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.31	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.311	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.312	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.313	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.319	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.32	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O24.33	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL DIABETES MELLITUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.4	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.41	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, DIET CONTROLLED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.410	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, INSULIN CONTROLLED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.414	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.415	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED CONTROL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.419	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
43		Pregnancy	O24.42	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, DIET CONTROLLED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.420	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, INSULIN CONTROLLED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.424	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.425	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, UNSPECIFIED CONTROL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.429	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.43	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, DIET CONTROLLED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.430	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, INSULIN CONTROLLED	ICD-10-CM
43		Pregnancy	O24.434	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GESTATIONAL DIABETES MELLITUS IN PUERPERIUM, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.435	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, UNSPECIFIED CONTROL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.439	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.8	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.81	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.811	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.812	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O24.813	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.819	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.82	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.83	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.9	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.91	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.911	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O24.912	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.913	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.919	DX	UNSPECIFIED DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.92	DX	UNSPECIFIED DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O24.93	DX	MALNUTRITION IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25	DX	MALNUTRITION IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.1	DX	MALNUTRITION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O25.10	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MALNUTRITION IN PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.11	DX	MALNUTRITION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.12	DX	MALNUTRITION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.13	DX	MALNUTRITION IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.2	DX	MALNUTRITION IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O25.3	DX	MATERNAL CARE FOR OTHER CONDITIONS PREDOMINANTLY RELATED TO PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY	ICD-10-CM
43		Pregnancy	O26.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				EXCESSIVE WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.00	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.01	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.02	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.03	DX	LOW WEIGHT GAIN IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.1	DX	LOW WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.10	DX	LOW WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O26.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				LOW WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.12	DX	LOW WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.13	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.2	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.20	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.21	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.22	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O26.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.3	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.30	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.31	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.32	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.33	DX	HERPES GESTATIONIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.4	DX	HERPES GESTATIONIS, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O26.40	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				HERPES GESTATIONIS, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.41	DX	HERPES GESTATIONIS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.42	DX	HERPES GESTATIONIS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.43	DX	MATERNAL HYPOTENSION SYNDROME	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.5	DX	MATERNAL HYPOTENSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.50	DX	MATERNAL HYPOTENSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.51	DX	MATERNAL HYPOTENSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O26.52	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL HYPOTENSION SYNDROME, THIRD TRIMESTER
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.53	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.6	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.61	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, FIRST TRIMESTER ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.611	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, SECOND TRIMESTER ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.612	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, THIRD TRIMESTER ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.613	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, UNSPECIFIED TRIMESTER ICD-10-CM
43		Pregnancy	O26.619	DX	ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				LIVER AND BILIARY TRACT DISORDERS IN CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.62	DX	LIVER AND BILIARY TRACT DISORDERS IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.63	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.7	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.71	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.711	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.712	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O26.713	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.719	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.72	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.73	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.8	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.81	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.811	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O26.812	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREGNANCY RELATED EXHAUSTION AND FATIGUE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.813	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.819	DX	PREGNANCY RELATED PERIPHERAL NEURITIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.82	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.821	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.822	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.823	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O26.829	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREGNANCY RELATED RENAL DISEASE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.83	DX	PREGNANCY RELATED RENAL DISEASE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.831	DX	PREGNANCY RELATED RENAL DISEASE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.832	DX	PREGNANCY RELATED RENAL DISEASE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.833	DX	PREGNANCY RELATED RENAL DISEASE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.839	DX	UTERINE SIZE-DATE DISCREPANCY COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.84	DX	UTERINE SIZE-DATE DISCREPANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O26.841	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UTERINE SIZE-DATE DISCREPANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.842	DX	UTERINE SIZE-DATE DISCREPANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.843	DX	UTERINE SIZE-DATE DISCREPANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.849	DX	SPOTTING COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.85	DX	SPOTTING COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.851	DX	SPOTTING COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.852	DX	SPOTTING COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O26.853	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SPOTTING COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.859	DX	PRURITIC URTICARIAL PAPULES AND PLAQUES OF PREGNANCY (PUPPP)	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.86	DX	CERVICAL SHORTENING	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.87	DX	CERVICAL SHORTENING, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.872	DX	CERVICAL SHORTENING, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.873	DX	CERVICAL SHORTENING, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.879	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
43		Pregnancy	O26.89	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.891	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.892	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.893	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.899	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.9	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.90	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O26.91	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREGNANCY RELATED CONDITIONS, UNSPECIFIED, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.92	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O26.93	DX	ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28	DX	ABNORMAL HEMATOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.0	DX	ABNORMAL BIOCHEMICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.1	DX	ABNORMAL CYTOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.2	DX	ABNORMAL ULTRASONIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43		Pregnancy	O28.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ABNORMAL RADIOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.4	DX	ABNORMAL CHROMOSOMAL AND GENETIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.5	DX	OTHER ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.8	DX	UNSPECIFIED ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O28.9	DX	COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29	DX	PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.0	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
43		Pregnancy	O29.01	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.011	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.012	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.013	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.019	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.02	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.021	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O29.022	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.023	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.029	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.09	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.091	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.092	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.093	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O29.099	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.1	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.11	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.111	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.112	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.113	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.119	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
43		Pregnancy	O29.12	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.121	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.122	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.123	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.129	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.19	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.191	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O29.192	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.193	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.199	DX	CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.2	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.21	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.211	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.212	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O29.213	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.219	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.29	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.291	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.292	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.293	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.299	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
43		Pregnancy	O29.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.3X	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.3X1	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.3X2	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.3X3	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.3X9	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.4	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O29.40	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.41	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.42	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.43	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.5	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.5X	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.5X1	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O29.5X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.5X3	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.5X9	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.6	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.60	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.61	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.62	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O29.63	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8X	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8X1	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8X2	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8X3	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.8X9	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
43		Pregnancy	O29.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.90	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.91	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.92	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O29.93	DX	MULTIPLE GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30	DX	TWIN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.0	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
43		Pregnancy	O30.00	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.001	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.002	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.003	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.009	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.01	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.011	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O30.012	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.013	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.019	DX	CONJOINED TWIN PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.02	DX	CONJOINED TWIN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.021	DX	CONJOINED TWIN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.022	DX	CONJOINED TWIN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.023	DX	CONJOINED TWIN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O30.029	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.03	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.031	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.032	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.033	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.039	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.04	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O30.041	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.042	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.043	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.049	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.09	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.091	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.092	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O30.093	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.099	DX	TRIPLET PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.1	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.10	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.101	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.102	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.103	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O30.109	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.11	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.111	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.112	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.113	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.119	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.12	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O30.121	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.122	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.123	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.129	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.13	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.131	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.132	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O30.133	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.139	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.19	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.191	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.192	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.193	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.199	DX	QUADRUPLET PREGNANCY	ICD-10-CM
43		Pregnancy	O30.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.20	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.201	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.202	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.203	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.209	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.21	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O30.211	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.212	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.213	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.219	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.22	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.221	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.222	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O30.223	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.229	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.23	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.231	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.232	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.233	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.239	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
43		Pregnancy	O30.29	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.291	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.292	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.293	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.299	DX	OTHER SPECIFIED MULTIPLE GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.8	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.80	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O30.801	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.802	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.803	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.809	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.81	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.811	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.812	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O30.813	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.819	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.82	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.821	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.822	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.823	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.829	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES	ICD-10-CM
43		Pregnancy	O30.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.831	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.832	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.833	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.839	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.89	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.891	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O30.892	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.893	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.899	DX	MULTIPLE GESTATION, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.9	DX	MULTIPLE GESTATION, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.90	DX	MULTIPLE GESTATION, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.91	DX	MULTIPLE GESTATION, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O30.92	DX	MULTIPLE GESTATION, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O30.93	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31	DX	PAPYRACEOUS FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.0	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X0	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X1	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X2	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O31.00X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X4	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X5	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.00X9	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X0	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X1	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O31.01X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X3	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X4	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X5	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.01X9	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X0	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O31.02X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X2	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X3	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X4	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X5	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.02X9	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O31.03X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X1	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X2	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X3	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X4	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X5	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.03X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE	ICD-10-CM
43		Pregnancy	O31.1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O31.10X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.10X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O31.11X4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.11X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O31.12X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.12X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O31.13X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.13X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O31.20X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.20X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O31.21	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.21X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O31.21X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O31.22X4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.22X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O31.23X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.23X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O31.30X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.30X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O31.31X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.31X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O31.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.32X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O31.32X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O31.33X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.33X9	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X1	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X10	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X11	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O31.8X12	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X13	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X14	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X15	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X19	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X2	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X20	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O31.8X21	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X22	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X23	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X24	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X25	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X29	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X3	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O31.8X30	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X31	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X32	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X33	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X34	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X35	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X39	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O31.8X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X90	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X91	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X92	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X93	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X94	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O31.8X95	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O31.8X99	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR MALPRESENTATION OF FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32	DX	MATERNAL CARE FOR UNSTABLE LIE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX	DX	MATERNAL CARE FOR UNSTABLE LIE, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX0	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX1	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX2	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 3	ICD-10-CM
43		Pregnancy	O32.0XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR UNSTABLE LIE, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX4	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX5	DX	MATERNAL CARE FOR UNSTABLE LIE, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.0XX9	DX	MATERNAL CARE FOR BREECH PRESENTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX	DX	MATERNAL CARE FOR BREECH PRESENTATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX0	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 1	ICD-10-CM
43		Pregnancy	O32.1XX1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR BREECH PRESENTATION, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX2	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX3	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX4	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX5	DX	MATERNAL CARE FOR BREECH PRESENTATION, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.1XX9	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2	DX		ICD-10-CM
43		Pregnancy	O32.2XX	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX0	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX1	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX2	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX3	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX4	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.2XX5	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, OTHER FETUS	ICD-10-CM
43		Pregnancy	O32.2XX9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX0	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX1	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX2	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX3	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX4	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 5	ICD-10-CM
43		Pregnancy	O32.3XX5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.3XX9	DX	MATERNAL CARE FOR HIGH HEAD AT TERM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4X	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX0	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX1	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX2	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 3	ICD-10-CM
43		Pregnancy	O32.4XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX4	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX5	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.4XX9	DX	MATERNAL CARE FOR COMPOUND PRESENTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX0	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX1	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 2	ICD-10-CM
43		Pregnancy	O32.6XX2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX3	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX4	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX5	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.6XX9	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O32.8XX0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX1	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX2	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX3	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX4	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX5	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.8XX9	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED	ICD-10-CM
43		Pregnancy	O32.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.					
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX0	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX1	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX2	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX3	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX4	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 5	ICD-10-CM
43		Pregnancy	O32.9XX5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O32.9XX9	DX	MATERNAL CARE FOR DISPROPORTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33	DX	MATERNAL CARE FOR DISPROPORTION DUE TO DEFORMITY OF MATERNAL PELVIC BONES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO GENERALLY CONTRACTED PELVIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO INLET CONTRACTION OF PELVIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O33.3XX0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.3XX9	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN	ICD-10-CM
43		Pregnancy	O33.4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, NOT APPLICABLE OR UNSPECIFIED ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX0	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 1 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX1	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 2 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX2	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 3 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX3	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 4 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX4	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 5 ICD-10-CM
43		Pregnancy	O33.4XX5	DX	ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.4XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5X	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 3	ICD-10-CM
43		Pregnancy	O33.5XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.5XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 2	ICD-10-CM
43		Pregnancy	O33.6XX2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.6XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 1	ICD-10-CM
43		Pregnancy	O33.7XX1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.7XX9	DX	MATERNAL CARE FOR DISPROPORTION OF OTHER ORIGIN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O33.8	DX	MATERNAL CARE FOR DISPROPORTION, UNSPECIFIED	ICD-10-CM
43		Pregnancy	O33.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGANS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34	DX	MATERNAL CARE FOR CONGENITAL MALFORMATION OF UTERUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.0	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.00	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.01	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.02	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.03	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI	ICD-10-CM
43		Pregnancy	O34.1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.10	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.11	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.12	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.13	DX	MATERNAL CARE DUE TO UTERINE SCAR FROM PREVIOUS SURGERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.2	DX	MATERNAL CARE FOR SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.21	DX	MATERNAL CARE FOR LOW TRANSVERSE SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
43		Pregnancy	O34.211	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VERTICAL SCAR FROM PREVIOUS CESAREAN DELIVERY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.212	DX	MATERNAL CARE FOR UNSPECIFIED TYPE SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.219	DX	MATERNAL CARE DUE TO UTERINE SCAR FROM OTHER PREVIOUS SURGERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.29	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.3	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.30	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.31	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O34.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR CERVICAL INCOMPETENCE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.33	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.4	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.40	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.41	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.42	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.43	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS	ICD-10-CM
43		Pregnancy	O34.5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.51	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.511	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.512	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.513	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.519	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.52	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O34.521	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.522	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.523	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.529	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.53	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.531	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.532	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O34.533	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.539	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.59	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.591	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.592	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.593	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.599	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA	ICD-10-CM
43		Pregnancy	O34.6	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITY OF VAGINA, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.60	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.61	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.62	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.63	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.7	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.70	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O34.71	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.72	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.73	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.8	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.80	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.81	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.82	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O34.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.9	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.90	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.91	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.92	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O34.93	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED FETAL ABNORMALITY AND DAMAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS	ICD-10-CM
43		Pregnancy	O35.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX0	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX1	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX2	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX3	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX4	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.0XX5	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, OTHER FETUS	ICD-10-CM
43		Pregnancy	O35.0XX9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1X	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX0	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX1	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX2	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 3	ICD-10-CM
43		Pregnancy	O35.1XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX4	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX5	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.1XX9	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX0	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 1	ICD-10-CM
43		Pregnancy	O35.2XX1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX2	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX3	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX4	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX5	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.2XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O35.3XX0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.3XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL	ICD-10-CM
43		Pregnancy	O35.4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.4XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, OTHER FETUS	ICD-10-CM
43		Pregnancy	O35.4XX9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 4	ICD-10-CM
43		Pregnancy	O35.5XX4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.5XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 3	ICD-10-CM
43		Pregnancy	O35.6XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.6XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 2	ICD-10-CM
43		Pregnancy	O35.7XX2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.7XX9	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8X	DX		ICD-10-CM
43		Pregnancy	O35.8XX	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX0	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX1	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX2	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX3	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX4	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.8XX5	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, OTHER FETUS	ICD-10-CM
43		Pregnancy	O35.8XX9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9	DX	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9X	DX	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX	DX	ICD-10-CM MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, NOT APPLICABLE OR UNSPECIFIED
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX0	DX	ICD-10-CM MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 1
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX1	DX	ICD-10-CM MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 2
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX2	DX	ICD-10-CM MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 3
43		Pregnancy	O35.9XX3	DX	ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX4	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX5	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O35.9XX9	DX	MATERNAL CARE FOR OTHER FETAL PROBLEMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36	DX	MATERNAL CARE FOR RHESUS ISOIMMUNIZATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.01	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O36.011	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0110	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 1 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0111	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 2 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0112	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 3 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0113	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 4 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0114	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 5 ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0115	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, OTHER FETUS ICD-10-CM
43		Pregnancy	O36.0119	DX	ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.012	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0120	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0121	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0122	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0123	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0124	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.0125	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0129	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.013	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0130	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0131	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0132	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0133	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.0134	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0135	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0139	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.019	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0190	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0191	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0192	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.0193	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0194	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0195	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0199	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.09	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.091	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0910	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.0911	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0912	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0913	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0914	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0915	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0919	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.092	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.0920	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0921	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0922	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0923	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0924	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0925	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0929	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O36.093	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0930	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0931	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0932	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0933	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0934	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0935	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.0939	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.099	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0990	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0991	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0992	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0993	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0994	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.0995	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.0999	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.11	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.111	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1110	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1111	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.1112	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1113	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1114	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1115	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1119	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.112	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1120	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.1121	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1122	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1123	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1124	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1125	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1129	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.113	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.1130	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1131	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1132	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1133	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1134	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1135	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1139	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O36.119	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1190	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1191	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1192	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1193	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1194	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1195	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.1199	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER ISOIMMUNIZATION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.19	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.191	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1910	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1911	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1912	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1913	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.1914	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1915	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1919	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.192	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1920	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1921	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1922	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.1923	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1924	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1925	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1929	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.193	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1930	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1931	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.1932	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1933	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1934	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1935	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1939	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.199	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1990	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.1991	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1992	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1993	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1994	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1995	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.1999	DX	MATERNAL CARE FOR HYDROPS FETALIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.2	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O36.20	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.20X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.20X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.21X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.21X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.22X4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.22X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.23X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.23X9	DX	MATERNAL CARE FOR INTRAUTERINE DEATH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4X	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX0	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 1	ICD-10-CM
43		Pregnancy	O36.4XX1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX2	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX3	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX4	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX5	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.4XX9	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED POOR FETAL GROWTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY	ICD-10-CM
43		Pregnancy	O36.51	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.511	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5110	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5111	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5112	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5113	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5114	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.5115	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5119	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.512	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5120	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5121	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5122	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5123	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.5124	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5125	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5129	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.513	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5130	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5131	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5132	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.5133	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5134	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5135	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5139	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.519	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5190	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5191	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.5192	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5193	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5194	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5195	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5199	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.59	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.591	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.5910	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5911	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5912	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5913	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5914	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5915	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5919	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O36.592	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5920	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5921	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5922	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5923	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5924	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5925	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.5929	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.593	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5930	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5931	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5932	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5933	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5934	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.5935	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5939	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.599	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5990	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5991	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5992	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5993	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.5994	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5995	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.5999	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.6	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.60X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.60X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61	DX		ICD-10-CM
43		Pregnancy	O36.61X	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.61X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.61X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.62X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.62X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.63X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.63X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.7	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.70X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.70X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.71X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.71X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O36.72	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.72X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.72X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.73X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.73X9	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X0	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X1	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 2	ICD-10-CM
43		Pregnancy	O36.80X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X3	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X4	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X5	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.80X9	DX	DECREASED FETAL MOVEMENTS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.81	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.812	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.8120	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8121	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8122	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8123	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8124	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8125	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8129	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O36.813	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8130	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8131	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8132	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8133	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8134	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8135	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.8139	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.819	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8190	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8191	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8192	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8193	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8194	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.8195	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8199	DX	FETAL ANEMIA AND THROMBOCYTOPENIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.82	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.821	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8210	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8211	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8212	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.8213	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8214	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8215	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8219	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.822	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8220	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8221	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.8222	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8223	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8224	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8225	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8229	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.823	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8230	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.8231	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8232	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8233	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8234	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8235	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8239	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.829	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.8290	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8291	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8292	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8293	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8294	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8295	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8299	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM	ICD-10-CM
43		Pregnancy	O36.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.831	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8310	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8311	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8312	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8313	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8314	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.8315	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8319	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.832	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8320	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8321	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8322	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8323	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.8324	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8325	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8329	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.833	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8330	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8331	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8332	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O36.8333	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8334	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8335	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8339	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.839	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8390	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8391	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.8392	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8393	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8394	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8395	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8399	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.89	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.891	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.8910	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8911	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8912	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8913	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8914	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8915	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8919	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O36.892	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8920	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8921	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8922	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8923	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8924	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8925	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.8929	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.893	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8930	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8931	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8932	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8933	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8934	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O36.8935	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8939	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.899	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8990	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8991	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8992	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8993	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O36.8994	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8995	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.8999	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O36.90X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.90X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O36.91X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.91X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O36.92X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.92X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O36.93	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O36.93X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O36.93X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POLYHYDRAMNIOS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40	DX	POLYHYDRAMNIOS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX0	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX1	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX2	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX3	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O40.1XX4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX5	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.1XX9	DX	POLYHYDRAMNIOS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX0	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX1	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX2	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O40.2XX3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX4	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX5	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.2XX9	DX	POLYHYDRAMNIOS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX0	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O40.3XX1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX2	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX3	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX4	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX5	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.3XX9	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9	DX		ICD-10-CM
43		Pregnancy	O40.9X	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX0	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX1	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX2	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX3	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX4	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O40.9XX5	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O40.9XX9	DX		ICD-10-CM

Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41	DX	OLIGOHYDRAMNIOS	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.0	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00	DX		ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X0	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X1	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Pregnancy	O41.00X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X3	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X4	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X5	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.00X9	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X0	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O41.01X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X2	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X3	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X4	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X5	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.01X9	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O41.02X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X1	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X2	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X3	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X4	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X5	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.02X9	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O41.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.					
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X0	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X1	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X2	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X3	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X4	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O41.03X5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OLIGOHYDRAMNIOS, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.03X9	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.10	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.101	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1010	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1011	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O41.1012	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1013	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1014	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1015	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1019	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.102	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1020	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O41.1021	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1022	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1023	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1024	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1025	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1029	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.103	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O41.1030	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1031	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1032	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1033	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1034	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1035	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1039	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O41.109	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1090	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1091	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1092	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1093	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1094	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1095	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O41.1099	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CHORIOAMNIONITIS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.12	DX	CHORIOAMNIONITIS, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.121	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1210	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1211	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1212	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1213	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O41.1214	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1215	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1219	DX	CHORIOAMNIONITIS, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.122	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1220	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1221	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1222	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O41.1223	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1224	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1225	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1229	DX	CHORIOAMNIONITIS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.123	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1230	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1231	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O41.1232	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1233	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1234	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1235	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1239	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.129	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1290	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O41.1291	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1292	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1293	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1294	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1295	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1299	DX	PLACENTITIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.14	DX	PLACENTITIS, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O41.141	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTITIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1410	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1411	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1412	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1413	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1414	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1415	DX	PLACENTITIS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O41.1419	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTITIS, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.142	DX	PLACENTITIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1420	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1421	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1422	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1423	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1424	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O41.1425	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTITIS, SECOND TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1429	DX	PLACENTITIS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.143	DX	PLACENTITIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1430	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1431	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1432	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1433	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O41.1434	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTITIS, THIRD TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1435	DX	PLACENTITIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1439	DX	PLACENTITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.149	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1490	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1491	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1492	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O41.1493	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1494	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1495	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.1499	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X1	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O41.8X10	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X11	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X12	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X13	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X14	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X15	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X19	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O41.8X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X20	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X21	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X22	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X23	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X24	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X25	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O41.8X29	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X3	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X30	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X31	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X32	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X33	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X34	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43		Pregnancy	O41.8X35	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, OTHER FETUS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X39	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X9	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X90	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X91	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X92	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X93	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O41.8X94	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X95	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.8X99	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43		Pregnancy	O41.90X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.90X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O41.91X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.91X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43		Pregnancy	O41.92X0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.92X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O41.93	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O41.93X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O41.93X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.01	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.012	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.013	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.019	DX	PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.1	DX	PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.10	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
43		Pregnancy	O42.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.111	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.112	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.113	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.119	DX	FULL-TERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.12	DX	PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.9	DX	PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
43		Pregnancy	O42.90	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.91	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.911	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.912	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.913	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.919	DX	FULL-TERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O42.92	DX	PLACENTAL DISORDERS	ICD-10-CM
43		Pregnancy	O43	DX		ICD-10-CM

Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTAL TRANSFUSION SYNDROMES	
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.0	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.01	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.011	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.012	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.013	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
43 Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.019	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
43	Pregnancy	O43.02	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.021	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.022	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.023	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.029	DX	MALFORMATION OF PLACENTA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.1	DX	MALFORMATION OF PLACENTA, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.10	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O43.101	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MALFORMATION OF PLACENTA, UNSPECIFIED, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.102	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.103	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.109	DX	CIRCUMVALLATE PLACENTA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.11	DX	CIRCUMVALLATE PLACENTA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.111	DX	CIRCUMVALLATE PLACENTA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.112	DX	CIRCUMVALLATE PLACENTA, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O43.113	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				CIRCUMVALLATE PLACENTA, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.119	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.12	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.121	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.122	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.123	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.129	DX	OTHER MALFORMATION OF PLACENTA	ICD-10-CM
43		Pregnancy	O43.19	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MALFORMATION OF PLACENTA, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.191	DX	OTHER MALFORMATION OF PLACENTA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.192	DX	OTHER MALFORMATION OF PLACENTA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.193	DX	OTHER MALFORMATION OF PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.199	DX	MORBIDLY ADHERENT PLACENTA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.2	DX	PLACENTA ACCRETA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.21	DX	PLACENTA ACCRETA, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O43.211	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTA ACCRETA, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.212	DX	PLACENTA ACCRETA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.213	DX	PLACENTA ACCRETA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.219	DX	PLACENTA INCRETA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.22	DX	PLACENTA INCRETA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.221	DX	PLACENTA INCRETA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.222	DX	PLACENTA INCRETA, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O43.223	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTA INCRETA, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.229	DX	PLACENTA PERCRETA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.23	DX	PLACENTA PERCRETA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.231	DX	PLACENTA PERCRETA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.232	DX	PLACENTA PERCRETA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.233	DX	PLACENTA PERCRETA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.239	DX	OTHER PLACENTAL DISORDERS	ICD-10-CM
43		Pregnancy	O43.8	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PLACENTAL INFARCTION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.81	DX	PLACENTAL INFARCTION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.811	DX	PLACENTAL INFARCTION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.812	DX	PLACENTAL INFARCTION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.813	DX	PLACENTAL INFARCTION, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.819	DX	OTHER PLACENTAL DISORDERS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.89	DX	OTHER PLACENTAL DISORDERS, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O43.891	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER PLACENTAL DISORDERS, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.892	DX	OTHER PLACENTAL DISORDERS, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.893	DX	OTHER PLACENTAL DISORDERS, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.899	DX	UNSPECIFIED PLACENTAL DISORDER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.9	DX	UNSPECIFIED PLACENTAL DISORDER, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.90	DX	UNSPECIFIED PLACENTAL DISORDER, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.91	DX	UNSPECIFIED PLACENTAL DISORDER, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O43.92	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED PLACENTAL DISORDER, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O43.93	DX	PLACENTA PREVIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.0	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.00	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.01	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.02	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O44.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				COMPLETE PLACENTA PREVIA WITH HEMORRHAGE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.1	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.10	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.11	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.12	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.13	DX	PARTIAL PLACENTA PREVIA WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.2	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O44.20	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.21	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.22	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.23	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.3	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.30	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.31	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O44.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.33	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.4	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.40	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.41	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.42	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.43	DX	LOW LYING PLACENTA WITH HEMORRHAGE	ICD-10-CM
43		Pregnancy	O44.5	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				LOW LYING PLACENTA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.50	DX	LOW LYING PLACENTA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.51	DX	LOW LYING PLACENTA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.52	DX	LOW LYING PLACENTA WITH HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O44.53	DX	PREMATURE SEPARATION OF PLACENTA [ABRUPTIO PLACENTAE]	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.0	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED	ICD-10-CM
43		Pregnancy	O45.00	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.001	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.002	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.003	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.009	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.01	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.011	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O45.012	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.013	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.019	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.02	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.021	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.022	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.023	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O45.029	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.09	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.091	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.092	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.093	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.099	DX	OTHER PREMATURE SEPARATION OF PLACENTA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.8	DX	OTHER PREMATURE SEPARATION OF PLACENTA	ICD-10-CM
43		Pregnancy	O45.8X	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER PREMATURE SEPARATION OF PLACENTA, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.8X1	DX	OTHER PREMATURE SEPARATION OF PLACENTA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.8X2	DX	OTHER PREMATURE SEPARATION OF PLACENTA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.8X3	DX	OTHER PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.8X9	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.9	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.90	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O45.91	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.92	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O45.93	DX	ANTEPARTUM HEMORRHAGE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.0	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.00	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.001	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O46.002	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.003	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.009	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.01	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.011	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.012	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.013	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O46.019	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.02	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.021	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.022	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.023	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.029	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.09	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O46.091	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.092	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.093	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.099	DX	OTHER ANTEPARTUM HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.8	DX	OTHER ANTEPARTUM HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.8X	DX	OTHER ANTEPARTUM HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.8X1	DX	OTHER ANTEPARTUM HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O46.8X2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER ANTEPARTUM HEMORRHAGE, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.8X3	DX	OTHER ANTEPARTUM HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.8X9	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.9	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.90	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.91	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O46.92	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O46.93	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				FALSE LABOR	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47.0	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47.00	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47.02	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47.03	DX	FALSE LABOR AT OR AFTER 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O47.1	DX	FALSE LABOR, UNSPECIFIED	ICD-10-CM
43		Pregnancy	O47.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				LATE PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O48	DX	POST-TERM PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O48.0	DX	PROLONGED PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O48.1	DX	PRETERM LABOR WITHOUT DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.0	DX	PRETERM LABOR WITHOUT DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.00	DX	PRETERM LABOR WITHOUT DELIVERY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.02	DX	PRETERM LABOR WITHOUT DELIVERY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O60.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR WITH PRETERM DELIVERY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.1	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X0	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X1	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X2	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
43		Pregnancy	O60.10X3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 4	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X4	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X5	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.10X9	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X0	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 1	ICD-10-CM
43		Pregnancy	O60.12X1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 2	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X2	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X3	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X4	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X5	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.12X9	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13	DX		ICD-10-CM
43		Pregnancy	O60.13X	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X0	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X1	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X2	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X3	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 4	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X4	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 5	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.13X5	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43		Pregnancy	O60.13X9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14	DX		ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X0	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 1	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X1	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 2	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X2	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 3	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X3	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 4	ICD-10-CM
43		Pregnancy	O60.14X4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 5	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X5	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O60.14X9	DX	FAILED INDUCTION OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O61	DX	FAILED MEDICAL INDUCTION OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O61.0	DX	FAILED INSTRUMENTAL INDUCTION OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O61.1	DX	OTHER FAILED INDUCTION OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O61.8	DX	FAILED INDUCTION OF LABOR, UNSPECIFIED	ICD-10-CM
43		Pregnancy	O61.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DELAYED DELIVERY OF SECOND TWIN, TRIPLET, ETC.	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O63.2	DX	RUPTURE OF UTERUS (SPONTANEOUS) BEFORE ONSET OF LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O71.0	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O71.00	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O71.02	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O71.03	DX	POSTPARTUM HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O72	DX	THIRD-STAGE HEMORRHAGE	ICD-10-CM
43		Pregnancy	O72.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER IMMEDIATE POSTPARTUM HEMORRHAGE	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O72.1	DX	DELAYED AND SECONDARY POSTPARTUM HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O72.2	DX	POSTPARTUM COAGULATION DEFECTS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O72.3	DX	RETAINED PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O73	DX	RETAINED PLACENTA WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O73.0	DX	RETAINED PORTIONS OF PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O73.1	DX	OTHER COMPLICATIONS OF LABOR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
43		Pregnancy	O75	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL DISTRESS DURING LABOR AND DELIVERY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.0	DX	SHOCK DURING OR FOLLOWING LABOR AND DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.1	DX	PYREXIA DURING LABOR, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.2	DX	OTHER INFECTION DURING LABOR	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.3	DX	OTHER COMPLICATIONS OF OBSTETRIC SURGERY AND PROCEDURES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.4	DX	DELAYED DELIVERY AFTER ARTIFICIAL RUPTURE OF MEMBRANES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.5	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
43		Pregnancy	O75.8	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MATERNAL EXHAUSTION COMPLICATING LABOR AND DELIVERY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.81	DX	ONSET (SPONTANEOUS) OF LABOR AFTER 37 COMPLETED WEEKS OF GESTATION BUT BEFORE 39 COMPLETED WEEKS GESTATION, WITH DELIVERY BY (PLANNED) CESAREAN SECTION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.82	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.89	DX	COMPLICATION OF LABOR AND DELIVERY, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O75.9	DX	SEQUELAE OF COMPLICATION OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O94	DX	MATERNAL INFECTIOUS AND PARASITIC DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98	DX	TUBERCULOSIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O98.0	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TUBERCULOSIS COMPLICATING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.01	DX	TUBERCULOSIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.011	DX	TUBERCULOSIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.012	DX	TUBERCULOSIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.013	DX	TUBERCULOSIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.019	DX	TUBERCULOSIS COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.02	DX	TUBERCULOSIS COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O98.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SYPHILIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.1	DX	SYPHILIS COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.11	DX	SYPHILIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.111	DX	SYPHILIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.112	DX	SYPHILIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.113	DX	SYPHILIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.119	DX	SYPHILIS COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O98.12	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SYPHILIS COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.13	DX	GONORRHEA COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.2	DX	GONORRHEA COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.21	DX	GONORRHEA COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.211	DX	GONORRHEA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.212	DX	GONORRHEA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.213	DX	GONORRHEA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O98.219	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				GONORRHEA COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.22	DX	GONORRHEA COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.23	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.3	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.31	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.311	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.312	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O98.313	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.319	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.32	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.33	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.4	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.41	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.411	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O98.412	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				VIRAL HEPATITIS COMPLICATING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.413	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.419	DX	VIRAL HEPATITIS COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.42	DX	VIRAL HEPATITIS COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.43	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.5	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.51	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O98.511	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER VIRAL DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.512	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.513	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.519	DX	OTHER VIRAL DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.52	DX	OTHER VIRAL DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.53	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.6	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY	ICD-10-CM
43		Pregnancy	O98.61	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PROTOZOAL DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.611	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.612	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.613	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.619	DX	PROTOZOAL DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.62	DX	PROTOZOAL DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.63	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O98.7	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.71	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.711	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.712	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.713	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.719	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.72	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O98.73	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.8	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.81	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.811	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.812	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.813	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.819	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O98.82	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.83	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.9	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.91	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.911	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.912	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.913	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O98.919	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.92	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O98.93	DX	OTHER MATERNAL DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99	DX	ANEMIA COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.0	DX	ANEMIA COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.01	DX	ANEMIA COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.011	DX	ANEMIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O99.012	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ANEMIA COMPLICATING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.013	DX	ANEMIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.019	DX	ANEMIA COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.02	DX	ANEMIA COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.03	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.1	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.11	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43		Pregnancy	O99.111	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, SECOND TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.112	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.113	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.119	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.12	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.13	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.2	DX	OBESITY COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.21	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OBESITY COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.210	DX	OBESITY COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.211	DX	OBESITY COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.212	DX	OBESITY COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.213	DX	OBESITY COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.214	DX	OBESITY COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.215	DX	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.28	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.280	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.281	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.282	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.283	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.284	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.285	DX	MENTAL DISORDERS AND DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.3	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ALCOHOL USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.31	DX	ALCOHOL USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.310	DX	ALCOHOL USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.311	DX	ALCOHOL USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.312	DX	ALCOHOL USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.313	DX	ALCOHOL USE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.314	DX	ALCOHOL USE COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.315	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DRUG USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.32	DX	DRUG USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.320	DX	DRUG USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.321	DX	DRUG USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.322	DX	DRUG USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.323	DX	DRUG USE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.324	DX	DRUG USE COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.325	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TOBACCO USE DISORDER COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.33	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.330	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.331	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.332	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.333	DX	SMOKING (TOBACCO) COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.334	DX	SMOKING (TOBACCO) COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.335	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.34	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.340	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.341	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.342	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.343	DX	OTHER MENTAL DISORDERS COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.344	DX	OTHER MENTAL DISORDERS COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.345	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.35	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.350	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.351	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.352	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.353	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.354	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.355	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.4	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.41	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.411	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.412	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.413	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.419	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O99.42	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.43	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.5	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.51	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.511	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.512	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.513	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O99.519	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.52	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.53	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.6	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.61	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.611	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.612	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O99.613	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.619	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.62	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.63	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.7	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.71	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.711	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O99.712	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.713	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.719	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.72	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.73	DX	OTHER SPECIFIED DISEASES AND CONDITIONS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.8	DX	ABNORMAL GLUCOSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.81	DX	ABNORMAL GLUCOSE COMPLICATING PREGNANCY	ICD-10-CM
43		Pregnancy	O99.810	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ABNORMAL GLUCOSE COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.814	DX	ABNORMAL GLUCOSE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.815	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.82	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.820	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.824	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.825	DX	OTHER INFECTION CARRIER STATE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O99.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER INFECTION CARRIER STATE COMPLICATING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.830	DX	OTHER INFECTION CARRIER STATE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.834	DX	OTHER INFECTION CARRIER STATE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.835	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.84	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.840	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.841	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43		Pregnancy	O99.842	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, THIRD TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.843	DX	BARIATRIC SURGERY STATUS COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.844	DX	BARIATRIC SURGERY STATUS COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.845	DX	OTHER SPECIFIED DISEASES AND CONDITIONS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O99.89	DX	MATERNAL MALIGNANT NEOPLASMS, TRAUMATIC INJURIES AND ABUSE CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.1	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY	ICD-10-CM
43		Pregnancy	O9A.11	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MALIGNANT NEOPLASM COMPLICATING PREGNANCY, FIRST TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.111	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.112	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.113	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.119	DX	MALIGNANT NEOPLASM COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.12	DX	MALIGNANT NEOPLASM COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.13	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O9A.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.21	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.211	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.212	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.213	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.219	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.22	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING THE PUERPERIUM	ICD-10-CM
43		Pregnancy	O9A.23	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PHYSICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.3	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.31	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.311	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.312	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.313	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.319	DX	PHYSICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
43		Pregnancy	O9A.32	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PHYSICAL ABUSE COMPLICATING THE PUERPERIUM	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.33	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.4	DX	SEXUAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.41	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.411	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.412	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.413	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43		Pregnancy	O9A.419	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SEXUAL ABUSE COMPLICATING CHILDBIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.42	DX	SEXUAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.43	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.5	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.51	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.511	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.512	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	O9A.513	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.519	DX	PSYCHOLOGICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.52	DX	PSYCHOLOGICAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	O9A.53	DX	NEWBORN AFFECTED BY MULTIPLE PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P01.5	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.01	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.02	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
43		Pregnancy	P05.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				NEWBORN LIGHT FOR GESTATIONAL AGE, 1000-1249 GRAMS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.04	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1250-1499 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.05	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.06	DX	NEWBORN SMALL FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.11	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.12	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.13	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1000-1249 GRAMS	ICD-10-CM
43		Pregnancy	P05.14	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				NEWBORN SMALL FOR GESTATIONAL AGE, 1250-1499 GRAMS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.15	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P05.16	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, LESS THAN 500 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.01	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 500-749 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.02	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 750-999 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.03	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1000-1249 GRAMS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.14	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1250-1499 GRAMS	ICD-10-CM
43		Pregnancy	P07.15	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER LOW BIRTH WEIGHT NEWBORN, 1500-1749 GRAMS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.16	DX	EXTREME IMMATURITY OF NEWBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.2	DX	EXTREME IMMATURITY OF NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.20	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE LESS THAN 23 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.21	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 23 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.22	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 24 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.23	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 25 COMPLETED WEEKS	ICD-10-CM
43		Pregnancy	P07.24	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 26 COMPLETED WEEKS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.25	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 27 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.26	DX	PRETERM [PREMATURE] NEWBORN [OTHER]	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.3	DX	PRETERM NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.30	DX	PRETERM NEWBORN, GESTATIONAL AGE 28 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.31	DX	PRETERM NEWBORN, GESTATIONAL AGE 29 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.32	DX	PRETERM NEWBORN, GESTATIONAL AGE 30 COMPLETED WEEKS	ICD-10-CM
43		Pregnancy	P07.33	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PRETERM NEWBORN, GESTATIONAL AGE 31 COMPLETED WEEKS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.34	DX	PRETERM NEWBORN, GESTATIONAL AGE 32 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.35	DX	PRETERM NEWBORN, GESTATIONAL AGE 33 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.36	DX	PRETERM NEWBORN, GESTATIONAL AGE 34 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.37	DX	PRETERM NEWBORN, GESTATIONAL AGE 35 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.38	DX	PRETERM NEWBORN, GESTATIONAL AGE 36 COMPLETED WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P07.39	DX	LATE NEWBORN, NOT HEAVY FOR GESTATIONAL AGE	ICD-10-CM
43		Pregnancy	P08.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				POST-TERM NEWBORN	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P08.21	DX	PROLONGED GESTATION OF NEWBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P08.22	DX	ANEMIA OF PREMATURITY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	P61.2	DX	ENCOUNTER FOR PREGNANCY TEST, RESULT POSITIVE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z32.01	DX	PREGNANT STATE	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z33	DX	PREGNANT STATE, INCIDENTAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z33.1	DX	ENCOUNTER FOR ELECTIVE TERMINATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z33.2	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				PREGNANT STATE, GESTATIONAL CARRIER	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z33.3	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.0	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.00	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.01	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.02	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43		Pregnancy	Z34.03	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.8	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.80	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.81	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.82	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.83	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.9	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR RAISED ALPHAFETOPROTEIN LEVEL	ICD-10-CM
43		Pregnancy	Z36.1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ENCOUNTER FOR ANTENATAL SCREENING FOR MALFORMATIONS	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.3	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL GROWTH RETARDATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.4	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL LUNG MATURITY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.84	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR STREPTOCOCCUS B	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.85	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR UNCERTAIN DATES	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.87	DX	ENCOUNTER FOR OTHER SPECIFIED ANTENATAL SCREENING	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.89	DX	ENCOUNTER FOR ANTENATAL SCREENING, UNSPECIFIED	ICD-10-CM
43		Pregnancy	Z36.9	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MULTIPLE BIRTHS, ALL LIVEBORN	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.5	DX	MULTIPLE BIRTHS, UNSPECIFIED, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.50	DX	TRIPLETS, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.51	DX	QUADRUPLETS, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.52	DX	SEXTUPLETS, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.54	DX	OTHER MULTIPLE BIRTHS, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.59	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
43		Pregnancy	Z37.6	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				MULTIPLE BIRTHS, UNSPECIFIED, SOME LIVEBORN	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.60	DX	TRIPLETS, SOME LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.61	DX	QUADRUPLETS, SOME LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.62	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.69	DX	TWIN LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.3	DX	TWIN LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.31	DX	TWIN LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
43		Pregnancy	Z38.4	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				TWIN LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.5	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.6	DX	TRIPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.62	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.64	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.66	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.69	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
43		Pregnancy	Z38.7	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				OTHER MULTIPLE LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.8	DX	ENCOUNTER FOR MATERNAL POSTPARTUM CARE AND EXAMINATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z39	DX	ENCOUNTER FOR CARE AND EXAMINATION OF MOTHER IMMEDIATELY AFTER DELIVERY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z39.0	DX	ENCOUNTER FOR ROUTINE POSTPARTUM FOLLOW-UP	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z39.2	DX	WEEKS OF GESTATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A	DX	WEEKS OF GESTATION OF PREGNANCY, UNSPECIFIED OR LESS THAN 10 WEEKS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.0	DX	LESS THAN 8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.01	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				9 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.09	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 10-19	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.1	DX	12 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.12	DX	13 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.13	DX	14 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.14	DX	16 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.16	DX	17 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.17	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				18 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.18	DX	19 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.19	DX	24 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.24	DX	25 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.25	DX	26 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.26	DX	27 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.27	DX	28 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.28	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				29 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.29	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 30-29	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.3	DX	32 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.32	DX	33 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.33	DX	34 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.34	DX	39 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.39	DX	40 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.40	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				41 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.41	DX	GREATER THAN 42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.49	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.90	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.91	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.92	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z34.93	DX	ENCOUNTER FOR ANTENATAL SCREENING OF MOTHER	ICD-10-CM
43		Pregnancy	Z36	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ENCOUNTER FOR ANTENATAL SCREENING FOR CHROMOSOMAL ANOMALIES	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.0	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING FOLLOW-UP	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.2	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR ISOIMMUNIZATION	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.5	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.8	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR HYDROPS FETALIS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.81	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR NUCHAL TRANSLUCENCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.82	DX	ENCOUNTER FOR FETAL SCREENING FOR CONGENITAL CARDIAC ABNORMALITIES	ICD-10-CM
43		Pregnancy	Z36.83	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				ENCOUNTER FOR ANTENATAL SCREENING FOR CERVICAL LENGTH	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.86	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL MACROSOMIA	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.88	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR OTHER GENETIC DEFECTS	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z36.8A	DX	TWINS, BOTH LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.2	DX	TWINS, ONE LIVEBORN AND ONE STILLBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.3	DX	QUINTUPLETS, ALL LIVEBORN	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.53	DX	QUINTUPLETS, SOME LIVEBORN	ICD-10-CM
43		Pregnancy	Z37.63	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				SEXTUPLETS, SOME LIVEBORN	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z37.64	DX	TWIN LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.30	DX	TRIPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.61	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.63	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.65	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z38.68	DX	ENCOUNTER FOR CARE AND EXAMINATION OF LACTATING MOTHER	ICD-10-CM
43		Pregnancy	Z39.1	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				WEEKS OF GESTATION OF PREGNANCY NOT SPECIFIED	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.00	DX	8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.08	DX	10 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.10	DX	11 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.11	DX	15 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.15	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 20-29	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.2	DX	20 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.20	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				21 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.21	DX	22 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.22	DX	23 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.23	DX	30 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.30	DX	31 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.31	DX	35 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.35	DX	36 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.36	DX		ICD-10-CM

	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.				37 WEEKS GESTATION OF PREGNANCY	
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.37	DX	38 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.38	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 40 OR GREATER	ICD-10-CM
43	Female participants of childbearing potential (not surgically sterilized and between menarche and 1-year postmenopausal) must: - test negative for pregnancy at Visit 1 based on a serum pregnancy test followed by a negative urine pregnancy test within 24 hours prior to exposure and agree to use 2 forms of effective contraception, if sexually active, where at least 1 form is highly effective, for the duration of the trial and for 2 months after the last injection, and - not be breastfeeding.	Pregnancy	Z3A.4	DX	42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
43		Pregnancy	Z3A.42	DX		ICD-10-CM

Category	Variable_Name	Code	Code_category	Description	Code_type	Details
1	Hospitalisation for heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I50	DX	HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM	
1	Hospitalization for heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM	
1	Hospitalisation for heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM	
2	All-cause mortality	20			IP: Discharge status	All database
2	All-cause mortality	41			IP: Discharge status	All database
2	All-cause mortality	42			IP: Discharge status	All database
2	All-cause mortality	21			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	22			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	23			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	24			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	25			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	26			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	27			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	28			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	29			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	40			IP: Discharge status	Marketscan/Optum database

2	All-cause mortality	YMDOD in DOD			file: member enrollment	Optum database
2	All-cause mortality Optum Clinformatics: information on mortality was available through four sources: Centers for Medicare and Medicaid Services, Social Security Administration Master Death Files, in-hospital deaths, and death as a reason for insurance discontinuation IBM MarketScan: information on mortality was limited to in-hospital deaths.	DEATHYRMO			file: mortality file	Marketscan database
3	Urgent care visit requiring i.v. diuretics	J1940	PX	INJECTION, FUROSEMIDE, UP TO 20 MG	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	J3265	PX	INJECTION, TORSEMIDE, 10 MG/ML	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	S0171	PX	INJECTION, BUMETANIDE, 0.5 MG	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	TORSEMIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	BUMETANIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE IN 0.9 %	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE/DEXTRO	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	J3490	PX	I.V. unclassified drug	CPT/HCPCS	In combination with generic drug name codes for furosemide, torsemide, bumetanide
3	Urgent care visit requiring i.v. diuretics	00004026706	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004026806	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004194406	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004196801	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004196901	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004197001	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060923	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060925	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060940	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061103	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061113	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061150	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024101210	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005525	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005625	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005725	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006105	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006108	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006115	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006125	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006145	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006165	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006208	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006306	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006340	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006408	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006508	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006908	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016225	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016325	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016425	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414305	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414308	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414310	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329446	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329450	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329863	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054829804	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054829816	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054830004	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054830016	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127404	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127414	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127424	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127434	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127502	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127512	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127522	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127532	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074141204	RX		NDC Drug	

3	Urgent care visit requiring i.v. diuretics	00074141210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074141214	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074163910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605402	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605504	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605514	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605610	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605617	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605618	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074605620	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610211	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074963104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182302824	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182302863	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182605337	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182605368	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186063501	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186063601	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111003	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111103	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111302	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111413	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111513	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111612	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111712	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770404	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770710	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259037202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259037210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259137210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132252	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132254	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132256	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304191861	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304191874	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314051070	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314570201	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314570401	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314571001	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364216554	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676224	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676334	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676348	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676352	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676354	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019902	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019904	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402080510	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00405283256	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409127532	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141234	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141240	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141249	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141250	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409163910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409163921	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610210	RX	NDC Drug

3	Urgent care visit requiring i.v. diuretics	00409610218	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610219	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610220	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610226	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610227	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610235	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610236	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610237	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409963104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409963114	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00418036102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00426861304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00426861360	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469028025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469128025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469328025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750030	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750070	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517077010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517077110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517570225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517570425	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517571025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536070996	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536466270	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536466370	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548142900	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143100	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143800	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143900	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548144000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00603125052	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641038225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142535	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142635	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142735	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641231125	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641231225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600701	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600710	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600801	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600810	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616101	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616201	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00677142325	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050005	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506203	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506303	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506403	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00781630202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330635	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330636	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330840	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00832861304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00832861360	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839654723	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839654832	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839667725	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839667730	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839743164	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904147700	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904147703	RX	NDC Drug

3	Urgent care visit requiring i.v. diuretics	00904147720	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904148510	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019001076	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050602	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050610	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050636	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050637	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050639	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050645	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050008	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050030	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050143	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050164	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050203	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050243	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	21695072125	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047331	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047332	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047333	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047341	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047342	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155047344	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052131	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052132	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052133	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052141	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052142	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	23155052144	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	24200182004	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	25021031102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	25021031104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	25021031110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006301	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006305	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006401	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006405	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006501	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000006505	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000028225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000028325	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	36000028425	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001302	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001310	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001350	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001352	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	39769001355	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	43797002812	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	47679074110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	47679074130	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	47679074150	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	51432066017	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	51432066018	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	53169010880	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	53169010881	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54252019902	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54252019904	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54252019910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54274039020	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54274074422	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54274074423	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54274074462	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569140200	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569151500	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569208200	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569230600	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569337000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569338300	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54569359000	RX	NDC Drug

3	Urgent care visit requiring i.v. diuretics	54812000211	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54812000225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54868218800	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54868229900	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54868364500	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	54868499800	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55081085000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55081085100	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032201	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032301	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032325	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032401	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55150032425	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55154783005	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050005	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050105	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	55390050110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	60432061304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	60432061360	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	61553072648	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028001	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028003	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028004	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028005	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028016	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028026	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	63323028036	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075901	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075902	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075903	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075904	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075905	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075906	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075907	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075908	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075909	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075911	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	64679075912	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	66647811311	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094074259	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094074262	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094075659	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094075662	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094086759	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	68094086762	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70004063133	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70092115603	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121107601	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121107605	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121116301	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121116305	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121116401	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70121116405	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030241	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030242	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860030243	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860040504	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860040541	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	70860040610	RX	NDC Drug

3 Urgent care visit requiring i.v. diuretics	70860040641	RX		NDC Drug	
3 Urgent care visit requiring i.v. diuretics	71019009201	RX		NDC Drug	
4 Negative control: Lumbar radiculopathy	M54.15	DX	RADICULOPATHY, THORACOLUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4 Negative control: Lumbar radiculopathy	M54.16	DX	RADICULOPATHY, LUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4 Negative control: Lumbar radiculopathy	M54.17	DX	RADICULOPATHY, LUMBOSACRAL REGION	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K40	DX	INGUINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41	DX	FEMORAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.0	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.00	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.01	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.1	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.10	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.11	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.2	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.20	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.21	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.3	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.30	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.31	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.4	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.40	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.41	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.9	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.90	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.91	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42	DX	UMBILICAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.0	DX	UMBILICAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.1	DX	UMBILICAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.9	DX	UMBILICAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43	DX	VENTRAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.0	DX	INCISIONAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.1	DX	INCISIONAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.2	DX	INCISIONAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.3	DX	PARASTOMAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.4	DX	PARASTOMAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.5	DX	PARASTOMAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.6	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position

5 Negative control: Hernia	K43.7	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.9	DX	VENTRAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44	DX	DIAPHRAGMATIC HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.0	DX	DIAPHRAGMATIC HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.1	DX	DIAPHRAGMATIC HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.9	DX	DIAPHRAGMATIC HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45	DX	OTHER ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.0	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.1	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.8	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46	DX	UNSPECIFIED ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.0	DX	UNSPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.1	DX	UNSPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.9	DX	UNSPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
6 Safety outcome: Gastrointestinal adverse events	K31.84	DX	GASTROPARESIS	ICD-10-CM	Inpatient and outpatient setting, any position
6 Safety outcome: Gastrointestinal adverse events	K80.0	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.00	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.01	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.1	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.10	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.11	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.12	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.13	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.18	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.19	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.2	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.20	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.21	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.3	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.30	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.31	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.32	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.33	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.34	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.35	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal adverse events	K80.36	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position

6	Safety outcome: Gastrointestinal adverse events	K80.37	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.4	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.40	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.41	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.42	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.43	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.44	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.45	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.46	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.47	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.5	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.50	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.51	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.6	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.60	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.61	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.62	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.63	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.64	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.65	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.66	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.67	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.7	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.70	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.71	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.8	DX	OTHER CHOLELITHIASIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.80	DX	OTHER CHOLELITHIASIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K80.81	DX	OTHER CHOLELITHIASIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K81.0	DX	ACUTE CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position

6	Safety outcome: Gastrointestinal adverse events	K81.1	DX	CHRONIC CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K81.2	DX	ACUTE CHOLECYSTITIS WITH CHRONIC CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K81.9	DX	CHOLECYSTITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.0	DX	IDIOPATHIC ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.00	DX	IDIOPATHIC ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.01	DX	IDIOPATHIC ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.02	DX	IDIOPATHIC ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.1	DX	BILIARY ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.10	DX	BILIARY ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.11	DX	BILIARY ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.12	DX	BILIARY ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.2	DX	ALCOHOL INDUCED ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.20	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.21	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.22	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.3	DX	DRUG INDUCED ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.30	DX	DRUG INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.31	DX	DRUG INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.32	DX	DRUG INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.8	DX	OTHER ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.80	DX	OTHER ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.81	DX	OTHER ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.82	DX	OTHER ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.9	DX	ACUTE PANCREATITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.90	DX	ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.91	DX	ACUTE PANCREATITIS WITH UNINFECTED NECROSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K85.92	DX	ACUTE PANCREATITIS WITH INFECTED NECROSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K31.5	DX	OBSTRUCTION OF DUODENUM	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56	DX	PARALYTIC ILEUS AND INTESTINAL OBSTRUCTION WITHOUT HERNIA	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.0	DX	PARALYTIC ILEUS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.5	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION (POSTINFECTION)	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.50	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.51	DX	INTESTINAL ADHESIONS WITH PARTIAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.52	DX	INTESTINAL ADHESIONS WITH COMPLETE OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.600	DX	PARTIAL INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE INCOMPLETE INTESTINAL OBSTRUCTION, NOS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.601	DX	COMPLETE INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.609	DX	UNSPECIFIED INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE INTESTINAL OBSTRUCTION NOS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.69	DX	OTHER INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.690	DX	OTHER PARTIAL INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position

6	Safety outcome: Gastrointestinal adverse events	K56.691	DX	OTHER COMPLETE INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse events	K56.699	DX	OTHER INTESTINAL OBSTRUCTION UNSPECIFIED AS TO PARTIAL VERSUS COMPLETE OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
7	Safety outcome: Urinary tract infection	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N10	DX	ACUTE PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N11.0	DX	NONOBSTRUCTIVE REFLUX-ASSOCIATED CHRONIC PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N11.1	DX	CHRONIC OBSTRUCTIVE PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N13.6	DX	PYONEPHROSIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30	DX	CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.0	DX	ACUTE CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.00	DX	ACUTE CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.01	DX	ACUTE CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.1	DX	INTERSTITIAL CYSTITIS (CHRONIC)	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.10	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.11	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.2	DX	OTHER CHRONIC CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.20	DX	OTHER CHRONIC CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.21	DX	OTHER CHRONIC CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.3	DX	TRIGONITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.30	DX	TRIGONITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.31	DX	TRIGONITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.40	DX	IRRADIATION CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.8	DX	OTHER CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.80	DX	OTHER CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.81	DX	OTHER CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.9	DX	CYSTITIS, UNSPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.90	DX	CYSTITIS, UNSPECIFIED WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.91	DX	CYSTITIS, UNSPECIFIED WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N41.3	DX	PROSTATOCYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N99.521	DX	INFECTION OF INCONTINENT EXTERNAL STOMA OF URINARY TRACT	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N99.531	DX	INFECTION OF CONTINENT STOMA OF URINARY TRACT	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O03.38	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O03.88	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O04.88	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days

7 Safety outcome: Urinary tract infection	O07.38	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O08.83	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.0	DX	INFECTIONS OF KIDNEY IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.00	DX	INFECTIONS OF KIDNEY IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.01	DX	INFECTIONS OF KIDNEY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.02	DX	INFECTIONS OF KIDNEY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.03	DX	INFECTIONS OF KIDNEY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.1	DX	INFECTIONS OF BLADDER IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.10	DX	INFECTIONS OF BLADDER IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.11	DX	INFECTIONS OF BLADDER IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.12	DX	INFECTIONS OF BLADDER IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.13	DX	INFECTIONS OF BLADDER IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.20	DX	INFECTIONS OF URETHRA IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.3	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.30	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.31	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.32	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.33	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.4	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.40	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.41	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.42	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.43	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.5	DX	INFECTIONS OF THE GENITAL TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.51	DX	INFECTION OF CERVIX IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.511	DX	INFECTIONS OF CERVIX IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.512	DX	INFECTIONS OF CERVIX IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.513	DX	INFECTIONS OF CERVIX IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.519	DX	INFECTIONS OF CERVIX IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.59	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.591	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7 Safety outcome: Urinary tract infection	O23.592	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days

7	Safety outcome: Urinary tract infection	O23.593	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.599	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.9	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.90	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.91	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.92	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.93	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.1	DX	OTHER INFECTION OF GENITAL TRACT FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.2	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.20	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY, UNSPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.21	DX	INFECTION OF KIDNEY FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.22	DX	INFECTION OF BLADDER FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.29	DX	OTHER URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	R82.71	DX	BACTERIURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	R82.81	DX	PYURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	AMOXICILLIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	AMOXICILLIN/POTASS	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFADROXIL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFDINIR	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL IN DEX	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL IN ISO-	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFPODOXIME PROXE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME IN DEXT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME IN DEXT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME/ARGININ	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME/AVIBAC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEPHALEXIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEPHALEXIN HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN LAC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN LAC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN/CIPR	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	DORIPENEM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	ERTAPENEM SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	FOSFOMYCIN TROMET	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	IMIPENEM/CILASTATIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	IMIPENEM/CILASTATIN	RX		Generic	Urinary tract infection antibiotics

7	Safety outcome: Urinary tract infection	LEVOFLOXACIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	LEVOFLOXACIN/DEXT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM IN 0.9 %	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM/VABORE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN MA	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN MO	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN AND TA	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN IN 0.225	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFAT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFAT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFAT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFAT	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN/LOTEPF	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TRIMETHOPRIM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	S0039	PX	INJECTION, SULFAMETHOXAZOLE AND TRIMETHOPRIM	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	G9313	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS FOR DOCUMENTED REASON.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	G9314	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS, REASON NOT GIVEN AS MAINTAINED	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	G9315	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS, REASON NOT GIVEN AS MAINTAINED	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0744	PX	INJECTION, CIPROFLOXACIN FOR INTRAVENOUS INFUSION, 200 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J7342	PX	INSTILLATION, CIPROFLOXACIN OTIC SUSPENSION, 6 MG AS MAINTAINED BY CMS FALLS UNDER MISCELLANEOUS DRUGS.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1956	PX	INJECTION, LEVOFLOXACIN, 250 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0696	PX	INJECTION, CEFTRIAXONE SODIUM, PER 250 MG	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0692	PX	INJECTION, CEFEPIME HYDROCHLORIDE, 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0701	PX	INJECTION, CEFEPIME HYDROCHLORIDE (BAXTER), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0703	PX	INJECTION, CEFEPIME HYDROCHLORIDE (B BRAUN), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J2543	PX	INJECTION, PIPERACILLIN SODIUM/TAZOBACTAM SODIUM, 1 GRAM/0.125 GRAMS (1.125 GRAMS)	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	S0081	PX	INJECTION, PIPERACILLIN SODIUM, 500 MG AS MAINTAINED BY CMS FALLS UNDER NON-MEDICARE DRUG CODES.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	80170	PX	GENTAMICIN	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1580	PX	INJECTION, GARAMYCIN, GENTAMICIN, UP TO 80 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	80200	PX	TOBRAMYCIN	CPT / HCPCS	Urinary tract infection antibiotics

7 Safety outcome: Urinary tract infection	J3260	PX	INJECTION, TOBRAMYCIN SULFATE, UP TO 80 MG	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J0713	PX	INJECTION, CEFTAZIDIME, PER 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J0714	PX	INJECTION, CEFTAZIDIME AND AVIBACTAM, 0.5 G/0.125 G AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J2184	PX	INJECTION, MEROPENEM (B. BRAUN), NOT THERAPEUTICALLY EQUIVALENT TO J2185, 100 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J2185	PX	INJECTION, MEROPENEM, 100 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J2186	PX	INJECTION, MEROPENEM AND VABORBACTAM, 10MG/10MG (20MG) AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J1335	PX	INJECTION, ERTAPENEM SODIUM, 500 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J1267	PX	INJECTION, DORIPENEM, 10 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J0742	PX	INJECTION, IMIPENEM 4 MG, CILASTATIN 4 MG AND RELEBACTAM 2 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7 Safety outcome: Urinary tract infection	J0743	PX	INJECTION, CILASTATIN SODIUM; IMIPENEM, PER 250 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION	CPT / HCPCS	Urinary tract infection antibiotics
8 Safety outcome: Serious bacterial infection	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A04.71	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, RECURRENT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A04.72	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A01.01	DX	TYPHOID MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A02.21	DX	SALMONELLA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A27.81	DX	ASEPTIC MENINGITIS IN LEPTOSPIROSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A39.0	DX	MENINGOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A39.81	DX	MENINGOCOCCAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A51.41	DX	SECONDARY SYPHILITIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A52.13	DX	LATE SYPHILITIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A54.81	DX	GONOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.0	DX	HEMOPHILUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.1	DX	PNEUMOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.2	DX	STREPTOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.3	DX	STAPHYLOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.9	DX	BACTERIAL MENINGITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G01	DX	MENINGITIS IN BACTERIAL DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G02	DX	MENINGITIS IN OTHER INFECTIOUS AND PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G04.2	DX	BACTERIAL MENINGOENCEPHALITIS AND MENINGOMYELITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G00.8	DX	OTHER BACTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A39.51	DX	MENINGOCOCCAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A52.03	DX	SYPHILITIC ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	I33.0	DX	ACUTE AND SUBACUTE INFECTIVE ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	I33.9	DX	ACUTE AND SUBACUTE ENDOCARDITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infection	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.001	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.002	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.003	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.009	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.011	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.012	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.013	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.019	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.091	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.092	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.093	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.099	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.90	DX	UNSPECIFIED MASTOIDITIS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.91	DX	UNSPECIFIED MASTOIDITIS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.92	DX	UNSPECIFIED MASTOIDITIS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H70.93	DX	UNSPECIFIED MASTOIDITIS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A01.05	DX	TYPHOID OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A02.24	DX	SALMONELLA OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A54.43	DX	GONOCOCCAL OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H05.021	DX	OSTEOMYELITIS OF RIGHT ORBIT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H05.022	DX	OSTEOMYELITIS OF LEFT ORBIT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H05.023	DX	OSTEOMYELITIS OF BILATERAL ORBITS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	H05.029	DX	OSTEOMYELITIS OF UNSPECIFIED ORBIT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.20	DX	OSTEOMYELITIS OF VERTEBRA, SITE UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.21	DX	OSTEOMYELITIS OF VERTEBRA, OCCIPITO-ATLANTO-AXIAL REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.22	DX	OSTEOMYELITIS OF VERTEBRA, CERVICAL REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.23	DX	OSTEOMYELITIS OF VERTEBRA, CERVICOTHORACIC REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.24	DX	OSTEOMYELITIS OF VERTEBRA, THORACIC REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.25	DX	OSTEOMYELITIS OF VERTEBRA, THORACOLUMBAR REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.26	DX	OSTEOMYELITIS OF VERTEBRA, LUMBAR REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.27	DX	OSTEOMYELITIS OF VERTEBRA, LUMBOSACRAL REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M46.28	DX	OSTEOMYELITIS OF VERTEBRA, SACRAL AND SACROCOCCYGEAL REGION	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.00	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.011	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.012	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.019	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.021	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.022	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	M86.029	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.031	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.032	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.039	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.041	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.042	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.049	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.051	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.052	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.059	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.061	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.062	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.069	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.071	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.072	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.079	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.08	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.09	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.10	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.111	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.112	DX	OTHER ACUTE OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.119	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.121	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.122	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.129	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.131	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.132	DX	OTHER ACUTE OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.139	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.141	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.142	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.149	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.151	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.152	DX	OTHER ACUTE OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.159	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.161	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M86.162	DX	OTHER ACUTE OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infection	M86.169	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.171	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.172	DX	OTHER ACUTE OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.179	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.18	DX	OTHER ACUTE OSTEOMYELITIS, OTHER SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.19	DX	OTHER ACUTE OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X0	DX	OTHER OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X1	DX	OTHER OSTEOMYELITIS, SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X2	DX	OTHER OSTEOMYELITIS, UPPER ARM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X3	DX	OTHER OSTEOMYELITIS, FOREARM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X4	DX	OTHER OSTEOMYELITIS, HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X5	DX	OTHER OSTEOMYELITIS, THIGH	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X6	DX	OTHER OSTEOMYELITIS, LOWER LEG	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X7	DX	OTHER OSTEOMYELITIS, ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X8	DX	OTHER OSTEOMYELITIS, OTHER SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.8X9	DX	OTHER OSTEOMYELITIS, UNSPECIFIED SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M86.9	DX	OSTEOMYELITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A01.03	DX	TYPHOID PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A02.22	DX	SALMONELLA PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A37.01	DX	WHOOPING COUGH DUE TO BORDETELLA PERTUSSIS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A37.11	DX	WHOOPING COUGH DUE TO BORDETELLA PARAPERTUSSIS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A37.81	DX	WHOOPING COUGH DUE TO OTHER BORDETELLA SPECIES WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A37.91	DX	WHOOPING COUGH, UNSPECIFIED SPECIES WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A48.1	DX	LEGIONNAIRES' DISEASE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A54.84	DX	GONOCOCCAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J13	DX	PNEUMONIA DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J14	DX	PNEUMONIA DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.0	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.1	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.20	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.211	DX	PNEUMONIA DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.212	DX	PNEUMONIA DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.29	DX	PNEUMONIA DUE TO OTHER STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.4	DX	PNEUMONIA DUE TO OTHER STREPTOCOCCI	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.5	DX	PNEUMONIA DUE TO ESCHERICHIA COLI	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.6	DX	PNEUMONIA DUE TO OTHER GRAM-NEGATIVE BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.7	DX	PNEUMONIA DUE TO MYCOPLASMA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.8	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J15.9	DX	UNSPECIFIED BACTERIAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J16.0	DX	PNEUMONIA DUE TO GRAM-POSITIVE BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J16.8	DX	PNEUMONIA DUE TO OTHER INFECTIOUS ORGANISMS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J17	DX	PNEUMONIA IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J18.0	DX	BRONCHOPNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J18.1	DX	LOBAR PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	J18.8	DX	OTHER PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J18.9	DX	PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J86.0	DX	PYOTHORAX WITH FISTULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J86.9	DX	PYOTHORAX WITHOUT FISTULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A39.2	DX	ACUTE MENINGOCOCCEMIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A39.4	DX	MENINGOCOCCEMIA, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A40.0	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP A	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A40.1	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A40.3	DX	SEPSIS DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A40.8	DX	OTHER STREPTOCOCCAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A40.9	DX	STREPTOCOCCAL SEPSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.01	DX	SEPSIS DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.02	DX	SEPSIS DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.1	DX	SEPSIS DUE TO OTHER SPECIFIED STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.2	DX	SEPSIS DUE TO UNSPECIFIED STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.3	DX	SEPSIS DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.4	DX	SEPSIS DUE TO ANAEROBES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.50	DX	GRAM-NEGATIVE SEPSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.51	DX	SEPSIS DUE TO ESCHERICHIA COLI [E. COLI]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.52	DX	SEPSIS DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.53	DX	SEPSIS DUE TO SERRATIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.59	DX	OTHER GRAM-NEGATIVE SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.81	DX	SEPSIS DUE TO ENTEROCOCCUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.89	DX	OTHER SPECIFIED SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A41.9	DX	SEPSIS, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A48.3	DX	TOXIC SHOCK SYNDROME	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A54.86	DX	GONOCOCCAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	R78.81	DX	BACTEREMIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A02.1	DX	SALMONELLA SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	N10	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	N13.6	DX	PYONEPHROSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M60.009	DX	INFECTIVE MYOSITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J36	DX	PERITONSILLAR ABSCESS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J39.0	DX	RETROPHARYNGEAL AND PARAPHARYNGEAL ABSCESS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J39.1	DX	OTHER ABSCESS OF PHARYNX	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.00	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.011	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.012	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.019	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.021	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.022	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.029	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.031	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.032	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.039	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.041	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.042	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.049	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.051	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.052	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.059	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	M00.061	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.062	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.069	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.071	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.072	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.079	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.08	DX	STAPHYLOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.09	DX	STAPHYLOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.10	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.111	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.112	DX	PNEUMOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.119	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.121	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.122	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.129	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.131	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.132	DX	PNEUMOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.139	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.141	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.142	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.149	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.151	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.152	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.159	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.161	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.162	DX	PNEUMOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.169	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.171	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.172	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.179	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.18	DX	PNEUMOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.19	DX	PNEUMOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.20	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.211	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.212	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.219	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.221	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.222	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.229	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.231	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.232	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.239	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.241	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infection	M00.242	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.249	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.251	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.252	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.259	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.261	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.262	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.269	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.271	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.272	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.279	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.28	DX	OTHER STREPTOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.29	DX	OTHER STREPTOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.80	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.811	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.812	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.819	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.821	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.822	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.829	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.831	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.832	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.839	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.841	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.842	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.849	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.851	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.852	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.859	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.861	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.862	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.869	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.871	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.872	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.879	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	M00.88	DX	ARTHRITIS DUE TO OTHER BACTERIA, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	M00.89	DX	POLYARTHRITIS DUE TO OTHER BACTERIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M00.9	DX	PYOGENIC ARTHRITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A46	DX	ERYSIPELAS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A48.0	DX	GAS GANGRENE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	H05.011	DX	CELLULITIS OF RIGHT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	H05.012	DX	CELLULITIS OF LEFT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	H05.013	DX	CELLULITIS OF BILATERAL ORBITS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	H05.019	DX	CELLULITIS OF UNSPECIFIED ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	K12.2	DX	CELLULITIS AND ABSCESS OF MOUTH	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.00	DX	IMPETIGO, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.01	DX	NON-BULLOUS IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.02	DX	BOCKHART'S IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.03	DX	BULLOUS IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.09	DX	OTHER IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L01.1	DX	IMPETIGINIZATION OF OTHER DERMATOSES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.01	DX	CUTANEOUS ABSCESS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.02	DX	FURUNCLE OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.03	DX	CARBUNCLE OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.11	DX	CUTANEOUS ABSCESS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.12	DX	FURUNCLE OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.13	DX	CARBUNCLE OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.213	DX	CUTANEOUS ABSCESS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.214	DX	CUTANEOUS ABSCESS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.215	DX	CUTANEOUS ABSCESS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.219	DX	CUTANEOUS ABSCESS OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.221	DX	FURUNCLE OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.222	DX	FURUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.223	DX	FURUNCLE OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.224	DX	FURUNCLE OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.225	DX	FURUNCLE OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.226	DX	FURUNCLE OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.229	DX	FURUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.231	DX	CARBUNCLE OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.232	DX	CARBUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.233	DX	CARBUNCLE OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.234	DX	CARBUNCLE OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.235	DX	CARBUNCLE OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.236	DX	CARBUNCLE OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.239	DX	CARBUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.31	DX	CUTANEOUS ABSCESS OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.32	DX	FURUNCLE OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.33	DX	CARBUNCLE OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.411	DX	CUTANEOUS ABSCESS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.412	DX	CUTANEOUS ABSCESS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.413	DX	CUTANEOUS ABSCESS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.414	DX	CUTANEOUS ABSCESS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.415	DX	CUTANEOUS ABSCESS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.416	DX	CUTANEOUS ABSCESS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.419	DX	CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.421	DX	FURUNCLE OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.422	DX	FURUNCLE OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.423	DX	FURUNCLE OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.424	DX	FURUNCLE OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.425	DX	FURUNCLE OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.426	DX	FURUNCLE OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.429	DX	FURUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.431	DX	CARBUNCLE OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.432	DX	CARBUNCLE OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.433	DX	CARBUNCLE OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.434	DX	CARBUNCLE OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.435	DX	CARBUNCLE OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.436	DX	CARBUNCLE OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.439	DX	CARBUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.511	DX	CUTANEOUS ABSCESS OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.512	DX	CUTANEOUS ABSCESS OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.519	DX	CUTANEOUS ABSCESS OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	L02.521	DX	FURUNCLE OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.522	DX	FURUNCLE OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.529	DX	FURUNCLE OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.531	DX	CARBUNCLE OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.532	DX	CARBUNCLE OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.539	DX	CARBUNCLE OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.611	DX	CUTANEOUS ABSCESS OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.612	DX	CUTANEOUS ABSCESS OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.619	DX	CUTANEOUS ABSCESS OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.621	DX	FURUNCLE OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.622	DX	FURUNCLE OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.629	DX	FURUNCLE OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.631	DX	CARBUNCLE OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.632	DX	CARBUNCLE OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.639	DX	CARBUNCLE OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.811	DX	CUTANEOUS ABSCESS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.818	DX	CUTANEOUS ABSCESS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.821	DX	FURUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.828	DX	FURUNCLE OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.831	DX	CARBUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.838	DX	CARBUNCLE OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.91	DX	CUTANEOUS ABSCESS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.92	DX	FURUNCLE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L02.93	DX	CARBUNCLE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.011	DX	CELLULITIS OF RIGHT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.012	DX	CELLULITIS OF LEFT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.019	DX	CELLULITIS OF UNSPECIFIED FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.021	DX	ACUTE LYMPHANGITIS OF RIGHT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.022	DX	ACUTE LYMPHANGITIS OF LEFT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.029	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.031	DX	CELLULITIS OF RIGHT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.032	DX	CELLULITIS OF LEFT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.039	DX	CELLULITIS OF UNSPECIFIED TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.041	DX	ACUTE LYMPHANGITIS OF RIGHT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.042	DX	ACUTE LYMPHANGITIS OF LEFT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.049	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.111	DX	CELLULITIS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.112	DX	CELLULITIS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.113	DX	CELLULITIS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.114	DX	CELLULITIS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.115	DX	CELLULITIS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.116	DX	CELLULITIS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.119	DX	CELLULITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.121	DX	ACUTE LYMPHANGITIS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.122	DX	ACUTE LYMPHANGITIS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.123	DX	ACUTE LYMPHANGITIS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.124	DX	ACUTE LYMPHANGITIS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.125	DX	ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.126	DX	ACUTE LYMPHANGITIS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.129	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.211	DX	CELLULITIS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.212	DX	ACUTE LYMPHANGITIS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.221	DX	CELLULITIS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.222	DX	ACUTE LYMPHANGITIS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.311	DX	CELLULITIS OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.312	DX	CELLULITIS OF BACK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.313	DX	CELLULITIS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.314	DX	CELLULITIS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.315	DX	CELLULITIS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.316	DX	CELLULITIS OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.317	DX	CELLULITIS OF OTHER PARTS OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.319	DX	CELLULITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.321	DX	ACUTE LYMPHANGITIS OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.322	DX	ACUTE LYMPHANGITIS OF BACK	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	L03.323	DX	ACUTE LYMPHANGITIS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.324	DX	ACUTE LYMPHANGITIS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.325	DX	ACUTE LYMPHANGITIS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.326	DX	ACUTE LYMPHANGITIS OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.327	DX	ACUTE LYMPHANGITIS OF OTHER PARTS OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.329	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.811	DX	CELLULITIS OF HEAD (ANY PART, EXCEPT FACE)	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.818	DX	CELLULITIS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.891	DX	OTHER ACUTE LYMPHANGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.898	DX	OTHER SPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.90	DX	CELLULITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L03.91	DX	ACUTE LYMPHANGITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L08.1	DX	ERYTHRASMA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L08.89	DX	OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	L08.9	DX	LOCAL INFECTION OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	M72.6	DX	NECROTIZING FASCIITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J09.X1	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J09.X2	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J09.X3	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J09.X9	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.00	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.01	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH THE SAME OTHER IDENTIFIED INFLUENZA VIRUS PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.08	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER SPECIFIED PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.1	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.2	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.81	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.82	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.83	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J10.89	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J11.00	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J11.08	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH SPECIFIED PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J11.1	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	J11.2	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infection	J11.81	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J11.82	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J11.83	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J11.89	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.2	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.0	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.1	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.81	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.89	DX	OTHER VIRAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	J12.9	DX	VIRAL PNEUMONIA, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A32.12	DX	LISTERIAL MENINGITIS AND MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.0	DX	JAPANESE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.1	DX	WESTERN EQUINE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.2	DX	EASTERN EQUINE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.3	DX	ST. LOUIS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.4	DX	AUSTRALIAN ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.5	DX	CALIFORNIA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.6	DX	ROCIO VIRUS DISEASE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.8	DX	OTHER MOSQUITO-BORNE VIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A83.9	DX	MOSQUITO-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A84.0	DX	FAR EASTERN TICK-BORNE ENCEPHALITIS [RUSSIAN SPRING-SUMMER ENCEPHALITIS]	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A84.1	DX	CENTRAL EUROPEAN TICK-BORNE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A84.8	DX	OTHER TICK-BORNE VIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A84.9	DX	TICK-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A85.2	DX	ARTHROPOD-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A92.31	DX	WEST NILE VIRUS WITH ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B01.1	DX	VARICELLA ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B01.11	DX	VARICELLA ENCEPHALITIS AND ENCEPHALOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B06.01	DX	RUBELLA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B10.01	DX	HUMAN HERPESVIRUS 6 ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B10.09	DX	OTHER HUMAN HERPESVIRUS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B26.2	DX	MUMPS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B27.02	DX	GAMMAHERPESVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G04.90	DX	ENCEPHALITIS AND ENCEPHALOMYELITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	G05.3	DX	ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS IN PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.00	DX	HERPESVIRAL INFECTION OF UROGENITAL SYSTEM, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.01	DX	HERPESVIRAL INFECTION OF PENIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.02	DX	HERPESVIRAL INFECTION OF OTHER MALE GENITAL ORGANS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.03	DX	HERPESVIRAL INFECTION OF VULVA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.04	DX	HERPESVIRAL INFECTION OF VAGINA AND VULVA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.09	DX	HERPESVIRAL INFECTION OF OTHER UROGENITAL TRACT	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infection	A60.1	DX	HERPESVIRAL INFECTION OF PERIANAL SKIN AND RECTUM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A60.9	DX	ANOGENITAL HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.0	DX	ECZEMA HERPETICUM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.1	DX	HERPESVIRAL VESICULAR DERMATITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.2	DX	HERPESVIRAL GINGIVOSTOMATITIS AND PHARYNGOTONSILLITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.50	DX	HERPESVIRAL OCULAR DISEASE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.51	DX	HERPESVIRAL IRIDOCYCLITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.52	DX	HERPESVIRAL KERATITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.53	DX	HERPESVIRAL CONJUNCTIVITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.59	DX	OTHER HERPESVIRAL DISEASE OF EYE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.7	DX	DISSEMINATED HERPESVIRAL DISEASE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.81	DX	HERPESVIRAL HEPATITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.82	DX	HERPES SIMPLEX MYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.89	DX	OTHER FORMS OF HERPESVIRAL INFECTIONS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B00.9	DX	HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.30	DX	POSTHERPETIC GENICULATE GANGLIONITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.31	DX	POSTHERPETIC TRIGEMINAL NEURALGIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.32	DX	POSTHERPETIC POLYNEUROPATHY	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.33	DX	POSTHERPETIC MYELITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.34	DX	POSTHERPETIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.39	DX	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.7	DX	DISSEMINATED ZOSTER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.8	DX	ZOSTER WITH OTHER COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	B02.9	DX	ZOSTER WITHOUT COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.0	DX	TUBERCULOSIS OF LUNG	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.4	DX	TUBERCULOSIS OF INTRATHORACIC LYMPH NODES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.5	DX	TUBERCULOSIS OF LARYNX, TRACHEA AND BRONCHUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.6	DX	TUBERCULOUS PLEURISY	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.7	DX	PRIMARY RESPIRATORY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.8	DX	OTHER RESPIRATORY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A15.9	DX	RESPIRATORY TUBERCULOSIS UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.1	DX	MENINGEAL TUBERCULOMA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.81	DX	TUBERCULOMA OF BRAIN AND SPINAL CORD	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.83	DX	TUBERCULOUS NEURITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.89	DX	OTHER TUBERCULOSIS OF NERVOUS SYSTEM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A17.9	DX	TUBERCULOSIS OF NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.01	DX	TUBERCULOSIS OF SPINE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.03	DX	TUBERCULOSIS OF OTHER BONES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.2	DX	TUBERCULOSIS OF PERIPHERAL LYMPH NODES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.31	DX	TUBERCULOUS PERITONITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.32	DX	TUBERCULOUS ENTERITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.39	DX	RETROPERITONEAL TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.4	DX	TUBERCULOSIS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.50	DX	TUBERCULOSIS OF EYE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.51	DX	TUBERCULOUS EPISCLERITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.52	DX	TUBERCULOUS KERATITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.53	DX	TUBERCULOUS CHORIORETINITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.54	DX	TUBERCULOUS IRIDOCYCLITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.59	DX	OTHER TUBERCULOSIS OF EYE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.6	DX	TUBERCULOSIS OF INNER/MIDDLE EAR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.7	DX	TUBERCULOSIS OF ADRENAL GLANDS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infection	A18.81	DX	TUBERCULOSIS OF THYROID GLAND	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	A18.82	DX	TUBERCULOSIS OF OTHER ENDOCRINE GLANDS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A18.83	DX	TUBERCULOSIS OF DIGESTIVE TRACT ORGANS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A18.84	DX	TUBERCULOSIS OF HEART	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A18.85	DX	TUBERCULOSIS OF SPLEEN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A18.89	DX	TUBERCULOSIS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A19.0	DX	ACUTE MILIARY TUBERCULOSIS OF A SINGLE SPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A19.1	DX	ACUTE MILIARY TUBERCULOSIS OF MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A19.2	DX	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A19.8	DX	OTHER MILIARY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A19.9	DX	MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A31.0	DX	PULMONARY MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A31.1	DX	CUTANEOUS MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A31.2	DX	DISSEMINATED MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A31.8	DX	OTHER MYCOBACTERIAL INFECTIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A31.9	DX	MYCOBACTERIAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.0	DX	CUTANEOUS LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.12	DX	LISTERIAL MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.81	DX	OCULAR LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.89	DX	OTHER FORMS OF LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A32.9	DX	LISTERIOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A81.2	DX	PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.2	DX	ACUTE DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.3	DX	CHRONIC PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.4	DX	CHRONIC DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.5	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B39.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.0	DX	PULMONARY ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.1	DX	ABDOMINAL ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.2	DX	CERVICOFACIAL ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.7	DX	ACTINOMYCOTIC SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.81	DX	ACTINOMYCOTIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.82	DX	ACTINOMYCOTIC ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.89	DX	OTHER FORMS OF ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A42.9	DX	ACTINOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B47.1	DX	CUTANEOUS PHAEOHYPHOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B48.0	DX	LOBOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.01	DX	ACUTE TOXOPLASMA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.09	DX	OTHER TOXOPLASMA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.2	DX	TOXOPLASMA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.3	DX	PULMONARY TOXOPLASMOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.81	DX	TOXOPLASMA OCULOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.82	DX	TOXOPLASMA MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B58.89	DX	OTHER TOXOPLASMOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A43.0	DX	PULMONARY NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A43.1	DX	CUTANEOUS NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A43.8	DX	OTHER FORMS OF NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	A43.9	DX	NOCARDIOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.0	DX	ACUTE PULMONARY BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.2	DX	PULMONARY BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.3	DX	CUTANEOUS BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.7	DX	DISSEMINATED BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.81	DX	BLASTOMYCOTIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.89	DX	OTHER FORMS OF BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B40.9	DX	BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.0	DX	PULMONARY CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.1	DX	CEREBRAL CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.2	DX	CUTANEOUS CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.3	DX	OSSEOUS CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.7	DX	DISSEMINATED CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B45.8	DX	OTHER FORMS OF CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infection	B45.9	DX	CRYPTOCOCCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.2	DX	PULMONARY COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.3	DX	CUTANEOUS COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.4	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.7	DX	DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.81	DX	PRIMARY COCCIDIOIDOMYCOSIS INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.89	DX	OTHER FORMS OF COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B38.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B41.0	DX	PULMONARY PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B41.7	DX	DISSEMINATED PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B41.8	DX	OTHER FORMS OF PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B41.9	DX	PARACOCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B59	DX	PNEUMOCYSTOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.1	DX	PULMONARY CANDIDIASIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.2	DX	CANDIDIASIS OF SKIN AND NAIL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.41	DX	CANDIDAL PARONYCHIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.5	DX	CANDIDAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.6	DX	CANDIDAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.7	DX	CANDIDAL SEPTICEMIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.82	DX	CANDIDAL ESOPHAGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.84	DX	CANDIDAL CHEILITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.0	DX	PULMONARY MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.1	DX	RHINOCEREBRAL MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.2	DX	CUTANEOUS MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.3	DX	GASTROINTESTINAL MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.4	DX	DISSEMINATED MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B46.5	DX	MUCORMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.0	DX	INVASIVE PULMONARY ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.1	DX	OTHER PULMONARY ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.2	DX	TONSILLAR ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.7	DX	DISSEMINATED ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.89	DX	OTHER FORMS OF ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B44.9	DX	ASPERGILLOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25	DX	CYTOMEGALOVIRAL DISEASE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25.0	DX	CYTOMEGALOVIRAL PNEUMONITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25.1	DX	CYTOMEGALOVIRAL HEPATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25.2	DX	CYTOMEGALOVIRAL PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25.8	DX	OTHER CYTOMEGALOVIRAL DISEASES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B25.9	DX	CYTOMEGALOVIRAL DISEASE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B27.1	DX	CYTOMEGALOVIRAL MONONUCLEOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B27.10	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITHOUT COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B27.11	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH POLYNEUROPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B27.19	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH OTHER COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B78.1	DX	INTESTINAL STRONGYLOIDIASIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B77.81	DX	VISCERAL LARVA MIGRANS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.81	DX	CANDIDAL OTITIS EXTERNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.83	DX	CANDIDAL CYSTITIS AND URETHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infection	B37.0	DX	CANDIDAL STOMATITIS	ICD-10-CM	Inpatient setting, primary position

		Category	Subcategory	ICD	Validation source	Type of the source	PPV	Codes in the study	Codes in the emulation	Modification	Description of Modifications	Notes
Outcome												
	1	Hospitalisation for heart failure		ICD-10-CM	Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample	DoPE	98%	I50.x	I09.81 I11.0 I13.0 I13.2 I50.x	Based on PROMISE team	Added hypertensive heart disease with heart failure codes.	
	2	All-cause mortality		N/A	Bias Implications of Outcome Misclassification in Observational Studies Evaluating Association Between Treatments and All-Cause or Cardiovascular Mortality Using Administrative Claims	N/A						
	3	Urgent care visit requiring i.v. diuretics		NDC, CPT		N/A						
	4	Lumbar radiculopathy		ICD-10-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes Association between chiropractic spinal manipulation and lumbar discectomy in adults with lumbar disc herniation and radiculopathy: retrospective cohort study using United States' data	Study w/ same criteria						
	5	Hernia		ICD-10-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes	Study w/ same criteria						
	6	Gastrointestinal adverse events		ICD-10-CM	Risk of Gastrointestinal Adverse Events Associated With Glucagon-Like Peptide-1 Receptor Agonists for Weight Loss, https://pubmed.ncbi.nlm.nih.gov/34624355/, https://pubmed.ncbi.nlm.nih.gov/35851329/	Study w/ same criteria						
	7	Urinary tract infection		ICD-10-CM	Performance characteristics of code-based algorithms to identify urinary tract infections in large United States administrative claims databases	Validation study	80.9%					
	8	Serious bacterial infection		ICD-10-CM	Veteran's affairs hospital discharge databases coded serious bacterial infections accurately, https://pubmed.ncbi.nlm.nih.gov/29921683/ https://pubmed.ncbi.nlm.nih.gov/23335588/	Validation study	90%					
Inclusion criteria												
	1	Patients > 40 y.o		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2	6-Minute Walk Distance (MWD) ≤465 meters at both Visit 1 tests, between ≥100 meters and ≤425 meters at Visit 2, and change from the preceding qualifying 6MWD is <20% and <40 meters.		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	3	Chronic HF (NYHA Class II-IV) diagnosed for at least 3 months before Visit 1		ICD-10-CM	Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample	DoPE	98%	I50.x	I09.81 I11.0 , I13.0 , I13.2 , I50.x	Yes	Based on PROMISE team: Added hypertensive heart disease with heart failure codes.	
	4	LVEF ≥50% demonstrated by echocardiogram performed at Visit 1 or within 6 months of Visit 1		ICD-10-CM	Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure, Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries	DoPE	91%			No		
		At least one of three:										
	5.1	Elevated NT-proBNP >200 pg/mL for participants without atrial AF or >600 pg/mL for participants with AF		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	5.2	Structural heart disease		ICD-10-CM	Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample, Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries	DoPE				No		
	5.3	Evidence of elevated filling pressure: At rest (PCWP ≥15 mmHg or LVEDP ≥15 mmHg) or with exercise (PCWP ≥25 mmHg) (based on historical record, not associated with hospitalization for decompensation of HF, within 2 years of Visit1), or E/e' ratio >15 (septal) or >13 (average of septal and lateral) determined by echocardiogram at Visit 1 or within 6 months of Visit 1		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Either one of:										
	6.1	eGFR <70 mL/min/1.73m2 at Visit 1		ICD-10-CM	Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data	DoPE	> 80%			No		
	6.2	HF decompensation within 12 months of Visit 1, defined as hospitalization for HF requiring IV diuretic treatment or urgent HF visit requiring IV diuretic treatment		ICD-10-CM	Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample	DoPE	98%	I50.x	I09.81 I11.0 , I13.0 , I13.2 , I50.x	Yes	Based on PROMISE team: Added hypertensive heart disease with heart failure codes.	
	7	Stable dose of all concomitant HF medications (that is, beta blockers, ACEis, ARBs, and MRAs), except for oral diuretics, for at least 4 weeks prior to Visit 1 a		ICD-10-CM	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines	Guidelines				No		
	8	If treated with oral diuretics, dose must be stable for at least 2 weeks prior to Visit 1 and throughout the screening period; volume control must be optimally achieved in the opinion of the investigator		ICD-10-CM	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines	Guidelines				No		
	9	KCCQ-CSS ≤80 at Visit 1		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	10	BMI ≥30.0 kg/m2 at Visit 1		ICD-10-CM	Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data	Validation study	92.40%			No		
	11	Contraceptive use by men or women of childbearing potential		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	12	Signed informed consent		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Exclusion criteria												
	13	Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke or transient ischemic attack in past 90 days, or unstable angina pectoris in past 30 days, prior to Visit 1 or during screening	Myocardial infarction	ICD-10-CM	PROMISE team	DoPE						
			CABG	ICD-10-CM	PROMISE team	DoPE						
			Major CV surgery	ICD-10-CM	Assessment of Potentially Preventable Hospital Readmissions After Major Surgery and Association With Public vs Private Health Insurance and Comorbidities	Study w/ same criteria				Yes	Added cathegories and codes for major CV operations.	
			Stroke	ICD-10-CM	PROMISE team	DoPE				No		
			TIA	ICD-10-CM	PROMISE team	DoPE						
			Unstable angina pectoris	ICD-10-CM	Validity of coronary heart diseases and heart failure based on hospital discharge and mortality data in the Netherlands using the cardiovascular registry Maastricht cohort study	Validation study	78%	I20	I20.0, I24.0, I24.1, I24.8, I24.81, I24.89, I24.9, I25.110, I25.700, I25.710, I25.720, I25.730, I25.750, I25.760, I25.790	Yes	Added codes with mention of angina pectoris in atherosclerosis	
		Dominant contribution of noncardiac causes to exercise impairment or symptoms:										
	14.1	Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease including (COPD)	Pulmonary arterial hypertension	ICD-10-CM	Clinical evaluation of code-based algorithms to identify patients with pulmonary arterial hypertension in healthcare databases	Study w/ same criteria		I27.0, I27.1, I27.2, I27.20, I27.21, I27.29	I27.0, I27.1, I27.23, I27.24, I27.81, I27.82, I27.83	Yes	Added I27.23 - also pulomary hypertension Added I27.24 - exactly the same diagnosis as in the exclusion criterion "Chronic thromboembolic pulmonary hypertension" Added I27.81 COR PULMONALE (CHRONIC), I27.82 CHRONIC PULMONARY EMBOLISM, I27.83 EISENMENGER'S SYNDROME	
			Chronic thromboembolic pulmonary hypertension	ICD-10-CM		N/A						
			COPD	ICD-10-CM	Validation of the Recording of Acute Exacerbations of COPD in UK Primary Care Electronic Healthcare Records	Validation study		J41-J44	J41 J41.0 J41.1 J41.8 J42 J43.0 J43.1 J43.2 J43.8 J43.9 J44.0 J44.1 J44.8 J44.81 J44.89 J44.9	No		
			Lung / Pulmonary malignancies	ICD-10-CM	Development and Validation of Coding Algorithms to Identify Patients with Incident Non-Small Cell Lung Cancer in United States Healthcare Claims Data	Study w/ same criteria		C34.x	C34.x, D02.x	Yes	Added: D02.x	Added codes for cancer in the bronchus (carcinoma in situ).
			Lung transplant	ICD-10-CM diagnosis	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria		Z94.2, Z94.3	Z94.2, Z94.3, T86.810, T86.811, T86.819	Yes	Added: T86.810, T86.811, T86.819	The codes indicate different types of failure after lung transplant

			ICD-10-CM procedures	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria		0BYC0Z0, 0BYC0Z1, 0BYC0Z2, 0BYD0Z0, 0BYD0Z1, 0BYD0Z2, 0BYF0Z0, 0BYF0Z1, 0BYF0Z2, 0BYG0Z0, 0BYG0Z1, 0BYG0Z2, 0BYH0Z0, 0BYH0Z1, 0BYH0Z2, 0BYJ0Z0, 0BYJ0Z1, 0BYJ0Z2, 0BYK0Z0, 0BYK0Z1, 0BYK0Z2, 0BYL0Z0, 0BYL0Z1, 0BYL0Z2, 0BYM0Z0, 0BYM0Z1,	0BYC0Z0, 0BYC0Z1, 0BYC0Z2, 0BYD0Z0, 0BYD0Z1, 0BYD0Z2, 0BYF0Z0, 0BYF0Z1, 0BYF0Z2, 0BYG0Z0, 0BYG0Z1, 0BYG0Z2, 0BYH0Z0, 0BYH0Z1, 0BYH0Z2, 0BYJ0Z0, 0BYJ0Z1, 0BYJ0Z2, 0BYK0Z0, 0BYK0Z1, 0BYK0Z2, 0BYL0Z0, 0BYL0Z1, 0BYL0Z2, 0BYM0Z0, 0BYM0Z1,	No		
			CPT / HCPCS	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria		32851, 32852, 32853, 32854, 33935, S2060	32851, 32852, 32853, 32854, 33935, S2060	No		
14.2	Other medical conditions: severe anemia (hemoglobin level <9 g/dL) at Visit 1, untreated thyroid disease or TSH >4.0 mU/L at Visit 1, or significant musculoskeletal disease	Anemia/Transfusion	ICD-10-CM	Investigator reviewed codes	N/A						The accuracy of claims data for measuring transfusion rates
14.3	Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function for the past 3 months	Fractures	ICD-10-CM	PROMISE team	DoPE				No		
		Lower extremity amputation	ICD-10-CM	Medical Costs Associated With Diabetes Complications in Medicare Beneficiaries Aged 65 Years or Older With Type 2 Diabetes	Study w/ same criteria				No		
		Hip/Knee replacement	ICD-10-CM	Assessment of Potentially Preventable Hospital Readmissions After Major Surgery and Association With Public vs Private Health Insurance and Comorbidities	Study w/ same criteria				No		
		Hemiplegia	ICD-10-CM	Investigator reviewed codes	N/A						
14.4	Any condition that in the opinion of the investigator would interfere with the assessment of 6MWT	Same as criterion 14.3	ICD-10-CM		N/A						
15	LVEF <40% by local echocardiography documented any time within 2 years of Visit 1		ICD-10-CM	Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure, Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries	DoPE	91%			No		
16	Acute decompensated HF (exacerbation of HF) requiring IV diuretics, IV inotropes, or IV vasodilators, or left ventricular assist device (LVAD) within 4 weeks prior to Visit 1, and/or during the screening period until randomization		ICD-10-CM	Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample	DoPE		I50.x	I50.23, I50.33, I50.41, I50.43	Yes	Not added: I50.1, I50.2, I50.20, I50.21, I50.22, I50.3, I50.30, I50.31, I50.32, I50.4x, I50.8x, I50.9	Added codes I50.3 and I50.41 clearly indicate "acute heart failure", while the other I50.x codes are standard codes for defining heart failure
17	Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis at Visit 1		ICD-10-CM, CPT /HCPCS	PROMISE team	DoPE		I12.0, N18.6	I12.0, I13.2 , N18.6	Yes	Added: I13.2 Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	Codes indicate stage V or end-stage renal disease (ESRD)
18	Any one of the following: Systolic blood pressure (SBP) ≥180 mmHg at Visit 1 SBP >160 mmHg both at Visit 1 and at Visit 2 Have symptomatic hypotension or SBP <100 mmHg at Visit 1 or Visit 2	Hypertensive crisis	ICD-10-CM		N/A						Burden of Hyperl
		Hypotension	ICD-10-CM	Utilization of Medical Codes for Hypotension in Shock Patients: A Retrospective Analysis	Study w/ same criteria		Exclusion	I95.1, I95.x	No		
19	Resting heart rate (sinus rhythm) ≥100 bpm at either Visit 1 or Visit 2		ICD-10-CM	Can't be validated	N/A						
20	Atrial fibrillation or atrial flutter with a resting heart rate >110 bpm documented by ECG at Visit 1		ICD-10-CM	Sensitivity, specificity, positive and negative predictive values of identifying atrial fibrillation using administrative data: a systematic review and meta-analysis	Systematic review	88%	I48	I48.x	No		
21	Cardiac amyloidosis or cardiomyopathy based on accumulation disease (for example,haemochromatosis, Fabry disease), muscular dystrophy, cardiomyopathy with reversible causes (for example, stress cardiomyopathy), hypertrophic obstructive cardiomyopathy or known pericardial constriction, or any severe (obstructive or regurgitant) valvular heart disease likely to lead to surgery during the study period	Cardiomyopathy	ICD-10-CM	N/A	N/A	N/A	I42.1 - (HOCM validation study below), I42.5, I42.6, I42.7	N/A			
		Amyloidosis	ICD-10-CM	Validation of an administrative coding algorithm for the identification of individuals with amyloid light chain amyloidosis using administrative data	Validation study	E85.8x, E85.4x, E84.9x	E85.0, E85.1, E85.2, E85.3, E85.4, E85.8, E85.81, E85.82, E85.89, E85.9	Yes	Added: E85.0 Non-neuropathic heredofamilial amyloidosis, E85.1 Neuropathic heredofamilial amyloidosis, E85.2 Heredofamilial amyloidosis, unspecified, E85.3 Secondary systemic amyloidosis	Added codes indicate the presence of amyloidosis	
		Haemochromatosis	ICD-10-CM	N/A	N/A	N/A	E83.11x	N/A			
		Muscular dystrophies	ICD-10-CM	Development and electronic health record validation of an algorithm for identifying patients with Duchenne muscular dystrophy in US administrative claims	Study w/ same criteria	G71.0, G71.01	G71.x	Yes	Added: G71.02, G71.03, G71.031, G71.032, G71.033, G71.034, G71.0340, G71.0341, G71.0342, G71.0349, G71.035, G71.038, G71.039, G71.09	We are interested in different types of muscular dystrophies. The provided validation study has investigated Duchenne muscular dystrophy.	
		Stress cardiomyopathy	ICD-10-CM	N/A	N/A	N/A	I51.81				
		HOCM	ICD-10-CM	Clinical and economic burden of obstructive hypertrophic cardiomyopathy in the United States	Study w/ same criteria	I42.1	I42.1	No			
		Known pericardial constriction	ICD-10-CM	N/A	N/A	N/A	N/A	N/A			
		Valvular heart disease	ICD-10-CM	Aortic valve Validation of Administrative Claims to Ascertain Outcomes in Pivotal Trials of Transcatheter Aortic Valve Replacement	Study w/ same criteria	Aortic valve T82.0*, T82.22*, 027F*, 02QF*, 02RF*, 02WF*	Aortic valve T82.0*, T82.22*, 02NF*, 02QF*, 02UF*, 02RF*, 027F*, X2RF*, 02WF*	Yes	Added: 02NF* Release Aortic Valve (open, percutaneous, or percutaneous endoscopic), 02UF* Supplement Aortic Valve, X2RF* Replacement of Aortic Valve	Added other operations on valves. Claims demonstrated good performance in identifying trial-adjudicated aortic valve reintervention (sensitivity 84.4%, specificity 99.6%, positive predictive value [PPV] 69.1%, negative predictive value [NPV] 99.8%, kappa 0.76)	
22	Completed prior surgical treatment for obesity or had liposuction or abdominoplasty within 1 year prior to Visit 1. Participants who plan to have surgical treatment for obesity or liposuction or abdominoplasty during the duration of the study are excluded.		ICD-10-CM	PROMISE team	DoPE				No	Additional sources for liposuction: https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=58573&ver=4	
23	Participation in a structured exercise training program in the 1 month prior to Visit 1 or planning to start a program during the study			Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
24	Have T1DM		ICD-10-CM	PROMISE team	DoPE				No		
25	For T2DM										
25.1	Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) at Visit 1 or Visit 2, in the judgement of the physician		ICD-10-CM	PROMISE team	DoPE				No		
25.2	Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness within 6 months prior to Visit 1 (see Section 10.5.1.1 for definition of hypoglycemia)		ICD-10-CM	Three Sides to the Story: Adherence Trajectories During the First Year of SGLT2 Inhibitor Therapy Among Medicare Beneficiaries	Study w/ same criteria				No		

25.3	Have HbA1c ≥9.5% (80 mmol/mol) at Visit 1, as analyzed at the central laboratory			Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
25.4	Have a history of proliferative diabetic retinopathy, diabetic maculopathy, or severe nonproliferative diabetic retinopathy that requires acute treatment. Patients with T2DM should have had a dilated fundoscopic examination, performed by an ophthalmologist or optometrist, within 12 months of Visit 1 or prior to randomization		CPT/HCPCS	LEAD-2	DoPE				No	
25.5	Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy) at Visit 1			https://www.drugs.com/	N/A					
26	History of acute or chronic pancreatitis or at high risk for acute pancreatitis (for example, serum triglyceride level >500 mg/dL		ICD-10-CM	PROMISE team	DoPE				No	
27	Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory during Visit 1	Esophageal Varices	ICD-10-CM	Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications	Validation study	(> 80%	I85.00, I85.01, I85.10, I85.11, I86.4	I85.00, I85.01, I85.10, I85.11, I86.4	No	
		Porto-Caval Shunt	ICD-10-CM	N/A	N/A					
		Hepatic Cancer	ICD-10-CM	Risk of cancer in infertile women: analysis of US claims data	Study w/ same criteria		C22.x	C22.x	No	
		Hepatorenal Syndrome	ICD-10-CM	Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications	Study w/ same criteria		K76.7	K76.7	No	
		Liver Transplant	ICD-10-CM	PROMISE Team	DoPE				No	
		Cirrhosis/Chronic Hepatic Diseases	ICD-10-CM	Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications	Validation study	> 80%	G93.40, G93.41, K70.30, K70.31, K70.40, K70.41, K71.7, K72.11, K72.90, K72.91, K74.3, K74.4, K74.5, K74.60, K74.69	K70.30, K70.31, K70.40, K70.41, K70.41, K70.9, K71.7, K72.01, K72.11, K72.90, K72.91, K73.0, K73.1, K73.2, K73.8, K73.9, K74.00, K74.01, K74.02, K74.1, K74.2, K74.3, K74.4, K74.5, K74.60, K74.69, K75.4	Yes	Added: K70.41 Alcoholic hepatic failure with coma, K70.9 Alcoholic liver disease, unspecified, K73.0 Chronic persistent hepatitis, not elsewhere classified, K73.1 Chronic lobular hepatitis, not elsewhere classified, K73.2 Chronic active hepatitis, not elsewhere classified, K73.8 Other chronic hepatitis, not elsewhere classified, K73.9 Chronic hepatitis, unspecified, K74.00 Hepatic fibrosis, unspecified, K74.01 Hepatic fibrosis, early fibrosis, K74.02 Hepatic fibrosis, advanced fibrosis, K74.1 Hepatic sclerosis, K74.2 Hepatic fibrosis with hepatic sclerosis, K75.4 Autoimmune hepatitis Added: K72.01 Acute and subacute hepatic failure with coma Not added: G93.40 Encephalopathy, unspecified, G93.41 Metabolic encephalopathy	Added codes that fit well with the definition of cirrhosis/chronic hepatic disease Added codes that clearly indicate the presence of coma and did not include general codes for encephalopathy, as it may not have a hepatic etiology
		Viral hepatitis	ICD-10-CM	Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications	Study w/ same criteria		B19.0, B19.11, B19.21	B15, B15.0, B15.9, B16, B16.0, B16.1, B16.2, B16.9, B17, B17.0, B17.1, B17.10, B17.11, B17.2, B17.8, B17.9, B18, B18.0, B18.1, B18.2, B18.8, B18.9, B19, B19.0, B19.1, B19.10, B19.11, B19.2, B19.20, B19.21, B19.9		Added: B15.0 Hepatitis A with hepatic coma, B16.0 Acute hepatitis B with delta-agent with hepatic coma, B16.2 Acute hepatitis B without delta-agent with hepatic coma, B17.11 Acute hepatitis C with hepatic coma	
28	Have a calcitonin level at Visit 1 of: ≥20 ng/L, if eGFR is ≥60 mL/min/1.73 m2 ≥35 ng/L, if eGFR is <60 mL/min/1.73 m2			Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
29	Have a family or personal history of medullary thyroid carcinoma (MTC) or Multiple Endocrine Neoplasia (MEN) Syndrome type 2		ICD-10-CM	PROMISE team	DoPE					
30	Have a history of an active or untreated malignancy or are in remission from a clinically significant malignancy (other than basal- or squamous-cell skin cancer, in situ carcinoma of the cervix, or in situ prostate cancer) for less than 5 years		ICD-10-CM	PROMISE team	DoPE					
31	Have a history of any other condition (such as known drug or alcohol abuse, diagnosed eating disorder, or other psychiatric disorder) that, in the opinion of the investigator, may preclude the participant from following and completing the protocol	Alcohol Abuse or Dependence	ICD-10-CM	Investigator reviewed codes	N/A					Validation of key behaviourally based mental health diagnoses in administrative data: suicide attempt, alcohol abuse, illicit drug abuse and tobacco use (ICD-9-CM)
		Drug Abuse or Dependence	ICD-10-CM	Investigator reviewed codes	N/A					Validity of International Classification of Diseases codes in identifying illicit drug use target conditions, using medical record data as a reference standard: A systematic review (ICD-9-CM)
		Non-compliance	ICD-10-CM	Alignment of diagnosis and pharmacy claims data coding of medication adherence among patients with diabetes or hypertension	Study w/ same criteria		Z91.120 Z91.128 Z9113 Z9114	Z91.120 Z91.128 Z9113 Z9114 Z91.15 Z91.19	Yes	Added: Z91.15 Patient's noncompliance with renal dialysis, I91.19 Patient's noncompliance with other medical treatment and regimen	As one of the exclusion criteria is renal dialysis, individuals who are noncompliant with dialysis are excluded.
		Eating disorder	ICD-10-CM	Investigator reviewed codes	N/A						
32	Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	Gastroparesis	ICD-10-CM	Epidemiology, Etiology, and Treatment of Gastroparesis: Real-World Evidence From a Large US National Claims Database	Study w/ same criteria		K31.84	K31.84	No	
		Opioids / Antidiuretics / Laxative tablets	Prescriptions	https://www.drugs.com/	N/A					
33	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		Prescriptions	https://www.drugs.com/	N/A					
34	Discontinuation of any incretin, GLP-1 RA, or pramlintide due to intolerability any time prior to Visit 1			Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
35	Have any other condition not listed in this section (for example, hypersensitivity or intolerance) that is a contraindication to GLP-1 RA			Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
36	Implantable cardioverter defibrillator (ICD) implantation within 1 month prior to Visit 1 or planned implantation during the course of the study		ICD-10-CM	Device-related infection in de novo transvenous implantable cardioverter-defibrillator Medicare patients	Study w/ same criteria		0JH608Z, 0JH808Z, 02H63KZ, 02H64KZ, 02H73KZ, 02H74KZ, 02HK3KZ, 02HK4KZ	02H43KZ, 02H40KZ, 02H43KZ, 02H44KZ, 02H60KZ, 02H63KZ, 02H64KZ, 02H70KZ, 02H73KZ, 02H74KZ, 02HK0KZ, 02HK3KZ, 02HK4KZ, 02HL0KZ, 02HL3KZ, 02HL4KZ, 02HN0KZ, 02HN3KZ, 02HN4KZ, 0JH608Z, 0JH60FZ, 0JH638Z, 0JH63FZ, 0JH808Z, 0JH838Z, 0JPT0FZ, 0JPT3FZ,	Yes	Added: 02H43KZ INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH, 02H40KZ INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH, 02H44KZ INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH, 02H60KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, OPEN APPROACH, 02H70KZ INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, OPEN APPROACH, 02HK0KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH, 02HK3KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH, 02HK4KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH, 02HL0KZ INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, OPEN APPROACH, 02HL3KZ INSERTION OF DEFIBRILLATOR LEAD INTO LEFT	The added codes indicate the presence of an ICD

37	Currently implanted left ventricular assist device (LVAD)	ICD-10-CM	Investigator reviewed codes	N/A						Trends in left ventricular assist device use and outcomes among Medicare beneficiaries, 2004-2011 (ICD-9-CM)
38	Cardiac resynchronization therapy (CRT) implanted within 6 months prior to Visit 1 or planned implantation during the course of the trial	ICD-10-CM	Cardiac pacemakers	N/A						
39	Current use of medication associated with weight gain or weight loss, except when on stable dose for at least 3 months prior to Visit 1, and expected to be stable during the study period	ICD-10-CM	https://www.drugs.com/	N/A						
40	Have participated within the last 6 months in a clinical study involving an investigational product		Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
41	Investigator site personnel directly affiliated with this study and/or their immediate families. Immediate family is defined as a spouse, parent, child, or sibling, whether biological or legally adopted		Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42	Lilly employees		Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
43	Pregnancy	ICD-10-CM	Pregnancy team	DoPE						

Appendix 3. Flowchart for cohort assembly

OPTUM (May 13, 2022 to Nov 30, 2024)		
	Excluded Patients	Remaining Patients
Patients in dataset		**95.349.410**
Patients meeting cohort entry criteria		525,120
Excluded due to insufficient enrollment	-138.494 (26%)	386,626
Excluded due to prior use of referent	-139.777 (36%)	246,849
Excluded due to prior use of exposure	-194.454 (79%)	52,395
Excluded because patient qualified in >1 exposure category	-8 (<1%)	52,387
Excluded based on Incl 0 - Gender	-8 (<1%)	52,379
Excluded based on Incl 1 - Age over 40	-1.655 (3%)	50,724
Excluded based on Incl 3 - Chronic HF (NYHA Class II-IV)	-38.259 (75%)	12,465
Excluded based on Incl 4 - HFpEF	-375 (3%)	12,090
Excluded based on Incl 6 - eGFR <70 mL/min/1.73m2 or HF decompensation requiring diuretics	-3.264 (27%)	8,826
Excluded based on Incl 7 - Stable HF medication	-137 (2%)	8,689
Excluded based on Incl 8 - Stable diuretics	-19 (<1%)	8,670
Excluded based on Incl 10 - BMI ≥27.0 kg/m2 (ICD code)	-1.627 (19%)	7,043
Excluded based on Incl 10 - BMI ≥27.0 kg/m2 (Lab value, truncated)	-165 (2%)	6,878
Excluded based on Incl 13 - T2DM trial subgroup	-182 (3%)	6,696
Excluded based on Excl 13 - Myocardial infarction, coronary artery bypass graft surgery, or other major CV surgery/intervention, stroke, transient ischemic attack, or unstable angina pectoris	-166 (2%)	6,530
Excluded based on Excl 14.1 - Lung disease: pulmonary arterial hypertension, chronic thromboembolic pulmonary hypertension (CTEPH), or severe pulmonary disease	-163 (2%)	6,367
Excluded based on Excl 14.2 - Other medical conditions: severe anemia (hemoglobin level <9 g/dL), untreated thyroid disease or TSH >4.0 mU/L, or significant musculoskeletal disease	-267 (4%)	6,100
Excluded based on Excl 14.3 - Orthopedic conditions that limit the ability to walk, such as severe arthritis in the leg, knee, hip injuries, hemiplegia, or amputation with artificial limb without stable prosthesis function	-153 (3%)	5,947
Excluded based on Excl 16 - Acute decompensated HF (exacerbation of HF) requiring IV diuretics, IV inotropes, or IV vasodilators, or left ventricular assist device (LVAD)	-8 (<1%)	5,939
Excluded based on Excl 17 - Impaired renal function, defined as eGFR <15 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis	-228 (4%)	5,711
Excluded based on Excl 18 - Any one of the following: Systolic blood pressure (SBP) ≥180 mmHg, SBP >160 mmHg, symptomatic hypotension or SBP <100 mmHg	-168 (3%)	5,543

Excluded based on Excl 20 - Atrial fibrillation or atrial flutter with a resting heart rate >110 bpm	-67 (1%)	5,476
Excluded based on Excl 21 - Cardiac amyloidosis or cardiomyopathy based on accumulation disease (for example, haemochromatosis, Fabry disease), muscular dystrophy, cardiomyopathy with reversible causes (for example, stress cardiomyopathy), hypertrophic obstructive cardiomyopathy or known pericardial constriction, or any severe (obstructive or regurgitant)	-66 (1%)	5,410
Excluded based on Excl 22 - Completed prior surgical treatment for obesity or had liposuction or abdominoplasty	-50 (<1%)	5,360
Excluded based on Excl 24 - T1DM	-176 (3%)	5,184
Excluded based on Excl 25.1 - Have uncontrolled diabetes requiring immediate therapy (such as diabetic ketoacidosis) in the judgement of the physician	-13 (<1%)	5,171
Excluded based on Excl 25.2 - Have had 1 or more events of severe hypoglycemia and/or 1 or more events of hypoglycemia unawareness	-84 (2%)	5,087
Excluded based on Excl 25.4 - Uncontrolled and potentially unstable diabetic retinopathy or maculopathy. Pharmacological pupil-dilation is a requirement unless using a digital fundus photography camera specified for non-dilated examination	-117 (2%)	4,970
Excluded based on Excl 25.5 - Treated with premix or prandial insulins or intensified insulin regimens (multiple daily injection with basal and prandial insulins or insulin pump therapy)	-428 (9%)	4,542
Excluded based on Excl 26 - History of acute or chronic pancreatitis or at high risk for acute pancreatitis (for example, serum triglyceride level >500 mg/dL	-30 (<1%)	4,512
Excluded based on Excl 27 - Have acute or chronic hepatitis, signs and symptoms of any other liver disease other than nonalcoholic fatty liver disease, or any of the following, as determined by the central laboratory	-59 (1%)	4,453
Excluded based on Excl 29 - Have a family or personal history of medullary thyroid carcinoma (MTC) or Multiple Endocrine Neoplasia (MEN) Syndrome type 2	-14 (<1%)	4,439
Excluded based on Excl 30 - Have a history of an active or untreated malignancy or are in remission from a clinically significant malignancy (other than basal- or squamous-cell skin cancer, in situ carcinoma of the cervix, or in situ prostate cancer)	-349 (8%)	4,090
Excluded based on Excl 31 - Have a history of any other condition (such as known drug or alcohol abuse, diagnosed eating disorder, or other psychiatric disorder) that, in the opinion of the investigator, may preclude the participant from following and completing the protocol	-84 (2%)	4,006
Excluded based on Excl 32 - Have a known clinically significant gastric emptying abnormality (for example, severe diabetic gastroparesis or gastric outlet obstruction) or chronically take drugs that directly affect GI motility	-170 (4%)	3,836
Excluded based on Excl 33 - Treatment with any incretin, GLP-1 RA, pramlintide	-384 (10%)	3,452

Excluded based on Excl 36 - Implantable cardioverter defibrillator (ICD) implantation	-1 (<1%)	3,451
Excluded based on Excl 37 - Currently implanted left ventricular assist device (LVAD)	-4 (<1%)	3,447
Excluded based on Excl 38 - Cardiac resynchronization therapy (CRT) implanted	-0 (<1%)	3,447
Excluded based on Excl 39 - Current use of medication associated with weight gain or weight loss, except when on stable dose and expected to be stable	-259 (8%)	3,188
Excluded based on Excl 40 - Pregnancy or breastfeeding	-0 (<1%)	3,188
Patients in Exposure Group		2,106
Patients in Referent Group		1,082
Total Patients		**3,188**

Appendix 4. 1st Feasibility Assessment

Table of Contents

A. Patient characteristics by treatment group
B. Summary Parameters of Study Population
C. Median Follow up Time in Overall Study Population
D. Reasons for Censoring in Overall Study Population
E. Initial Power Assessment
F. Aetion report link
G. Review by Principal Investigator

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are available at this stage. We completed a PS overlap weighted comparative analysis using this outcome. The PS included only 3 covariates: age, sex, and combined comorbidity index. Power calculations are based on the formulas from Chow et al. (2008).

OPTUM: Study period from May 13, 2022 to Nov 30, 2024

A. Patient characteristics by treatment group (follow-up start is 1 days after CED, so few patients and dropped, hence table 1 could include sightly fewer patients than the attrition table)

Before weighting	Optum		
Variable	Reference- Sitagliptin	Exposure - Tirzepatide	Difference
Number of patients	1,082	2,107	- (-, -)
Age			
...mean (sd)	75.17 (7.82)	68.03 (9.12)	7.14 (6.53, 7.75)
...median [IQR]	76.00 [70.00, 81.00]	69.00 [63.00, 74.00]	- (-, -)
Gender			
...Male; n (%)	474 (43.8%)	931 (44.2%)	-0.4% (-4.1%, 3.3%)
CCI (365 days)			
...mean (sd)	5.29 (2.44)	4.72 (2.20)	0.57 (0.40, 0.75)
...median [IQR]	5.00 [3.00, 7.00]	4.00 [3.00, 6.00]	- (-, -)

B. Summary Parameters of Overall Study Population (Step 1)

	Optum
Variable	Value
Number of patients in full cohort	3,189
Number of patients dropped as incomplete cases	0
Number of patients that did not begin follow-up	15
Number of patients in analytic cohort	3,174
Number of events	83
Number of person-years	1,429.17
Number of patients in group: Reference- Sitagliptin	1,072
Number of patients in group: Exposure - Tirzepatide	2,102
Risk per 1,000 patients	26.15
Rate per 1,000 person-years	58.08

C. Median Follow up Time in Overall Study Population (Step 1)

	Optum
Patient Group	Median Follow-Up Time (Days) [IQR]
Overall Patient Population	133 [71, 244]

D. Reasons for Censoring in Overall Study Population (Step 1)

	Optum
Overall	Value
Outcome	83 (2.6%)
Start of an additional exposure	22 (0.7%)
End of index exposure	1,174 (37.0%)
Maximum follow-up time	390 (12.3%)
Specified date reached	896 (28.2%)
End of patient data	0 (0.0%)
End of patient enrollment	238 (7.5%)
Switch to other GLP-1-RA (for censoring) / Nursing home admission	371 (11.7%)

E. Power Assessment

Superiority Analysis	
Number of patients	
Reference	1,082
Exposed	2,107
Risk per 1,000 patients	26.15
Expected HR	0.45
Alpha (2-sided)	0.05
Number of events expected	83.39235
Power	0.954101983

F. Aetion report link
Optum Step 1: https://bwh-dope.aetion.com/project/2813/rwrs/131531

F. Review by principal investigator

Stop analyses until feasibility and power are reviewed by primary investigators.

Reviewed by PI:	**Nils Krüger**	**Date reviewed:**	March 31, 2025

Appendix 5. 2nd Feasibility Assessment

Table of Contents

A. Median Follow up Time by Treatment Group
B. Reasons for Censoring by Treatment Group
C. Final Power Assessment
D. Aetion report link
E. Review by Principal Investigator

In order to complete the feasibility analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are available at this stage. We completed a PS overlap weighted comparative analysis using this outcome. The PS included all prespecified covariates listed in the protocol. Power calculations are based on the formulas from Chow et al. (2008).

A. Median Follow Up Time by Treatment Group

Patient Group	Median Follow-Up Time (Days) [IQR]
Overall Patient Population	133 [71, 244]

B. Reasons for Censoring in Overall Study Population

	Overall
Overall	**Value**
Outcome	83 (2.6%)
Start of an additional exposure	22 (0.7%)
End of index exposure	1,174 (37.0%)
Maximum follow-up time	390 (12.3%)
Specified date reached	896 (28.2%)
End of patient data	0 (0.0%)
End of patient enrollment	238 (7.5%)
Switch to other GLP-1-RA (for censoring) / Nursing home admission	371 (11.7%)

C. Power Assessment

Superiority Analysis	
Number of patients	
Reference	1,082
Exposed	2,107
Risk per 1,000 patients	26.15
Expected HR	0.45
Alpha (2-sided)	0.05
Number of events expected	83.39235
Power	0.954101983

D. Aetion report link

Optum Step 1: https://bwh-dope.aetion.com/project/2813/rwrs/131531

E. Review by principal investigator

Stop analyses until feasibility and power are reviewed by primary investigators.

Reviewed by PI:	Nils Krüger	Date reviewed:	March 31, 2025

Appendix 6. Balance Assessment - PS Distribution and C-Statistic

C-statistics unadjusted, OPTUM: 0.849



C-statistics adjusted after overlap weighing on the PS, OPTUM: 0.508



Appendix 7. Balance Assessment - Table 1

OPTUM						
Variable	**Exposure**	**Referent**	**SMD**	**Weighted Exposure**	**Weighted Referent**	**Weighted SMD**
Demographics						
Age	68.00 ± 9.11 [69.00, 63.00-74.00]	75.16 ± 7.82 [76.00, 70.00-81.00]	-0.843	72.37 ± 7.55 [73.00, 68.00-78.00]	72.37 ± 8.10 [73.00, 68.00-78.00]	0.000
Gender (male)	929 (44.22%)	469 (43.75%)	0.009	199.9 (43.98%)	199.9 (43.98%)	0.000
Race						
White	1037 (49.36%)	489 (45.62%)	0.075	221.6 (48.77%)	221.6 (48.77%)	0.000
Black	329 (15.66%)	200 (18.66%)	-0.080	77.0 (16.95%)	77.0 (16.95%)	0.000
Other	13 (0.62%)	11 (1.03%)	-0.045	4.0 (0.88%)	4.0 (0.88%)	0.000
Unknown / Missing	722 (34.36%)	372 (34.70%)	-0.007	151.8 (33.41%)	151.8 (33.41%)	0.000
Region / State						
Midwest / North central	440 (20.94%)	187 (17.44%)	0.089	83.3 (18.33%)	83.3 (18.33%)	0.000
Northest	125 (5.95%)	113 (10.54%)	-0.167	37.6 (8.28%)	37.6 (8.28%)	0.000
South	1263 (60.11%)	595 (55.50%)	0.093	269.3 (59.26%)	269.3 (59.26%)	0.000
West	272 (12.95%)	176 (16.42%)	-0.098	64.1 (14.10%)	64.1 (14.10%)	0.000
Lifestyle risk factors						
Smoking / Tobacco use	663 (31.56%)	314 (29.29%)	0.049	137.8 (30.32%)	137.8 (30.32%)	0.000
Overweight (27.0-29.9)	64 (3.05%)	143 (13.34%)	-0.382	32.4 (7.12%)	32.4 (7.12%)	0.000
Class 1 Obesity (30.0-34.9)	131 (6.24%)	141 (13.15%)	-0.235	45.6 (10.03%)	45.6 (10.03%)	0.000
Class 2 Obesity (35.0-39.9)	142 (6.76%)	60 (5.60%)	0.048	30.6 (6.74%)	30.6 (6.74%)	0.000
Class 3 Obesity (40.0 and above)	1199 (57.07%)	337 (31.44%)	0.534	194.4 (42.78%)	194.4 (42.78%)	0.000
Unspecified Obesity	565 (26.89%)	391 (36.47%)	-0.207	151.5 (33.33%)	151.5 (33.33%)	0.000
Diabetes complications						
Diabetic nephropathy	856 (40.74%)	623 (58.12%)	-0.353	234.6 (51.63%)	234.6 (51.63%)	0.000
Diabetic neuropathy	710 (33.79%)	417 (38.90%)	-0.106	173.1 (38.10%)	173.1 (38.10%)	0.000
Diabetic retinopathy	171 (8.14%)	152 (14.18%)	-0.193	55.9 (12.31%)	55.9 (12.31%)	0.000
Diabetes with other opthalmic complications	101 (4.81%)	85 (7.93%)	-0.128	28.2 (6.20%)	28.2 (6.20%)	0.000
Diabetes with peripheral circulatory disorders	441 (20.99%)	319 (29.76%)	-0.202	124.0 (27.28%)	124.0 (27.28%)	0.000
Diabetic foot	96 (4.57%)	47 (4.38%)	0.009	18.9 (4.16%)	18.9 (4.16%)	0.000
Erectile dysfunction	93 (4.43%)	30 (2.80%)	0.087	14.3 (3.16%)	14.3 (3.16%)	0.000
Hyperglycemia / DKA / HONK	931 (44.31%)	519 (48.41%)	-0.082	217.7 (47.90%)	217.7 (47.90%)	0.000
Hypoglycemia	526 (25.04%)	327 (30.50%)	-0.122	132.6 (29.19%)	132.6 (29.19%)	0.000
Skin infections	328 (15.61%)	158 (14.74%)	0.024	72.4 (15.93%)	72.4 (15.93%)	0.000
Cardiovascular-related conditions						
Angina	298 (14.18%)	166 (15.49%)	-0.037	71.5 (15.74%)	71.5 (15.74%)	0.000
Atrial fibrillation	678 (32.27%)	340 (31.72%)	0.012	142.5 (31.35%)	142.5 (31.35%)	0.000
Cardiac conduction disorder	283 (13.47%)	168 (15.67%)	-0.062	67.1 (14.77%)	67.1 (14.77%)	0.000
Cardiomyopathy	410 (19.51%)	200 (18.66%)	0.022	83.1 (18.29%)	83.1 (18.29%)	0.000
Cerebrovascular procedure	1 (0.05%)	5 (0.47%)	-0.083	0.7 (0.15%)	0.7 (0.15%)	0.000
Coronary atherosclerosis	952 (45.31%)	532 (49.63%)	-0.086	221.8 (48.80%)	221.8 (48.80%)	0.000
Edema	623 (29.65%)	307 (28.64%)	0.022	130.7 (28.76%)	130.7 (28.76%)	0.000
Hyperkalemia	116 (5.52%)	85 (7.93%)	-0.096	32.4 (7.14%)	32.4 (7.14%)	0.000
Hyperlipidemia	1857 (88.39%)	979 (91.32%)	-0.097	411.3 (90.52%)	411.3 (90.52%)	0.000
Hypertension	2039 (97.05%)	1042 (97.20%)	-0.009	442.7 (97.43%)	442.7 (97.43%)	0.000
Hypotension	123 (5.85%)	52 (4.85%)	0.045	22.8 (5.02%)	22.8 (5.02%)	0.000
Implantable cardioverter defibrillator	19 (0.90%)	5 (0.47%)	0.053	2.7 (0.60%)	2.7 (0.60%)	0.000
Insertion of pacemakers / removal of cardiac lead	16 (0.76%)	9 (0.84%)	-0.009	3.0 (0.67%)	3.0 (0.67%)	0.000
Ischemic stroke	8 (0.38%)	12 (1.12%)	-0.086	2.0 (0.44%)	2.0 (0.44%)	0.000
Myocardial infarction	237 (11.28%)	125 (11.66%)	-0.012	52.8 (11.61%)	52.8 (11.61%)	0.000
Other cardiac dysrhythmia	816 (38.84%)	444 (41.42%)	-0.053	181.9 (40.03%)	181.9 (40.03%)	0.000
Peripheral vascular disease diagnosis or surgery	336 (15.99%)	219 (20.43%)	-0.115	83.7 (18.42%)	83.7 (18.42%)	0.000
Previous cardiac procedure (CABG, PTCA, Stent)	73 (3.47%)	32 (2.99%)	0.028	14.6 (3.22%)	14.6 (3.22%)	0.000
Pulmonary hypertension	230 (10.95%)	110 (10.26%)	0.022	42.5 (9.36%)	42.5 (9.36%)	0.000
Transient ischemic attack	41 (1.95%)	31 (2.89%)	-0.061	10.4 (2.29%)	10.4 (2.29%)	0.000
Valve disorders	597 (28.42%)	291 (27.15%)	0.028	122.7 (27.01%)	122.7 (27.01%)	0.000
Valve replacement	93 (4.43%)	49 (4.57%)	-0.007	23.2 (5.11%)	23.2 (5.11%)	0.000
Venous thromboembolism	79 (3.76%)	43 (4.01%)	-0.013	18.0 (3.96%)	18.0 (3.96%)	0.000
Renal-related conditions						
Acute kidney injury	264 (12.57%)	210 (19.59%)	-0.192	75.1 (16.54%)	75.1 (16.54%)	0.000
Chronic kidney disease stage 1-2	282 (13.42%)	149 (13.90%)	-0.014	63.4 (13.96%)	63.4 (13.96%)	0.000
Chronic kidney disease stage 3-4	839 (39.93%)	594 (55.41%)	-0.314	227.5 (50.06%)	227.5 (50.06%)	0.000
Unspecified chronic kidney disease	321 (15.28%)	195 (18.19%)	-0.078	79.2 (17.43%)	79.2 (17.43%)	0.000
Hypertensive nephropathy	714 (33.98%)	480 (44.78%)	-0.222	182.0 (40.06%)	182.0 (40.06%)	0.000
Urolithiasis (Kidney and urinary stone)	96 (4.57%)	57 (5.32%)	-0.034	22.4 (4.94%)	22.4 (4.94%)	0.000
Urinary tract infections	356 (16.94%)	233 (21.74%)	-0.121	81.8 (18.01%)	81.8 (18.01%)	0.000
Genital infections	37 (1.76%)	25 (2.33%)	-0.040	9.7 (2.13%)	9.7 (2.13%)	0.000
Other comorbidities						
Anemia	558 (26.56%)	387 (36.10%)	-0.207	139.4 (30.68%)	139.4 (30.68%)	0.000
Asthma	363 (17.28%)	152 (14.18%)	0.085	69.8 (15.36%)	69.8 (15.36%)	0.000
Chronic obstructive pulmonary disease	560 (26.65%)	309 (28.82%)	-0.048	128.9 (28.38%)	128.9 (28.38%)	0.000
Obstructive sleep apnea	1112 (52.93%)	343 (32.00%)	0.433	186.9 (41.13%)	186.9 (41.13%)	0.000
Serious bacterial infections	102 (4.85%)	73 (6.81%)	-0.083	25.3 (5.57%)	25.3 (5.57%)	0.000
Pneumonia	186 (8.85%)	126 (11.75%)	-0.095	47.2 (10.39%)	47.2 (10.39%)	0.000
Influenza	43 (2.05%)	26 (2.43%)	-0.026	8.9 (1.96%)	8.9 (1.96%)	0.000
Delirium or psychosis	31 (1.48%)	32 (2.99%)	-0.102	10.9 (2.40%)	10.9 (2.40%)	0.000
Dementia	90 (4.28%)	128 (11.94%)	-0.283	33.7 (7.41%)	33.7 (7.41%)	0.000
Depression	477 (22.70%)	219 (20.43%)	0.055	100.2 (22.05%)	100.2 (22.05%)	0.000
Osteoporosis	105 (5.00%)	77 (7.18%)	-0.091	29.6 (6.52%)	29.6 (6.52%)	0.000
Fractures / Falls	172 (8.19%)	113 (10.54%)	-0.081	43.6 (9.60%)	43.6 (9.60%)	0.000

Hyperthyroidism and other thyroid gland disorders	651 (30.99%)	343 (32.00%)	-0.022	144.1 (31.72%)	144.1 (31.72%)	0.000
Hypothyroidism	534 (25.42%)	278 (25.93%)	-0.012	117.8 (25.92%)	117.8 (25.92%)	0.000
Gastroparesis	16 (0.76%)	9 (0.84%)	-0.009	3.3 (0.74%)	3.3 (0.74%)	0.000
Bowel obstruction	3 (0.14%)	0 (0.00%)	0.053	0.0 (0.00%)	0.0 (0.00%)	0.000
Liver disease	382 (18.18%)	221 (20.62%)	-0.062	90.7 (19.96%)	90.7 (19.96%)	0.000
MASH/MASLD	160 (7.62%)	67 (6.25%)	0.054	31.6 (6.96%)	31.6 (6.96%)	0.000
Pancreatitis	3 (0.14%)	1 (0.09%)	0.014	0.3 (0.07%)	0.3 (0.07%)	0.000
Biliary disease	3 (0.14%)	7 (0.65%)	-0.081	1.1 (0.23%)	1.1 (0.23%)	0.000
Urinary incontinence	145 (6.90%)	96 (8.96%)	-0.076	35.2 (7.76%)	35.2 (7.76%)	0.000
Diabetes medications						
Metformin	1134 (53.97%)	641 (59.79%)	-0.118	262.9 (57.85%)	262.9 (57.85%)	0.000
Insulins	456 (21.70%)	243 (22.67%)	-0.023	107.2 (23.59%)	107.2 (23.59%)	0.000
Dipeptidyl peptidase-4 inhibitors	56 (2.67%)	32 (2.99%)	-0.019	13.4 (2.96%)	13.4 (2.96%)	0.000
Sulfonylureas	320 (15.23%)	309 (28.82%)	-0.332	108.4 (23.86%)	108.4 (23.86%)	0.000
Sodium-glucose cotransporter 2 inhibitors	470 (22.37%)	236 (22.01%)	0.009	107.7 (23.70%)	107.7 (23.70%)	0.000
Any other glucose-lowering drugs	102 (4.85%)	85 (7.93%)	-0.126	32.2 (7.09%)	32.2 (7.09%)	0.000
Heart failure medications						
Angiotensin-converting enzyme inhibitors / Angiotensin II receptor blockers	1476 (70.25%)	755 (70.43%)	-0.004	325.7 (71.67%)	325.7 (71.67%)	0.000
Angiotensin Receptor-Neprilysin Inhibitors	200 (9.52%)	79 (7.37%)	0.077	35.7 (7.85%)	35.7 (7.85%)	0.000
Beta-blockers	1030 (49.02%)	568 (52.99%)	-0.079	229.9 (50.59%)	229.9 (50.59%)	0.000
Calcium channel blockers	834 (39.70%)	468 (43.66%)	-0.080	187.5 (41.26%)	187.5 (41.26%)	0.000
Digoxin / Digitoxin	40 (1.90%)	27 (2.52%)	-0.042	9.9 (2.19%)	9.9 (2.19%)	0.000
Loop diuretics	1434 (68.25%)	648 (60.45%)	0.163	289.5 (63.70%)	289.5 (63.70%)	0.000
Thiazides	654 (31.13%)	313 (29.20%)	0.042	142.4 (31.34%)	142.4 (31.34%)	0.000
Intravenous diuretics	140 (6.66%)	47 (4.38%)	0.100	20.9 (4.61%)	20.9 (4.61%)	0.000
Other diuretics	548 (26.08%)	231 (21.55%)	0.107	104.2 (22.92%)	104.2 (22.92%)	0.000
Nitrates	315 (14.99%)	186 (17.35%)	-0.064	75.1 (16.52%)	75.1 (16.52%)	0.000
Other medications						
Anti-arrhythmics	185 (8.81%)	81 (7.56%)	0.046	34.0 (7.48%)	34.0 (7.48%)	0.000
Anti-depressants	891 (42.41%)	391 (36.47%)	0.122	180.8 (39.78%)	180.8 (39.78%)	0.000
Antiplatelet agents	392 (18.66%)	213 (19.87%)	-0.031	85.2 (18.75%)	85.2 (18.75%)	0.000
Antipsychotics	88 (4.19%)	55 (5.13%)	-0.045	22.3 (4.92%)	22.3 (4.92%)	0.000
Anxiolytics/hypnotics, benzos	515 (24.51%)	199 (18.56%)	0.145	94.5 (20.79%)	94.5 (20.79%)	0.000
COPD/Asthma medications	1014 (48.26%)	466 (43.47%)	0.096	208.1 (45.79%)	208.1 (45.79%)	0.000
Laxatives	81 (3.86%)	29 (2.71%)	0.065	14.5 (3.18%)	14.5 (3.18%)	0.000
Nonsteroidal anti-inflammatory drugs	652 (31.03%)	249 (23.23%)	0.176	121.4 (26.72%)	121.4 (26.72%)	0.000
Opioids	744 (35.41%)	283 (26.40%)	0.196	134.8 (29.67%)	134.8 (29.67%)	0.000
Oral anticoagulants	628 (29.89%)	296 (27.61%)	0.050	128.5 (28.28%)	128.5 (28.28%)	0.000
Oral corticosteroids	917 (43.65%)	348 (32.46%)	0.232	167.8 (36.93%)	167.8 (36.93%)	0.000
Osteporosis agents	65 (3.09%)	53 (4.94%)	-0.094	20.8 (4.58%)	20.8 (4.58%)	0.000
Statins	1698 (80.82%)	917 (85.54%)	-0.126	384.0 (84.51%)	384.0 (84.51%)	0.000
PCSK9 inhibitors and other lipid-lowering drugs	347 (16.52%)	160 (14.93%)	0.044	77.1 (16.97%)	77.1 (16.97%)	0.000
Urinary tract infections antibiotics	1134 (53.97%)	533 (49.72%)	0.085	234.5 (51.61%)	234.5 (51.61%)	0.000
Healthcare utilization markers						
Number of office visits	12.05 ± 7.56 [11.00, 7.00-16.00]	11.04 ± 7.14 [10.00, 6.00-15.00]	0.137	11.52 ± 7.04 [10.00, 7.00-15.00]	11.52 ± 7.33 [10.00, 6.00-15.00]	0.000
Number of cardiologist visit	3.86 ± 4.78 [2.00, 1.00-5.00]	3.31 ± 4.20 [2.00, 0.00-5.00]	0.122	3.46 ± 4.22 [2.00, 0.00-5.00]	3.46 ± 4.31 [2.00, 0.00-5.00]	0.000
Number of endocriologist visit	0.30 ± 1.05 [0.00, 0.00-0.00]	0.27 ± 1.12 [0.00, 0.00-0.00]	0.026	0.29 ± 0.99 [0.00, 0.00-0.00]	0.29 ± 1.17 [0.00, 0.00-0.00]	0.000
Number of internal/family medicine visits	9.14 ± 9.64 [6.00, 4.00-11.00]	11.03 ± 11.82 [7.00, 4.00-14.00]	-0.176	9.82 ± 10.20 [7.00, 4.00-12.00]	9.82 ± 10.52 [7.00, 4.00-12.00]	0.000
Number of emergency department visit	0.94 ± 2.98 [0.00, 0.00-1.00]	1.09 ± 2.10 [0.00, 0.00-1.00]	-0.061	0.95 ± 2.15 [0.00, 0.00-1.00]	0.95 ± 1.71 [0.00, 0.00-1.00]	0.000
Number of echocardiograms	0.65 ± 0.84 [0.00, 0.00-1.00]	0.65 ± 0.88 [0.00, 0.00-1.00]	0.005	0.62 ± 0.80 [0.00, 0.00-1.00]	0.62 ± 0.82 [0.00, 0.00-1.00]	0.000
Number of electrocardiograms	1.76 ± 2.33 [1.00, 0.00-2.00]	1.71 ± 2.08 [1.00, 0.00-2.00]	0.023	1.63 ± 1.95 [1.00, 0.00-2.00]	1.63 ± 1.94 [1.00, 0.00-2.00]	0.000
Number of distinct medications	17.04 ± 6.59 [16.00, 12.00-21.00]	16.55 ± 6.25 [16.00, 12.00-20.00]	0.076	16.89 ± 6.35 [16.00, 13.00-20.00]	16.89 ± 6.44 [16.00, 12.00-21.00]	0.000
Out-of-pocket medication cost	691.70 ± 848.90 [422.06, 147.72-945.31]	610.99 ± 687.27 [365.87, 120.76-863.19]	0.105	642.30 ± 707.01 [384.19, 136.98-900.89]	642.30 ± 721.11 [373.89, 118.06-934.27]	0.000
Number of unique brand medications*	17.27 ± 6.76 [17.00, 13.00-21.00]	16.80 ± 6.42 [16.00, 12.00-21.00]	0.072	17.14 ± 6.54 [16.00, 13.00-21.00]	17.14 ± 6.60 [16.00, 12.00-21.00]	0.000
Number of unique generic medications*	17.04 ± 6.59 [16.00, 12.00-21.00]	16.55 ± 6.25 [16.00, 12.00-20.00]	0.076	16.89 ± 6.35 [16.00, 13.00-20.00]	16.89 ± 6.44 [16.00, 12.00-21.00]	0.000
Ratio of brand to generic medications	1.01 ± 0.03 [1.00, 1.00-1.00]	1.01 ± 0.03 [1.00, 1.00-1.00]	-0.038	1.01 ± 0.03 [1.00, 1.00-1.00]	1.01 ± 0.03 [1.00, 1.00-1.00]	0.000
Healthy behavior markers						
Colonoscopy, Sigmoidoscopy	196 (9.33%)	73 (6.81%)	0.093	35.6 (7.83%)	35.6 (7.83%)	0.000
Bone mineral density tests	190 (9.04%)	74 (6.90%)	0.079	38.1 (8.39%)	38.1 (8.39%)	0.000
Fecal occult blood test	86 (4.09%)	65 (6.06%)	-0.090	24.8 (5.46%)	24.8 (5.46%)	0.000
Flu vaccine / Pneumococcal vaccine	734 (34.94%)	388 (36.19%)	-0.026	160.3 (35.28%)	160.3 (35.28%)	0.000
Mammograms	516 (24.56%)	177 (16.51%)	0.200	90.7 (19.96%)	90.7 (19.96%)	0.000
PSA test	446 (21.23%)	195 (18.19%)	0.076	89.0 (19.59%)	89.0 (19.59%)	0.000
Pap smear	85 (4.05%)	15 (1.40%)	0.163	9.3 (2.05%)	9.3 (2.05%)	0.000
Laboratory and diagnostic tests						
Number of HbA1c tests	2.31 ± 1.32 [2.00, 1.00-3.00]	2.34 ± 1.35 [2.00, 1.00-3.00]	-0.019	2.36 ± 1.32 [2.00, 1.00-3.00]	2.36 ± 1.35 [2.00, 1.00-3.00]	0.000
Number of creatinine tests	3.93 ± 3.11 [3.00, 2.00-5.00]	4.06 ± 3.10 [4.00, 2.00-5.00]	-0.041	3.94 ± 2.93 [3.00, 2.00-5.00]	3.94 ± 2.82 [3.00, 2.00-5.00]	0.000
Number of urine tests	1.22 ± 1.80 [1.00, 0.00-2.00]	1.46 ± 1.94 [1.00, 0.00-2.00]	-0.127	1.35 ± 1.80 [1.00, 0.00-2.00]	1.35 ± 1.80 [1.00, 0.00-2.00]	0.000
Number of lipid panel	1.69 ± 1.22 [2.00, 1.00-2.00]	1.62 ± 1.27 [1.00, 1.00-2.00]	0.060	1.66 ± 1.18 [1.00, 1.00-2.00]	1.66 ± 1.24 [1.00, 1.00-2.00]	0.000
Lab values						
BMI*	41.34 ± 8.43 [40.17, 35.16-45.82]	35.79 ± 6.46 [34.44, 30.89-38.95]	0.739	38.86 ± 7.68 [37.73, 33.30-43.00]	37.43 ± 6.93 [36.35, 32.39-41.15]	0.195
BNP*	159.83 ± 312.07 [68.40, 33.00-135.00]	160.11 ± 299.44 [68.10, 34.95-151.40]	-0.001	170.84 ± 292.63 [73.30, 31.14-213.15]	133.91 ± 252.75 [59.18, 30.00-133.77]	0.134
proBNP*	661.61 ± 1187.07 [268.00, 100.50-661.00]	1074.70 ± 1202.95 [609.00, 240.00-1553.25]	-0.346	732.79 ± 1245.83 [292.47, 107.00-679.96]	982.18 ± 1150.76 [422.18, 199.37-1364.01]	-0.208
Creatinine*	1.16 ± 0.40 [1.04, 0.85-1.32]	1.28 ± 0.47 [1.15, 0.92-1.49]	-0.285	1.23 ± 0.44 [1.11, 0.90-1.42]	1.26 ± 0.47 [1.12, 0.91-1.45]	-0.067
eGFR*	64.71 ± 22.30 [64.00, 48.00-82.00]	56.07 ± 21.25 [54.00, 40.00-71.00]	0.396	58.90 ± 21.44 [57.00, 43.00-76.00]	57.96 ± 21.64 [55.00, 42.00-72.00]	0.044
Glucose*	145.85 ± 61.39 [130.00, 107.00-164.00]	156.81 ± 56.58 [145.00, 119.00-182.00]	-0.186	153.06 ± 65.40 [137.00, 110.00-173.86]	155.66 ± 55.77 [143.00, 118.00-180.86]	-0.043
HbA1c*	7.27 ± 1.53 [6.80, 6.30-7.90]	7.69 ± 1.52 [7.40, 6.60-8.40]	-0.275	7.49 ± 1.63 [7.10, 6.40-8.20]	7.72 ± 1.57 [7.45, 6.60-8.42]	-0.144
Heart rate*	76.53 ± 20.81 [75.00, 66.00-84.00]	78.29 ± 37.72 [75.00, 68.00-84.00]	-0.058	76.59 ± 30.95 [74.00, 66.00-83.00]	77.89 ± 30.50 [76.00, 68.00-85.00]	-0.042
Systolic blood pressure*	128.84 ± 19.46 [130.00, 119.00-138.00]	129.77 ± 19.85 [130.00, 119.00-140.00]	-0.047	129.51 ± 19.35 [130.00, 120.00-138.00]	129.09 ± 19.63 [128.00, 118.26-139.00]	0.022
Burden of comorbidities						
Combined comorbidity index (CCI)	4.71 ± 2.19 [4.00, 3.00-6.00]	5.29 ± 2.44 [5.00, 3.00-7.00]	-0.248	4.99 ± 2.29 [5.00, 3.00-7.00]	4.99 ± 2.32 [5.00, 3.00-6.00]	0.000

Frailty score	0.21 ± 0.05 [0.20, 0.17-0.23]	0.21 ± 0.06 [0.20, 0.17-0.24]	-0.129	0.21 ± 0.06 [0.20, 0.17-0.24]	0.21 ± 0.06 [0.20, 0.17-0.24]	0.000
Baseline hospitalizations and hospital metrics						
Number of any hospitalization	0.30 ± 0.70 [0.00, 0.00-0.00]	0.46 ± 0.91 [0.00, 0.00-1.00]	-0.193	0.36 ± 0.80 [0.00, 0.00-0.00]	0.36 ± 0.78 [0.00, 0.00-0.00]	0.000
Number of heart failure hospitalizations						
Zero	2011 (95.72%)	1004 (93.66%)	0.092	431.2 (94.89%)	431.2 (94.89%)	0.000
One	76 (3.62%)	61 (5.69%)	-0.098	20.4 (4.49%)	20.4 (4.49%)	0.000
Two or more	14 (0.67%)	7 (0.65%)	0.002	2.8 (0.63%)	2.8 (0.63%)	0.000
Number of other hospitalizations						
Zero	1667 (79.34%)	775 (72.29%)	0.165	348.4 (76.66%)	348.4 (76.66%)	0.000
One	309 (14.71%)	180 (16.79%)	-0.057	69.4 (15.27%)	69.4 (15.27%)	0.000
Two or more	125 (5.95%)	117 (10.91%)	-0.179	36.7 (8.07%)	36.7 (8.07%)	0.000
Calendar year of cohort entry						
2022	129 (6.14%)	244 (22.76%)	-0.486	50.4 (11.09%)	50.4 (11.09%)	0.000
2023	841 (40.03%)	441 (41.14%)	-0.023	190.6 (41.94%)	190.6 (41.94%)	0.000
2024	1131 (53.83%)	387 (36.10%)	0.362	213.5 (46.98%)	213.5 (46.98%)	0.000

* Not used in the PS model

Emulation of the SUMMIT Heart Failure Trial in Healthcare Claims Data

RELAXED CRITERIA

Appendices

1 Target Trial Framework, Operational Definitions and Data Fitness Assessment
2 Code algorithms
2a Exposure
2b Inclusion
2c Exclusion
2d Outcome
2e Algorithm sources
3 Flowchart for cohort assembly
4 1st feasibility assessment
5 2nd feasibility assessment
6 Balance Assessment - PS Distribution and C-Statistic
7 Balance Assessment - Table 1

		SUMMIT (relaxed eligibility criteria)	OPTUM	Marketscan	Notes
Treatment assignment (time 0, index date)			Non-randomized initiation of treatment Tirzepatide vs Sitagliptin (first eligible entry to study population)	Non-randomized initiation of treatment Tirzepatide vs Sitagliptin (first eligible entry to study population)	
Exposure		Tirzepatide (up to 15 mg subcutaneously once per week)	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Tirzepatide in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Tirzepatide in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	
Comparator		Placebo	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Sitagliptin in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Washout window:** [-183, -1] **Incident with respect to:** Sitagliptin in any formulation or dose **Assessment window:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	
Primary Outcome		All-cause mortality or heart failure hospitalization	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. [https://pubmed.ncbi.nlm.nih.gov/36688301/]	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status and social security death master file. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. [https://pubmed.ncbi.nlm.nih.gov/36688301/]	
Secondary outcome		All-cause mortality or a worsening heart failure event (exacerbated symptoms of heart failure resulting in hospitalization, intravenous diuretic therapy in an urgent care setting)	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, outpatient for i.v. diuretics, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. https://pubmed.ncbi.nlm.nih.gov/36688301/	**Code type:** DX, PX **Care setting:** Inpatient for heart failure, outpatient for i.v. diuretics, any for death **Diagnosis position:** Primary **Washout window:** **Source of algorithm:** PROMISE Team, Validation studies, (Investigator reviewed codes) **Measurement characteristics:** Death includes information from the inpatient discharged dead status and social security death master file. PPV for HHF diagnosis using ICD-10 codes was 98% in a national Medicare sample. **https://pubmed.ncbi.nlm.nih.gov/36688301/**	
Follow up start		Randomization date	One day after initiation of treatment with tirzepatide or sitagliptin	One day after initiation of treatment with tirzepatide or sitagliptin	
Follow up end		52 weeks post randomization	Earliest of: Outcome, end of observation in data, end of study period (365 days), discontinuation of study drug (45 days grace window and risk-window), switch to other GLP-1-RA, nursing home admission	Earliest of: Outcome, end of observation in data, end of study period (365 days), discontinuation of study drug (45 days grace window and risk-window), switch to other GLP-1-RA, nursing home admission	Algorithm detail: Adherence in clinical practice databases is expected to be much worse than in a trial, therefore the on-treatment analysis at 1 year follow-up will be the primary analysis.
Causal estimand		Intention-to-treat effect	On-treatment effect	On-treatment effect	
Effect estimation		Cox proportional hazards model	Cox proportional hazards regression model	Cox proportional hazards regression model	
Inclusion criteria					
	1	Men or women ≥ 40 years old	**Applied before/after selection of index date:** Before **Assessment window:** [0, 0] **Code type:** N/A **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [0, 0] **Code type:** N/A **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** N/A	
	2	History of T2DM	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
	3	BMI ≥27 kg/m2	**Applied before/after selection of index date:** Before **Assessment window:** [-730, 0] **Code type:** DX, LOINC **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-730, 0] **Code type:** DX, LOINC **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data **Measurement characteristics:** N/A	Algorithm detail: If BMI measurement via LOINC code is below 10 or above 100 then measurent is set to missing.
	4	Heart failure	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/36688301/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** https://pubmed.ncbi.nlm.nih.gov/36688301/ **Measurement characteristics:** N/A	
	5	Preserved ejection fraction	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** DX, PX, RX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** EF algorithm, https://pubmed.ncbi.nlm.nih.gov/30562067/, https://pubmed.ncbi.nlm.nih.gov/35114384/ **Measurement characteristics:** N/A	Algorithm detail: Proxied by claims algorithm predicting LVEF.
Exclusion criteria					
	1	Prior treatment with any GLP-1-RA	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:**N/A **Measurement characteristics:** n/a	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** RX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:**N/A **Measurement characteristics:** n/a	
	2	History of T1DM	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
	3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
	4	History of bariatric surgery	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	

		Applied before/after selection of index date: Before **Assessment window:** [-183, 0] **Code type:** Discharge Status Code, CPT/HCPCS Procedure Code, Provider Category Code **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** Discharge Status Code, CPT/HCPCS Procedure Code, Provider Category Code **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
5	History of nursing home admission			
		Applied before/after selection of index date: Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Pregnancy team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** DX, PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** Pregnancy team **Measurement characteristics:** N/A	
6	Pregnant female or breast-feeding			
		Applied before/after selection of index date: Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [-365, 0] **Code type:** PX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	Algorithm detail: Proxied by CPT-4 codes for intravitreal injection of anti-VEGFi OR photocoagulation.
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy			
		Applied before/after selection of index date: Before **Assessment window:** [-183, 0] **Code type:** PX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	**Applied before/after selection of index date:** Before **Assessment window:** [-183, 0] **Code type:** PX **Care setting:** N/A **Diagnosis position:** N/A **Source of algorithm:** N/A **Measurement characteristics:** n/a	
8	Treatment with continuous subcutaneous insulin infusion			
		Applied before/after selection of index date: Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
9	Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma			
		Applied before/after selection of index date: Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	**Applied before/after selection of index date:** Before **Assessment window:** [all available data, 0] **Code type:** DX **Care setting:** Any **Diagnosis position:** Any **Source of algorithm:** PROMISE team **Measurement characteristics:** N/A	
10	Have a history of an active or untreated malignancy or are in remission from a clinically significant malignancy (other than basal- or squamous-cell skin cancer, in situ carcinoma of the cervix, or in situ prostate cancer) for less than 5 years			

Variable_Name	Code	Code_category	Code_type	Notes
Exposure				
Tirzepatide	TIRZEPATIDE	RX	Generic	NDC Route of administration: SUBCUTANEOUS
	0002115201	RX	NDC	
	0002124301	RX	NDC	
	0002145701	RX	NDC	
	0002145780	RX	NDC	
	0002146001	RX	NDC	
	0002146080	RX	NDC	
	0002147101	RX	NDC	
	0002147180	RX	NDC	
	0002148401	RX	NDC	
	0002148480	RX	NDC	
	0002149501	RX	NDC	
	0002149580	RX	NDC	
	0002150601	RX	NDC	
	0002150661	RX	NDC	
	0002150680	RX	NDC	
	0002221401	RX	NDC	
	0002234001	RX	NDC	
	0002242301	RX	NDC	
	0002300201	RX	NDC	
Tirzepatide	MOUNJARO	RX	Generic	NDC Route of administration: SUBCUTANEOUS
Tirzepatide	ZEPBOUND	RX	Generic	NDC Route of administration: SUBCUTANEOUS
Comparator				
Sitagliptin	SITAGLIPTIN	RX	Generic	NDC Route of Administration: ORAL
Sitagliptin	0006011201	RX	NDC	
Sitagliptin	0006011228	RX	NDC	
Sitagliptin	0006011231	RX	NDC	
Sitagliptin	0006011254	RX	NDC	
Sitagliptin	0006022101	RX	NDC	
Sitagliptin	0006022128	RX	NDC	
Sitagliptin	0006022131	RX	NDC	
Sitagliptin	0006022154	RX	NDC	
Sitagliptin	0006027701	RX	NDC	
Sitagliptin	0006027702	RX	NDC	
Sitagliptin	0006027714	RX	NDC	
Sitagliptin	0006027727	RX	NDC	
Sitagliptin	0006027728	RX	NDC	
Sitagliptin	0006027730	RX	NDC	
Sitagliptin	0006027731	RX	NDC	
Sitagliptin	0006027733	RX	NDC	
Sitagliptin	0006027754	RX	NDC	
Sitagliptin	0006027782	RX	NDC	
Sitagliptin	0006057501	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057502	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057503	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057552	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057556	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057561	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057562	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057582	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057701	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057702	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057703	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057752	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057756	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057761	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057762	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057782	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007814	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007828	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007861	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007862	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006007882	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008014	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008028	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008061	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008062	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008082	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008107	RX	NDC	Sitagliptin/metformin

Sitagliptin	0006008114	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008131	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008154	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006008182	RX	NDC	Sitagliptin/metformin
Sitagliptin	JANUVIA	RX	Generic	NDC Route of Administration: ORAL
Sitagliptin	SITAGLIPTIN / METFORMIN HYDROCHLORIDE	RX	Generic	NDC Route of Administration: ORAL

Category	Variable_name	Code	Code_category	Description	Code_type	Notes
1	Men or women ≥40 y.o	N/A				
2	History of T2DM	E11.0	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY	ICD-10-CM	
2	History of T2DM	E11.00	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM	
2	History of T2DM	E11.01	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM	
2	History of T2DM	E11.1	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM	
2	History of T2DM	E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
2	History of T2DM	E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
2	History of T2DM	E11.2	DX	TYPE 2 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM	
2	History of T2DM	E11.21	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM	
2	History of T2DM	E11.22	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM	
2	History of T2DM	E11.29	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM	
2	History of T2DM	E11.3	DX	TYPE 2 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM	
2	History of T2DM	E11.31	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T2DM	E11.311	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T2DM	E11.319	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T2DM	E11.32	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T2DM	E11.321	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T2DM	E11.3211	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T2DM	E11.3212	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T2DM	E11.3213	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T2DM	E11.3219	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T2DM	E11.329	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T2DM	E11.3291	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T2DM	E11.3292	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T2DM	E11.3293	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T2DM	E11.3299	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T2DM	E11.33	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T2DM	E11.331	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T2DM	E11.3311	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T2DM	E11.3312	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T2DM	E11.3313	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T2DM	E11.3319	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	

2	History of T2DM	E11.339	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
2	History of T2DM	E11.3391	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3392	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3393	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3399	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.34	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
2	History of T2DM	E11.341	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
2	History of T2DM	E11.3411	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3412	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3413	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3419	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.349	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
2	History of T2DM	E11.3491	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3492	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3493	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3499	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.35	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
2	History of T2DM	E11.351	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
2	History of T2DM	E11.3511	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3512	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3513	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3519	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.352	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
2	History of T2DM	E11.3521	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3522	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3523	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM

2	History of T2DM	E11.3529	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.353	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
2	History of T2DM	E11.3531	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3532	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3533	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3539	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.354	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
2	History of T2DM	E11.3541	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3542	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3543	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3549	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.355	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
2	History of T2DM	E11.3551	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3552	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3553	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3559	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.359	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
2	History of T2DM	E11.3591	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.3592	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.3593	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T2DM	E11.3599	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T2DM	E11.36	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
2	History of T2DM	E11.37	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
2	History of T2DM	E11.37X1	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
2	History of T2DM	E11.37X2	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
2	History of T2DM	E11.37X3	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
2	History of T2DM	E11.37X9	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM

2	History of T2DM	E11.39	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
2	History of T2DM	E11.4	DX	TYPE 2 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.40	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
2	History of T2DM	E11.41	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
2	History of T2DM	E11.42	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
2	History of T2DM	E11.43	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
2	History of T2DM	E11.44	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
2	History of T2DM	E11.49	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
2	History of T2DM	E11.5	DX	TYPE 2 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.51	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
2	History of T2DM	E11.52	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM
2	History of T2DM	E11.59	DX	TYPE 2 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.6	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.61	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC ARTHROPATHY	ICD-10-CM
2	History of T2DM	E11.610	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
2	History of T2DM	E11.618	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC ARTHROPATHY	ICD-10-CM
2	History of T2DM	E11.62	DX	TYPE 2 DIABETES MELLITUS WITH SKIN COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.620	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC DERMATITIS	ICD-10-CM
2	History of T2DM	E11.621	DX	TYPE 2 DIABETES MELLITUS WITH FOOT ULCER	ICD-10-CM
2	History of T2DM	E11.622	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN ULCER	ICD-10-CM
2	History of T2DM	E11.628	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.63	DX	TYPE 2 DIABETES MELLITUS WITH ORAL COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.630	DX	TYPE 2 DIABETES MELLITUS WITH PERIODONTAL DISEASE	ICD-10-CM
2	History of T2DM	E11.638	DX	TYPE 2 DIABETES MELLITUS WITH OTHER ORAL COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.64	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA	ICD-10-CM
2	History of T2DM	E11.641	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
2	History of T2DM	E11.649	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
2	History of T2DM	E11.65	DX	TYPE 2 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
2	History of T2DM	E11.69	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
2	History of T2DM	E11.8	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
2	History of T2DM	E11.9	DX	TYPE 2 DIABETES MELLITUS WITHOUT COMPLICATIONS	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.27	DX	BMI 27.0-27.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.28	DX	BMI 28.0-28.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.29	DX	BMI 29.0-29.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	E66	DX	OVERWEIGHT AND OBESITY	ICD-10-CM
3	BMI ≥27 kg/m2	E66.0	DX	OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
3	BMI ≥27 kg/m2	E66.01	DX	MORBID (SEVERE) OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
3	BMI ≥27 kg/m2	E66.09	DX	OTHER OBESITY DUE TO EXCESS CALORIES	ICD-10-CM
3	BMI ≥27 kg/m2	E66.1	DX	DRUG-INDUCED OBESITY	ICD-10-CM
3	BMI ≥27 kg/m2	E66.2	DX	MORBID (SEVERE) OBESITY WITH ALVEOLAR HYPOVENTILATION	ICD-10-CM
3	BMI ≥27 kg/m2	E66.8	DX	OTHER OBESITY	ICD-10-CM
3	BMI ≥27 kg/m2	E66.89	DX	OTHER OBESITY NOT ELSEWHERE CLASSIFIED	ICD-10-CM
3	BMI ≥27 kg/m2	E66.9	DX	OBESITY, UNSPECIFIED	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.30	DX	BODY MASS INDEX [BMI] 30.0-30.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.31	DX	BODY MASS INDEX [BMI] 31.0-31.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.32	DX	BODY MASS INDEX [BMI] 32.0-32.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.33	DX	BODY MASS INDEX [BMI] 33.0-33.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.34	DX	BODY MASS INDEX [BMI] 34.0-34.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.35	DX	BODY MASS INDEX [BMI] 35.0-35.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.36	DX	BODY MASS INDEX [BMI] 36.0-36.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.37	DX	BODY MASS INDEX [BMI] 37.0-37.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.38	DX	BODY MASS INDEX [BMI] 38.0-38.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.39	DX	BODY MASS INDEX [BMI] 39.0-39.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.4	DX	BODY MASS INDEX [BMI] 40 OR GREATER, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.41	DX	BODY MASS INDEX [BMI] 40.0-44.9, ADULT	ICD-10-CM

3	BMI ≥27 kg/m2	Z68.42	DX	BODY MASS INDEX [BMI] 45.0-49.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.43	DX	BODY MASS INDEX [BMI] 50.0-59.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.44	DX	BODY MASS INDEX [BMI] 60.0-69.9, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	Z68.45	DX	BODY MASS INDEX [BMI] 70 OR GREATER, ADULT	ICD-10-CM
3	BMI ≥27 kg/m2	E66.81	DX	OBESITY CLASS	ICD-10-CM
3	BMI ≥27 kg/m2	E66.811	DX	OBESITY, CLASS 1	ICD-10-CM
3	BMI ≥27 kg/m2	E66.812	DX	OBESITY, CLASS 2	ICD-10-CM
3	BMI ≥27 kg/m2	E66.813	DX	OBESITY, CLASS 3	ICD-10-CM
3	BMI ≥27 kg/m2	39156-5	LOINC	BODY MASS INDEX (BMI) [Ratio]	
4	Heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM
4	Heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM
4	Heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM
4	Heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
4	Heart failure	I50	DX	HEART FAILURE	ICD-10-CM
4	Heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM
4	Heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
4	Heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM
4	Heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM
4	Heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM
4	Heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM
4	Heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM
4	Heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM
4	Heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM
4	Heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM
4	Heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
4	Heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM
4	Heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM
4	Heart failure	I97.130	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING CARDIAC SURGERY	ICD-10-CM
4	Heart failure	I97.131	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING OTHER SURGERY	ICD-10-CM
5	LVEF ≥ 45% at screening	EF algorithm			

Category	Variable_name	Variable_subtype	Code	Code_categor	Description	Code_type	Notes
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		LIXISENATIDE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 2		DULAGLUTIDE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		LIRAGLUTIDE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		ALBIGLUTIDE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		EXENATIDE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		EXENATIDE MICR	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		PRAMLINTIDE ACE	RX		Generic	
1	Treatment with any incretin, GLP-1 RA, or pramlintide in the 3 months prior to Visit 1		SEMAGLUTIDE	RX		Generic	
2	History of T1DM		E10.1	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM	
2	History of T1DM		E10.10	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
2	History of T1DM		E10.11	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
2	History of T1DM		E10.2	DX	TYPE 1 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM	
2	History of T1DM		E10.21	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM	
2	History of T1DM		E10.22	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM	
2	History of T1DM		E10.29	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION	ICD-10-CM	
2	History of T1DM		E10.3	DX	TYPE 1 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM	
2	History of T1DM		E10.31	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.311	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.319	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.32	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.321	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3211	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3212	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3213	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3219	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.329	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3291	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3292	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3293	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3299	DX	TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.33	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.331	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3311	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3312	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3313	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3319	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.339	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3391	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3392	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3393	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3399	DX	TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.34	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.341	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3411	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3412	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3413	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3419	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.349	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3491	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3492	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3493	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3499	DX	TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.35	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.351	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM	
2	History of T1DM		E10.3511	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3512	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3513	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3519	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.352	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM	
2	History of T1DM		E10.3521	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3522	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3523	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3529	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.353	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM	
2	History of T1DM		E10.3531	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3532	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3533	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3539	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.354	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM	
2	History of T1DM		E10.3541	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM	
2	History of T1DM		E10.3542	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM	
2	History of T1DM		E10.3543	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM	
2	History of T1DM		E10.3549	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM	
2	History of T1DM		E10.355	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM	
2	History of T1DM		E10.3551	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM	

2	History of T1DM	E10.3552	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
2	History of T1DM	E10.3553	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
2	History of T1DM	E10.3559	DX	TYPE 1 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
2	History of T1DM	E10.359	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
2	History of T1DM	E10.3591	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
2	History of T1DM	E10.3592	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
2	History of T1DM	E10.3593	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
2	History of T1DM	E10.3599	DX	TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
2	History of T1DM	E10.36	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
2	History of T1DM	E10.37	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
2	History of T1DM	E10.37X1	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
2	History of T1DM	E10.37X2	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
2	History of T1DM	E10.37X3	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
2	History of T1DM	E10.37X9	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
2	History of T1DM	E10.39	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
2	History of T1DM	E10.4	DX	TYPE 1 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.40	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
2	History of T1DM	E10.41	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
2	History of T1DM	E10.42	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
2	History of T1DM	E10.43	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
2	History of T1DM	E10.44	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
2	History of T1DM	E10.49	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
2	History of T1DM	E10.5	DX	TYPE 1 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.51	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
2	History of T1DM	E10.52	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM
2	History of T1DM	E10.59	DX	TYPE 1 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.6	DX	TYPE 1 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.61	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC ARTHROPATHY	ICD-10-CM
2	History of T1DM	E10.610	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
2	History of T1DM	E10.618	DX	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC ARTHROPATHY	ICD-10-CM
2	History of T1DM	E10.62	DX	TYPE 1 DIABETES MELLITUS WITH SKIN COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.620	DX	TYPE 1 DIABETES MELLITUS WITH DIABETIC DERMATITIS	ICD-10-CM
2	History of T1DM	E10.621	DX	TYPE 1 DIABETES MELLITUS WITH FOOT ULCER	ICD-10-CM
2	History of T1DM	E10.622	DX	TYPE 1 DIABETES MELLITUS WITH OTHER SKIN ULCER	ICD-10-CM
2	History of T1DM	E10.628	DX	TYPE 1 DIABETES MELLITUS WITH OTHER SKIN COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.630	DX	TYPE 1 DIABETES MELLITUS WITH PERIODONTAL DISEASE	ICD-10-CM
2	History of T1DM	E10.638	DX	TYPE 1 DIABETES MELLITUS WITH OTHER ORAL COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.64	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA	ICD-10-CM
2	History of T1DM	E10.641	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
2	History of T1DM	E10.649	DX	TYPE 1 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
2	History of T1DM	E10.65	DX	TYPE 1 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
2	History of T1DM	E10.69	DX	TYPE 1 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
2	History of T1DM	E10.8	DX	TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
2	History of T1DM	E10.9	DX	TYPE 1 DIABETES MELLITUS WITHOUT COMPLICATIONS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	N18.5	DX	CHRONIC KIDNEY DISEASE, STAGE 5	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	N18.6	DX	END STAGE RENAL DISEASE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90920	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90921	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90924	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90935	PX	HEMODIALYSIS PROCEDURE WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90937	PX	HEMODIALYSIS PROCEDURE REQUIRING REPEATED EVALUATION(S) WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90939	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR DILUTION METHOD, HOOK-UP; TRANSCUTANEOUS MEASUREMENT AND DISCONNECTION	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90940	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR METHOD	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90945	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES), WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90947	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES) REQUIRING REPEATED EVALUATIONS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL, WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90957	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90958	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90959	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90960	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90961	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90962	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90965	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90966	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90969	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 12-19 YEARS OF AGE	CPT/HCPCS

3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90970	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	I12.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5 CHRONIC KIDNEY DISEASE OR END STAGE RENAL DISEASE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90989	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COMPLETED COURSE	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90993	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COURSE NOT COMPLETED, PER TRAINING SESSION	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90999	PX	UNLISTED DIALYSIS PROCEDURE, INPATIENT OR OUTPATIENT	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	99512	PX	HOME VISIT FOR HEMODIALYSIS	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	99559	PX	HOME INFUSION OF PERITONEAL DIALYSIS, PER DIEM / HOME INFUSION OF PERITONEAL DIALYSIS, PER VISIT	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49	DX	ENCOUNTER FOR CARE INVOLVING RENAL DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.0	DX	PREPARATORY CARE FOR RENAL DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.3	DX	ENCOUNTER FOR ADEQUACY TESTING FOR DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.01	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z49.02	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z99.2	DX	DEPENDENCE ON RENAL DIALYSIS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	R88.0	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS EFFLUENT	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.41	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.41XA	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.41XD	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.41XS	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.42	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.42XA	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.42XD	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.42XS	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.43	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.43XA	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.43XD	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.43XS	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.49	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.49XA	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.49XD	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T82.49XS	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.611	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.611A	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.611D	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.611S	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.621	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.621A	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.621D	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.621S	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.631	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.631A	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.631D	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.631S	DX	LEAKAGE OF INTRAPER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.691	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.691A	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.691D	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.691S	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.71	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.71XA	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.71XD	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T85.71XS	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Y84.1	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF THE PROCEDURE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	5A1D70Z	PX	PERFORMANCE OF URINARY FILTRATION, INTERMITTENT, LESS THAN 6 HOURS PER DAY	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	5A1D80Z	PX	PERFORMANCE OF URINARY FILTRATION, PROLONGED INTERMITTENT, 6-18 HOURS PER DAY	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	5A1D90Z	PX	PERFORMANCE OF URINARY FILTRATION, CONTINUOUS, GREATER THAN 18 HOURS PER DAY	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	5A1D00Z	PX	PERFORMANCE OF URINARY FILTRATION, SINGLE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	5A1D60Z	PX	PERFORMANCE OF URINARY FILTRATION, MULTIPLE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	3E1M39Z	PX	IRRIGATION OF PERITONEAL CAVITY USING DIALYSATE, PERCUTANEOUS APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90945	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (E.G., PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES), WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	90947	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (E.G., PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES) REQUIRING REPEATED EVALUATIONS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL, WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z94.0	DX	KIDNEY TRANSPLANT STATUS	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.1	DX	COMPLICATIONS OF KIDNEY TRANSPLANT	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.10	DX	UNSPECIFIED COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.11	DX	KIDNEY TRANSPLANT REJECTION	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.12	DX	KIDNEY TRANSPLANT FAILURE	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.13	DX	KIDNEY TRANSPLANT INFECTION	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	T86.19	DX	OTHER COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	Z48.22	DX	ENCOUNTER FOR AFTERCARE FOLLOWING KIDNEY TRANSPLANT	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY00Z0	PX	TRANSPLANTATION OF RIGHT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY00Z1	PX	TRANSPLANTATION OF RIGHT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY00Z2	PX	TRANSPLANTATION OF RIGHT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY10Z0	PX	TRANSPLANTATION OF LEFT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY10Z1	PX	TRANSPLANTATION OF LEFT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TY10Z2	PX	TRANSPLANTATION OF LEFT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TS00ZZ	PX	REPOSITION RIGHT KIDNEY, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	0TS10ZZ	PX	REPOSITION LEFT KIDNEY, OPEN APPROACH	ICD-10-CM
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	50360	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITHOUT RECIPIENT NEPHRECTOMY	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	50365	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITH RECIPIENT NEPHRECTOMY	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	50370	PX	REMOVAL OF TRANSPLANTED RENAL ALLOGRAFT	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	50380	PX	RENAL AUTOTRANSPLANTATION, REIMPLANTATION OF KIDNEY	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	G0257	PX	UNSCHEDULED OR EMERGENCY DIALYSIS TREATMENT FOR AN ESRD PATIENT IN A HOSPITAL OUTPATIENT DEPARTMENT THAT IS NOT CERTIFIED AS AN ESRD FACILITY	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	G0319	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	G0326	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES LESS THAN FULL MONTH, PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
3	End-stage renal disease or chronic or intermittent haemodialysis or peritoneal dialysis	S9335	PX	HOME THERAPY, HEMODIALYSIS; ADMINISTRATIVE SERVICES, PROFESSIONAL PHARMACY SERVICES, CARE COORDINATION, AND ALL NECESSARY SUPPLIES AND EQUIPMENT (DRUGS AND NURSING SERVICES CODED SEPARATELY), PER DIEM	CPT/HCPCS
4	History of bariatric surgery	Z98.84	DX	BARIATRIC SURGERY STATUS	ICD-10-CM
4	History of bariatric surgery	K95.01	DX	INFECTION DUE TO GASTRIC BAND PROCEDURE	ICD-10-CM

4	History of bariatric surgery		K95.09	DX	OTHER COMPLICATIONS OF GASTRIC BAND PROCEDURE	ICD-10-CM	
4	History of bariatric surgery		K95.81	DX	INFECTION DUE TO OTHER BARIATRIC PROCEDURE	ICD-10-CM	
4	History of bariatric surgery		K95.89	DX	OTHER COMPLICATIONS OF OTHER BARIATRIC PROCEDURE	ICD-10-CM	
4	History of bariatric surgery		0DB60ZZ	PX	EXCISION OF STOMACH, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0DB63ZZ	PX	EXCISION OF STOMACH, PERCUTANEOUS APPROACH	ICD-10-CM	
4	History of bariatric surgery		0DB67ZZ	PX	EXCISION OF STOMACH, VIA NATURAL OR ARTIFICIAL OPENING	ICD-10-CM	
4	History of bariatric surgery		0D1607A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1607B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1607L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160ZA	PX	BYPASS STOMACH TO JEJUNUM, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160ZB	PX	BYPASS STOMACH TO ILEUM, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1687A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D1687B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D1687L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168ZA	PX	BYPASS STOMACH TO JEJUNUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168ZB	PX	BYPASS STOMACH TO ILEUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D16479	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1647A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1647B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D1647L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164JB	PX	BYPASS STOMACH TO ILEUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164Z9	PX	BYPASS STOMACH TO DUODENUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164ZA	PX	BYPASS STOMACH TO JEJUNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164ZB	PX	BYPASS STOMACH TO ILEUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D164ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D16079	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D160Z9	PX	BYPASS STOMACH TO DUODENUM, OPEN APPROACH	ICD-10-CM	
4	History of bariatric surgery		0D16879	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0D168Z9	PX	BYPASS STOMACH TO DUODENUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM	
4	History of bariatric surgery		0DQ64ZZ	PX	REPAIR STOMACH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	
4	History of bariatric surgery		43770	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE: PLACEMENT OF ADJUSTABLE GASTRIC BAND	CPT/HCPCS	
4	History of bariatric surgery		43644	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX-EN-Y GASTROENTEROSTOMY (ROUX LIMB 150 CM OR LESS)	CPT/HCPCS	
4	History of bariatric surgery		43645	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE WITH GASTRIC BYPASS AND SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION	CPT/HCPCS	
4	History of bariatric surgery		43842	PX	GASTRIC RESTRICTIVE PROCEDURE, WITHOUT GASTRIC BYPASS, FOR MORBID OBESITY; VERTICAL BANDED GASTROPLASTY	CPT/HCPCS	
4	History of bariatric surgery		43843	PX	OTHER GASTRIC RESTRICTIVE PROCEDURES, WITHOUT GASTRIC BYPASS, AND OTHER THAN VERTICAL BANDED GASTROPLASTY	CPT/HCPCS	
4	History of bariatric surgery		43844	PX	LAPAROSCOPIC GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX EN Y GASTROENTEROSTOMY	CPT/HCPCS	
4	History of bariatric surgery		43845	PX	GASTRIC RESTRICTIVE PROCEDURE WITH PARTIAL GASTRECTOMY, PYLORUS-PRESERVING DUODENOILEOSTOMY AND ILEOLIEOSTOMY TO LIMIT ABSORPTION (BPD)	CPT/HCPCS	
4	History of bariatric surgery		43846	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH GASTRIC BYPASS, FOR MORBID OBESITY; WITH SHORT LIMB (LESS THAN 100 CM) ROUX-EN-Y GASTROENTEROSTOMY	CPT/HCPCS	
4	History of bariatric surgery		43847	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION; WITH LONG LIMB (>150 CM) ROUX-EN-Y	CPT/HCPCS	
4	History of bariatric surgery		43659	PX	GASTRECTOMY, TOTAL; WITH ROUX-EN-Y RECONSTRUCTION; MINI-GASTRIC BYPASS	CPT/HCPCS	
4	History of bariatric surgery		S2082	PX	LAPAROSCOPY, SURGICAL; GASTRIC RESTRICTIVE PROCEDURE, ADJUSTABLE GASTRIC BAND INCLUDES PLACEMENT OF SUBCUTANEOUS PORT	CPT/HCPCS	
4	History of bariatric surgery		S2085	PX	LAPAROSCOPIC GASTRIC BYPASS	CPT/HCPCS	
4	History of bariatric surgery		43775	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE; LONGITUDINAL GASTRECTOMY (E.G., SLEEVE GASTRECTOMY)	CPT/HCPCS	
4	History of bariatric surgery		43848	PX	REVISION RYGB	CPT/HCPCS	
5	History of nursing home admission	64				IP: Discharge status	Marketscan da
5	History of nursing home admission	83				IP: Discharge status	Marketscan da
5	History of nursing home admission	92				IP: Discharge status	Marketscan da
5	History of nursing home admission	03				IP: Discharge status	Optum databa
5	History of nursing home admission	64				IP: Discharge status	Optum databa
5	History of nursing home admission	0013				Provider category code	Optum databa
5	History of nursing home admission	0014				Provider category code	Optum databa
5	History of nursing home admission	0016				Provider category code	Optum databa
5	History of nursing home admission	0017				Provider category code	Optum databa
5	History of nursing home admission	0018				Provider category code	Optum databa
5	History of nursing home admission	3009				Provider category code	Optum databa

5	History of nursing home admission	99301	PX	EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT INVOLVING AN ANNUAL NURSING FACILITY ASSESSMENT WHICH REQUIRES THESE THREE KEY COMPONENTS: A DETAILED INTERVAL HISTORY; A COMPREHENSIVE EXAMINATION; AND MEDICAL DECISION MAKING THAT IS STRAIGHTFORWARD OR OF LOW COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PATIENT IS STABLE, RECOVERING OR IMPROVING. THE REVIEW AND AFFIRMATION OF THE MEDICAL PLAN OF CARE IS REQUIRED. PHYSICIANS TYPICALLY SPEND 30 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99302	PX	EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT INVOLVING A NURSING FACILITY ASSESSMENT WHICH REQUIRES THESE THREE KEY COMPONENTS: A DETAILED INTERVAL HISTORY; A COMPREHENSIVE EXAMINATION; AND MEDICAL DECISION MAKING OF MODERATE TO HIGH COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PATIENT HAS DEVELOPED A SIGNIFICANT COMPLICATION OR A SIGNIFICANT NEW PROBLEM AND HAS HAD A MAJOR PERMANENT CHANGE IN STATUS. THE CREATION OF A NEW MEDICAL PLAN OF CARE IS REQUIRED. PHYSICIANS TYPICALLY SPEND 40 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99303	PX	EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT INVOLVING A NURSING FACILITY ASSESSMENT AT THE TIME OF INITIAL ADMISSION OR READMISSION TO THE FACILITY, WHICH REQUIRES THESE THREE KEY COMPONENTS: A COMPREHENSIVE HISTORY; A COMPREHENSIVE EXAMINATION; AND MEDICAL DECISION MAKING OF MODERATE TO HIGH COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. THE CREATION OF A MEDICAL PLAN OF CARE IS REQUIRED. PHYSICIANS TYPICALLY SPEND 50 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99311	PX	SUBSEQUENT NURSING FACILITY CARE, PER DAY, FOR THE EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT, WHICH REQUIRES AT LEAST TWO OF THESE THREE KEY COMPONENTS: A PROBLEM FOCUSED INTERVAL HISTORY; A PROBLEM FOCUSED EXAMINATION; MEDICAL DECISION MAKING THAT IS STRAIGHTFORWARD OR OF LOW COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PATIENT IS STABLE, RECOVERING OR IMPROVING. PHYSICIANS TYPICALLY SPEND 15 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99312	PX	SUBSEQUENT NURSING FACILITY CARE, PER DAY, FOR THE EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT, WHICH REQUIRES AT LEAST TWO OF THESE THREE KEY COMPONENTS: AN EXPANDED PROBLEM FOCUSED INTERVAL HISTORY; AN EXPANDED PROBLEM FOCUSED EXAMINATION; MEDICAL DECISION MAKING OF MODERATE COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PATIENT IS RESPONDING INADEQUATELY TO THERAPY OR HAS DEVELOPED A MINOR COMPLICATION. PHYSICIANS TYPICALLY SPEND 25 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99313	PX	SUBSEQUENT NURSING FACILITY CARE, PER DAY, FOR THE EVALUATION AND MANAGEMENT OF A NEW OR ESTABLISHED PATIENT, WHICH REQUIRES AT LEAST TWO OF THESE THREE KEY COMPONENTS: A DETAILED INTERVAL HISTORY; A DETAILED EXAMINATION; MEDICAL DECISION MAKING OF MODERATE TO HIGH COMPLEXITY. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PATIENT HAS DEVELOPED A SIGNIFICANT COMPLICATION OR A SIGNIFICANT NEW PROBLEM. PHYSICIANS TYPICALLY SPEND 35 MINUTES AT THE BEDSIDE AND ON THE PATIENT'S FACILITY FLOOR OR UNIT.	CPT/HCPCS	All databases
5	History of nursing home admission	99315	PX	NURSING FACILITY DISCHARGE MANAGEMENT; 30 MINUTES OR LESS TOTAL TIME ON THE DATE OF THE ENCOUNTER	CPT/HCPCS	All databases
5	History of nursing home admission	99316	PX	NURSING FACILITY DISCHARGE MANAGEMENT; MORE THAN 30 MINUTES TOTAL TIME ON THE DATE OF THE ENCOUNTER	CPT/HCPCS	All databases
5	History of nursing home admission	99379	PX	SUPERVISION OF A NURSING FACILITY PATIENT (PATIENT NOT PRESENT) REQUIRING COMPLEX AND MULTIDISCIPLINARY CARE MODALITIES INVOLVING REGULAR DEVELOPMENT AND/OR REVISION OF CARE PLANS BY THAT INDIVIDUAL, REVIEW OF SUBSEQUENT REPORTS OF PATIENT STATUS, REVIEW OF RELATED LABORATORY AND OTHER STUDIES, COMMUNICATION (INCLUDING TELEPHONE CALLS) FOR PURPOSES OF ASSESSMENT OR CARE DECISIONS WITH HEALTH CARE PROFESSIONAL(S), FAMILY MEMBER(S), SURROGATE DECISION MAKER(S) (EG, LEGAL GUARDIAN) AND/OR KEY CAREGIVER(S) INVOLVED IN PATIENT'S CARE, INTEGRATION OF NEW INFORMATION INTO THE MEDICAL TREATMENT PLAN AND/OR ADJUSTMENT OF MEDICAL THERAPY, WITHIN A CALENDAR MONTH; 15-29 MINUTES	CPT/HCPCS	All databases
5	History of nursing home admission	99380	PX	SUPERVISION OF A NURSING FACILITY PATIENT (PATIENT NOT PRESENT) REQUIRING COMPLEX AND MULTIDISCIPLINARY CARE MODALITIES INVOLVING REGULAR DEVELOPMENT AND/OR REVISION OF CARE PLANS BY THAT INDIVIDUAL, REVIEW OF SUBSEQUENT REPORTS OF PATIENT STATUS, REVIEW OF RELATED LABORATORY AND OTHER STUDIES, COMMUNICATION (INCLUDING TELEPHONE CALLS) FOR PURPOSES OF ASSESSMENT OR CARE DECISIONS WITH HEALTH CARE PROFESSIONAL(S), FAMILY MEMBER(S), SURROGATE DECISION MAKER(S) (EG, LEGAL GUARDIAN) AND/OR KEY CAREGIVER(S) INVOLVED IN PATIENT'S CARE, INTEGRATION OF NEW INFORMATION INTO THE MEDICAL TREATMENT PLAN AND/OR ADJUSTMENT OF MEDICAL THERAPY, WITHIN A CALENDAR MONTH; 30 MINUTES OR MORE	CPT/HCPCS	All databases
6	Pregnant female or breast-feeding	H35.1	DX	RETINOPATHY OF PREMATURITY	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.10	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.101	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.102	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.103	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.109	DX	RETINOPATHY OF PREMATURITY, UNSPECIFIED, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.11	DX	RETINOPATHY OF PREMATURITY, STAGE 0	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.111	DX	RETINOPATHY OF PREMATURITY, STAGE 0, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.112	DX	RETINOPATHY OF PREMATURITY, STAGE 0, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.113	DX	RETINOPATHY OF PREMATURITY, STAGE 0, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.119	DX	RETINOPATHY OF PREMATURITY, STAGE 0, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.12	DX	RETINOPATHY OF PREMATURITY, STAGE 1	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.121	DX	RETINOPATHY OF PREMATURITY, STAGE 1, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.122	DX	RETINOPATHY OF PREMATURITY, STAGE 1, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.123	DX	RETINOPATHY OF PREMATURITY, STAGE 1, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.129	DX	RETINOPATHY OF PREMATURITY, STAGE 1, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.13	DX	RETINOPATHY OF PREMATURITY, STAGE 2	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.131	DX	RETINOPATHY OF PREMATURITY, STAGE 2, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.132	DX	RETINOPATHY OF PREMATURITY, STAGE 2, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.133	DX	RETINOPATHY OF PREMATURITY, STAGE 2, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.139	DX	RETINOPATHY OF PREMATURITY, STAGE 2, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.14	DX	RETINOPATHY OF PREMATURITY, STAGE 3	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.141	DX	RETINOPATHY OF PREMATURITY, STAGE 3, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.142	DX	RETINOPATHY OF PREMATURITY, STAGE 3, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.143	DX	RETINOPATHY OF PREMATURITY, STAGE 3, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.149	DX	RETINOPATHY OF PREMATURITY, STAGE 3, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.15	DX	RETINOPATHY OF PREMATURITY, STAGE 4	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.151	DX	RETINOPATHY OF PREMATURITY, STAGE 4, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.152	DX	RETINOPATHY OF PREMATURITY, STAGE 4, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.153	DX	RETINOPATHY OF PREMATURITY, STAGE 4, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.159	DX	RETINOPATHY OF PREMATURITY, STAGE 4, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.16	DX	RETINOPATHY OF PREMATURITY, STAGE 5	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.161	DX	RETINOPATHY OF PREMATURITY, STAGE 5, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.162	DX	RETINOPATHY OF PREMATURITY, STAGE 5, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.163	DX	RETINOPATHY OF PREMATURITY, STAGE 5, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.169	DX	RETINOPATHY OF PREMATURITY, STAGE 5, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.17	DX	RETROLENTAL FIBROPLASIA	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.171	DX	RETROLENTAL FIBROPLASIA, RIGHT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.172	DX	RETROLENTAL FIBROPLASIA, LEFT EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.173	DX	RETROLENTAL FIBROPLASIA, BILATERAL	ICD-10-CM	
6	Pregnant female or breast-feeding	H35.179	DX	RETROLENTAL FIBROPLASIA, UNSPECIFIED EYE	ICD-10-CM	
6	Pregnant female or breast-feeding	000	DX	ECTOPIC PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.0	DX	ABDOMINAL PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.00	DX	ABDOMINAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.01	DX	ABDOMINAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.1	DX	TUBAL PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.10	DX	TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.101	DX	RIGHT TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding	000.102	DX	LEFT TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM	

6	Pregnant female or breast-feeding	O00.109	DX	UNSPECIFIED TUBAL PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.11	DX	TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.111	DX	RIGHT TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.112	DX	LEFT TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.119	DX	UNSPECIFIED TUBAL PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.2	DX	OVARIAN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.20	DX	OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.201	DX	RIGHT OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.202	DX	LEFT OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.209	DX	UNSPECIFIED OVARIAN PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.21	DX	OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.211	DX	RIGHT OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.212	DX	LEFT OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.219	DX	UNSPECIFIED OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.8	DX	OTHER ECTOPIC PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.80	DX	OTHER ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.81	DX	OTHER ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.9	DX	ECTOPIC PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O00.90	DX	UNSPECIFIED ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O00.91	DX	UNSPECIFIED ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O01	DX	HYDATIDIFORM MOLE	ICD-10-CM
6	Pregnant female or breast-feeding	O01.0	DX	CLASSICAL HYDATIDIFORM MOLE	ICD-10-CM
6	Pregnant female or breast-feeding	O01.1	DX	INCOMPLETE AND PARTIAL HYDATIDIFORM MOLE	ICD-10-CM
6	Pregnant female or breast-feeding	O01.9	DX	HYDATIDIFORM MOLE, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O02	DX	OTHER ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
6	Pregnant female or breast-feeding	O02.0	DX	BLIGHTED OVUM AND NONHYDATIDIFORM MOLE	ICD-10-CM
6	Pregnant female or breast-feeding	O02.1	DX	MISSED ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O02.8	DX	OTHER SPECIFIED ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
6	Pregnant female or breast-feeding	O02.81	DX	INAPPROPRIATE CHANGE IN QUANTITATIVE HUMAN CHORIONIC GONADOTROPIN (HCG) IN EARLY PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O02.89	DX	OTHER ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
6	Pregnant female or breast-feeding	O02.9	DX	ABNORMAL PRODUCT OF CONCEPTION, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O03	DX	SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.2	DX	EMBOLISM FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.3	DX	OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.30	DX	UNSPECIFIED COMPLICATION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.31	DX	SHOCK FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.32	DX	RENAL FAILURE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.33	DX	METABOLIC DISORDER FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.34	DX	DAMAGE TO PELVIC ORGANS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.35	DX	OTHER VENOUS COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.36	DX	CARDIAC ARREST FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.37	DX	SEPSIS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.38	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.39	DX	INCOMPLETE SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O03.4	DX	INCOMPLETE SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.5	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.6	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.7	DX	EMBOLISM FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.8	DX	OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.80	DX	UNSPECIFIED COMPLICATION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.81	DX	SHOCK FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.82	DX	RENAL FAILURE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.83	DX	METABOLIC DISORDER FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.84	DX	DAMAGE TO PELVIC ORGANS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.85	DX	OTHER VENOUS COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.86	DX	CARDIAC ARREST FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.87	DX	SEPSIS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.88	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O03.89	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O03.9	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
6	Pregnant female or breast-feeding	O04	DX	COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.5	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.6	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.7	DX	EMBOLISM FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.8	DX	(INDUCED) TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O04.80	DX	(INDUCED) TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O04.81	DX	SHOCK FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.82	DX	RENAL FAILURE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.83	DX	METABOLIC DISORDER FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.84	DX	DAMAGE TO PELVIC ORGANS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.85	DX	OTHER VENOUS COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.86	DX	CARDIAC ARREST FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.87	DX	SEPSIS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.88	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O04.89	DX	(INDUCED) TERMINATION OF PREGNANCY WITH OTHER COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O07	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.2	DX	EMBOLISM FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.3	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O07.30	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O07.31	DX	SHOCK FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.32	DX	RENAL FAILURE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.33	DX	METABOLIC DISORDER FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.34	DX	DAMAGE TO PELVIC ORGANS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.35	DX	OTHER VENOUS COMPLICATIONS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.36	DX	CARDIAC ARREST FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.37	DX	SEPSIS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.38	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O07.39	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER COMPLICATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	O07.4	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITHOUT COMPLICATION	ICD-10-CM
6	Pregnant female or breast-feeding	O08	DX	COMPLICATIONS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O08.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O08.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O08.2	DX	EMBOLISM FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O08.3	DX	SHOCK FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O08.4	DX	RENAL FAILURE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM

6	Pregnant female or breast-feeding	008.5	DX	METABOLIC DISORDERS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.6	DX	DAMAGE TO PELVIC ORGANS AND TISSUES FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.7	DX	OTHER VENOUS COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.8	DX	OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.81	DX	CARDIAC ARREST FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.82	DX	SEPSIS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.83	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.89	DX	OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	008.9	DX	UNSPECIFIED COMPLICATION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	009	DX	SUPERVISION OF HIGH RISK PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	009.0	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY	ICD-10-CM
6	Pregnant female or breast-feeding	009.00	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.01	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.02	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.03	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF INFERTILITY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.1	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	009.10	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.11	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.12	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.13	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF ECTOPIC PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.2	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY	ICD-10-CM
6	Pregnant female or breast-feeding	009.21	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	009.211	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.212	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.213	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.219	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF PRE-TERM LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.29	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY	ICD-10-CM
6	Pregnant female or breast-feeding	009.291	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.292	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.293	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.299	DX	SUPERVISION OF PREGNANCY WITH OTHER POOR REPRODUCTIVE OR OBSTETRIC HISTORY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.3	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE	ICD-10-CM
6	Pregnant female or breast-feeding	009.30	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.31	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.32	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.33	DX	SUPERVISION OF PREGNANCY WITH INSUFFICIENT ANTENATAL CARE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.4	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY	ICD-10-CM
6	Pregnant female or breast-feeding	009.40	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.41	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.42	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.43	DX	SUPERVISION OF PREGNANCY WITH GRAND MULTIPARITY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.5	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA AND MULTIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.51	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.511	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.512	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.513	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.519	DX	SUPERVISION OF ELDERLY PRIMIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.52	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.521	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.522	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.523	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.529	DX	SUPERVISION OF ELDERLY MULTIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.6	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA AND MULTIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.61	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.611	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.612	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.613	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.619	DX	SUPERVISION OF YOUNG PRIMIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.62	DX	SUPERVISION OF YOUNG MULTIGRAVIDA	ICD-10-CM
6	Pregnant female or breast-feeding	009.621	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.622	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.623	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.629	DX	SUPERVISION OF YOUNG MULTIGRAVIDA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.7	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS	ICD-10-CM
6	Pregnant female or breast-feeding	009.70	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.71	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.72	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.73	DX	SUPERVISION OF HIGH RISK PREGNANCY DUE TO SOCIAL PROBLEMS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.8	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES	ICD-10-CM
6	Pregnant female or breast-feeding	009.81	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY	ICD-10-CM
6	Pregnant female or breast-feeding	009.811	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.812	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.813	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.819	DX	SUPERVISION OF PREGNANCY RESULTING FROM ASSISTED REPRODUCTIVE TECHNOLOGY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.82	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	009.821	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.822	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.823	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.829	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF IN UTERO PROCEDURE DURING PREVIOUS PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.89	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES	ICD-10-CM
6	Pregnant female or breast-feeding	009.891	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.892	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.893	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.899	DX	SUPERVISION OF OTHER HIGH RISK PREGNANCIES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.9	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	009.90	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.91	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.92	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.93	DX	SUPERVISION OF HIGH RISK PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.A	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	009.A0	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.A1	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	009.A2	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, SECOND TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O09.A3	DX	SUPERVISION OF PREGNANCY WITH HISTORY OF MOLAR PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10	DX	PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.0	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.01	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.011	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.012	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.013	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.019	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.02	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.03	DX	PRE-EXISTING ESSENTIAL HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.1	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.11	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.111	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.112	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.113	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.119	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.12	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.13	DX	PRE-EXISTING HYPERTENSIVE HEART DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.2	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.21	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.211	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.212	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.213	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.219	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.22	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.23	DX	PRE-EXISTING HYPERTENSIVE CHRONIC KIDNEY DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.3	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.31	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.311	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.312	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.313	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.319	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.32	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.33	DX	PRE-EXISTING HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.4	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.41	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.411	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.412	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.413	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.419	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.42	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.43	DX	PRE-EXISTING SECONDARY HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.9	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O10.91	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O10.911	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.912	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.913	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.919	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O10.92	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O10.93	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O11	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O11.1	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O11.2	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O11.3	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O11.4	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O11.5	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O11.9	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12	DX	GESTATIONAL [PREGNANCY-GESTATIONAL [PREGNANCY-INDUCED] EDEMA AND PROTEINURIA WITHOUT HYPERTENSION	ICD-10-CM
6	Pregnant female or breast-feeding	O12.0	DX	GESTATIONAL EDEMA	ICD-10-CM
6	Pregnant female or breast-feeding	O12.00	DX	GESTATIONAL EDEMA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.01	DX	GESTATIONAL EDEMA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.02	DX	GESTATIONAL EDEMA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.03	DX	GESTATIONAL EDEMA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.04	DX	GESTATIONAL EDEMA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O12.05	DX	GESTATIONAL EDEMA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O12.1	DX	GESTATIONAL PROTEINURIA	ICD-10-CM
6	Pregnant female or breast-feeding	O12.10	DX	GESTATIONAL PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.11	DX	GESTATIONAL PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.12	DX	GESTATIONAL PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.13	DX	GESTATIONAL PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.14	DX	GESTATIONAL PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O12.15	DX	GESTATIONAL PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O12.2	DX	GESTATIONAL EDEMA WITH PROTEINURIA	ICD-10-CM
6	Pregnant female or breast-feeding	O12.20	DX	GESTATIONAL EDEMA WITH PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.21	DX	GESTATIONAL EDEMA WITH PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.22	DX	GESTATIONAL EDEMA WITH PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.23	DX	GESTATIONAL EDEMA WITH PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O12.24	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O12.25	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O13	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA	ICD-10-CM
6	Pregnant female or breast-feeding	O13.1	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O13.2	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O13.3	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O13.4	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O13.5	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O13.9	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14	DX	PRE-ECLAMPSIA-ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O14.0	DX	MILD TO MODERATE PRE-ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O14.00	DX	MILD TO MODERATE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.02	DX	MILD TO MODERATE PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.03	DX	MILD TO MODERATE PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O14.04	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O14.05	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O14.1	DX	SEVERE PRE-ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O14.10	DX	SEVERE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.12	DX	SEVERE PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.13	DX	SEVERE PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.14	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O14.15	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O14.2	DX	HELLP SYNDROME	ICD-10-CM
6	Pregnant female or breast-feeding	O14.20	DX	HELLP SYNDROME (HELLP), UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.22	DX	HELLP SYNDROME (HELLP), SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.23	DX	HELLP SYNDROME (HELLP), THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.24	DX	HELLP SYNDROME, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O14.25	DX	HELLP SYNDROME, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O14.9	DX	UNSPECIFIED PRE-ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O14.90	DX	UNSPECIFIED PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.92	DX	UNSPECIFIED PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.93	DX	UNSPECIFIED PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O14.94	DX	UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O14.95	DX	UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O15	DX	ECLAMPSIA	ICD-10-CM
6	Pregnant female or breast-feeding	O15.0	DX	ECLAMPSIA COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O15.00	DX	ECLAMPSIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O15.02	DX	ECLAMPSIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O15.03	DX	ECLAMPSIA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O15.1	DX	ECLAMPSIA COMPLICATING LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O15.2	DX	ECLAMPSIA COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O15.9	DX	ECLAMPSIA, UNSPECIFIED AS TO TIME PERIOD	ICD-10-CM
6	Pregnant female or breast-feeding	O16	DX	UNSPECIFIED MATERNAL HYPERTENSION	ICD-10-CM
6	Pregnant female or breast-feeding	O16.1	DX	UNSPECIFIED MATERNAL HYPERTENSION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O16.2	DX	UNSPECIFIED MATERNAL HYPERTENSION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O16.3	DX	UNSPECIFIED MATERNAL HYPERTENSION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O16.4	DX	UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O16.5	DX	UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O16.9	DX	UNSPECIFIED MATERNAL HYPERTENSION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O20	DX	HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O20.0	DX	THREATENED ABORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O20.8	DX	OTHER HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O20.9	DX	HEMORRHAGE IN EARLY PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O21	DX	EXCESSIVE VOMITING IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O21.0	DX	MILD HYPEREMESIS GRAVIDARUM	ICD-10-CM
6	Pregnant female or breast-feeding	O21.1	DX	HYPEREMESIS GRAVIDARUM WITH METABOLIC DISTURBANCE	ICD-10-CM
6	Pregnant female or breast-feeding	O21.2	DX	LATE VOMITING OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O21.8	DX	OTHER VOMITING COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O21.9	DX	VOMITING OF PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O22	DX	VENOUS COMPLICATIONS AND HEMORRHOIDS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.0	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.00	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.01	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.02	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.03	DX	VARICOSE VEINS OF LOWER EXTREMITY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.1	DX	GENITAL VARICES IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.10	DX	GENITAL VARICES IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.11	DX	GENITAL VARICES IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.12	DX	GENITAL VARICES IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.13	DX	GENITAL VARICES IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.2	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.20	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.21	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.22	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.23	DX	SUPERFICIAL THROMBOPHLEBITIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.3	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.30	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.31	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.32	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.33	DX	DEEP PHLEBOTHROMBOSIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.4	DX	HEMORRHOIDS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.40	DX	HEMORRHOIDS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.41	DX	HEMORRHOIDS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.42	DX	HEMORRHOIDS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.43	DX	HEMORRHOIDS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.5	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.50	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.51	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.52	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.53	DX	CEREBRAL VENOUS THROMBOSIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8X	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8X1	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8X2	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8X3	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.8X9	DX	OTHER VENOUS COMPLICATIONS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.9	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O22.90	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.91	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.92	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O22.93	DX	VENOUS COMPLICATION IN PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.0	DX	INFECTIONS OF KIDNEY IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.00	DX	INFECTIONS OF KIDNEY IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.01	DX	INFECTIONS OF KIDNEY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.02	DX	INFECTIONS OF KIDNEY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.03	DX	INFECTIONS OF KIDNEY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.1	DX	INFECTIONS OF BLADDER IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.10	DX	INFECTIONS OF BLADDER IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.11	DX	INFECTIONS OF BLADDER IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.12	DX	INFECTIONS OF BLADDER IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.13	DX	INFECTIONS OF BLADDER IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.2	DX	INFECTIONS OF URETHRA IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.20	DX	INFECTIONS OF URETHRA IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.21	DX	INFECTIONS OF URETHRA IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.22	DX	INFECTIONS OF URETHRA IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.23	DX	INFECTIONS OF URETHRA IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.3	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.30	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.31	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.32	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.33	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.4	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.40	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.41	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.42	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.43	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.5	DX	INFECTIONS OF THE GENITAL TRACT IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.51	DX	INFECTION OF CERVIX IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.511	DX	INFECTIONS OF CERVIX IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.512	DX	INFECTIONS OF CERVIX IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.513	DX	INFECTIONS OF CERVIX IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.519	DX	INFECTIONS OF CERVIX IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.52	DX	SALPINGO-OOPHORITIS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.521	DX	SALPINGO-OOPHORITIS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.522	DX	SALPINGO-OOPHORITIS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.523	DX	SALPINGO-OOPHORITIS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.529	DX	SALPINGO-OOPHORITIS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.59	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.591	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.592	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.593	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O23.599	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.9	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O23.90	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.91	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.92	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O23.93	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24	DX	DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.0	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.01	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.011	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.012	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.013	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.019	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.02	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.03	DX	PRE-EXISTING TYPE 1 DIABETES MELLITUS, IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.1	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.11	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.111	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.112	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.113	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.119	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.12	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.13	DX	PRE-EXISTING TYPE 2 DIABETES MELLITUS, IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.3	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.31	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.311	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.312	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.313	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.319	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.32	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.33	DX	UNSPECIFIED PRE-EXISTING DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.4	DX	GESTATIONAL DIABETES MELLITUS	ICD-10-CM
6	Pregnant female or breast-feeding	O24.41	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.410	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, DIET CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.414	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, INSULIN CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.415	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	ICD-10-CM
6	Pregnant female or breast-feeding	O24.419	DX	GESTATIONAL DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED CONTROL	ICD-10-CM
6	Pregnant female or breast-feeding	O24.42	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.420	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, DIET CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.424	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, INSULIN CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.425	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	ICD-10-CM
6	Pregnant female or breast-feeding	O24.429	DX	GESTATIONAL DIABETES MELLITUS IN CHILDBIRTH, UNSPECIFIED CONTROL	ICD-10-CM
6	Pregnant female or breast-feeding	O24.43	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.430	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, DIET CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.434	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, INSULIN CONTROLLED	ICD-10-CM
6	Pregnant female or breast-feeding	O24.435	DX	GESTATIONAL DIABETES MELLITUS IN PUERPERIUM, CONTROLLED BY ORAL HYPOGLYCEMIC DRUGS	ICD-10-CM
6	Pregnant female or breast-feeding	O24.439	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, UNSPECIFIED CONTROL	ICD-10-CM
6	Pregnant female or breast-feeding	O24.8	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.81	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.811	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.812	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.813	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.819	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.82	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.83	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.9	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O24.91	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O24.911	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.912	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.913	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.919	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O24.92	DX	UNSPECIFIED DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O24.93	DX	UNSPECIFIED DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O25	DX	MALNUTRITION IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O25.1	DX	MALNUTRITION IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O25.10	DX	MALNUTRITION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O25.11	DX	MALNUTRITION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O25.12	DX	MALNUTRITION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O25.13	DX	MALNUTRITION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O25.2	DX	MALNUTRITION IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O25.3	DX	MALNUTRITION IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O26	DX	MATERNAL CARE FOR OTHER CONDITIONS PREDOMINANTLY RELATED TO PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O26.0	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O26.00	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.01	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.02	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.03	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.1	DX	LOW WEIGHT GAIN IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O26.10	DX	LOW WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.11	DX	LOW WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.12	DX	LOW WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.13	DX	LOW WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.2	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS	ICD-10-CM
6	Pregnant female or breast-feeding	O26.20	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.21	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.22	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.23	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.3	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O26.30	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.31	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.32	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.33	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.4	DX	HERPES GESTATIONIS	ICD-10-CM
6	Pregnant female or breast-feeding	O26.40	DX	HERPES GESTATIONIS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.41	DX	HERPES GESTATIONIS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.42	DX	HERPES GESTATIONIS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.43	DX	HERPES GESTATIONIS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.5	DX	MATERNAL HYPOTENSION SYNDROME	ICD-10-CM
6	Pregnant female or breast-feeding	O26.50	DX	MATERNAL HYPOTENSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.51	DX	MATERNAL HYPOTENSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.52	DX	MATERNAL HYPOTENSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O26.53	DX	MATERNAL HYPOTENSION SYNDROME, THIRD TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	026.6	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	026.61	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	026.611	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.612	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.613	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.619	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.62	DX	LIVER AND BILIARY TRACT DISORDERS IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	026.63	DX	LIVER AND BILIARY TRACT DISORDERS IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	026.7	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	026.71	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	026.711	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.712	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.713	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.719	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.72	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	026.73	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	026.8	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
6	Pregnant female or breast-feeding	026.81	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE	ICD-10-CM
6	Pregnant female or breast-feeding	026.811	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.812	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.813	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.819	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.82	DX	PREGNANCY RELATED PERIPHERAL NEURITIS	ICD-10-CM
6	Pregnant female or breast-feeding	026.821	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.822	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.823	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.829	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.83	DX	PREGNANCY RELATED RENAL DISEASE	ICD-10-CM
6	Pregnant female or breast-feeding	026.831	DX	PREGNANCY RELATED RENAL DISEASE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.832	DX	PREGNANCY RELATED RENAL DISEASE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.833	DX	PREGNANCY RELATED RENAL DISEASE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.839	DX	PREGNANCY RELATED RENAL DISEASE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.84	DX	UTERINE SIZE-DATE DISCREPANCY COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	026.841	DX	UTERINE SIZE-DATE DISCREPANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.842	DX	UTERINE SIZE-DATE DISCREPANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.843	DX	UTERINE SIZE-DATE DISCREPANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.849	DX	UTERINE SIZE-DATE DISCREPANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.85	DX	SPOTTING COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	026.851	DX	SPOTTING COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.852	DX	SPOTTING COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.853	DX	SPOTTING COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.859	DX	SPOTTING COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.86	DX	PRURITIC URTICARIAL PAPULES AND PLAQUES OF PREGNANCY (PUPPP)	ICD-10-CM
6	Pregnant female or breast-feeding	026.87	DX	CERVICAL SHORTENING	ICD-10-CM
6	Pregnant female or breast-feeding	026.872	DX	CERVICAL SHORTENING, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.873	DX	CERVICAL SHORTENING, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.879	DX	CERVICAL SHORTENING, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.89	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
6	Pregnant female or breast-feeding	026.891	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.892	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.893	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.899	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.9	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	026.90	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.91	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.92	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	026.93	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	028	DX	ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.0	DX	ABNORMAL HEMATOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.1	DX	ABNORMAL BIOCHEMICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.2	DX	ABNORMAL CYTOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.3	DX	ABNORMAL ULTRASONIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.4	DX	ABNORMAL RADIOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.5	DX	ABNORMAL CHROMOSOMAL AND GENETIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.8	DX	OTHER ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	028.9	DX	UNSPECIFIED ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	029	DX	COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.0	DX	PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.01	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.011	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.012	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.013	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.019	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.02	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.021	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.022	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.023	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.029	DX	PRESSURE COLLAPSE OF LUNG DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.09	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.091	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.092	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.093	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.099	DX	OTHER PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.1	DX	CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.11	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.111	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.112	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.113	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.119	DX	CARDIAC ARREST DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.12	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.121	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.122	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.123	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.129	DX	CARDIAC FAILURE DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.19	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.191	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.192	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.193	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.199	DX	OTHER CARDIAC COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.2	DX	CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.21	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.211	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.212	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	029.213	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.219	DX	CEREBRAL ANOXIA DUE TO ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.29	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.291	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.292	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.293	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.299	DX	OTHER CENTRAL NERVOUS SYSTEM COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.3	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.3X	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.3X1	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.3X2	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.3X3	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.3X9	DX	TOXIC REACTION TO LOCAL ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.4	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.40	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.41	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.42	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.43	DX	SPINAL AND EPIDURAL ANESTHESIA INDUCED HEADACHE DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.5	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.5X	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.5X1	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.5X2	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.5X3	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.5X9	DX	OTHER COMPLICATIONS OF SPINAL AND EPIDURAL ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.6	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.60	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.61	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.62	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.63	DX	FAILED OR DIFFICULT INTUBATION FOR ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.8	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.8X	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.8X1	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.8X2	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.8X3	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.8X9	DX	OTHER COMPLICATIONS OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.9	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	029.90	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.91	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.92	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	029.93	DX	UNSPECIFIED COMPLICATION OF ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030	DX	MULTIPLE GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	030.0	DX	TWIN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	030.00	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	030.001	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.002	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.003	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.009	DX	TWIN PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.01	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC	ICD-10-CM
6	Pregnant female or breast-feeding	030.011	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.012	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.013	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.019	DX	TWIN PREGNANCY, MONOCHORIONIC/MONOAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.02	DX	CONJOINED TWIN PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	030.021	DX	CONJOINED TWIN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.022	DX	CONJOINED TWIN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.023	DX	CONJOINED TWIN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.029	DX	CONJOINED TWIN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.03	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC	ICD-10-CM
6	Pregnant female or breast-feeding	030.031	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.032	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.033	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.039	DX	TWIN PREGNANCY, MONOCHORIONIC/DIAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.04	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC	ICD-10-CM
6	Pregnant female or breast-feeding	030.041	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.042	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.043	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.049	DX	TWIN PREGNANCY, DICHORIONIC/DIAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.09	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	030.091	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.092	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.093	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.099	DX	TWIN PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.1	DX	TRIPLET PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	030.10	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	030.101	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.102	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.103	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.109	DX	TRIPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.11	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	030.111	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.112	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.113	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.119	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.12	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	030.121	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.122	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	030.123	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O30.129	DX	TRIPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.13	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC	ICD-10-CM
6	Pregnant female or breast-feeding	O30.131	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.132	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.133	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.139	DX	TRIPLET PREGNANCY, TRICHORIONIC/TRIAMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.19	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	O30.191	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.192	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.193	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.199	DX	TRIPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.2	DX	QUADRUPLET PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O30.20	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	O30.201	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.202	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.203	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.209	DX	QUADRUPLET PREGNANCY, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.21	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	O30.211	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.212	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.213	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.219	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.22	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	O30.221	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.222	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.223	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.229	DX	QUADRUPLET PREGNANCY WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.23	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC	ICD-10-CM
6	Pregnant female or breast-feeding	O30.231	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.232	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.233	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.239	DX	QUADRUPLET PREGNANCY, QUADRACHORIONIC/QUADRA-AMNIOTIC, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.29	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	O30.291	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.292	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.293	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.299	DX	QUADRUPLET PREGNANCY, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.8	DX	OTHER SPECIFIED MULTIPLE GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O30.80	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	O30.801	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.802	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.803	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.809	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNSPECIFIED NUMBER OF PLACENTA AND UNSPECIFIED NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.81	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	O30.811	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.812	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.813	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.819	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOCHORIONIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.82	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	O30.821	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.822	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.823	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.829	DX	OTHER SPECIFIED MULTIPLE GESTATION WITH TWO OR MORE MONOAMNIOTIC FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.83	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES	ICD-10-CM
6	Pregnant female or breast-feeding	O30.831	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.832	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.833	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.839	DX	OTHER SPECIFIED MULTIPLE GESTATION, NUMBER OF CHORIONS AND AMNIONS ARE BOTH EQUAL TO THE NUMBER OF FETUSES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.89	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS	ICD-10-CM
6	Pregnant female or breast-feeding	O30.891	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.892	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.893	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.899	DX	OTHER SPECIFIED MULTIPLE GESTATION, UNABLE TO DETERMINE NUMBER OF PLACENTA AND NUMBER OF AMNIOTIC SACS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.9	DX	MULTIPLE GESTATION, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O30.90	DX	MULTIPLE GESTATION, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.91	DX	MULTIPLE GESTATION, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.92	DX	MULTIPLE GESTATION, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O30.93	DX	MULTIPLE GESTATION, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31	DX	COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O31.0	DX	PAPYRACEOUS FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X0	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X1	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X2	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X3	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X4	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X5	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.00X9	DX	PAPYRACEOUS FETUS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X0	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X1	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X2	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 2	ICD-10-CM

6	Pregnant female or breast-feeding	O31.01X3	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X4	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X5	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.01X9	DX	PAPYRACEOUS FETUS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X0	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X1	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X2	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X3	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X4	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X5	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.02X9	DX	PAPYRACEOUS FETUS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X0	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X1	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X2	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X3	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X4	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X5	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.03X9	DX	PAPYRACEOUS FETUS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.10X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.11X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.12X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X0	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X1	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X2	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X3	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X4	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X5	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.13X9	DX	CONTINUING PREGNANCY AFTER SPONTANEOUS ABORTION OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.20X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.21X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.22X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X0	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X1	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X2	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM

6	Pregnant female or breast-feeding	O31.23X3	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X4	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X5	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.23X9	DX	CONTINUING PREGNANCY AFTER INTRAUTERINE DEATH OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.30X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.31X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.32X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X0	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X1	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X2	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X3	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X4	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X5	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.33X9	DX	CONTINUING PREGNANCY AFTER ELECTIVE FETAL REDUCTION OF ONE FETUS OR MORE, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X1	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X10	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X11	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X12	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X13	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X14	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X15	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X19	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X2	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X20	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X21	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X22	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X23	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X24	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X25	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X29	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X3	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X30	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X31	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X32	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X33	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X34	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X35	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X39	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X9	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X90	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X91	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X92	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X93	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X94	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X95	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O31.8X99	DX	OTHER COMPLICATIONS SPECIFIC TO MULTIPLE GESTATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0	DX	MATERNAL CARE FOR UNSTABLE LIE	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX0	DX	MATERNAL CARE FOR UNSTABLE LIE, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX1	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX2	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 2	ICD-10-CM

6	Pregnant female or breast-feeding	O32.0XX3	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX4	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX5	DX	MATERNAL CARE FOR UNSTABLE LIE, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.0XX9	DX	MATERNAL CARE FOR UNSTABLE LIE, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1	DX	MATERNAL CARE FOR BREECH PRESENTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX	DX	MATERNAL CARE FOR BREECH PRESENTATION, NOT APPLICABLE OR	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX0	DX	UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX1	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX2	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX3	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX4	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX5	DX	MATERNAL CARE FOR BREECH PRESENTATION, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.1XX9	DX	MATERNAL CARE FOR BREECH PRESENTATION, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, NOT APPLICABLE OR	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX0	DX	UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX1	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX2	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX3	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX4	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX5	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.2XX9	DX	MATERNAL CARE FOR TRANSVERSE AND OBLIQUE LIE, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX0	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX1	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX2	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX3	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX4	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX5	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.3XX9	DX	MATERNAL CARE FOR FACE, BROW AND CHIN PRESENTATION, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4	DX	MATERNAL CARE FOR HIGH HEAD AT TERM	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4X	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, NOT APPLICABLE OR	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX0	DX	UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX1	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX2	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX3	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX4	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX5	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.4XX9	DX	MATERNAL CARE FOR HIGH HEAD AT TERM, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6	DX	MATERNAL CARE FOR COMPOUND PRESENTATION	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX0	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX1	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX2	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX3	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX4	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX5	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.6XX9	DX	MATERNAL CARE FOR COMPOUND PRESENTATION, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, NOT	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX0	DX	APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX1	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX2	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX3	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX4	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX5	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.8XX9	DX	MATERNAL CARE FOR OTHER MALPRESENTATION OF FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, NOT	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX0	DX	APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX1	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX2	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX3	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX4	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX5	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O32.9XX9	DX	MATERNAL CARE FOR MALPRESENTATION OF FETUS, UNSPECIFIED, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33	DX	MATERNAL CARE FOR DISPROPORTION	ICD-10-CM
6	Pregnant female or breast-feeding	O33.0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO DEFORMITY OF MATERNAL PELVIC BONES	ICD-10-CM
6	Pregnant female or breast-feeding	O33.1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO GENERALLY CONTRACTED PELVIS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO INLET CONTRACTION OF PELVIS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O33.3XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OUTLET CONTRACTION OF PELVIS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX0	DX	ORIGIN, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX1	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX2	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX3	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX4	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX5	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O33.4XX9	DX	MATERNAL CARE FOR DISPROPORTION OF MIXED MATERNAL AND FETAL ORIGIN, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5X	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS,	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX0	DX	NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O33.5XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO UNUSUALLY LARGE FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 4	ICD-10-CM

6	Pregnant female or breast-feeding	O33.6XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O33.6XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O33.7XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O33.8	DX	MATERNAL CARE FOR DISPROPORTION OF OTHER ORIGIN	ICD-10-CM
6	Pregnant female or breast-feeding	O33.9	DX	MATERNAL CARE FOR DISPROPORTION, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O34	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGANS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.0	DX	MATERNAL CARE FOR CONGENITAL MALFORMATION OF UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.00	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.01	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.02	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.03	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.1	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI	ICD-10-CM
6	Pregnant female or breast-feeding	O34.10	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.11	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.12	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.13	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.2	DX	MATERNAL CARE DUE TO UTERINE SCAR FROM PREVIOUS SURGERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.21	DX	MATERNAL CARE FOR SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.211	DX	MATERNAL CARE FOR LOW TRANSVERSE SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.212	DX	MATERNAL CARE FOR VERTICAL SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.219	DX	MATERNAL CARE FOR UNSPECIFIED TYPE SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.29	DX	MATERNAL CARE DUE TO UTERINE SCAR FROM OTHER PREVIOUS SURGERY	ICD-10-CM
6	Pregnant female or breast-feeding	O34.3	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE	ICD-10-CM
6	Pregnant female or breast-feeding	O34.30	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.31	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.32	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.33	DX	MATERNAL CARE FOR CERVICAL INCOMPETENCE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.4	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX	ICD-10-CM
6	Pregnant female or breast-feeding	O34.40	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.41	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.42	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.43	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF CERVIX, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.5	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.51	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.511	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.512	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.513	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.519	DX	MATERNAL CARE FOR INCARCERATION OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.52	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.521	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.522	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.523	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.529	DX	MATERNAL CARE FOR PROLAPSE OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.53	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.531	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.532	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.533	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.539	DX	MATERNAL CARE FOR RETROVERSION OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.59	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.591	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.592	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.593	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.599	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF GRAVID UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.6	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA	ICD-10-CM
6	Pregnant female or breast-feeding	O34.60	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.61	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.62	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.63	DX	MATERNAL CARE FOR ABNORMALITY OF VAGINA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.7	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM	ICD-10-CM
6	Pregnant female or breast-feeding	O34.70	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.71	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.72	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.73	DX	MATERNAL CARE FOR ABNORMALITY OF VULVA AND PERINEUM, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.8	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS	ICD-10-CM
6	Pregnant female or breast-feeding	O34.80	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.81	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.82	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.83	DX	MATERNAL CARE FOR OTHER ABNORMALITIES OF PELVIC ORGANS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.9	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O34.90	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.91	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.92	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O34.93	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGAN, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O35	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED FETAL ABNORMALITY AND DAMAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX0	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX1	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX2	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX3	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 3	ICD-10-CM

6	Pregnant female or breast-feeding	O35.0XX4	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX5	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.0XX9	DX	MATERNAL CARE FOR (SUSPECTED) CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX0	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX1	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX2	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX3	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX4	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX5	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.1XX9	DX	MATERNAL CARE FOR (SUSPECTED) CHROMOSOMAL ABNORMALITY IN FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX0	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX1	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX2	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX3	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX4	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX5	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.2XX9	DX	MATERNAL CARE FOR (SUSPECTED) HEREDITARY DISEASE IN FETUS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.3XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM VIRAL DISEASE IN MOTHER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.4XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS FROM ALCOHOL, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.5XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY DRUGS, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.6XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY RADIATION, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX0	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX1	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX2	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX3	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX4	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX5	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.7XX9	DX	MATERNAL CARE FOR (SUSPECTED) DAMAGE TO FETUS BY OTHER MEDICAL PROCEDURES, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX0	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX1	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX2	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX3	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX4	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX5	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.8XX9	DX	MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX0	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX1	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX2	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX3	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 3	ICD-10-CM

6	Pregnant female or breast-feeding	O35.9XX4	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX5	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O35.9XX9	DX	MATERNAL CARE FOR (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, UNSPECIFIED, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36	DX	MATERNAL CARE FOR OTHER FETAL PROBLEMS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0	DX	MATERNAL CARE FOR RHESUS ISOIMMUNIZATION	ICD-10-CM
6	Pregnant female or breast-feeding	O36.01	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES	ICD-10-CM
6	Pregnant female or breast-feeding	O36.011	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0110	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0111	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0112	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0113	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0114	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0115	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0119	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.012	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0120	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0121	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0122	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0123	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0124	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0125	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0129	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.013	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0130	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0131	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0132	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0133	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0134	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0135	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0139	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.019	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0190	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0191	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0192	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0193	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0194	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0195	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0199	DX	MATERNAL CARE FOR ANTI-D [RH] ANTIBODIES, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.09	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION	ICD-10-CM
6	Pregnant female or breast-feeding	O36.091	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0910	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0911	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0912	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0913	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0914	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0915	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0919	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.092	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0920	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0921	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0922	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0923	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0924	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0925	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0929	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.093	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0930	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0931	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0932	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0933	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0934	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0935	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0939	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.099	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0990	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0991	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0992	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0993	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0994	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0995	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.0999	DX	MATERNAL CARE FOR OTHER RHESUS ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION	ICD-10-CM
6	Pregnant female or breast-feeding	O36.11	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION	ICD-10-CM
6	Pregnant female or breast-feeding	O36.111	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1110	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1111	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1112	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1113	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1114	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1115	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1119	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.112	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1120	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1121	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1122	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1123	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1124	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM

6	Pregnant female or breast-feeding	O36.1125	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1129	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.113	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1130	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1131	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1132	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1133	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1134	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1135	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1139	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.119	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1190	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1191	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1192	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1193	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1194	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1195	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1199	DX	MATERNAL CARE FOR ANTI-A SENSITIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.19	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION	ICD-10-CM
6	Pregnant female or breast-feeding	O36.191	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1910	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1911	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1912	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1913	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1914	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1915	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1919	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.192	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1920	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1921	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1922	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1923	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1924	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1925	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1929	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.193	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1930	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1931	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1932	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1933	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1934	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1935	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1939	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.199	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1990	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1991	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1992	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1993	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1994	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1995	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.1999	DX	MATERNAL CARE FOR OTHER ISOIMMUNIZATION, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.2	DX	MATERNAL CARE FOR HYDROPS FETALIS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.20X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.21X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.22X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X0	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X1	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X2	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X3	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X4	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X5	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.23X9	DX	MATERNAL CARE FOR HYDROPS FETALIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4	DX	MATERNAL CARE FOR INTRAUTERINE DEATH	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4X	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX0	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX1	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX2	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX3	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX4	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX5	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.4XX9	DX	MATERNAL CARE FOR INTRAUTERINE DEATH, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED POOR FETAL GROWTH	ICD-10-CM

6	Pregnant female or breast-feeding	O36.51	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY	ICD-10-CM
6	Pregnant female or breast-feeding	O36.511	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5110	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5111	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5112	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5113	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5114	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5115	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5119	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.512	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5120	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5121	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5122	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5123	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5124	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5125	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5129	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.513	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5130	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5131	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5132	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5133	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5134	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5135	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5139	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.519	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5190	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5191	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5192	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5193	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5194	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5195	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5199	DX	MATERNAL CARE FOR KNOWN OR SUSPECTED PLACENTAL INSUFFICIENCY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.59	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH	ICD-10-CM
6	Pregnant female or breast-feeding	O36.591	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5910	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5911	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5912	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5913	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5914	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5915	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5919	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.592	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5920	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5921	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5922	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5923	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5924	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5925	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5929	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.593	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5930	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5931	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5932	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5933	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5934	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5935	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5939	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.599	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5990	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5991	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5992	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5993	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5994	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5995	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.5999	DX	MATERNAL CARE FOR OTHER KNOWN OR SUSPECTED POOR FETAL GROWTH, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.6	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM

6	Pregnant female or breast-feeding	O36.60X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.60X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.61X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.62X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X0	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X1	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X2	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X3	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X4	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X5	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.63X9	DX	MATERNAL CARE FOR EXCESSIVE FETAL GROWTH, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.7	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.70X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.71X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.72X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X0	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X1	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X2	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X3	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X4	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X5	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.73X9	DX	MATERNAL CARE FOR VIABLE FETUS IN ABDOMINAL PREGNANCY, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X0	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X1	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X2	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X3	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X4	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X5	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.80X9	DX	PREGNANCY WITH INCONCLUSIVE FETAL VIABILITY, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.81	DX	DECREASED FETAL MOVEMENTS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.812	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8120	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8121	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8122	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8123	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8124	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8125	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8129	DX	DECREASED FETAL MOVEMENTS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.813	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8130	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8131	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8132	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8133	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8134	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8135	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8139	DX	DECREASED FETAL MOVEMENTS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.819	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O36.8190	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8191	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8192	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8193	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8194	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8195	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8199	DX	DECREASED FETAL MOVEMENTS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.82	DX	FETAL ANEMIA AND THROMBOCYTOPENIA	ICD-10-CM
6	Pregnant female or breast-feeding	O36.821	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8210	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8211	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8212	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8213	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8214	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8215	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8219	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.822	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8220	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8221	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8222	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8223	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8224	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8225	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8229	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.823	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8230	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8231	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8232	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8233	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8234	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8235	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8239	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.829	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8290	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8291	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8292	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8293	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8294	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8295	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8299	DX	FETAL ANEMIA AND THROMBOCYTOPENIA, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.83	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM	ICD-10-CM
6	Pregnant female or breast-feeding	O36.831	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8310	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8311	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8312	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8313	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8314	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8315	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8319	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.832	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8320	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8321	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8322	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8323	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8324	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8325	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8329	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.833	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8330	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8331	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8332	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8333	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8334	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8335	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8339	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.839	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8390	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8391	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8392	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8393	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8394	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8395	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8399	DX	MATERNAL CARE FOR ABNORMALITIES OF THE FETAL HEART RATE OR RHYTHM, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.89	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.891	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8910	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8911	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8912	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8913	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8914	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8915	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8919	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.892	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8920	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8921	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8922	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8923	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 3	ICD-10-CM

6	Pregnant female or breast-feeding	O36.8924	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8925	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8929	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.893	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8930	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8931	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8932	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8933	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8934	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8935	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8939	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.899	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8990	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8991	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8992	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8993	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8994	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8995	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.8999	DX	MATERNAL CARE FOR OTHER SPECIFIED FETAL PROBLEMS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.90X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.91X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.92X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X0	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X1	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X2	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X3	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X4	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X5	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O36.93X9	DX	MATERNAL CARE FOR FETAL PROBLEM, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O40	DX	POLYHYDRAMNIOS	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1	DX	POLYHYDRAMNIOS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX0	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX1	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX2	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX3	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX4	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX5	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O40.1XX9	DX	POLYHYDRAMNIOS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2	DX	POLYHYDRAMNIOS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX0	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX1	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX2	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX3	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX4	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX5	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O40.2XX9	DX	POLYHYDRAMNIOS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3	DX	POLYHYDRAMNIOS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX0	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX1	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX2	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX3	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX4	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX5	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O40.3XX9	DX	POLYHYDRAMNIOS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX0	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX1	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX2	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX3	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX4	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX5	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O40.9XX9	DX	POLYHYDRAMNIOS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O41	DX	OTHER DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	ICD-10-CM
6	Pregnant female or breast-feeding	O41.0	DX	OLIGOHYDRAMNIOS	ICD-10-CM
6	Pregnant female or breast-feeding	O41.00	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O41.00X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O41.00X0	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O41.00X1	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O41.00X2	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O41.00X3	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM

6	Pregnant female or breast-feeding	04100X4	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04100X5	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04100X9	DX	OLIGOHYDRAMNIOS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04101	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04101X0	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04101X1	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04101X2	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04101X3	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04101X4	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04101X5	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04101X9	DX	OLIGOHYDRAMNIOS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04102	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04102X0	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04102X1	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04102X2	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04102X3	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04102X4	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04102X5	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04102X9	DX	OLIGOHYDRAMNIOS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04103	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04103X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	04103X0	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04103X1	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04103X2	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04103X3	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04103X4	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04103X5	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04103X9	DX	OLIGOHYDRAMNIOS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0411	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES	ICD-10-CM
6	Pregnant female or breast-feeding	04110	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	041101	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411010	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411011	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411012	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411013	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411014	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411015	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411019	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041102	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411020	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411021	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411022	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411023	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411024	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411025	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411029	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041103	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411030	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411031	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411032	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411033	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411034	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411035	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411039	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041109	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411090	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411091	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411092	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411093	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411094	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411095	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411099	DX	INFECTION OF AMNIOTIC SAC AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04112	DX	CHORIOAMNIONITIS	ICD-10-CM
6	Pregnant female or breast-feeding	041121	DX	CHORIOAMNIONITIS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411210	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411211	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411212	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411213	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411214	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411215	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411219	DX	CHORIOAMNIONITIS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041122	DX	CHORIOAMNIONITIS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411220	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411221	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411222	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411223	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411224	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411225	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411229	DX	CHORIOAMNIONITIS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041123	DX	CHORIOAMNIONITIS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411230	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411231	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411232	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411233	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411234	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411235	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411239	DX	CHORIOAMNIONITIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041129	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411290	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411291	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411292	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411293	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411294	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411295	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411299	DX	CHORIOAMNIONITIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04114	DX	PLACENTITIS	ICD-10-CM
6	Pregnant female or breast-feeding	041141	DX	PLACENTITIS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411410	DX	PLACENTITIS, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411411	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411412	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411413	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411414	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411415	DX	PLACENTITIS, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411419	DX	PLACENTITIS, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041142	DX	PLACENTITIS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411420	DX	PLACENTITIS, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411421	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411422	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411423	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411424	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411425	DX	PLACENTITIS, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411429	DX	PLACENTITIS, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM

6	Pregnant female or breast-feeding	041143	DX	PLACENTITIS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411430	DX	PLACENTITIS, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411431	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411432	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411433	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411434	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411435	DX	PLACENTITIS, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411439	DX	PLACENTITIS, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	041149	DX	PLACENTITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0411490	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0411491	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0411492	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0411493	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0411494	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0411495	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0411499	DX	PLACENTITIS, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0418	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	ICD-10-CM
6	Pregnant female or breast-feeding	0418X	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES	ICD-10-CM
6	Pregnant female or breast-feeding	0418X1	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0418X10	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0418X11	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0418X12	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0418X13	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0418X14	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0418X15	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0418X19	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0418X2	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0418X20	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0418X21	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0418X22	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0418X23	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0418X24	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0418X25	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0418X29	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0418X3	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0418X30	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0418X31	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0418X32	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0418X33	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0418X34	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0418X35	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0418X39	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0418X9	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	0418X90	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	0418X91	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	0418X92	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	0418X93	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	0418X94	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	0418X95	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	0418X99	DX	OTHER SPECIFIED DISORDERS OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	0419	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04190	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04190X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04190X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04190X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04190X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04190X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04190X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04190X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04191	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04191X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04191X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04191X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04191X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04191X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04191X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04191X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, FIRST TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04192	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04192X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04192X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04192X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04192X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04192X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04192X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	04192X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	04193	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	04193X0	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	04193X1	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	04193X2	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	04193X3	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	04193X4	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	04193X5	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, FETUS 5	ICD-10-CM

6	Pregnant female or breast-feeding	041.93X9	DX	DISORDER OF AMNIOTIC FLUID AND MEMBRANES, UNSPECIFIED, THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	042.01	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE	ICD-10-CM
6	Pregnant female or breast-feeding	042.012	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.013	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.019	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR WITHIN 24 HOURS OF RUPTURE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.1	DX	PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
6	Pregnant female or breast-feeding	042.10	DX	PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	042.11	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
6	Pregnant female or breast-feeding	042.111	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.112	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.113	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.119	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.12	DX	FULL-TERM PREMATURE RUPTURE OF MEMBRANES, ONSET OF LABOR MORE THAN 24 HOURS FOLLOWING RUPTURE	ICD-10-CM
6	Pregnant female or breast-feeding	042.9	DX	PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	042.90	DX	PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	042.91	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	042.911	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.912	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.913	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.919	DX	PRETERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	042.92	DX	FULL-TERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	043	DX	PLACENTAL DISORDERS	ICD-10-CM
6	Pregnant female or breast-feeding	043.0	DX	PLACENTAL TRANSFUSION SYNDROMES	ICD-10-CM
6	Pregnant female or breast-feeding	043.01	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
6	Pregnant female or breast-feeding	043.011	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.012	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.013	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.019	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.02	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
6	Pregnant female or breast-feeding	043.021	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.022	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.023	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.029	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.1	DX	MALFORMATION OF PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	043.10	DX	MALFORMATION OF PLACENTA, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	043.101	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.102	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.103	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.109	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.11	DX	CIRCUMVALLATE PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	043.111	DX	CIRCUMVALLATE PLACENTA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.112	DX	CIRCUMVALLATE PLACENTA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.113	DX	CIRCUMVALLATE PLACENTA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.119	DX	CIRCUMVALLATE PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.12	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD	ICD-10-CM
6	Pregnant female or breast-feeding	043.121	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.122	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.123	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.129	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.19	DX	OTHER MALFORMATION OF PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	043.191	DX	OTHER MALFORMATION OF PLACENTA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.192	DX	OTHER MALFORMATION OF PLACENTA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.193	DX	OTHER MALFORMATION OF PLACENTA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.199	DX	OTHER MALFORMATION OF PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.2	DX	MORBIDLY ADHERENT PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	043.21	DX	PLACENTA ACCRETA	ICD-10-CM
6	Pregnant female or breast-feeding	043.211	DX	PLACENTA ACCRETA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.212	DX	PLACENTA ACCRETA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.213	DX	PLACENTA ACCRETA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.219	DX	PLACENTA ACCRETA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.22	DX	PLACENTA INCRETA	ICD-10-CM
6	Pregnant female or breast-feeding	043.221	DX	PLACENTA INCRETA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.222	DX	PLACENTA INCRETA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.223	DX	PLACENTA INCRETA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.229	DX	PLACENTA INCRETA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.23	DX	PLACENTA PERCRETA	ICD-10-CM
6	Pregnant female or breast-feeding	043.231	DX	PLACENTA PERCRETA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.232	DX	PLACENTA PERCRETA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.233	DX	PLACENTA PERCRETA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.239	DX	PLACENTA PERCRETA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.8	DX	OTHER PLACENTAL DISORDERS	ICD-10-CM
6	Pregnant female or breast-feeding	043.81	DX	PLACENTAL INFARCTION	ICD-10-CM
6	Pregnant female or breast-feeding	043.811	DX	PLACENTAL INFARCTION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.812	DX	PLACENTAL INFARCTION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.813	DX	PLACENTAL INFARCTION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.819	DX	PLACENTAL INFARCTION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.89	DX	OTHER PLACENTAL DISORDERS	ICD-10-CM
6	Pregnant female or breast-feeding	043.891	DX	OTHER PLACENTAL DISORDERS, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.892	DX	OTHER PLACENTAL DISORDERS, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.893	DX	OTHER PLACENTAL DISORDERS, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.899	DX	OTHER PLACENTAL DISORDERS, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.9	DX	UNSPECIFIED PLACENTAL DISORDER	ICD-10-CM
6	Pregnant female or breast-feeding	043.90	DX	UNSPECIFIED PLACENTAL DISORDER, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.91	DX	UNSPECIFIED PLACENTAL DISORDER, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.92	DX	UNSPECIFIED PLACENTAL DISORDER, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	043.93	DX	UNSPECIFIED PLACENTAL DISORDER, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044	DX	PLACENTA PREVIA	ICD-10-CM
6	Pregnant female or breast-feeding	044.0	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	044.00	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.01	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.02	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.03	DX	COMPLETE PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.1	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	044.10	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.11	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.12	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.13	DX	COMPLETE PLACENTA PREVIA WITH HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.2	DX	PARTIAL PLACENTA PREVIA WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	044.20	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.21	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.22	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.23	DX	PARTIAL PLACENTA PREVIA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.3	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE	ICD-10-CM

6	Pregnant female or breast-feeding	044.30	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.31	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.32	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.33	DX	PARTIAL PLACENTA PREVIA WITH HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.4	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	044.40	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.41	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.42	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.43	DX	LOW LYING PLACENTA NOS OR WITHOUT HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.5	DX	LOW LYING PLACENTA WITH HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	044.50	DX	LOW LYING PLACENTA WITH HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.51	DX	LOW LYING PLACENTA WITH HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.52	DX	LOW LYING PLACENTA WITH HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	044.53	DX	LOW LYING PLACENTA WITH HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045	DX	PREMATURE SEPARATION OF PLACENTA [ABRUPTIO PLACENTAE]	ICD-10-CM
6	Pregnant female or breast-feeding	045.0	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT	ICD-10-CM
6	Pregnant female or breast-feeding	045.00	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	045.001	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.002	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.003	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.009	DX	PREMATURE SEPARATION OF PLACENTA WITH COAGULATION DEFECT, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.01	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA	ICD-10-CM
6	Pregnant female or breast-feeding	045.011	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.012	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.013	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.019	DX	PREMATURE SEPARATION OF PLACENTA WITH AFIBRINOGENEMIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.02	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION	ICD-10-CM
6	Pregnant female or breast-feeding	045.021	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.022	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.023	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.029	DX	PREMATURE SEPARATION OF PLACENTA WITH DISSEMINATED INTRAVASCULAR COAGULATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.09	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT	ICD-10-CM
6	Pregnant female or breast-feeding	045.091	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.092	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.093	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.099	DX	PREMATURE SEPARATION OF PLACENTA WITH OTHER COAGULATION DEFECT, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.8	DX	OTHER PREMATURE SEPARATION OF PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	045.8X	DX	OTHER PREMATURE SEPARATION OF PLACENTA	ICD-10-CM
6	Pregnant female or breast-feeding	045.8X1	DX	OTHER PREMATURE SEPARATION OF PLACENTA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.8X2	DX	OTHER PREMATURE SEPARATION OF PLACENTA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.8X3	DX	OTHER PREMATURE SEPARATION OF PLACENTA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.8X9	DX	OTHER PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.9	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	045.90	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.91	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.92	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	045.93	DX	PREMATURE SEPARATION OF PLACENTA, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046	DX	ANTEPARTUM HEMORRHAGE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	046.0	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT	ICD-10-CM
6	Pregnant female or breast-feeding	046.00	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	046.001	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.002	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.003	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.009	DX	ANTEPARTUM HEMORRHAGE WITH COAGULATION DEFECT, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.01	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA	ICD-10-CM
6	Pregnant female or breast-feeding	046.011	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.012	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.013	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.019	DX	ANTEPARTUM HEMORRHAGE WITH AFIBRINOGENEMIA, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.02	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION	ICD-10-CM
6	Pregnant female or breast-feeding	046.021	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.022	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.023	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.029	DX	ANTEPARTUM HEMORRHAGE WITH DISSEMINATED INTRAVASCULAR COAGULATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.09	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT	ICD-10-CM
6	Pregnant female or breast-feeding	046.091	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.092	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.093	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.099	DX	ANTEPARTUM HEMORRHAGE WITH OTHER COAGULATION DEFECT, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.8	DX	OTHER ANTEPARTUM HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	046.8X	DX	OTHER ANTEPARTUM HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	046.8X1	DX	OTHER ANTEPARTUM HEMORRHAGE, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.8X2	DX	OTHER ANTEPARTUM HEMORRHAGE, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.8X3	DX	OTHER ANTEPARTUM HEMORRHAGE, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.8X9	DX	OTHER ANTEPARTUM HEMORRHAGE, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.9	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	046.90	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.91	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.92	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	046.93	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	047	DX	FALSE LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	047.0	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	047.00	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	047.02	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	047.03	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	047.1	DX	FALSE LABOR AT OR AFTER 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	047.9	DX	FALSE LABOR, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	048	DX	LATE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	048.0	DX	POST-TERM PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	048.1	DX	PROLONGED PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	060.0	DX	PRETERM LABOR WITHOUT DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	060.00	DX	PRETERM LABOR WITHOUT DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	060.02	DX	PRETERM LABOR WITHOUT DELIVERY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	060.03	DX	PRETERM LABOR WITHOUT DELIVERY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	060.1	DX	PRETERM LABOR WITH PRETERM DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	060.10	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	060.10X	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	060.10X0	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	060.10X1	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	060.10X2	DX		ICD-10-CM

6	Pregnant female or breast-feeding	O60.10X3	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O60.10X4	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O60.10X5	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O60.10X9	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X0	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X1	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X2	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X3	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X4	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X5	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O60.12X9	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X0	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X1	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X2	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X3	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X4	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X5	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O60.13X9	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X	DX		ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X0	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X1	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 1	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X2	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 2	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X3	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 3	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X4	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 4	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X5	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, FETUS 5	ICD-10-CM
6	Pregnant female or breast-feeding	O60.14X9	DX	PRETERM LABOR THIRD TRIMESTER WITH PRETERM DELIVERY THIRD TRIMESTER, OTHER FETUS	ICD-10-CM
6	Pregnant female or breast-feeding	O61	DX	FAILED INDUCTION OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O61.0	DX	FAILED MEDICAL INDUCTION OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O61.1	DX	FAILED INSTRUMENTAL INDUCTION OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O61.8	DX	OTHER FAILED INDUCTION OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O61.9	DX	FAILED INDUCTION OF LABOR, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O63.2	DX	DELAYED DELIVERY OF SECOND TWIN, TRIPLET, ETC.	ICD-10-CM
6	Pregnant female or breast-feeding	O71.0	DX	RUPTURE OF UTERUS (SPONTANEOUS) BEFORE ONSET OF LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O71.00	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O71.02	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O71.03	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOR, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O72	DX	POSTPARTUM HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O72.0	DX	THIRD-STAGE HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O72.1	DX	OTHER IMMEDIATE POSTPARTUM HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O72.2	DX	DELAYED AND SECONDARY POSTPARTUM HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O72.3	DX	POSTPARTUM COAGULATION DEFECTS	ICD-10-CM
6	Pregnant female or breast-feeding	O73	DX	RETAINED PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O73.0	DX	RETAINED PLACENTA WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O73.1	DX	RETAINED PORTIONS OF PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
6	Pregnant female or breast-feeding	O75	DX	OTHER COMPLICATIONS OF LABOR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O75.0	DX	MATERNAL DISTRESS DURING LABOR AND DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O75.1	DX	SHOCK DURING OR FOLLOWING LABOR AND DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O75.2	DX	PYREXIA DURING LABOR, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O75.3	DX	OTHER INFECTION DURING LABOR	ICD-10-CM
6	Pregnant female or breast-feeding	O75.4	DX	OTHER COMPLICATIONS OF OBSTETRIC SURGERY AND PROCEDURES	ICD-10-CM
6	Pregnant female or breast-feeding	O75.5	DX	DELAYED DELIVERY AFTER ARTIFICIAL RUPTURE OF MEMBRANES	ICD-10-CM
6	Pregnant female or breast-feeding	O75.8	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O75.81	DX	MATERNAL EXHAUSTION COMPLICATING LABOR AND DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O75.82	DX	ONSET (SPONTANEOUS) OF LABOR AFTER 37 COMPLETED WEEKS OF GESTATION BUT BEFORE 39 COMPLETED WEEKS GESTATION, WITH DELIVERY BY (PLANNED) CESAREAN SECTION	ICD-10-CM
6	Pregnant female or breast-feeding	O75.89	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	O75.9	DX	COMPLICATION OF LABOR AND DELIVERY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	O94	DX	SEQUELAE OF COMPLICATION OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98	DX	MATERNAL INFECTIOUS AND PARASITIC DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.0	DX	TUBERCULOSIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.01	DX	TUBERCULOSIS COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.011	DX	TUBERCULOSIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.012	DX	TUBERCULOSIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.013	DX	TUBERCULOSIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.019	DX	TUBERCULOSIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.02	DX	TUBERCULOSIS COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.03	DX	TUBERCULOSIS COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.1	DX	SYPHILIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.11	DX	SYPHILIS COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.111	DX	SYPHILIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.112	DX	SYPHILIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.113	DX	SYPHILIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.119	DX	SYPHILIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.12	DX	SYPHILIS COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.13	DX	SYPHILIS COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.2	DX	GONORRHEA COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.21	DX	GONORRHEA COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.211	DX	GONORRHEA COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.212	DX	GONORRHEA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.213	DX	GONORRHEA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.219	DX	GONORRHEA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.22	DX	GONORRHEA COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.23	DX	GONORRHEA COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.3	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.31	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.311	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.312	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.313	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.319	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.32	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.33	DX	OTHER INFECTIONS WITH A PREDOMINANTLY SEXUAL MODE OF TRANSMISSION COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.4	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.41	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.411	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.412	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O98.413	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.419	DX	VIRAL HEPATITIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.42	DX	VIRAL HEPATITIS COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.43	DX	VIRAL HEPATITIS COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.5	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.51	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.511	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.512	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.513	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.519	DX	OTHER VIRAL DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.52	DX	OTHER VIRAL DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.53	DX	OTHER VIRAL DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.6	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.61	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.611	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.612	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.613	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.619	DX	PROTOZOAL DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.62	DX	PROTOZOAL DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.63	DX	PROTOZOAL DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.7	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.71	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.711	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.712	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.713	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.719	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.72	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.73	DX	HUMAN IMMUNODEFICIENCY VIRUS [HIV] DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.8	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.81	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.811	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.812	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.813	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.819	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.82	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.83	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.9	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O98.91	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O98.911	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.912	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.913	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.919	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O98.92	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O98.93	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99	DX	OTHER MATERNAL DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.0	DX	ANEMIA COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.01	DX	ANEMIA COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.011	DX	ANEMIA COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.012	DX	ANEMIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.013	DX	ANEMIA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.019	DX	ANEMIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.02	DX	ANEMIA COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.03	DX	ANEMIA COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.1	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.11	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.111	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.112	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.113	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.119	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.12	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.13	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.2	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.21	DX	OBESITY COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.210	DX	OBESITY COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.211	DX	OBESITY COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.212	DX	OBESITY COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.213	DX	OBESITY COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.214	DX	OBESITY COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.215	DX	OBESITY COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.28	DX	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.280	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.281	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.282	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.283	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.284	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.285	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.3	DX	MENTAL DISORDERS AND DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.31	DX	ALCOHOL USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.310	DX	ALCOHOL USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.311	DX	ALCOHOL USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.312	DX	ALCOHOL USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.313	DX	ALCOHOL USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.314	DX	ALCOHOL USE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.315	DX	ALCOHOL USE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.32	DX	DRUG USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.320	DX	DRUG USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.321	DX	DRUG USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.322	DX	DRUG USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.323	DX	DRUG USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.324	DX	DRUG USE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.325	DX	DRUG USE COMPLICATING THE PUERPERIUM	ICD-10-CM

6	Pregnant female or breast-feeding	O99.33	DX	TOBACCO USE DISORDER COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.330	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.331	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.332	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.333	DX	SMOKING (TOBACCO) COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.334	DX	SMOKING (TOBACCO) COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.335	DX	SMOKING (TOBACCO) COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.34	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.340	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.341	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.342	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.343	DX	OTHER MENTAL DISORDERS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.344	DX	OTHER MENTAL DISORDERS COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.345	DX	OTHER MENTAL DISORDERS COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.35	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.350	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.351	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.352	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.353	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.354	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.355	DX	DISEASES OF THE NERVOUS SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.4	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.41	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.411	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.412	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.413	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.419	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.42	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.43	DX	DISEASES OF THE CIRCULATORY SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.5	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.51	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.511	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.512	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.513	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.519	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.52	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.53	DX	DISEASES OF THE RESPIRATORY SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.6	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.61	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.611	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.612	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.613	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.619	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.62	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.63	DX	DISEASES OF THE DIGESTIVE SYSTEM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.7	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.71	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.711	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.712	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.713	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.719	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.72	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.73	DX	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.8	DX	OTHER SPECIFIED DISEASES AND CONDITIONS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.81	DX	ABNORMAL GLUCOSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.810	DX	ABNORMAL GLUCOSE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.814	DX	ABNORMAL GLUCOSE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.815	DX	ABNORMAL GLUCOSE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.82	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.820	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.824	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.825	DX	STREPTOCOCCUS B CARRIER STATE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.83	DX	OTHER INFECTION CARRIER STATE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.830	DX	OTHER INFECTION CARRIER STATE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O99.834	DX	OTHER INFECTION CARRIER STATE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.835	DX	OTHER INFECTION CARRIER STATE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.84	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.840	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.841	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.842	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.843	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O99.844	DX	BARIATRIC SURGERY STATUS COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O99.845	DX	BARIATRIC SURGERY STATUS COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O99.89	DX	OTHER SPECIFIED DISEASES AND CONDITIONS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A	DX	MATERNAL MALIGNANT NEOPLASMS, TRAUMATIC INJURIES AND ABUSE CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.1	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.11	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.111	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.112	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.113	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.119	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.12	DX	MALIGNANT NEOPLASM COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.13	DX	MALIGNANT NEOPLASM COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.2	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.21	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.211	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.212	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.213	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.219	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM

6	Pregnant female or breast-feeding	O9A.22	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.23	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.3	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.31	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.311	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.312	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.313	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.319	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.32	DX	PHYSICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.33	DX	PHYSICAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.4	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.41	DX	SEXUAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.411	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.412	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.413	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.419	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.42	DX	SEXUAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.43	DX	SEXUAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.5	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.51	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.511	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.512	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.513	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.519	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.52	DX	PSYCHOLOGICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	O9A.53	DX	PSYCHOLOGICAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
6	Pregnant female or breast-feeding	P01.5	DX	NEWBORN AFFECTED BY MULTIPLE PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	P05.01	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.02	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.03	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.04	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1000-1249 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.05	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1250-1499 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.06	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.11	DX	NEWBORN SMALL FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.12	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.13	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.14	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1000-1249 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.15	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1250-1499 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P05.16	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.01	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, LESS THAN 500 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.02	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 500-749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.03	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 750-999 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.14	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1000-1249 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.15	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1250-1499 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.16	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1500-1749 GRAMS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.2	DX	EXTREME IMMATURITY OF NEWBORN	ICD-10-CM
6	Pregnant female or breast-feeding	P07.20	DX	EXTREME IMMATURITY OF NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	P07.21	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE LESS THAN 23 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.22	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 23 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.23	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 24 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.24	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 25 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.25	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 26 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.26	DX	EXTREME IMMATURITY OF NEWBORN, GESTATIONAL AGE 27 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.3	DX	PRETERM [PREMATURE] NEWBORN [OTHER]	ICD-10-CM
6	Pregnant female or breast-feeding	P07.30	DX	PRETERM NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	P07.31	DX	PRETERM NEWBORN, GESTATIONAL AGE 28 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.32	DX	PRETERM NEWBORN, GESTATIONAL AGE 29 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.33	DX	PRETERM NEWBORN, GESTATIONAL AGE 30 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.34	DX	PRETERM NEWBORN, GESTATIONAL AGE 31 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.35	DX	PRETERM NEWBORN, GESTATIONAL AGE 32 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.36	DX	PRETERM NEWBORN, GESTATIONAL AGE 33 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.37	DX	PRETERM NEWBORN, GESTATIONAL AGE 34 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.38	DX	PRETERM NEWBORN, GESTATIONAL AGE 35 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P07.39	DX	PRETERM NEWBORN, GESTATIONAL AGE 36 COMPLETED WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	P08.2	DX	LATE NEWBORN, NOT HEAVY FOR GESTATIONAL AGE	ICD-10-CM
6	Pregnant female or breast-feeding	P08.21	DX	POST-TERM NEWBORN	ICD-10-CM
6	Pregnant female or breast-feeding	P08.22	DX	PROLONGED GESTATION OF NEWBORN	ICD-10-CM
6	Pregnant female or breast-feeding	P61.2	DX	ANEMIA OF PREMATURITY	ICD-10-CM
6	Pregnant female or breast-feeding	Z32.01	DX	ENCOUNTER FOR PREGNANCY TEST, RESULT POSITIVE	ICD-10-CM
6	Pregnant female or breast-feeding	Z33	DX	PREGNANT STATE	ICD-10-CM
6	Pregnant female or breast-feeding	Z33.1	DX	PREGNANT STATE, INCIDENTAL	ICD-10-CM
6	Pregnant female or breast-feeding	Z33.2	DX	ENCOUNTER FOR ELECTIVE TERMINATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	Z33.3	DX	PREGNANT STATE, GESTATIONAL CARRIER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.0	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.00	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.01	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.02	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.03	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.8	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.80	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.81	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, FIRST TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.82	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, SECOND TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.83	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, THIRD TRIMESTER	ICD-10-CM
6	Pregnant female or breast-feeding	Z34.9	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.1	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR RAISED ALPHAFETOPROTEIN LEVEL	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.3	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR MALFORMATIONS	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.4	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL GROWTH RETARDATION	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.84	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL LUNG MATURITY	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.85	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR STREPTOCOCCUS B	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.87	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR UNCERTAIN DATES	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.89	DX	ENCOUNTER FOR OTHER SPECIFIED ANTENATAL SCREENING	ICD-10-CM
6	Pregnant female or breast-feeding	Z36.9	DX	ENCOUNTER FOR ANTENATAL SCREENING, UNSPECIFIED	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.5	DX	OTHER MULTIPLE BIRTHS, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.50	DX	MULTIPLE BIRTHS, UNSPECIFIED, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.51	DX	TRIPLETS, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.52	DX	QUADRUPLETS, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.54	DX	SEXTUPLETS, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.59	DX	OTHER MULTIPLE BIRTHS, ALL LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.6	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.60	DX	MULTIPLE BIRTHS, UNSPECIFIED, SOME LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.61	DX	TRIPLETS, SOME LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.62	DX	QUADRUPLETS, SOME LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z37.69	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.3	DX	TWIN LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.31	DX	TWIN LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.4	DX	TWIN LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.5	DX	TWIN LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.6	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.62	DX	TRIPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.64	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.66	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.69	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.7	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
6	Pregnant female or breast-feeding	Z38.8	DX	OTHER MULTIPLE LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	ICD-10-CM
6	Pregnant female or breast-feeding	Z39	DX	ENCOUNTER FOR MATERNAL POSTPARTUM CARE AND EXAMINATION	ICD-10-CM
6	Pregnant female or breast-feeding	Z39.0	DX	ENCOUNTER FOR CARE AND EXAMINATION OF MOTHER IMMEDIATELY AFTER DELIVERY	ICD-10-CM
6	Pregnant female or breast-feeding	Z39.2	DX	ENCOUNTER FOR ROUTINE POSTPARTUM FOLLOW-UP	ICD-10-CM
6	Pregnant female or breast-feeding	Z3A	DX	WEEKS OF GESTATION	ICD-10-CM
6	Pregnant female or breast-feeding	Z3A.0	DX	WEEKS OF GESTATION OF PREGNANCY, UNSPECIFIED OR LESS THAN 10 WEEKS	ICD-10-CM
6	Pregnant female or breast-feeding	Z3A.01	DX	LESS THAN 8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
6	Pregnant female or breast-feeding	Z3A.09	DX	9 WEEKS GESTATION OF PREGNANCY	ICD-10-CM

6	Pregnant female or breast-feeding			Z3A.1	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 10-19	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.12	DX	12 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.13	DX	13 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.14	DX	14 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.16	DX	16 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.17	DX	17 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.18	DX	18 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.19	DX	19 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.24	DX	24 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.25	DX	25 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.26	DX	26 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.27	DX	27 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.28	DX	28 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.29	DX	29 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.3	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 30-29	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.32	DX	32 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.33	DX	33 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.34	DX	34 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.39	DX	39 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.40	DX	40 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.41	DX	41 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.49	DX	GREATER THAN 42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z34.90	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z34.91	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z34.92	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z34.93	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36	DX	ENCOUNTER FOR ANTENATAL SCREENING OF MOTHER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.0	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR CHROMOSOMAL ANOMALIES	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.2	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING FOLLOW-UP	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.5	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR ISOIMMUNIZATION	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.8	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.81	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR HYDROPS FETALIS	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.82	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR NUCHAL TRANSLUCENCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.83	DX	ENCOUNTER FOR FETAL SCREENING FOR CONGENITAL CARDIAC ABNORMALITIES	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.86	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR CERVICAL LENGTH	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.88	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL MACROSOMIA	ICD-10-CM	
6	Pregnant female or breast-feeding			Z36.8A	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR OTHER GENETIC DEFECTS	ICD-10-CM	
6	Pregnant female or breast-feeding			Z37.2	DX	TWINS, BOTH LIVEBORN	ICD-10-CM	
6	Pregnant female or breast-feeding			Z37.3	DX	TWINS, ONE LIVEBORN AND ONE STILLBORN	ICD-10-CM	
6	Pregnant female or breast-feeding			Z37.53	DX	QUINTUPLETS, ALL LIVEBORN	ICD-10-CM	
6	Pregnant female or breast-feeding			Z37.63	DX	QUINTUPLETS, SOME LIVEBORN	ICD-10-CM	
6	Pregnant female or breast-feeding			Z37.64	DX	SEXTUPLETS, SOME LIVEBORN	ICD-10-CM	
6	Pregnant female or breast-feeding			Z38.30	DX	TWIN LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z38.61	DX	TRIPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z38.63	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z38.65	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z38.68	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z391	DX	ENCOUNTER FOR CARE AND EXAMINATION OF LACTATING MOTHER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.00	DX	WEEKS OF GESTATION OF PREGNANCY NOT SPECIFIED	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.08	DX	8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.10	DX	10 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.11	DX	11 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.15	DX	15 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.2	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 20-29	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.20	DX	20 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.21	DX	21 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.22	DX	22 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.23	DX	23 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.30	DX	30 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.31	DX	31 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.35	DX	35 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.36	DX	36 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.37	DX	37 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.38	DX	38 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.4	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 40 OR GREATER	ICD-10-CM	
6	Pregnant female or breast-feeding			Z3A.42	DX	42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM	
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy	Anti-VEGFi (component 2)		67028	PX	INTRAVITREAL INJECTION OF A PHARMACOLOGIC AGENT (SEPARATE PROCEDURE)	CPT/HCPCS	Component 1 c
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy	Photocoagulation (component 3)		67028	PX	INTRAVITREAL INJECTION OF A PHARMACOLOGIC AGENT (SEPARATE PROCEDURE)	CPT/HCPCS	Component 1 c
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy	Photocoagulation (component 3)		67220	PX	DESTRUCTION OF LOCALIZED LESION OF CHOROID (EG, CHOROIDAL NEOVASCULARIZATION); PHOTOCOAGULATION (EG, LASER), 1 OR MORE SESSIONS	CPT/HCPCS	Component 1 c
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy	Photocoagulation (component 3)		67228	PX	TREATMENT OF EXTENSIVE OR PROGRESSIVE RETINOPATHY (EG, DIABETIC RETINOPATHY), PHOTOCOAGULATION	CPT/HCPCS	Component 1 c
8	Treatment with continuous subcutaneous insulin infusion			T85.614	DX	BREAKDOWN (MECHANICAL) OF INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.614A	DX	BREAKDOWN (MECHANICAL) OF INSULIN PUMP, INITIAL ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.614D	DX	BREAKDOWN (MECHANICAL) OF INSULIN PUMP, SUBSEQUENT ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.614S	DX	BREAKDOWN (MECHANICAL) OF INSULIN PUMP, SEQUELA	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.624	DX	DISPLACEMENT OF INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.624A	DX	DISPLACEMENT OF INSULIN PUMP, INITIAL ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.624D	DX	DISPLACEMENT OF INSULIN PUMP, SUBSEQUENT ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.624S	DX	DISPLACEMENT OF INSULIN PUMP, SEQUELA	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.633	DX	LEAKAGE OF INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.633A	DX	LEAKAGE OF INSULIN PUMP, INITIAL ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.633D	DX	LEAKAGE OF INSULIN PUMP, SUBSEQUENT ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.633S	DX	LEAKAGE OF INSULIN PUMP, SEQUELA	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.694	DX	OTHER MECHANICAL COMPLICATION OF INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.694A	DX	OTHER MECHANICAL COMPLICATION OF INSULIN PUMP, INITIAL ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.694D	DX	OTHER MECHANICAL COMPLICATION OF INSULIN PUMP, SUBSEQUENT ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.694S	DX	OTHER MECHANICAL COMPLICATION OF INSULIN PUMP, SEQUELA	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.72	DX	INFECTION AND INFLAMMATORY REACTION DUE TO INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.72XA	DX	INFECTION AND INFLAMMATORY REACTION DUE TO INSULIN PUMP, INITIAL ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.72XD	DX	INFECTION AND INFLAMMATORY REACTION DUE TO INSULIN PUMP, SUBSEQUENT ENCOUNTER	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			T85.72XS	DX	INFECTION AND INFLAMMATORY REACTION DUE TO INSULIN PUMP, SEQUELA	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			Z46.81	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF INSULIN PUMP	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			Z96.41	DX	PRESENCE OF INSULIN PUMP (EXTERNAL) (INTERNAL)	ICD-10-CM	
8	Treatment with continuous subcutaneous insulin infusion			0446T	PX	CREATION OF SUBCUTANEOUS POCKET WITH INSERTION OF IMPLANTABLE INTERSTITIAL GLUCOSE SENSOR, INCLUDING SYSTEM ACTIVATION AND PATIENT TRAINING	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			0447T	PX	REMOVAL OF IMPLANTABLE INTERSTITIAL GLUCOSE SENSOR FROM SUBCUTANEOUS POCKET VIA INCISION	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			0448T	PX	REMOVAL OF IMPLANTABLE INTERSTITIAL GLUCOSE SENSOR WITH CREATION OF SUBCUTANEOUS POCKET AT DIFFERENT ANATOMIC SITE AND INSERTION OF NEW IMPLANTABLE SENSOR, INCLUDING SYSTEM ACTIVATION	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			A4226	PX	SUPPLIES FOR MAINTENANCE OF INSULIN INFUSION PUMP WITH DOSAGE RATE ADJUSTMENT USING THERAPEUTIC CONTINUOUS GLUCOSE SENSING	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			A4230	PX	INFUSION SET FOR EXTERNAL INSULIN PUMP, NON-NEEDLE CANNULA TYPE	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			A4231	PX	INFUSION SET FOR EXTERNAL INSULIN PUMP, NEEDLE TYPE	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			A4232	PX	SYRINGE WITH NEEDLE FOR EXTERNAL INSULIN PUMP, STERILE, 3 CC	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			E0787	PX	EXTERNAL AMBULATORY INFUSION PUMP, INSULIN, DOSAGE RATE ADJUSTMENT USING THERAPEUTIC CONTINUOUS GLUCOSE SENSING	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			J1817	PX	INSULIN FOR ADMINISTRATION THROUGH DME (I.E., INSULIN PUMP) PER 50 UNITS	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			S1034	PX	ARTIFICIAL PANCREAS DEVICE SYSTEM (E.G., LOW GLUCOSE SUSPEND (LGS) FEATURE) INCLUDING CONTINUOUS GLUCOSE MONITOR, BLOOD GLUCOSE METER, AND INSULIN PUMP	CPT/HCPCS	
8	Treatment with continuous subcutaneous insulin infusion			S9145	PX	INSULIN PUMP INITIATION, INSTRUCTION IN INITIAL USE OF PUMP (PUMP NOT INCLUDED)	CPT/HCPCS	
9	Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma	MEN-2		E31.22	DX	MULTIPLE ENDOCRINE NEOPLASIA [MEN] TYPE IIA	ICD-10-CM	
9	Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma	MEN-2		E31.23	DX	MULTIPLE ENDOCRINE NEOPLASIA [MEN] TYPE IIB	ICD-10-CM	
9	Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma	Malignant neoplasm of thyroid gland		C73	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.0	DX	MALIGNANT NEOPLASM OF EXTERNAL UPPER LIP	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.1	DX	MALIGNANT NEOPLASM OF EXTERNAL LOWER LIP	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.2	DX	MALIGNANT NEOPLASM OF EXTERNAL LIP, UNSPECIFIED	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.3	DX	MALIGNANT NEOPLASM OF UPPER LIP, INNER ASPECT	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.4	DX	MALIGNANT NEOPLASM OF LOWER LIP, INNER ASPECT	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.5	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED, INNER ASPECT	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.6	DX	MALIGNANT NEOPLASM OF COMMISSURE OF LIP, UNSPECIFIED	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C00.9	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C01	DX	MALIGNANT NEOPLASM OF BASE OF TONGUE	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C02.0	DX	MALIGNANT NEOPLASM OF DORSAL SURFACE OF TONGUE	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C02.1	DX	MALIGNANT NEOPLASM OF BORDER OF TONGUE	ICD-10-CM	
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer		C02.2	DX	MALIGNANT NEOPLASM OF VENTRAL SURFACE OF TONGUE	ICD-10-CM	

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C02.3	DX	MALIGNANT NEOPLASM OF ANTERIOR TWO-THIRDS OF TONGUE, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C02.4	DX	MALIGNANT NEOPLASM OF LINGUAL TONSIL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C02.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONGUE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C02.9	DX	MALIGNANT NEOPLASM OF TONGUE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C03.0	DX	MALIGNANT NEOPLASM OF UPPER GUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C03.1	DX	MALIGNANT NEOPLASM OF LOWER GUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C03.9	DX	MALIGNANT NEOPLASM OF GUM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C04.0	DX	MALIGNANT NEOPLASM OF ANTERIOR FLOOR OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C04.1	DX	MALIGNANT NEOPLASM OF LATERAL FLOOR OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C04.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FLOOR OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C04.9	DX	MALIGNANT NEOPLASM OF FLOOR OF MOUTH, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C05.0	DX	MALIGNANT NEOPLASM OF HARD PALATE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C05.1	DX	MALIGNANT NEOPLASM OF SOFT PALATE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C05.2	DX	MALIGNANT NEOPLASM OF UVULA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C05.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PALATE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C05.9	DX	MALIGNANT NEOPLASM OF PALATE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.0	DX	MALIGNANT NEOPLASM OF CHEEK MUCOSA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.1	DX	MALIGNANT NEOPLASM OF VESTIBULE OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.2	DX	MALIGNANT NEOPLASM OF RETROMOLAR AREA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED PARTS OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.89	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OTHER PARTS OF MOUTH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C06.9	DX	MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C07	DX	MALIGNANT NEOPLASM OF PAROTID GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C08.0	DX	MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C08.1	DX	MALIGNANT NEOPLASM OF SUBLINGUAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C08.9	DX	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLAND, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C09.0	DX	MALIGNANT NEOPLASM OF TONSILLAR FOSSA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C09.1	DX	MALIGNANT NEOPLASM OF TONSILLAR PILLAR (ANTERIOR) (POSTERIOR)	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C09.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONSIL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C09.9	DX	MALIGNANT NEOPLASM OF TONSIL, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.0	DX	MALIGNANT NEOPLASM OF VALLECULA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.1	DX	MALIGNANT NEOPLASM OF ANTERIOR SURFACE OF EPIGLOTTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF OROPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.3	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF OROPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.4	DX	MALIGNANT NEOPLASM OF BRANCHIAL CLEFT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OROPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C10.9	DX	MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.0	DX	MALIGNANT NEOPLASM OF SUPERIOR WALL OF NASOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.1	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF NASOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF NASOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF NASOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF NASOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C11.9	DX	MALIGNANT NEOPLASM OF NASOPHARYNX, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C12	DX	MALIGNANT NEOPLASM OF PYRIFORM SINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C13.0	DX	MALIGNANT NEOPLASM OF POSTCRICOID REGION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C13.1	DX	MALIGNANT NEOPLASM OF ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C13.2	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF HYPOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C13.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HYPOPHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C13.9	DX	MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C14.0	DX	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C14.2	DX	MALIGNANT NEOPLASM OF WALDEYER'S RING	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C14.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP, ORAL CAVITY AND PHARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C15.3	DX	MALIGNANT NEOPLASM OF UPPER THIRD OF ESOPHAGUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C15.4	DX	MALIGNANT NEOPLASM OF MIDDLE THIRD OF ESOPHAGUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C15.5	DX	MALIGNANT NEOPLASM OF LOWER THIRD OF ESOPHAGUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C15.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ESOPHAGUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C15.9	DX	MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.0	DX	MALIGNANT NEOPLASM OF CARDIA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.1	DX	MALIGNANT NEOPLASM OF FUNDUS OF STOMACH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.2	DX	MALIGNANT NEOPLASM OF BODY OF STOMACH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.3	DX	MALIGNANT NEOPLASM OF PYLORIC ANTRUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.4	DX	MALIGNANT NEOPLASM OF PYLORUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.5	DX	MALIGNANT NEOPLASM OF LESSER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.6	DX	MALIGNANT NEOPLASM OF GREATER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF STOMACH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C16.9	DX	MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.0	DX	MALIGNANT NEOPLASM OF DUODENUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.1	DX	MALIGNANT NEOPLASM OF JEJUNUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.2	DX	MALIGNANT NEOPLASM OF ILEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.3	DX	MECKEL'S DIVERTICULUM, MALIGNANT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF SMALL INTESTINE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C17.9	DX	MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.0	DX	MALIGNANT NEOPLASM OF CECUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.1	DX	MALIGNANT NEOPLASM OF APPENDIX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.2	DX	MALIGNANT NEOPLASM OF ASCENDING COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.3	DX	MALIGNANT NEOPLASM OF HEPATIC FLEXURE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.4	DX	MALIGNANT NEOPLASM OF TRANSVERSE COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.5	DX	MALIGNANT NEOPLASM OF SPLENIC FLEXURE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.6	DX	MALIGNANT NEOPLASM OF DESCENDING COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.7	DX	MALIGNANT NEOPLASM OF SIGMOID COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C18.9	DX	MALIGNANT NEOPLASM OF COLON, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C19	DX	MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C20	DX	MALIGNANT NEOPLASM OF RECTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C21.0	DX	MALIGNANT NEOPLASM OF ANUS, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C21.1	DX	MALIGNANT NEOPLASM OF ANAL CANAL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C21.2	DX	MALIGNANT NEOPLASM OF CLOACOGENIC ZONE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C21.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RECTUM, ANUS AND ANAL CANAL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.0	DX	LIVER CELL CARCINOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.2	DX	HEPATOBLASTOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.3	DX	ANGIOSARCOMA OF LIVER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.4	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.7	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C22.9	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C23	DX	MALIGNANT NEOPLASM OF GALLBLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C24.0	DX	MALIGNANT NEOPLASM OF EXTRAHEPATIC BILE DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C24.1	DX	MALIGNANT NEOPLASM OF AMPULLA OF VATER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C24.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BILIARY TRACT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C24.9	DX	MALIGNANT NEOPLASM OF BILIARY TRACT, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.0	DX	MALIGNANT NEOPLASM OF HEAD OF PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.1	DX	MALIGNANT NEOPLASM OF BODY OF PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.2	DX	MALIGNANT NEOPLASM OF TAIL OF PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.3	DX	MALIGNANT NEOPLASM OF PANCREATIC DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.4	DX	MALIGNANT NEOPLASM OF ENDOCRINE PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.7	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PANCREAS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C25.9	DX	MALIGNANT NEOPLASM OF PANCREAS, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C26.0	DX	MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C26.1	DX	MALIGNANT NEOPLASM OF SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C26.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE DIGESTIVE SYSTEM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C30.0	DX	MALIGNANT NEOPLASM OF NASAL CAVITY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C30.1	DX	MALIGNANT NEOPLASM OF MIDDLE EAR	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.0	DX	MALIGNANT NEOPLASM OF MAXILLARY SINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.1	DX	MALIGNANT NEOPLASM OF ETHMOIDAL SINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.2	DX	MALIGNANT NEOPLASM OF FRONTAL SINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.3	DX	MALIGNANT NEOPLASM OF SPHENOID SINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ACCESSORY SINUSES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C31.9	DX	MALIGNANT NEOPLASM OF ACCESSORY SINUS, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.0	DX	MALIGNANT NEOPLASM OF GLOTTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.1	DX	MALIGNANT NEOPLASM OF SUPRAGLOTTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.2	DX	MALIGNANT NEOPLASM OF SUBGLOTTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.3	DX	MALIGNANT NEOPLASM OF LARYNGEAL CARTILAGE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LARYNX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C32.9	DX	MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C33	DX	MALIGNANT NEOPLASM OF TRACHEA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED MAIN BRONCHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.01	DX	MALIGNANT NEOPLASM OF RIGHT MAIN BRONCHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.02	DX	MALIGNANT NEOPLASM OF LEFT MAIN BRONCHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.10	DX	MALIGNANT NEOPLASM OF UPPER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.12	DX	MALIGNANT NEOPLASM OF UPPER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.2	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.30	DX	MALIGNANT NEOPLASM OF LOWER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.31	DX	MALIGNANT NEOPLASM OF LOWER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.32	DX	MALIGNANT NEOPLASM OF LOWER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT BRONCHUS AND LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C34.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C37	DX	MALIGNANT NEOPLASM OF THYMUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.0	DX	MALIGNANT NEOPLASM OF HEART	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.1	DX	MALIGNANT NEOPLASM OF ANTERIOR MEDIASTINUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.2	DX	MALIGNANT NEOPLASM OF POSTERIOR MEDIASTINUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.3	DX	MALIGNANT NEOPLASM OF MEDIASTINUM, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.4	DX	MALIGNANT NEOPLASM OF PLEURA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C38.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HEART, MEDIASTINUM AND PLEURA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C39.0	DX	MALIGNANT NEOPLASM OF UPPER RESPIRATORY TRACT, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C39.9	DX	MALIGNANT NEOPLASM OF LOWER RESPIRATORY TRACT, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.00	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF UNSPECIFIED UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.01	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF RIGHT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.02	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF LEFT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.10	DX	MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.11	DX	MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.12	DX	MALIGNANT NEOPLASM OF SHORT BONES OF LEFT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.20	DX	MALIGNANT NEOPLASM OF LONG BONES OF UNSPECIFIED LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.21	DX	MALIGNANT NEOPLASM OF LONG BONES OF RIGHT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.22	DX	MALIGNANT NEOPLASM OF LONG BONES OF LEFT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.30	DX	MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.31	DX	MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.32	DX	MALIGNANT NEOPLASM OF SHORT BONES OF LEFT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF RIGHT LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF LEFT LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF RIGHT LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C40.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF LEFT LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.0	DX	MALIGNANT NEOPLASM OF BONES OF SKULL AND FACE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.1	DX	MALIGNANT NEOPLASM OF MANDIBLE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.2	DX	MALIGNANT NEOPLASM OF VERTEBRAL COLUMN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.3	DX	MALIGNANT NEOPLASM OF RIBS, STERNUM AND CLAVICLE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.4	DX	MALIGNANT NEOPLASM OF PELVIC BONES, SACRUM AND COCCYX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C41.9	DX	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.0	DX	MALIGNANT MELANOMA OF LIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.10	DX	MALIGNANT MELANOMA OF UNSPECIFIED EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.111	DX	MALIGNANT MELANOMA OF RIGHT UPPER EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.112	DX	MALIGNANT MELANOMA OF RIGHT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.12	DX	MALIGNANT MELANOMA OF LEFT EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.121	DX	MALIGNANT MELANOMA OF LEFT UPPER EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.122	DX	MALIGNANT MELANOMA OF LEFT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.20	DX	MALIGNANT MELANOMA OF UNSPECIFIED EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.21	DX	MALIGNANT MELANOMA OF RIGHT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.22	DX	MALIGNANT MELANOMA OF LEFT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.30	DX	MALIGNANT MELANOMA OF UNSPECIFIED PART OF FACE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.31	DX	MALIGNANT MELANOMA OF NOSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.39	DX	MALIGNANT MELANOMA OF OTHER PARTS OF FACE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.4	DX	MALIGNANT MELANOMA OF SCALP AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.51	DX	MALIGNANT MELANOMA OF ANAL SKIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.52	DX	MALIGNANT MELANOMA OF SKIN OF BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.59	DX	MALIGNANT MELANOMA OF OTHER PART OF TRUNK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.60	DX	MALIGNANT MELANOMA OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.61	DX	MALIGNANT MELANOMA OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.62	DX	MALIGNANT MELANOMA OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.70	DX	MALIGNANT MELANOMA OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.71	DX	MALIGNANT MELANOMA OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.72	DX	MALIGNANT MELANOMA OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.8	DX	MALIGNANT MELANOMA OF OVERLAPPING SITES OF SKIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C43.9	DX	MALIGNANT MELANOMA OF SKIN, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C45.0	DX	MESOTHELIOMA OF PLEURA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C45.1	DX	MESOTHELIOMA OF PERITONEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C45.2	DX	MESOTHELIOMA OF PERICARDIUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C45.7	DX	MESOTHELIOMA OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C45.9	DX	MESOTHELIOMA, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.0	DX	KAPOSI'S SARCOMA OF SKIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.1	DX	KAPOSI'S SARCOMA OF SOFT TISSUE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.2	DX	KAPOSI'S SARCOMA OF PALATE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.3	DX	KAPOSI'S SARCOMA OF LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.4	DX	KAPOSI'S SARCOMA OF GASTROINTESTINAL SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.50	DX	KAPOSI'S SARCOMA OF UNSPECIFIED LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.51	DX	KAPOSI'S SARCOMA OF RIGHT LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.52	DX	KAPOSI'S SARCOMA OF LEFT LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.7	DX	KAPOSI'S SARCOMA OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C46.9	DX	KAPOSI'S SARCOMA, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.0	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF HEAD, FACE AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.10	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.11	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.12	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.20	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.21	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.22	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.3	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF THORAX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.4	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF ABDOMEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.5	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.6	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF TRUNK, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C47.9	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C48.0	DX	MALIGNANT NEOPLASM OF RETROPERITONEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C48.1	DX	MALIGNANT NEOPLASM OF SPECIFIED PARTS OF PERITONEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C48.2	DX	MALIGNANT NEOPLASM OF PERITONEUM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C48.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.0	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF HEAD, FACE AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.10	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.11	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.12	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.20	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.21	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.22	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.3	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF THORAX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.4	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF ABDOMEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.5	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF PELVIS	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.6	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF TRUNK, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CONNECTIVE AND SOFT TISSUE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.9	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A0	DX	GASTROINTESTINAL STROMAL TUMOR, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A1	DX	GASTROINTESTINAL STROMAL TUMOR OF ESOPHAGUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A2	DX	GASTROINTESTINAL STROMAL TUMOR OF STOMACH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A3	DX	GASTROINTESTINAL STROMAL TUMOR OF SMALL INTESTINE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A4	DX	GASTROINTESTINAL STROMAL TUMOR OF LARGE INTESTINE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A5	DX	GASTROINTESTINAL STROMAL TUMOR OF RECTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C49.A9	DX	GASTROINTESTINAL STROMAL TUMOR OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.011	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.012	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.019	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.021	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.022	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.029	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA, UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.111	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.112	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.119	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.211	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.212	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.219	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.221	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.222	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.229	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.311	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.312	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.319	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.321	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.322	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.329	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.411	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.412	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.419	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.421	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.422	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.429	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.511	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.512	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.519	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.521	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.522	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.529	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.611	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.612	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.619	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.621	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.622	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.629	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.829	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.911	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.912	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.919	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED FEMALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.921	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.922	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C50.929	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED MALE BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C51.0	DX	MALIGNANT NEOPLASM OF LABIUM MAJUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C51.1	DX	MALIGNANT NEOPLASM OF LABIUM MINUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C51.2	DX	MALIGNANT NEOPLASM OF CLITORIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C51.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF VULVA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C51.9	DX	MALIGNANT NEOPLASM OF VULVA, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C52	DX	MALIGNANT NEOPLASM OF VAGINA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C53.0	DX	MALIGNANT NEOPLASM OF ENDOCERVIX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C53.1	DX	MALIGNANT NEOPLASM OF EXOCERVIX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C53.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CERVIX UTERI	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C53.9	DX	MALIGNANT NEOPLASM OF CERVIX UTERI, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.0	DX	MALIGNANT NEOPLASM OF ISTHMUS UTERI	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.1	DX	MALIGNANT NEOPLASM OF ENDOMETRIUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.2	DX	MALIGNANT NEOPLASM OF MYOMETRIUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.3	DX	MALIGNANT NEOPLASM OF FUNDUS UTERI	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CORPUS UTERI	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C54.9	DX	MALIGNANT NEOPLASM OF CORPUS UTERI, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C55	DX	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C56.1	DX	MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C56.2	DX	MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C56.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED FALLOPIAN TUBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.01	DX	MALIGNANT NEOPLASM OF RIGHT FALLOPIAN TUBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.02	DX	MALIGNANT NEOPLASM OF LEFT FALLOPIAN TUBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BROAD LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.11	DX	MALIGNANT NEOPLASM OF RIGHT BROAD LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.12	DX	MALIGNANT NEOPLASM OF LEFT BROAD LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED ROUND LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.21	DX	MALIGNANT NEOPLASM OF RIGHT ROUND LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.22	DX	MALIGNANT NEOPLASM OF LEFT ROUND LIGAMENT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.3	DX	MALIGNANT NEOPLASM OF PARAMETRIUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.4	DX	MALIGNANT NEOPLASM OF UTERINE ADNEXA, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.7	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED FEMALE GENITAL ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FEMALE GENITAL ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C57.9	DX	MALIGNANT NEOPLASM OF FEMALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C58	DX	MALIGNANT NEOPLASM OF PLACENTA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C60.0	DX	MALIGNANT NEOPLASM OF PREPUCE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C60.1	DX	MALIGNANT NEOPLASM OF GLANS PENIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C60.2	DX	MALIGNANT NEOPLASM OF BODY OF PENIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C60.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PENIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C60.9	DX	MALIGNANT NEOPLASM OF PENIS, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C61	DX	MALIGNANT NEOPLASM OF PROSTATE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED UNDESCENDED TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.01	DX	MALIGNANT NEOPLASM OF UNDESCENDED RIGHT TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.02	DX	MALIGNANT NEOPLASM OF UNDESCENDED LEFT TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED DESCENDED TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.11	DX	MALIGNANT NEOPLASM OF DESCENDED RIGHT TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.12	DX	MALIGNANT NEOPLASM OF DESCENDED LEFT TESTIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.91	DX	MALIGNANT NEOPLASM OF RIGHT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C62.92	DX	MALIGNANT NEOPLASM OF LEFT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED EPIDIDYMIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.01	DX	MALIGNANT NEOPLASM OF RIGHT EPIDIDYMIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.02	DX	MALIGNANT NEOPLASM OF LEFT EPIDIDYMIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SPERMATIC CORD	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.11	DX	MALIGNANT NEOPLASM OF RIGHT SPERMATIC CORD	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.12	DX	MALIGNANT NEOPLASM OF LEFT SPERMATIC CORD	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.2	DX	MALIGNANT NEOPLASM OF SCROTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.7	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED MALE GENITAL ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF MALE GENITAL ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C63.9	DX	MALIGNANT NEOPLASM OF MALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C64.1	DX	MALIGNANT NEOPLASM OF RIGHT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C64.2	DX	MALIGNANT NEOPLASM OF LEFT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C64.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C65.1	DX	MALIGNANT NEOPLASM OF RIGHT RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C65.2	DX	MALIGNANT NEOPLASM OF LEFT RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C65.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C66.1	DX	MALIGNANT NEOPLASM OF RIGHT URETER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C66.2	DX	MALIGNANT NEOPLASM OF LEFT URETER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C66.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED URETER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.0	DX	MALIGNANT NEOPLASM OF TRIGONE OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.1	DX	MALIGNANT NEOPLASM OF DOME OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.4	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.5	DX	MALIGNANT NEOPLASM OF BLADDER NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.6	DX	MALIGNANT NEOPLASM OF URETERIC ORIFICE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.7	DX	MALIGNANT NEOPLASM OF URACHUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C67.9	DX	MALIGNANT NEOPLASM OF BLADDER, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C68.0	DX	MALIGNANT NEOPLASM OF URETHRA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C68.1	DX	MALIGNANT NEOPLASM OF PARAURETHRAL GLANDS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C68.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF URINARY ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C68.9	DX	MALIGNANT NEOPLASM OF URINARY ORGAN, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CONJUNCTIVA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.01	DX	MALIGNANT NEOPLASM OF RIGHT CONJUNCTIVA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.02	DX	MALIGNANT NEOPLASM OF LEFT CONJUNCTIVA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CORNEA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.11	DX	MALIGNANT NEOPLASM OF RIGHT CORNEA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.12	DX	MALIGNANT NEOPLASM OF LEFT CORNEA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED RETINA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.21	DX	MALIGNANT NEOPLASM OF RIGHT RETINA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.22	DX	MALIGNANT NEOPLASM OF LEFT RETINA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.30	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CHOROID	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.31	DX	MALIGNANT NEOPLASM OF RIGHT CHOROID	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.32	DX	MALIGNANT NEOPLASM OF LEFT CHOROID	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CILIARY BODY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.41	DX	MALIGNANT NEOPLASM OF RIGHT CILIARY BODY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.42	DX	MALIGNANT NEOPLASM OF LEFT CILIARY BODY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED LACRIMAL GLAND AND DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.51	DX	MALIGNANT NEOPLASM OF RIGHT LACRIMAL GLAND AND DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.52	DX	MALIGNANT NEOPLASM OF LEFT LACRIMAL GLAND AND DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.60	DX	MALIGNANT NEOPLASM OF UNSPECIFIED ORBIT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.61	DX	MALIGNANT NEOPLASM OF RIGHT ORBIT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.62	DX	MALIGNANT NEOPLASM OF LEFT ORBIT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED EYE AND ADNEXA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT EYE AND ADNEXA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT EYE AND ADNEXA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED EYE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT EYE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C69.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT EYE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C70.0	DX	MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C70.1	DX	MALIGNANT NEOPLASM OF SPINAL MENINGES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C70.9	DX	MALIGNANT NEOPLASM OF MENINGES, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.0	DX	MALIGNANT NEOPLASM OF CEREBRUM, EXCEPT LOBES AND VENTRICLES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.1	DX	MALIGNANT NEOPLASM OF FRONTAL LOBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.2	DX	MALIGNANT NEOPLASM OF TEMPORAL LOBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.3	DX	MALIGNANT NEOPLASM OF PARIETAL LOBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.4	DX	MALIGNANT NEOPLASM OF OCCIPITAL LOBE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.5	DX	MALIGNANT NEOPLASM OF CEREBRAL VENTRICLE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.6	DX	MALIGNANT NEOPLASM OF CEREBELLUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.7	DX	MALIGNANT NEOPLASM OF BRAIN STEM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRAIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C71.9	DX	MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.0	DX	MALIGNANT NEOPLASM OF SPINAL CORD	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.1	DX	MALIGNANT NEOPLASM OF CAUDA EQUINA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.20	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OLFACTORY NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.21	DX	MALIGNANT NEOPLASM OF RIGHT OLFACTORY NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.22	DX	MALIGNANT NEOPLASM OF LEFT OLFACTORY NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.30	DX	MALIGNANT NEOPLASM OF UNSPECIFIED OPTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.31	DX	MALIGNANT NEOPLASM OF RIGHT OPTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.32	DX	MALIGNANT NEOPLASM OF LEFT OPTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED ACOUSTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.41	DX	MALIGNANT NEOPLASM OF RIGHT ACOUSTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.42	DX	MALIGNANT NEOPLASM OF LEFT ACOUSTIC NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CRANIAL NERVE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.59	DX	MALIGNANT NEOPLASM OF OTHER CRANIAL NERVES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C72.9	DX	MALIGNANT NEOPLASM OF CENTRAL NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C73	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.00	DX	MALIGNANT NEOPLASM OF CORTEX OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.01	DX	MALIGNANT NEOPLASM OF CORTEX OF RIGHT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.02	DX	MALIGNANT NEOPLASM OF CORTEX OF LEFT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.10	DX	MALIGNANT NEOPLASM OF MEDULLA OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.11	DX	MALIGNANT NEOPLASM OF MEDULLA OF RIGHT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.12	DX	MALIGNANT NEOPLASM OF MEDULLA OF LEFT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C74.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.0	DX	MALIGNANT NEOPLASM OF PARATHYROID GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.1	DX	MALIGNANT NEOPLASM OF PITUITARY GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.2	DX	MALIGNANT NEOPLASM OF CRANIOPHARYNGEAL DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.3	DX	MALIGNANT NEOPLASM OF PINEAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.4	DX	MALIGNANT NEOPLASM OF CAROTID BODY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.5	DX	MALIGNANT NEOPLASM OF AORTIC BODY AND OTHER PARAGANGLIA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.8	DX	MALIGNANT NEOPLASM WITH PLURIGLANDULAR INVOLVEMENT, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C75.9	DX	MALIGNANT NEOPLASM OF ENDOCRINE GLAND, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.0	DX	MALIGNANT NEOPLASM OF HEAD, FACE AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.1	DX	MALIGNANT NEOPLASM OF THORAX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.2	DX	MALIGNANT NEOPLASM OF ABDOMEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.3	DX	MALIGNANT NEOPLASM OF PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.4	DX	MALIGNANT NEOPLASM OF UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.41	DX	MALIGNANT NEOPLASM OF RIGHT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.42	DX	MALIGNANT NEOPLASM OF LEFT UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.51	DX	MALIGNANT NEOPLASM OF RIGHT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.52	DX	MALIGNANT NEOPLASM OF LEFT LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C76.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED ILL-DEFINED SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.0	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF HEAD, FACE AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.1	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.2	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.3	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF AXILLA AND UPPER LIMB LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.4	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INGUINAL AND LOWER LIMB LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.5	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.8	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF MULTIPLE REGIONS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C77.9	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.1	DX	SECONDARY MALIGNANT NEOPLASM OF MEDIASTINUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.2	DX	SECONDARY MALIGNANT NEOPLASM OF PLEURA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.30	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED RESPIRATORY ORGAN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.39	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER RESPIRATORY ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.4	DX	SECONDARY MALIGNANT NEOPLASM OF SMALL INTESTINE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.5	DX	SECONDARY MALIGNANT NEOPLASM OF LARGE INTESTINE AND RECTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.6	DX	SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.7	DX	SECONDARY MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCT	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.8	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED DIGESTIVE ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.80	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGAN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C78.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER DIGESTIVE ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY AND RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT KIDNEY AND RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT KIDNEY AND RENAL PELVIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.10	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED URINARY ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.11	DX	SECONDARY MALIGNANT NEOPLASM OF BLADDER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.19	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER URINARY ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.2	DX	SECONDARY MALIGNANT NEOPLASM OF SKIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.31	DX	SECONDARY MALIGNANT NEOPLASM OF BRAIN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.32	DX	SECONDARY MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.40	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED PART OF NERVOUS SYSTEM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.49	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.51	DX	SECONDARY MALIGNANT NEOPLASM OF BONE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.52	DX	SECONDARY MALIGNANT NEOPLASM OF BONE MARROW	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.60	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.61	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.62	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.70	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.71	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.72	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT ADRENAL GLAND	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.81	DX	SECONDARY MALIGNANT NEOPLASM OF BREAST	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.82	DX	SECONDARY MALIGNANT NEOPLASM OF GENITAL ORGANS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C79.9	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.0	DX	MALIGNANT CARCINOID TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.00	DX	MALIGNANT CARCINOID TUMOR OF UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.01	DX	MALIGNANT CARCINOID TUMORS OF THE SMALL INTESTINE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.010	DX	MALIGNANT CARCINOID TUMOR OF THE DUODENUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.011	DX	MALIGNANT CARCINOID TUMOR OF THE JEJUNUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.012	DX	MALIGNANT CARCINOID TUMOR OF THE ILEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.019	DX	MALIGNANT CARCINOID TUMOR OF THE SMALL INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.02	DX	MALIGNANT CARCINOID TUMORS OF THE APPENDIX, LARGE INTESTINE, AND RECTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.020	DX	MALIGNANT CARCINOID TUMOR OF THE APPENDIX	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.021	DX	MALIGNANT CARCINOID TUMOR OF THE CECUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.022	DX	MALIGNANT CARCINOID TUMOR OF THE ASCENDING COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.023	DX	MALIGNANT CARCINOID TUMOR OF THE TRANSVERSE COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.024	DX	MALIGNANT CARCINOID TUMOR OF THE DESCENDING COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.025	DX	MALIGNANT CARCINOID TUMOR OF THE SIGMOID COLON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.026	DX	MALIGNANT CARCINOID TUMOR OF THE RECTUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.029	DX	MALIGNANT CARCINOID TUMOR OF THE LARGE INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.09	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.090	DX	MALIGNANT CARCINOID TUMOR OF THE BRONCHUS AND LUNG	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.091	DX	MALIGNANT CARCINOID TUMOR OF THE THYMUS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.092	DX	MALIGNANT CARCINOID TUMOR OF THE STOMACH	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.093	DX	MALIGNANT CARCINOID TUMOR OF THE KIDNEY	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.094	DX	MALIGNANT CARCINOID TUMOR OF THE FOREGUT, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.095	DX	MALIGNANT CARCINOID TUMOR OF THE MIDGUT, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.096	DX	MALIGNANT CARCINOID TUMOR OF THE HINDGUT, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.098	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.1	DX	MALIGNANT POORLY DIFFERENTIATED NEUROENDOCRINE TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7A.8	DX	OTHER MALIGNANT NEUROENDOCRINE TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B	DX	SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.0	DX	SECONDARY CARCINOID TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.00	DX	SECONDARY CARCINOID TUMORS, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.01	DX	SECONDARY CARCINOID TUMORS OF DISTANT LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.02	DX	SECONDARY CARCINOID TUMORS OF LIVER	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.03	DX	SECONDARY CARCINOID TUMORS OF BONE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.04	DX	SECONDARY CARCINOID TUMORS OF PERITONEUM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.09	DX	SECONDARY CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.1	DX	SECONDARY MERKEL CELL CARCINOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C7B.8	DX	OTHER SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C80.0	DX	DISSEMINATED MALIGNANT NEOPLASM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C80.1	DX	MALIGNANT (PRIMARY) NEOPLASM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C80.2	DX	MALIGNANT NEOPLASM ASSOCIATED WITH TRANSPLANTED ORGAN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.00	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.01	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.02	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.03	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.04	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.05	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.06	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.07	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.08	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.09	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.10	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.11	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.12	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.13	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.14	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.15	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.16	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.17	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.18	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.19	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.20	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.21	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.22	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.23	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.24	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.25	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.26	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.27	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.28	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.29	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.30	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.31	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.32	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.33	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.34	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.35	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.36	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.37	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.38	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.39	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.40	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.41	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.42	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.43	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.44	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.45	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.46	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.47	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.48	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.49	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.70	DX	OTHER HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.71	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.72	DX	OTHER HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.73	DX	OTHER HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.74	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.75	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.76	DX	OTHER HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.77	DX	OTHER HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.78	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.79	DX	OTHER HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.90	DX	HODGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.91	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.92	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.93	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.94	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.95	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.96	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.97	DX	HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.98	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C81.99	DX	HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.00	DX	FOLLICULAR LYMPHOMA GRADE I, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.01	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.02	DX	FOLLICULAR LYMPHOMA GRADE I, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.03	DX	FOLLICULAR LYMPHOMA GRADE I, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.04	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.05	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.06	DX	FOLLICULAR LYMPHOMA GRADE I, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.07	DX	FOLLICULAR LYMPHOMA GRADE I, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.08	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.09	DX	FOLLICULAR LYMPHOMA GRADE I, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.10	DX	FOLLICULAR LYMPHOMA GRADE II, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.11	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.12	DX	FOLLICULAR LYMPHOMA GRADE II, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.13	DX	FOLLICULAR LYMPHOMA GRADE II, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.14	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.15	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.16	DX	FOLLICULAR LYMPHOMA GRADE II, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.17	DX	FOLLICULAR LYMPHOMA GRADE II, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.18	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.19	DX	FOLLICULAR LYMPHOMA GRADE II, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.20	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.21	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.22	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.23	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.24	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.25	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.26	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.27	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.28	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.29	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.30	DX	FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.31	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.32	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.33	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.34	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.35	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.36	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.37	DX	FOLLICULAR LYMPHOMA GRADE IIIA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.38	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.39	DX	FOLLICULAR LYMPHOMA GRADE IIIA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.40	DX	FOLLICULAR LYMPHOMA GRADE IIIB, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.41	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.42	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.43	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.44	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.45	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.46	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.47	DX	FOLLICULAR LYMPHOMA GRADE IIIB, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.48	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.49	DX	FOLLICULAR LYMPHOMA GRADE IIIB, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.81	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.82	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.83	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.84	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.85	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.86	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.87	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.88	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.89	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.90	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.91	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.92	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.93	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.94	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.95	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.96	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.97	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.98	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C82.99	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.00	DX	SMALL CELL B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.01	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.02	DX	SMALL CELL B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.03	DX	SMALL CELL B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.04	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.05	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.06	DX	SMALL CELL B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.07	DX	SMALL CELL B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.08	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.09	DX	SMALL CELL B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.10	DX	MANTLE CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.11	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.12	DX	MANTLE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.13	DX	MANTLE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.14	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.15	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.16	DX	MANTLE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.17	DX	MANTLE CELL LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.18	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.19	DX	MANTLE CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.30	DX	DIFFUSE LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.31	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.32	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.33	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.34	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.35	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.36	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.37	DX	DIFFUSE LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.38	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.39	DX	DIFFUSE LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.50	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.51	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.52	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.53	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.54	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.55	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.56	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.57	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.58	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.59	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.70	DX	BURKITT LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.71	DX	BURKITT LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.72	DX	BURKITT LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.73	DX	BURKITT LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.74	DX	BURKITT LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.75	DX	BURKITT LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.76	DX	BURKITT LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.77	DX	BURKITT LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.78	DX	BURKITT LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.79	DX	BURKITT LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.80	DX	OTHER NON-FOLLICULAR LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.81	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.82	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.83	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.84	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.85	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.86	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.87	DX	OTHER NON-FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.88	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.89	DX	OTHER NON-FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.90	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.91	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.92	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.93	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.94	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.95	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.96	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.97	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.98	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C83.99	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.00	DX	MYCOSIS FUNGOIDES, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.01	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.02	DX	MYCOSIS FUNGOIDES, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.03	DX	MYCOSIS FUNGOIDES, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.04	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.05	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.06	DX	MYCOSIS FUNGOIDES, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.07	DX	MYCOSIS FUNGOIDES, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.08	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.09	DX	MYCOSIS FUNGOIDES, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.10	DX	SEZARY DISEASE, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.11	DX	SEZARY DISEASE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.12	DX	SEZARY DISEASE, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.13	DX	SEZARY DISEASE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.14	DX	SEZARY DISEASE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.15	DX	SEZARY DISEASE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.16	DX	SEZARY DISEASE, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.17	DX	SEZARY DISEASE, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.18	DX	SEZARY DISEASE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.19	DX	SEZARY DISEASE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.40	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.41	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.42	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.43	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.44	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.45	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.46	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.47	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.48	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.49	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.60	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.61	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.62	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.63	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.64	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.65	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.66	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.67	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.68	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.69	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.70	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.71	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.72	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.73	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.74	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.75	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.76	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.77	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.78	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.79	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.90	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.91	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.92	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.93	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.94	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.95	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.96	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.97	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.98	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.99	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A0	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A1	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A2	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A3	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A4	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A5	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A6	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A7	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A8	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.A9	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z0	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z1	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z2	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z3	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z4	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z5	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z6	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z7	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z8	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C84.Z9	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.10	DX	UNSPECIFIED B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.11	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.12	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.13	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.14	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.15	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.16	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.17	DX	UNSPECIFIED B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.18	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.19	DX	UNSPECIFIED B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.20	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.21	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.22	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.23	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.24	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.25	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.26	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.27	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.28	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.29	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.80	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.81	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.82	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.83	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.84	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.85	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.86	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.87	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.88	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.89	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.91	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.92	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.93	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.94	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.95	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.96	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.97	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.98	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C85.99	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.0	DX	EXTRANODAL NK/T-CELL LYMPHOMA, NASAL TYPE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.1	DX	HEPATOSPLENIC T-CELL LYMPHOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.2	DX	ENTEROPATHY-TYPE (INTESTINAL) T-CELL LYMPHOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.3	DX	SUBCUTANEOUS PANNICULITIS-LIKE T-CELL LYMPHOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.4	DX	BLASTIC NK-CELL LYMPHOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.5	DX	ANGIOIMMUNOBLASTIC T-CELL LYMPHOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C86.6	DX	PRIMARY CUTANEOUS CD30-POSITIVE T-CELL PROLIFERATIONS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.0	DX	WALDENSTROM MACROGLOBULINEMIA	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.2	DX	HEAVY CHAIN DISEASE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.3	DX	IMMUNOPROLIFERATIVE SMALL INTESTINAL DISEASE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.4	DX	EXTRANODAL MARGINAL ZONE B-CELL LYMPHOMA OF MUCOSA-ASSOCIATED LYMPHOID TISSUE [MALT-LYMPHOMA]	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.8	DX	OTHER MALIGNANT IMMUNOPROLIFERATIVE DISEASES	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C88.9	DX	MALIGNANT IMMUNOPROLIFERATIVE DISEASE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.00	DX	MULTIPLE MYELOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.01	DX	MULTIPLE MYELOMA IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.02	DX	MULTIPLE MYELOMA IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.10	DX	PLASMA CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.11	DX	PLASMA CELL LEUKEMIA IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.12	DX	PLASMA CELL LEUKEMIA IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.20	DX	EXTRAMEDULLARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.21	DX	EXTRAMEDULLARY PLASMACYTOMA IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.22	DX	EXTRAMEDULLARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.30	DX	SOLITARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.31	DX	SOLITARY PLASMACYTOMA IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C90.32	DX	SOLITARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.00	DX	ACUTE LYMPHOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.01	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.02	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.10	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.11	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.12	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.30	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.31	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.32	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.40	DX	HAIRY CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.41	DX	HAIRY CELL LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.42	DX	HAIRY CELL LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.50	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED) NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.51	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.52	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.60	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.61	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.62	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.90	DX	LYMPHOID LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.91	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.92	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.A0	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.A1	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.A2	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN PERSON	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.Z0	DX	OTHER LYMPHOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.Z1	DX	OTHER LYMPHOID LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C91.Z2	DX	OTHER LYMPHOID LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.00	DX	ACUTE MYELOBLASTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.01	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.02	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.10	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.11	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.12	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.20	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.21	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.22	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.30	DX	MYELOID SARCOMA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.31	DX	MYELOID SARCOMA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.32	DX	MYELOID SARCOMA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.40	DX	ACUTE PROMYELOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.41	DX	ACUTE PROMYELOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.42	DX	ACUTE PROMYELOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.50	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.51	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.52	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.60	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.61	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.62	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.90	DX	MYELOID LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.91	DX	MYELOID LEUKEMIA, UNSPECIFIED IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.92	DX	MYELOID LEUKEMIA, UNSPECIFIED IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.A0	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.A1	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.A2	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.Z0	DX	OTHER MYELOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.Z1	DX	OTHER MYELOID LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C92.Z2	DX	OTHER MYELOID LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.00	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.01	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.02	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.10	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.11	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.12	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.30	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.31	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.32	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.90	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.91	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.92	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.Z0	DX	OTHER MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.Z1	DX	OTHER MONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C93.Z2	DX	OTHER MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.00	DX	ACUTE ERYTHROID LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.01	DX	ACUTE ERYTHROID LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.02	DX	ACUTE ERYTHROID LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.20	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.21	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.22	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.30	DX	MAST CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.31	DX	MAST CELL LEUKEMIA, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.32	DX	MAST CELL LEUKEMIA, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.40	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.41	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.42	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.6	DX	MYELODYSPLASTIC DISEASE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.80	DX	OTHER SPECIFIED LEUKEMIAS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.81	DX	OTHER SPECIFIED LEUKEMIAS, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C94.82	DX	OTHER SPECIFIED LEUKEMIAS, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.00	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.01	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.02	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.10	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.11	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.12	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.90	DX	LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.91	DX	LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C95.92	DX	LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.0	DX	MULTIFOCAL AND MULTISYSTEMIC (DISSEMINATED) LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.2	DX	MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.20	DX	MALIGNANT MAST CELL NEOPLASM, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.21	DX	AGGRESSIVE SYSTEMIC MASTOCYTOSIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.22	DX	MAST CELL SARCOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.29	DX	OTHER MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.4	DX	SARCOMA OF DENDRITIC CELLS (ACCESSORY CELLS)	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.5	DX	MULTIFOCAL AND UNISYSTEMIC LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.6	DX	UNIFOCAL LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM

10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.9	DX	MALIGNANT NEOPLASM OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE, UNSPECIFIED	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.A	DX	HISTIOCYTIC SARCOMA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	C96.Z	DX	OTHER SPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	D45	DX	POLYCYTHEMIA VERA	ICD-10-CM
10	Have a history of an active or untreated malignancy or are in remission from a clinically sign	Cancer	R18.0	DX	MALIGNANT ASCITES	ICD-10-CM

Category	Variable_Name	Code	Code_categor	Description	Code_type	Notes
1	Hospitalisation for heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I50	DX	HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM	
1	Hospitalization for heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM	
1	Hospitalisation for heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
1	Hospitalisation for heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM	
2	All-cause mortality	20			IP: Discharge status	All database
2	All-cause mortality	41			IP: Discharge status	All database
2	All-cause mortality	42			IP: Discharge status	All database
2	All-cause mortality	21			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	22			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	23			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	24			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	25			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	26			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	27			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	28			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	29			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	40			IP: Discharge status	Marketscan/Optum database
2	All-cause mortality	YMDOD in DOD			file: member enrollment	Optum database
2	All-cause mortality	DEATHYRMO			file: mortality file	Marketscan database
	Optum Clinformatics: information on mortality was available through four sources: Centers for Medicare and Medicaid Services, Social Security Administration Master Death Files, in-hospital deaths, and death as a reason for insurance discontinuation IBM MarketScan: information on mortality was limited to in-hospital deaths.					
3	Urgent care visit requiring i.v. diuretics	J1940	PX	INJECTION, FUROSEMIDE, UP TO 20 MG	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	J3265	PX	INJECTION, TORSEMIDE, 10 MG/ML	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	S0171	PX	INJECTION, BUMETANIDE, 0.5 MG	CPT/HCPCS	
3	Urgent care visit requiring i.v. diuretics	TORSEMIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	BUMETANIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	FUROSEMIDE/DEXTROSE 5 % IN WATER	RX		Generic	In combination with intravenous administration
3	Urgent care visit requiring i.v. diuretics	J3490	PX	I.V. unclassified drug	CPT/HCPCS	In combination with generic drug name codes for furosemide, torsemide, bumetanide
3	Urgent care visit requiring i.v. diuretics	00004026706	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004026806	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004194406	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004196801	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004196901	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00004197001	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060923	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060925	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024060940	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061103	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061113	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024061150	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00024101210	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005525	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005625	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039005725	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006105	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006108	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006115	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006125	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006145	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006165	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006208	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006306	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006340	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006408	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006508	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039006908	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016225	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016325	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00039016425	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414305	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414308	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00047414310	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329446	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329450	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054329863	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054829804	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054829816	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054830004	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00054830016	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127404	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127414	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127424	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127434	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127502	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127512	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127522	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074127532	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074141204	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074141210	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074141214	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074163910	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605402	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605504	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605514	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605610	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605617	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605618	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	00074605620	RX		NDC Drug	

3	Urgent care visit requiring i.v. diuretics	00074610102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074610211	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00074963104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182302824	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182302863	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182605337	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00182605368	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186063501	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186063601	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111003	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111103	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111302	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111413	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111513	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111612	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00186111712	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770404	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00223770710	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259037202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259037210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00259137210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132252	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132254	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304132256	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304191861	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00304191874	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314051070	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314570201	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314570401	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00314571001	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364216554	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676224	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676334	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676348	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676352	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00364676354	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019902	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019904	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402019910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00402080510	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00405283256	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409127532	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141234	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141240	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141249	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409141250	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409163910	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409163921	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610204	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610218	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610219	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610220	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610226	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610227	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610235	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610236	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409610237	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409963104	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00409963114	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00418036102	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00426861304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00426861360	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469028025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469128025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469328025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750030	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00469750070	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517077010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517077110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517570225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517570425	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00517571025	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536070996	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536466270	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00536466370	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548142900	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143100	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143800	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548143900	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00548144000	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00603125052	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641038225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142535	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142635	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641142735	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641231125	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641231225	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600701	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600710	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600801	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641600810	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616101	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616110	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616201	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00641616210	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00677142325	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050002	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050005	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00702050010	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506203	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506303	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00703506403	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00781630202	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330635	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330636	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00814330840	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00832861304	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00832861360	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839654723	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839654832	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839667725	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839667730	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00839743164	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904147700	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904147703	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904147720	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	00904148510	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019001076	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050602	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050610	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050636	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050637	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050639	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	10019050645	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050008	RX	NDC Drug
3	Urgent care visit requiring i.v. diuretics	16729050030	RX	NDC Drug

3	Urgent care visit requiring i.v. diuretics	16729050143	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	16729050164	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	16729050203	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	16729050243	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	21695072125	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047331	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047332	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047333	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047341	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047342	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155047344	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052131	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052132	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052133	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052141	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052142	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	23155052144	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	24200182004	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	25021031102	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	25021031104	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	25021031110	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006301	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006305	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006401	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006405	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006501	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000006505	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000028225	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000028325	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	36000028425	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001302	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001304	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001310	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001350	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001352	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	39769001355	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	43797002812	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	47679074110	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	47679074130	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	47679074150	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	51432066017	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	51432066018	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	53169010880	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	53169010881	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54252019902	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54252019904	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54252019910	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54274039020	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54274074422	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54274074423	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54274074462	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569140200	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569151500	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569208200	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569230600	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569337000	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569338300	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54569359000	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54812000211	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54812000225	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54868218800	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54868229900	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54868364500	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	54868499800	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55081085000	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55081085100	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032201	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032225	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032301	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032325	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032401	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55150032425	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55154783005	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050002	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050005	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050010	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050102	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050105	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	55390050110	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	60432061304	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	60432061360	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	61553072648	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028001	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028002	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028003	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028004	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028005	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028010	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028016	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028026	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	63323028036	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075901	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075902	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075903	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075904	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075905	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075906	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075907	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075908	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075909	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075910	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075911	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	64679075912	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	66647811311	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094074259	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094074262	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094075659	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094075662	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094086759	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	68094086762	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70004063133	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70092115603	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121107601	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121107605	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121116301	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121116305	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121116401	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70121116405	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030202	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030204	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030210	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030241	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030242	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860030243	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860040504	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860040541	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860040610	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	70860040641	RX		NDC Drug	
3	Urgent care visit requiring i.v. diuretics	71019009201	RX		NDC Drug	
4	Negative control: Lumbar radiculopathy	M54.15	DX	RADICULOPATHY, THORACOLUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4	Negative control: Lumbar radiculopathy	M54.16	DX	RADICULOPATHY, LUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4	Negative control: Lumbar radiculopathy	M54.17	DX	RADICULOPATHY, LUMBOSACRAL REGION	ICD-10-CM	Inpatient and outpatient setting, any position
5	Negative control: Hernia	K40	DX	INGUINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position

5 Negative control: Hernia	K41	DX	FEMORAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.0	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.00	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.01	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.1	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.10	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.11	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.2	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.20	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.21	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.3	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.30	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.31	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.4	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.40	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.41	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.9	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.90	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.91	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42	DX	UMBILICAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.0	DX	UMBILICAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.1	DX	UMBILICAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.9	DX	UMBILICAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43	DX	VENTRAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.0	DX	INCISIONAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.1	DX	INCISIONAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.2	DX	INCISIONAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.3	DX	PARASTOMAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.4	DX	PARASTOMAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.5	DX	PARASTOMAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.6	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.7	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.9	DX	VENTRAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44	DX	DIAPHRAGMATIC HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.0	DX	DIAPHRAGMATIC HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.1	DX	DIAPHRAGMATIC HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.9	DX	DIAPHRAGMATIC HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45	DX	OTHER ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.0	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.1	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.8	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46	DX	UNSPECIFIED ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.0	DX	UNSPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.1	DX	UNSPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.9	DX	UNSPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
6 Safety outcome: Gastrointestinal advers	K31.84	DX	GASTROPARESIS	ICD-10-CM	Inpatient and outpatient setting, any position
6 Safety outcome: Gastrointestinal advers	K80.0	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.00	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.01	DX	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.1	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.10	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.11	DX	CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.12	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.13	DX	CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.18	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.19	DX	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.2	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.20	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.21	DX	CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.3	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.30	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.31	DX	CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.32	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.33	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.34	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.35	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.36	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.37	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.4	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.40	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.41	DX	CALCULUS OF BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.42	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6 Safety outcome: Gastrointestinal advers	K80.43	DX	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position

6	Safety outcome: Gastrointestinal adverse	K80.44	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.45	DX	CALCULUS OF BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.46	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.47	DX	CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.5	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.50	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.51	DX	CALCULUS OF BILE DUCT WITHOUT CHOLANGITIS OR CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.6	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.60	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.61	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHOLECYSTITIS, UNSPECIFIED, WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.62	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.63	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.64	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.65	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.66	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.67	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITH ACUTE AND CHRONIC CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.7	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.70	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.71	DX	CALCULUS OF GALLBLADDER AND BILE DUCT WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.8	DX	OTHER CHOLELITHIASIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.80	DX	OTHER CHOLELITHIASIS WITHOUT OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K80.81	DX	OTHER CHOLELITHIASIS WITH OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K81.0	DX	ACUTE CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K81.1	DX	CHRONIC CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K81.2	DX	ACUTE CHOLECYSTITIS WITH CHRONIC CHOLECYSTITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K81.9	DX	CHOLECYSTITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.0	DX	IDIOPATHIC ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.00	DX	IDIOPATHIC ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.01	DX	IDIOPATHIC ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.02	DX	IDIOPATHIC ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.1	DX	BILIARY ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.10	DX	BILIARY ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.11	DX	BILIARY ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.12	DX	BILIARY ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.2	DX	ALCOHOL INDUCED ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.20	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.21	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.22	DX	ALCOHOL INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.3	DX	DRUG INDUCED ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.30	DX	DRUG INDUCED ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.31	DX	DRUG INDUCED ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.32	DX	DRUG INDUCED ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.8	DX	OTHER ACUTE PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.80	DX	OTHER ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.81	DX	OTHER ACUTE PANCREATITIS WITH UNINFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.82	DX	OTHER ACUTE PANCREATITIS WITH INFECTED NECROSIS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.9	DX	ACUTE PANCREATITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.90	DX	ACUTE PANCREATITIS WITHOUT NECROSIS OR INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.91	DX	ACUTE PANCREATITIS WITH UNINFECTED NECROSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K85.92	DX	ACUTE PANCREATITIS WITH INFECTED NECROSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K31.5	DX	OBSTRUCTION OF DUODENUM	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56	DX	PARALYTIC ILEUS AND INTESTINAL OBSTRUCTION WITHOUT HERNIA	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.0	DX	PARALYTIC ILEUS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.5	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION (POSTINFECTION)	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.50	DX	INTESTINAL ADHESIONS [BANDS] WITH OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.51	DX	INTESTINAL ADHESIONS WITH PARTIAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.52	DX	INTESTINAL ADHESIONS WITH COMPLETE OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.600	DX	PARTIAL INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE INCOMPLETE INTESTINAL OBSTRUCTION, NOS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.601	DX	COMPLETE INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO CAUSE	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.609	DX	UNSPECIFIED INTESTINAL OBSTRUCTION, UNSPECIFIED AS TO PARTIAL VS. COMPLETE INTESTINAL OBSTRUCTION NOS	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.69	DX	OTHER INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.690	DX	OTHER PARTIAL INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.691	DX	OTHER COMPLETE INTESTINAL OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
6	Safety outcome: Gastrointestinal adverse	K56.699	DX	OTHER INTESTINAL OBSTRUCTION UNSPECIFIED AS TO PARTIAL VERSUS COMPLETE OBSTRUCTION	ICD-10-CM	Inpatient setting, primary position
7	Safety outcome: Urinary tract infection	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N10	DX	ACUTE PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N11.0	DX	NONOBSTRUCTIVE REFLUX-ASSOCIATED CHRONIC PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N11.1	DX	CHRONIC OBSTRUCTIVE PYELONEPHRITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N13.6	DX	PYONEPHROSIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30	DX	CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.0	DX	ACUTE CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.00	DX	ACUTE CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.01	DX	ACUTE CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.1	DX	INTERSTITIAL CYSTITIS (CHRONIC)	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.10	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.11	DX	INTERSTITIAL CYSTITIS (CHRONIC) WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.2	DX	OTHER CHRONIC CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.20	DX	OTHER CHRONIC CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.21	DX	OTHER CHRONIC CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days

7	Safety outcome: Urinary tract infection	N30.3	DX	TRIGONITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.30	DX	TRIGONITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.31	DX	TRIGONITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.40	DX	IRRADIATION CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.8	DX	OTHER CYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.80	DX	OTHER CYSTITIS WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.81	DX	OTHER CYSTITIS WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.9	DX	CYSTITIS, UNSPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.90	DX	CYSTITIS, UNSPECIFIED WITHOUT HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N30.91	DX	CYSTITIS, UNSPECIFIED WITH HEMATURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N41.3	DX	PROSTATOCYSTITIS	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N99.521	DX	INFECTION OF INCONTINENT EXTERNAL STOMA OF URINARY TRACT	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	N99.531	DX	INFECTION OF CONTINENT STOMA OF URINARY TRACT	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O03.38	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O03.88	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O04.88	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O07.38	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O08.83	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.0	DX	INFECTIONS OF KIDNEY IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.00	DX	INFECTIONS OF KIDNEY IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.01	DX	INFECTIONS OF KIDNEY IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.02	DX	INFECTIONS OF KIDNEY IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.03	DX	INFECTIONS OF KIDNEY IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.1	DX	INFECTIONS OF BLADDER IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.10	DX	INFECTIONS OF BLADDER IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.11	DX	INFECTIONS OF BLADDER IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.12	DX	INFECTIONS OF BLADDER IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.13	DX	INFECTIONS OF BLADDER IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.20	DX	INFECTIONS OF URETHRA IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.3	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.30	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.31	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.32	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.33	DX	INFECTIONS OF OTHER PARTS OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.4	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.40	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.41	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.42	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.43	DX	UNSPECIFIED INFECTION OF URINARY TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.5	DX	INFECTIONS OF THE GENITAL TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.51	DX	INFECTION OF CERVIX IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days

7	Safety outcome: Urinary tract infection	O23.511	DX	INFECTIONS OF CERVIX IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.512	DX	INFECTIONS OF CERVIX IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.513	DX	INFECTIONS OF CERVIX IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.519	DX	INFECTIONS OF CERVIX IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.59	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.591	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.592	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.593	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.599	DX	INFECTION OF OTHER PART OF GENITAL TRACT IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.9	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.90	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.91	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.92	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O23.93	DX	UNSPECIFIED GENITOURINARY TRACT INFECTION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.1	DX	OTHER INFECTION OF GENITAL TRACT FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.2	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.20	DX	URINARY TRACT INFECTION FOLLOWING DELIVERY, UNSPECIFIED	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.21	DX	INFECTION OF KIDNEY FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.22	DX	INFECTION OF BLADDER FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	O86.29	DX	OTHER URINARY TRACT INFECTION FOLLOWING DELIVERY	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	R82.71	DX	BACTERIURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	R82.81	DX	PYURIA	ICD-10-CM	Any position, any setting AND urinary tract infection antibiotics prescription within 7 days
7	Safety outcome: Urinary tract infection	AMOXICILLIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	AMOXICILLIN/POTASSIUM CLAVULANATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFADROXIL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFDINIR	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL IN DEXTROSE 5 % IN WATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFEPIME HCL IN ISO-OSMOTIC DEXTROSI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFPODOXIME PROXETIL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME IN DEXTROSE 5 % AND WATI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME IN DEXTROSE, ISO-OSMOTIC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM IN 0.9 % SODIUM CH	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME SODIUM IN ISO-OSMOTIC DE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME/ARGININE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTAZIDIME/AVIBACTAM SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM IN ISO-OSMOTIC DE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEFTRIAXONE SODIUM/LIDOCAINE HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEPHALEXIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CEPHALEXIN HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN LACTATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN LACTATE/DEXTROSE 5 %	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	CIPROFLOXACIN/CIPROFLOXACIN HCL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	DORIPENEM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	ERTAPENEM SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	FOSFOMYCIN TROMETHAMINE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE IN SODIUM CHLORI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE/PF	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE/SODIUM CHLORIDE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	GENTAMICIN SULFATE/SODIUM CITRATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	IMIPENEM/CILASTATIN SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	IMIPENEM/CILASTATIN SODIUM/RELEBAC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	LEVOFLOXACIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	LEVOFLOXACIN/DEXTROSE 5 % IN WATER	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM IN 0.9 % SODIUM CHLORIDE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	MEROPENEM/VABORBACTAM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN MACROCRYSTAL	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	NITROFURANTOIN MONOHYDRATE/MACR	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN AND TAZOBACTAM IN DEX	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM/DEXTROSE 5 % IN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	PIPERACILLIN SODIUM/TAZOBACTAM SOI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE/PHENAZOPYRIDINI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	SULFAMETHOXAZOLE/TRIMETHOPRIM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN IN 0.225 % SODIUM CHLORI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFATE	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFATE/DEXTROSE 5 % IN	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFATE/SODIUM CHLORID	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN SULFATE/VANCOMYCIN HC	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TOBRAMYCIN/LOTEPREDNOL ETABONATI	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	TRIMETHOPRIM	RX		Generic	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	S0039	PX	INJECTION, SULFAMETHOXAZOLE AND TRIMETHOPRIM	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	G9313	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS FOR DOCUMENTED REASON.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	G9314	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS, REASON NOT GIVEN AS MAINTAINED	CPT / HCPCS	Urinary tract infection antibiotics

7	Safety outcome: Urinary tract infection	G9315	PX	AMOXICILLIN, WITH OR WITHOUT CLAVULANATE, NOT PRESCRIBED AS FIRST LINE ANTIBIOTIC AT THE TIME OF DIAGNOSIS, REASON NOT GIVEN AS MAINTAINED	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0744	PX	INJECTION, CIPROFLOXACIN FOR INTRAVENOUS INFUSION, 200 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J7342	PX	INSTILLATION, CIPROFLOXACIN OTIC SUSPENSION, 6 MG AS MAINTAINED BY CMS FALLS UNDER MISCELLANEOUS DRUGS.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1956	PX	INJECTION, LEVOFLOXACIN, 250 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0696	PX	INJECTION, CEFTRIAXONE SODIUM, PER 250 MG	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0692	PX	INJECTION, CEFEPIME HYDROCHLORIDE, 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0701	PX	INJECTION, CEFEPIME HYDROCHLORIDE (BAXTER), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0703	PX	INJECTION, CEFEPIME HYDROCHLORIDE (B BRAUN), NOT THERAPEUTICALLY EQUIVALENT TO MAXIPIME, 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J2543	PX	INJECTION, PIPERACILLIN SODIUM/TAZOBACTAM SODIUM, 1 GRAM/0.125 GRAMS (1.125 GRAMS)	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	S0081	PX	INJECTION, PIPERACILLIN SODIUM, 500 MG AS MAINTAINED BY CMS FALLS UNDER NON-MEDICARE DRUG CODES.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	80170	PX	GENTAMICIN	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1580	PX	INJECTION, GARAMYCIN, GENTAMICIN, UP TO 80 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	80200	PX	TOBRAMYCIN	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J3260	PX	INJECTION, TOBRAMYCIN SULFATE, UP TO 80 MG	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0713	PX	INJECTION, CEFTAZIDIME, PER 500 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0714	PX	INJECTION, CEFTAZIDIME AND AVIBACTAM, 0.5 G/0.125 G AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J2184	PX	INJECTION, MEROPENEM (B. BRAUN), NOT THERAPEUTICALLY EQUIVALENT TO J2185, 100 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION .	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J2185	PX	INJECTION, MEROPENEM, 100 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J2186	PX	INJECTION, MEROPENEM AND VABORBACTAM, 10MG/10MG (20MG) AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1335	PX	INJECTION, ERTAPENEM SODIUM, 500 MG.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J1267	PX	INJECTION, DORIPENEM, 10 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0742	PX	INJECTION, IMIPENEM 4 MG, CILASTATIN 4 MG AND RELEBACTAM 2 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION.	CPT / HCPCS	Urinary tract infection antibiotics
7	Safety outcome: Urinary tract infection	J0743	PX	INJECTION, CILASTATIN SODIUM; IMIPENEM, PER 250 MG AS MAINTAINED BY CMS FALLS UNDER DRUGS, ADMINISTERED BY INJECTION	CPT / HCPCS	Urinary tract infection antibiotics
8	Safety outcome: Serious bacterial infecti	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A04.71	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, RECURRENT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A04.72	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A01.01	DX	TYPHOID MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A02.21	DX	SALMONELLA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A04.7	DX	ENTEROCOLITIS DUE TO CLOSTRIDIUM DIFFICILE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A27.81	DX	ASEPTIC MENINGITIS IN LEPTOSPIROSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A39.0	DX	MENINGOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A39.81	DX	MENINGOCOCCAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A51.41	DX	SECONDARY SYPHILITIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A52.13	DX	LATE SYPHILITIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A54.81	DX	GONOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.0	DX	HEMOPHILUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.1	DX	PNEUMOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.2	DX	STREPTOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.3	DX	STAPHYLOCOCCAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.9	DX	BACTERIAL MENINGITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G01 G02	DX	MENINGITIS IN BACTERIAL DISEASES CLASSIFIED ELSEWHERE MENINGITIS IN OTHER INFECTIOUS AND PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G04.2	DX	BACTERIAL MENINGOENCEPHALITIS AND MENINGOMYELITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G00.8	DX	OTHER BACTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A39.51	DX	MENINGOCOCCAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A52.03	DX	SYPHILITIC ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	I33.0	DX	ACUTE AND SUBACUTE INFECTIVE ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	I33.9	DX	ACUTE AND SUBACUTE ENDOCARDITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.001	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.002	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.003	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.009	DX	ACUTE MASTOIDITIS WITHOUT COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.011	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.012	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.013	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.019	DX	SUBPERIOSTEAL ABSCESS OF MASTOID, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.091	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.092	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.093	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.099	DX	ACUTE MASTOIDITIS WITH OTHER COMPLICATIONS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.90	DX	UNSPECIFIED MASTOIDITIS, UNSPECIFIED EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.91	DX	UNSPECIFIED MASTOIDITIS, RIGHT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.92	DX	UNSPECIFIED MASTOIDITIS, LEFT EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H70.93	DX	UNSPECIFIED MASTOIDITIS, BILATERAL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A01.05	DX	TYPHOID OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A02.24	DX	SALMONELLA OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A54.43	DX	GONOCOCCAL OSTEOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.021	DX	OSTEOMYELITIS OF RIGHT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.022	DX	OSTEOMYELITIS OF LEFT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.023	DX	OSTEOMYELITIS OF BILATERAL ORBITS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.029	DX	OSTEOMYELITIS OF UNSPECIFIED ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.20	DX	OSTEOMYELITIS OF VERTEBRA, SITE UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.21	DX	OSTEOMYELITIS OF VERTEBRA, OCCIPITO-ATLANTO-AXIAL REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.22	DX	OSTEOMYELITIS OF VERTEBRA, CERVICAL REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.23	DX	OSTEOMYELITIS OF VERTEBRA, CERVICOTHORACIC REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.24	DX	OSTEOMYELITIS OF VERTEBRA, THORACIC REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.25	DX	OSTEOMYELITIS OF VERTEBRA, THORACOLUMBAR REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.26	DX	OSTEOMYELITIS OF VERTEBRA, LUMBAR REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.27	DX	OSTEOMYELITIS OF VERTEBRA, LUMBOSACRAL REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M46.28	DX	OSTEOMYELITIS OF VERTEBRA, SACRAL AND SACROCOCCYGEAL REGION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.00	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.011	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.012	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.019	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.021	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.022	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.029	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.031	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.032	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.039	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.041	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.042	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.049	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.051	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.052	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.059	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.061	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.062	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.069	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.071	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.072	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M86.079	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position

8 Safety outcome: Serious bacterial infecti	M86.08	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.09	DX	ACUTE HEMATOGENOUS OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.10	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.111	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.112	DX	OTHER ACUTE OSTEOMYELITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.119	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.121	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.122	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HUMERUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.129	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HUMERUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.131	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.132	DX	OTHER ACUTE OSTEOMYELITIS, LEFT RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.139	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED RADIUS AND ULNA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.141	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.142	DX	OTHER ACUTE OSTEOMYELITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.149	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.151	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT FEMUR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.152	DX	OTHER ACUTE OSTEOMYELITIS, LEFT FEMUR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.159	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED FEMUR	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.161	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.162	DX	OTHER ACUTE OSTEOMYELITIS, LEFT TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.169	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED TIBIA AND FIBULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.171	DX	OTHER ACUTE OSTEOMYELITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.172	DX	OTHER ACUTE OSTEOMYELITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.179	DX	OTHER ACUTE OSTEOMYELITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.18	DX	OTHER ACUTE OSTEOMYELITIS, OTHER SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.19	DX	OTHER ACUTE OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X0	DX	OTHER OSTEOMYELITIS, MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X1	DX	OTHER OSTEOMYELITIS, SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X2	DX	OTHER OSTEOMYELITIS, UPPER ARM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X3	DX	OTHER OSTEOMYELITIS, FOREARM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X4	DX	OTHER OSTEOMYELITIS, HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X5	DX	OTHER OSTEOMYELITIS, THIGH	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X6	DX	OTHER OSTEOMYELITIS, LOWER LEG	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X7	DX	OTHER OSTEOMYELITIS, ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X8	DX	OTHER OSTEOMYELITIS, OTHER SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.8X9	DX	OTHER OSTEOMYELITIS, UNSPECIFIED SITES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M86.9	DX	OSTEOMYELITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A01.03	DX	TYPHOID PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A02.22	DX	SALMONELLA PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A37.01	DX	WHOOPING COUGH DUE TO BORDETELLA PERTUSSIS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A37.11	DX	WHOOPING COUGH DUE TO BORDETELLA PARAPERTUSSIS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A37.81	DX	WHOOPING COUGH DUE TO OTHER BORDETELLA SPECIES WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A37.91	DX	WHOOPING COUGH, UNSPECIFIED SPECIES WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A48.1	DX	LEGIONNAIRES' DISEASE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A54.84	DX	GONOCOCCAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J13	DX	PNEUMONIA DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J14	DX	PNEUMONIA DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.0	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.1	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.20	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.211	DX	PNEUMONIA DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.212	DX	PNEUMONIA DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.29	DX	PNEUMONIA DUE TO OTHER STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.4	DX	PNEUMONIA DUE TO OTHER STREPTOCOCCI	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.5	DX	PNEUMONIA DUE TO ESCHERICHIA COLI	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.6	DX	PNEUMONIA DUE TO OTHER GRAM-NEGATIVE BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.7	DX	PNEUMONIA DUE TO MYCOPLASMA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.8	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J15.9	DX	UNSPECIFIED BACTERIAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J16.0 J16.8	DX	PNEUMONIA DUE TO GRAM-POSITIVE BACTERIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti		DX	PNEUMONIA DUE TO OTHER INFECTIOUS ORGANISMS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J17	DX	PNEUMONIA IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J18.0	DX	BRONCHOPNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J18.1	DX	LOBAR PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J18.8	DX	OTHER PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J18.9	DX	PNEUMONIA, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J86.0	DX	PYOTHORAX WITH FISTULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J86.9	DX	PYOTHORAX WITHOUT FISTULA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A39.2	DX	ACUTE MENINGOCOCCEMIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A39.4	DX	MENINGOCOCCEMIA, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A40.0	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP A	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A40.1	DX	SEPSIS DUE TO STREPTOCOCCUS, GROUP B	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A40.3	DX	SEPSIS DUE TO STREPTOCOCCUS PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A40.8	DX	OTHER STREPTOCOCCAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A40.9	DX	STREPTOCOCCAL SEPSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.01	DX	SEPSIS DUE TO METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.02	DX	SEPSIS DUE TO METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.1	DX	SEPSIS DUE TO OTHER SPECIFIED STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.2	DX	SEPSIS DUE TO UNSPECIFIED STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.3	DX	SEPSIS DUE TO HEMOPHILUS INFLUENZAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.4	DX	SEPSIS DUE TO ANAEROBES	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.50	DX	GRAM-NEGATIVE SEPSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.51	DX	SEPSIS DUE TO ESCHERICHIA COLI [E. COLI]	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.52	DX	SEPSIS DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.53	DX	SEPSIS DUE TO SERRATIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.59	DX	OTHER GRAM-NEGATIVE SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.81	DX	SEPSIS DUE TO ENTEROCOCCUS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.89	DX	OTHER SPECIFIED SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A41.9	DX	SEPSIS, UNSPECIFIED ORGANISM	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A48.3	DX	TOXIC SHOCK SYNDROME	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A54.86	DX	GONOCOCCAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	R78.81	DX	BACTEREMIA	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A02.1	DX	SALMONELLA SEPSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	A02.25	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	N10	DX	SALMONELLA PYELONEPHRITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	N13.6	DX	PYONEPHROSIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	N39.0	DX	URINARY TRACT INFECTION, SITE NOT SPECIFIED	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M60.009	DX	INFECTIVE MYOSITIS, UNSPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J36	DX	PERITONSILLAR ABSCESS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J39.0	DX	RETROPHARYNGEAL AND PARAPHARYNGEAL ABSCESS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	J39.1	DX	OTHER ABSCESS OF PHARYNX	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.00	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.011	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.012	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.019	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.021	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.022	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.029	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.031	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.032	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.039	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.041	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.042	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.049	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.051	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.052	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.059	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.061	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.062	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.069	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.071	DX	STAPHYLOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.072	DX	STAPHYLOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.079	DX	STAPHYLOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.08	DX	STAPHYLOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.09	DX	STAPHYLOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.10	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8 Safety outcome: Serious bacterial infecti	M00.111	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infecti	M00.112	DX	PNEUMOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.119	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.121	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.122	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.129	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.131	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.132	DX	PNEUMOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.139	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.141	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.142	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.149	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.151	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.152	DX	PNEUMOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.159	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.161	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.162	DX	PNEUMOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.169	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.171	DX	PNEUMOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.172	DX	PNEUMOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.179	DX	PNEUMOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.18	DX	PNEUMOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.19	DX	PNEUMOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.20	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.211	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.212	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.219	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.221	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.222	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.229	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.231	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.232	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.239	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.241	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.242	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.249	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.251	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.252	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.259	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.261	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.262	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.269	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.271	DX	OTHER STREPTOCOCCAL ARTHRITIS, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.272	DX	OTHER STREPTOCOCCAL ARTHRITIS, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.279	DX	OTHER STREPTOCOCCAL ARTHRITIS, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.28	DX	OTHER STREPTOCOCCAL ARTHRITIS, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.29	DX	OTHER STREPTOCOCCAL POLYARTHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.80	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED JOINT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.811	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.812	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.819	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED SHOULDER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.821	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.822	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.829	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ELBOW	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.831	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.832	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.839	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED WRIST	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.841	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.842	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.849	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.851	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.852	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.859	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED HIP	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.861	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.862	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.869	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED KNEE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.871	DX	ARTHRITIS DUE TO OTHER BACTERIA, RIGHT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.872	DX	ARTHRITIS DUE TO OTHER BACTERIA, LEFT ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.879	DX	ARTHRITIS DUE TO OTHER BACTERIA, UNSPECIFIED ANKLE AND FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.88	DX	ARTHRITIS DUE TO OTHER BACTERIA, VERTEBRAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.89	DX	POLYARTHRITIS DUE TO OTHER BACTERIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M00.9	DX	PYOGENIC ARTHRITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A46	DX	ERYSIPELAS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A48.0	DX	GAS GANGRENE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.011	DX	CELLULITIS OF RIGHT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.012	DX	CELLULITIS OF LEFT ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.013	DX	CELLULITIS OF BILATERAL ORBITS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	H05.019	DX	CELLULITIS OF UNSPECIFIED ORBIT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	K12.2	DX	CELLULITIS AND ABSCESS OF MOUTH	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.00	DX	IMPETIGO, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.01	DX	NON-BULLOUS IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.02	DX	BOCKHART'S IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.03	DX	BULLOUS IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.09	DX	OTHER IMPETIGO	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L01.1	DX	IMPETIGINIZATION OF OTHER DERMATOSES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.01	DX	CUTANEOUS ABSCESS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.02	DX	FURUNCLE OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.03	DX	CARBUNCLE OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.11	DX	CUTANEOUS ABSCESS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.12	DX	FURUNCLE OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.13	DX	CARBUNCLE OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.213	DX	CUTANEOUS ABSCESS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.214	DX	CUTANEOUS ABSCESS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.215	DX	CUTANEOUS ABSCESS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.219	DX	CUTANEOUS ABSCESS OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.221	DX	FURUNCLE OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.222	DX	FURUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.223	DX	FURUNCLE OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.224	DX	FURUNCLE OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.225	DX	FURUNCLE OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.226	DX	FURUNCLE OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.229	DX	FURUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.231	DX	CARBUNCLE OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.232	DX	CARBUNCLE OF BACK [ANY PART, EXCEPT BUTTOCK]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.233	DX	CARBUNCLE OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.234	DX	CARBUNCLE OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.235	DX	CARBUNCLE OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.236	DX	CARBUNCLE OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.239	DX	CARBUNCLE OF TRUNK, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.31	DX	CUTANEOUS ABSCESS OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.32	DX	FURUNCLE OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.33	DX	CARBUNCLE OF BUTTOCK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.411	DX	CUTANEOUS ABSCESS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.412	DX	CUTANEOUS ABSCESS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.413	DX	CUTANEOUS ABSCESS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.414	DX	CUTANEOUS ABSCESS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.415	DX	CUTANEOUS ABSCESS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.416	DX	CUTANEOUS ABSCESS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.419	DX	CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.421	DX	FURUNCLE OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.422	DX	FURUNCLE OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.423	DX	FURUNCLE OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.424	DX	FURUNCLE OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.425	DX	FURUNCLE OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.426	DX	FURUNCLE OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.429	DX	FURUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.431	DX	CARBUNCLE OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.432	DX	CARBUNCLE OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.433	DX	CARBUNCLE OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.434	DX	CARBUNCLE OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.435	DX	CARBUNCLE OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infecti	L02.436	DX	CARBUNCLE OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.439	DX	CARBUNCLE OF LIMB, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.511	DX	CUTANEOUS ABSCESS OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.512	DX	CUTANEOUS ABSCESS OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.519	DX	CUTANEOUS ABSCESS OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.521	DX	FURUNCLE OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.522	DX	FURUNCLE OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.529	DX	FURUNCLE OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.531	DX	CARBUNCLE OF RIGHT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.532	DX	CARBUNCLE OF LEFT HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.539	DX	CARBUNCLE OF UNSPECIFIED HAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.611	DX	CUTANEOUS ABSCESS OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.612	DX	CUTANEOUS ABSCESS OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.619	DX	CUTANEOUS ABSCESS OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.621	DX	FURUNCLE OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.622	DX	FURUNCLE OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.629	DX	FURUNCLE OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.631	DX	CARBUNCLE OF RIGHT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.632	DX	CARBUNCLE OF LEFT FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.639	DX	CARBUNCLE OF UNSPECIFIED FOOT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.811	DX	CUTANEOUS ABSCESS OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.818	DX	CUTANEOUS ABSCESS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.821	DX	FURUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.828	DX	FURUNCLE OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.831	DX	CARBUNCLE OF HEAD [ANY PART, EXCEPT FACE]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.838	DX	CARBUNCLE OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.91	DX	CUTANEOUS ABSCESS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.92	DX	FURUNCLE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L02.93	DX	CARBUNCLE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.011	DX	CELLULITIS OF RIGHT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.012	DX	CELLULITIS OF LEFT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.019	DX	CELLULITIS OF UNSPECIFIED FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.021	DX	ACUTE LYMPHANGITIS OF RIGHT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.022	DX	ACUTE LYMPHANGITIS OF LEFT FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.029	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.031	DX	CELLULITIS OF RIGHT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.032	DX	CELLULITIS OF LEFT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.039	DX	CELLULITIS OF UNSPECIFIED TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.041	DX	ACUTE LYMPHANGITIS OF RIGHT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.042	DX	ACUTE LYMPHANGITIS OF LEFT TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.049	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED TOE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.111	DX	CELLULITIS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.112	DX	CELLULITIS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.113	DX	CELLULITIS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.114	DX	CELLULITIS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.115	DX	CELLULITIS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.116	DX	CELLULITIS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.119	DX	CELLULITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.121	DX	ACUTE LYMPHANGITIS OF RIGHT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.122	DX	ACUTE LYMPHANGITIS OF LEFT AXILLA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.123	DX	ACUTE LYMPHANGITIS OF RIGHT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.124	DX	ACUTE LYMPHANGITIS OF LEFT UPPER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.125	DX	ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.126	DX	ACUTE LYMPHANGITIS OF LEFT LOWER LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.129	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.211	DX	CELLULITIS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.212	DX	ACUTE LYMPHANGITIS OF FACE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.221	DX	CELLULITIS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.222	DX	ACUTE LYMPHANGITIS OF NECK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.311	DX	CELLULITIS OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.312	DX	CELLULITIS OF BACK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.313	DX	CELLULITIS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.314	DX	CELLULITIS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.315	DX	CELLULITIS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.316	DX	CELLULITIS OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.317	DX	CELLULITIS OF OTHER PARTS OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.319	DX	CELLULITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.321	DX	ACUTE LYMPHANGITIS OF ABDOMINAL WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.322	DX	ACUTE LYMPHANGITIS OF BACK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.323	DX	ACUTE LYMPHANGITIS OF CHEST WALL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.324	DX	ACUTE LYMPHANGITIS OF GROIN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.325	DX	ACUTE LYMPHANGITIS OF PERINEUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.326	DX	ACUTE LYMPHANGITIS OF UMBILICUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.327	DX	ACUTE LYMPHANGITIS OF OTHER PARTS OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.329	DX	ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF TRUNK	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.811	DX	CELLULITIS OF HEAD (ANY PART, EXCEPT FACE)	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.818	DX	CELLULITIS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.891	DX	OTHER ACUTE LYMPHANGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.898	DX	OTHER SPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.90	DX	CELLULITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L03.91	DX	ACUTE LYMPHANGITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L08.1	DX	ERYTHRASMA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L08.89	DX	OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	L08.9	DX	LOCAL INFECTION OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	M72.6	DX	NECROTIZING FASCIITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J09.X1	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J09.X2	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J09.X3	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J09.X9	DX	INFLUENZA DUE TO IDENTIFIED NOVEL INFLUENZA A VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.00	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.01	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH THE SAME OTHER IDENTIFIED INFLUENZA VIRUS PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.08	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER SPECIFIED PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.1	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.2	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.81	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.82	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.83	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J10.89	DX	INFLUENZA DUE TO OTHER IDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.00	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH UNSPECIFIED TYPE OF PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.08	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH SPECIFIED PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J111	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER RESPIRATORY MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J112	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH GASTROINTESTINAL MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.81	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH ENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.82	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.83	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTITIS MEDIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J11.89	DX	INFLUENZA DUE TO UNIDENTIFIED INFLUENZA VIRUS WITH OTHER MANIFESTATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.2	DX	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.0	DX	PNEUMONIA DUE TO PSEUDOMONAS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.1	DX	PNEUMONIA DUE TO STAPHYLOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.3	DX	PNEUMONIA DUE TO STREPTOCOCCUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.81	DX	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.89	DX	OTHER VIRAL PNEUMONIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	J12.9	DX	VIRAL PNEUMONIA, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.12	DX	LISTERIAL MENINGITIS AND MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.0	DX	JAPANESE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infecti	A83.1	DX	WESTERN EQUINE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.2	DX	EASTERN EQUINE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.3	DX	ST. LOUIS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.4	DX	AUSTRALIAN ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.5	DX	CALIFORNIA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.6	DX	ROCIO VIRUS DISEASE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.8	DX	OTHER MOSQUITO-BORNE VIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A83.9	DX	MOSQUITO-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A84.0	DX	FAR EASTERN TICK-BORNE ENCEPHALITIS [RUSSIAN SPRING-SUMMER ENCEPHALITIS]	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A84.1	DX	CENTRAL EUROPEAN TICK-BORNE ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A84.8	DX	OTHER TICK-BORNE VIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A84.9	DX	TICK-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A85.2	DX	ARTHROPOD-BORNE VIRAL ENCEPHALITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A92.31	DX	WEST NILE VIRUS WITH ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B01.1	DX	VARICELLA ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B01.11	DX	VARICELLA ENCEPHALITIS AND ENCEPHALOMYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B06.01	DX	RUBELLA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B10.01	DX	HUMAN HERPESVIRUS 6 ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B10.09	DX	OTHER HUMAN HERPESVIRUS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B26.2	DX	MUMPS ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.02	DX	GAMMAHERPESVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G04.90	DX	ENCEPHALITIS AND ENCEPHALOMYELITIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	G05.3	DX	ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS IN PARASITIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.00	DX	HERPESVIRAL INFECTION OF UROGENITAL SYSTEM, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.01	DX	HERPESVIRAL INFECTION OF PENIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.02	DX	HERPESVIRAL INFECTION OF OTHER MALE GENITAL ORGANS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.03	DX	HERPESVIRAL INFECTION OF VULVA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.04	DX	HERPESVIRAL INFECTION OF VAGINA AND VULVA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.09	DX	HERPESVIRAL INFECTION OF OTHER UROGENITAL TRACT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.1	DX	HERPESVIRAL INFECTION OF PERIANAL SKIN AND RECTUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A60.9	DX	ANOGENITAL HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.0	DX	ECZEMA HERPETICUM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.1	DX	HERPESVIRAL VESICULAR DERMATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.2	DX	HERPESVIRAL GINGIVOSTOMATITIS AND PHARYNGOTONSILLITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.3	DX	HERPESVIRAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.4	DX	HERPESVIRAL ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.50	DX	HERPESVIRAL OCULAR DISEASE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.51	DX	HERPESVIRAL IRIDOCYCLITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.52	DX	HERPESVIRAL KERATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.53	DX	HERPESVIRAL CONJUNCTIVITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.59	DX	OTHER HERPESVIRAL DISEASE OF EYE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.7	DX	DISSEMINATED HERPESVIRAL DISEASE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.81	DX	HERPESVIRAL HEPATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.82	DX	HERPES SIMPLEX MYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.89	DX	OTHER FORMS OF HERPESVIRAL INFECTIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B00.9	DX	HERPESVIRAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.0	DX	ZOSTER ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.1	DX	ZOSTER MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.30	DX	POSTHERPETIC GENICULATE GANGLIONITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.31	DX	POSTHERPETIC TRIGEMINAL NEURALGIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.32	DX	POSTHERPETIC POLYNEUROPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.33	DX	POSTHERPETIC MYELITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.34	DX	POSTHERPETIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.39	DX	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.7	DX	DISSEMINATED ZOSTER	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.8	DX	ZOSTER WITH OTHER COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B02.9	DX	ZOSTER WITHOUT COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.0	DX	TUBERCULOSIS OF LUNG	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.4	DX	TUBERCULOSIS OF INTRATHORACIC LYMPH NODES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.5	DX	TUBERCULOSIS OF LARYNX, TRACHEA AND BRONCHUS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.6	DX	TUBERCULOUS PLEURISY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.7	DX	PRIMARY RESPIRATORY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.8	DX	OTHER RESPIRATORY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A15.9	DX	RESPIRATORY TUBERCULOSIS UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.0	DX	TUBERCULOUS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.1	DX	MENINGEAL TUBERCULOMA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.81	DX	TUBERCULOMA OF BRAIN AND SPINAL CORD	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.82	DX	TUBERCULOUS MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.83	DX	TUBERCULOUS NEURITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.89	DX	OTHER TUBERCULOSIS OF NERVOUS SYSTEM	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A17.9	DX	TUBERCULOSIS OF NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.01	DX	TUBERCULOSIS OF SPINE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.03	DX	TUBERCULOSIS OF OTHER BONES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.2	DX	TUBERCULOSIS OF PERIPHERAL LYMPH NODES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.31	DX	TUBERCULOUS PERITONITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.32	DX	TUBERCULOUS ENTERITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.39	DX	RETROPERITONEAL TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.4	DX	TUBERCULOSIS OF SKIN AND SUBCUTANEOUS TISSUE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.50	DX	TUBERCULOSIS OF EYE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.51	DX	TUBERCULOUS EPISCLERITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.52	DX	TUBERCULOUS KERATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.53	DX	TUBERCULOUS CHORIORETINITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.54	DX	TUBERCULOUS IRIDOCYCLITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.59	DX	OTHER TUBERCULOSIS OF EYE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.6	DX	TUBERCULOSIS OF INNER/MIDDLE EAR	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.7	DX	TUBERCULOSIS OF ADRENAL GLANDS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.81	DX	TUBERCULOSIS OF THYROID GLAND	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.82	DX	TUBERCULOSIS OF OTHER ENDOCRINE GLANDS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.83	DX	TUBERCULOSIS OF DIGESTIVE TRACT ORGANS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.84	DX	TUBERCULOSIS OF HEART	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.85	DX	TUBERCULOSIS OF SPLEEN	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A18.89	DX	TUBERCULOSIS OF OTHER SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A19.0	DX	ACUTE MILIARY TUBERCULOSIS OF A SINGLE SPECIFIED SITE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A19.1	DX	ACUTE MILIARY TUBERCULOSIS OF MULTIPLE SITES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A19.2	DX	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A19.8	DX	OTHER MILIARY TUBERCULOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A19.9	DX	MILIARY TUBERCULOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A31.0	DX	PULMONARY MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A31.1	DX	CUTANEOUS MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A31.2	DX	DISSEMINATED MYCOBACTERIAL INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A31.8	DX	OTHER MYCOBACTERIAL INFECTIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A31.9	DX	MYCOBACTERIAL INFECTION, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.0	DX	CUTANEOUS LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.11	DX	LISTERIAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.12	DX	LISTERIAL MENINGOENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.7	DX	LISTERIAL SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.81	DX	OCULAR LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.82	DX	LISTERIAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.89	DX	OTHER FORMS OF LISTERIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A32.9	DX	LISTERIOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A81.2	DX	PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.2	DX	ACUTE DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.3	DX	CHRONIC PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.4	DX	CHRONIC DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.5	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B39.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.0	DX	PULMONARY ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.1	DX	ABDOMINAL ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.2	DX	CERVICOFACIAL ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.7	DX	ACTINOMYCOTIC SEPSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.81	DX	ACTINOMYCOTIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.82	DX	ACTINOMYCOTIC ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.89	DX	OTHER FORMS OF ACTINOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A42.9	DX	ACTINOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position

8	Safety outcome: Serious bacterial infecti	B47.1	DX	CUTANEOUS PHAEOHYPHOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B48.0	DX	LOBOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.01	DX	ACUTE TOXOPLASMA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.09	DX	OTHER TOXOPLASMA MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.2	DX	TOXOPLASMA ENCEPHALITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.3	DX	PULMONARY TOXOPLASMOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.81	DX	TOXOPLASMA OCULOPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.82	DX	TOXOPLASMA MYOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B58.89	DX	OTHER TOXOPLASMOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A43.0	DX	PULMONARY NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A43.1	DX	CUTANEOUS NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A43.8	DX	OTHER FORMS OF NOCARDIOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	A43.9	DX	NOCARDIOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.0	DX	ACUTE PULMONARY BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.2	DX	PULMONARY BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.3	DX	CUTANEOUS BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.7	DX	DISSEMINATED BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.81	DX	BLASTOMYCOTIC MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.89	DX	OTHER FORMS OF BLASTOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B40.9	DX	BLASTOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.0	DX	PULMONARY CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.1	DX	CEREBRAL CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.2	DX	CUTANEOUS CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.3	DX	OSSEOUS CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.7	DX	DISSEMINATED CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.8	DX	OTHER FORMS OF CRYPTOCOCCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B45.9	DX	CRYPTOCOCCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.0	DX	ACUTE PULMONARY COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.2	DX	PULMONARY COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.3	DX	CUTANEOUS COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.4	DX	COCCIDIOIDOMYCOSIS MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.7	DX	DISSEMINATED COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.81	DX	PRIMARY COCCIDIOIDOMYCOSIS INFECTION	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.89	DX	OTHER FORMS OF COCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B38.9	DX	COCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B41.0	DX	PULMONARY PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B41.7	DX	DISSEMINATED PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B41.8	DX	OTHER FORMS OF PARACOCCIDIOIDOMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B41.9	DX	PARACOCCIDIOIDOMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B59	DX	PNEUMOCYSTOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.1	DX	PULMONARY CANDIDIASIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.2	DX	CANDIDIASIS OF SKIN AND NAIL	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.41	DX	CANDIDAL PARONYCHIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.5	DX	CANDIDAL MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.6	DX	CANDIDAL ENDOCARDITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.7	DX	CANDIDAL SEPTICEMIA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.82	DX	CANDIDAL ESOPHAGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.84	DX	CANDIDAL CHEILITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.0	DX	PULMONARY MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.1	DX	RHINOCEREBRAL MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.2	DX	CUTANEOUS MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.3	DX	GASTROINTESTINAL MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.4	DX	DISSEMINATED MUCORMYCOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B46.5	DX	MUCORMYCOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.0	DX	INVASIVE PULMONARY ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.1	DX	OTHER PULMONARY ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.2	DX	TONSILLAR ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.7	DX	DISSEMINATED ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.89	DX	OTHER FORMS OF ASPERGILLOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B44.9	DX	ASPERGILLOSIS, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25	DX	CYTOMEGALOVIRAL DISEASE	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25.0	DX	CYTOMEGALOVIRAL PNEUMONITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25.1	DX	CYTOMEGALOVIRAL HEPATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25.2	DX	CYTOMEGALOVIRAL PANCREATITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25.8	DX	OTHER CYTOMEGALOVIRAL DISEASES	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B25.9	DX	CYTOMEGALOVIRAL DISEASE, UNSPECIFIED	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.1	DX	CYTOMEGALOVIRAL MONONUCLEOSIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.10	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITHOUT COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.11	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH POLYNEUROPATHY	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.12	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH MENINGITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B27.19	DX	CYTOMEGALOVIRAL MONONUCLEOSIS WITH OTHER COMPLICATIONS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B78.1	DX	INTESTINAL STRONGYLOIDIASIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B77.81	DX	VISCERAL LARVA MIGRANS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.81	DX	CANDIDAL OTITIS EXTERNA	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.83	DX	CANDIDAL CYSTITIS AND URETHRITIS	ICD-10-CM	Inpatient setting, primary position
8	Safety outcome: Serious bacterial infecti	B37.0	DX	CANDIDAL STOMATITIS	ICD-10-CM	Inpatient setting, primary position

	Category	Subcategory	ICD	Validation source	Type of the source	PPV	Codes in the study	Codes in the emulation	Modification	Description of Modifications	Notes
Outcome											
1	Hospitalisation for heart failure		ICD-10-CM	Validity of International Classification of Diseases, (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample Bias Implications of Outcome Misclassification in Observational Studies Evaluating Association Between Treatments and All-Cause or Cardiovascular Mortality Using Administrative Claims	DoPE	98%	I50.x	I09.81 I11.0 I13.0 I13.2 I50.x	Based on PROMISE team	Added hypertensive heart disease with heart failure codes.	
2	All-cause mortality		N/A		N/A						
3	Urgent care visit requiring i.v. diuretics		NDC, CPT		N/A						
4	Lumbar radiculopathy		ICD-10-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes Association between chiropractic spinal manipulation and lumbar discectomy in adults with lumbar disc herniation and radiculopathy: retrospective cohort study using United States' data	Study w/ same criteria						
5	Hernia		ICD-10-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes	Study w/ same criteria						
6	Gastrointestinal adverse events		ICD-10-CM	Risk of Gastrointestinal Adverse Events Associated With Glucagon-Like Peptide-1 Receptor Agonists for Weight Loss https://pubmed.ncbi.nlm.nih.gov/34624355/ https://pubmed.ncbi.nlm.nih.gov/35851329/	Study w/ same criteria						
7	Urinary tract infection		ICD-10-CM	Performance characteristics of code-based algorithms to identify urinary tract infections in large United States administrative claims databases	Validation study	80.9%					
8	Serious bacterial infection		ICD-10-CM	Veteran's affairs hospital discharge databases coded serious bacterial infections accurately https://pubmed.ncbi.nlm.nih.gov/29921683/ https://pubmed.ncbi.nlm.nih.gov/23335588/	Validation study	90%					
Inclusion criteria											
1	Patients > 40 y.o		ICD-10-CM	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2	History of T2DM		ICD-10-CM	PROMISE team	DoPE				No		
3	BMI > 27 kg/m2		ICD-10-CM	Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recoded in US claims data	Validation study	92%			No		
4	Chronic heart failure		ICD-10-CM	Validity of International Classification of Diseases, (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure, Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries	DoPE	98%	I50.x	I09.81 I11.0 I13.0 I13.2 I50.x	Based on PROMISE team	Added hypertensive heart disease with heart failure codes.	
5	Preserved ejection fraction		ICD-10-CM		DoPE	91%			No		
Exclusion criteria											
1	Treatment with any GLP-1-RA		Prescriptions	https://www.drugs.com/	N/A						
2	History of T1DM		ICD-10-CM	PROMISE team	DoPE				No		
	End-stage renal disease or chronic or intermittent							I12.0, N18.6		Yes Added: I13.2 Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	Codes indicate stage V or end-stage renal disease (ESRD)
3	haemodialysis or peritoneal dialysis		ICD-10-CM, CPT/HCPCS	PROMISE team	DoPE			I12.0, I13.2 , N18.6			
4	History of bariatric surgery		ICD-10-CM	PROMISE team	DoPE					No	
5	History of nursing home admission		ICD-10-CM	PROMISE team	DoPE					No	
6	Pregnant female or breast-feeding		ICD-10-CM	Pregnancy team	DoPE					No	
7	Uncontrolled and potentially unstable diabetic retinopathy or maculopathy		ICD-10-CM	LEAD-2	DoPE					No	
8	Treatment with continuous subcutaneous insulin infusion		ICD-10-CM, CPT/HCPCS	https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=58133	N/A						
9	Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma		ICD-10-CM	PROMISE team	DoPE					No	

Appendix 3. Flowchart for cohort assembly

OPTUM (May 13, 2022 to Nov 30, 2024)		
	Excluded Patients	Remaining Patients
Patients in dataset		**95,349,410**
Patients meeting cohort entry criteria		525,120
Excluded due to insufficient enrollment	-138,288 (26%)	386,832
Excluded due to prior use of referent	-138,208 (36%)	248,624
Excluded due to prior use of exposure	-189,932 (76%)	58,692
Excluded because patient qualified in >1 exposure category	-8 (<1%)	58,684
Excluded based on Incl 0 - Gender	-8 (<1%)	58,676
Excluded based on Incl 1 - History of T2DM	-5,213 (9%)	53,463
Excluded based on Incl 2 - BMI ≥ 27.0 kg/m2 (ICD code)	-16,604 (31%)	36,859
Excluded based on Incl 2.1 - BMI ≥ 27.0 kg/m2 (Lab value, truncated)	-871 (2%)	35,988
Excluded based on Incl 3.1 - Heart failure	-20,732 (58%)	15,256
Excluded based on Incl 3.2 - HFpEF	-220 (1%)	15,036
Excluded based on Incl 4 - Age ≥ 40	-32 (<1%)	15,004
Excluded based on Excl 1 - Treatment with any GLP-1 receptor agonist	-1,846 (12%)	13,158
Excluded based on Excl 2 - History of T1DM	-246 (2%)	12,912
Excluded based on Excl 4 - End-stage renal disease or chronic or intermittent haemodialysis or p	-251 (2%)	12,661
Excluded based on Excl 5 - History of bariatric surgery	-70 (<1%)	12,591
Excluded based on Excl 6 - History of nursing home admission	-584 (5%)	12,007
Excluded based on Excl 7 - Pregnant female or breast-feeding	-0 (<1%)	12,007
Excluded based on Excl 8 - Uncontrolled and potentially unstable diabetic retinopathy or maculop	-125 (1%)	11,882
Excluded based on Excl 9 - Treatment with continuous subcutaneous insulin infusion	-10 (<1%)	11,872
Excluded based on Excl 10 - Multiple endocrine neoplasia type 2 or medullary thyroid carcinoma	-16 (<1%)	11,856
Excluded based on Excl 11 - Have a history of an active or untreated malignancy or are in remissi	-591 (5%)	11,265
Patients in Exposure Group		7,777
Patients in Referent Group		3,488
Total Patients		**11,265**

Appendix 4. 1st Feasibility Assessment

Table of Contents

A. Patient characteristics by treatment group
B. Summary Parameters of Study Population
C. Median Follow up Time in Overall Study Population
D. Reasons for Censoring in Overall Study Population
E. Initial Power Assessment
F. Aetion report link
G. Review by Principal Investigator

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the

OPTUM: Study period from May 13, 2022 to Nov 30, 2024

A. Patient characteristics by treatment group (follow-up start is 1 days after CED, so few patients and dropped, hence table 1 could include sightly fewer patients than the attrition table)

Before weight	Optum			Marketscan			Medicare		
Variable	Sitagliptin	Tirzepatide	Difference	Sitagliptin	Tirzepatide	Difference	Sitagliptin	Tirzepatide	Difference
patients	3,488	7,777	- (-, -)						
Age									
...mean (sd)	73.19 (8.32)	66.65 (9.14)	6.54 (6.20, 6.89)						
...median [IQR]	74.00 [68.00, 79.00]	68.00 [61.00, 73.00]	- (-, -)						
Gender									
...Male; n (%)	1,554 (44.6%)	3,614 (46.5%)	-1.9% (-3.9%, 0.1%)						
CCI (365 days)									
...mean (sd)	4.73 (2.79)	4.27 (2.56)	0.46 (0.35, 0.57)						
...median [IQR]	5.00 [3.00, 7.00]	4.00 [2.00, 6.00]	- (-, -)						

B. Summary Parameters of Overall Study Population (Step 1)

	Optum
Variable	Value
patients in full	11,265
patients dropped	0
patients that did	8
patients in	11,257
events	268
person-years	5,226.86
patients in group:	3,485
patients in group:	7,772
patients	23.81
person-years	51.27

C. Median Follow up Time in Overall Study Population (Step 1)

	Optum
Group	Up Time (Days)
Population	133 [71, 259]

D. Reasons for Censoring in Overall Study Population (Step 1)

	Optum
Overall	Value
Outcome	268 (2.4%)
additional	79 (0.7%)
exposure	4,167 (37.0%)
up time	1,579 (14.0%)
reached	3,156 (28.0%)
data	0 (0.0%)
enrollment	905 (8.0%)
GLP-1-RA (for	1,103 (9.8%)

E. Power Assessment

Superiority Analysis	
patients	
Reference	3,488
Exposed	7,777
patients	23.81
Expected HR	0.45
Alpha (2-sided)	0.05
events expected	268.21965
Power	0.999997662

F. Aetion report link

Optum Step 1: https://bwh-dope.aetion.com/project/2813/rwrs/131530

G. Review by principal investigator

Stop analyses until feasibility and power are reviewed by primary investigators.

PI:	Nils Krüger	Date reviewed:	March 31, 2025

Appendix 5. 2nd Feasibility Assessment

Table of Contents

A. Median Follow up Time by Treatment Group
B. Reasons for Censoring by Treatment Group
C. Final Power Assessment
D. Aetion report link
E. Review by Principal Investigator

In order to complete the feasibility analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information

A. Median Follow Up Time by Treatment Group

Patient Group	Up Time
Population	133 [71, 259]

B. Reasons for Censoring in Overall Study Population

	Overall
Overall	**Value**
Outcome	268 (2.4%)
additional	79 (0.7%)
exposure	4,167 (37.0%)
up time	1,579 (14.0%)
reached	3,156 (28.0%)
data	0 (0.0%)
enrollment	905 (8.0%)
GLP-1-RA (for	1,103 (9.8%)

C. Power Assessment

Superiority Analysis	
patients	
Reference	3,488
Exposed	7,777
patients	23.81
RCT	0.45
Alpha (2-sided)	0.05
events expected	268.21965
Power	0.999997662

E. Aetion report link
Optum Step 1: https://bwh-dope.aetion.com/project/2813/rwrs/131530

E. Review by principal investigator

Stop analyses until feasibility and power are reviewed by primary investigators.

PI:	Nils Krüger	**reviewed:**	March 31, 2025

Appendix 6. Balance Assessment - PS Distribution and C-Statistic

C-statistics unadjusted, OPTUM: 0.827



C-statistics adjusted after overlap weighing on the PS, OPTUM: 0.500



Appendix 7. Balance Assessment - Table1

OPTUM						
Variable	**Exposure**	**Referent**	**SMD**	**Weighted Exposure**	**Weighted Referent**	**Weighted SMD**
Demographics						
Age	66.65 ± 9.14 |68.00, 61.00-73.00|	73.19 ± 8.31 |74.00, 68.00-79.00|	-0.749	70.76 ± 7.98 |71.00, 66.00-76.00|	70.76 ± 8.46 |71.00, 66.00-76.00|	0.000
Gender (male)	3612 (46.47%)	1552 (44.53%)	0.039	745.8 (45.29%)	745.8 (45.29%)	0.000
Race						
White	3877 (49.88%)	1554 (44.59%)	0.106	792.2 (48.10%)	792.2 (48.10%)	0.000
Black	1168 (15.03%)	697 (20.00%)	-0.131	290.7 (17.65%)	290.7 (17.65%)	0.000
Other	66 (0.85%)	62 (1.78%)	-0.082	20.4 (1.24%)	20.4 (1.24%)	0.000
Unknown / Missing	2661 (34.24%)	1172 (33.63%)	0.013	543.6 (33.01%)	543.6 (33.01%)	0.000
Region / State						
Midwest / North central	1509 (19.42%)	588 (16.87%)	0.066	292.4 (17.75%)	292.4 (17.75%)	0.000
Northest	514 (6.61%)	371 (10.65%)	-0.144	141.7 (8.60%)	141.7 (8.60%)	0.000
South	4761 (61.26%)	2007 (57.59%)	0.075	989.4 (60.08%)	989.4 (60.08%)	0.000
West	983 (12.65%)	516 (14.81%)	-0.063	222.5 (13.51%)	222.5 (13.51%)	0.000
Lifestyle risk factors						
Smoking / Tobacco use	2624 (33.76%)	1060 (30.42%)	0.072	534.2 (32.44%)	534.2 (32.44%)	0.000
Overweight (27.0-29.9)	304 (3.91%)	510 (14.63%)	-0.376	134.6 (8.17%)	134.6 (8.17%)	0.000
Class 1 Obesity (30.0-34.9)	626 (8.05%)	497 (14.26%)	-0.198	193.6 (11.76%)	193.6 (11.76%)	0.000
Class 2 Obesity (35.0-39.9)	500 (6.43%)	213 (6.11%)	0.013	112.0 (6.80%)	112.0 (6.80%)	0.000
Class 3 Obesity (40.0 and above)	3938 (50.67%)	1026 (29.44%)	0.444	631.2 (38.33%)	631.2 (38.33%)	0.000
Unspecified Obesity	2404 (30.93%)	1239 (35.55%)	-0.098	575.4 (34.94%)	575.4 (34.94%)	0.000
Diabetes complications						
Diabetic nephropathy	2564 (32.99%)	1491 (42.78%)	-0.203	640.6 (38.90%)	640.6 (38.90%)	0.000
Diabetic neuropathy	2888 (37.16%)	1340 (38.45%)	-0.027	628.4 (38.16%)	628.4 (38.16%)	0.000
Diabetic retinopathy	840 (10.81%)	430 (12.34%)	-0.048	198.2 (12.04%)	198.2 (12.04%)	0.000
Diabetes with other opthalmic complications	370 (4.76%)	247 (7.09%)	-0.099	97.4 (5.91%)	97.4 (5.91%)	0.000
Diabetes with peripheral circulatory disorders	1658 (21.33%)	955 (27.40%)	-0.142	412.0 (25.02%)	412.0 (25.02%)	0.000
Diabetic foot	359 (4.62%)	161 (4.62%)	0.000	78.0 (4.74%)	78.0 (4.74%)	0.000
Erectile dysfunction	359 (4.62%)	126 (3.62%)	0.051	66.5 (4.04%)	66.5 (4.04%)	0.000
Hyperglycemia / DKA / HONK	4028 (51.83%)	1918 (55.04%)	-0.064	881.9 (53.55%)	881.9 (53.55%)	0.000
Hypoglycemia	2096 (26.97%)	1020 (29.27%)	-0.051	461.7 (28.04%)	461.7 (28.04%)	0.000
Skin infections	1143 (14.71%)	447 (12.83%)	0.055	223.1 (13.55%)	223.1 (13.55%)	0.000
Cardiovascular-related conditions						
Angina	1146 (14.75%)	527 (15.12%)	-0.011	250.1 (15.19%)	250.1 (15.19%)	0.000
Atrial fibrillation	2108 (27.12%)	1009 (28.95%)	-0.041	466.6 (28.33%)	466.6 (28.33%)	0.000
Cardiac conduction disorder	1030 (13.25%)	525 (15.06%)	-0.052	236.7 (14.38%)	236.7 (14.38%)	0.000
Cardiomyopathy	1400 (18.01%)	571 (16.38%)	0.043	272.6 (16.55%)	272.6 (16.55%)	0.000
Cerebrovascular procedure	17 (0.22%)	13 (0.37%)	-0.028	4.6 (0.28%)	4.6 (0.28%)	0.000
Coronary atherosclerosis	3546 (45.63%)	1652 (47.40%)	-0.036	787.6 (47.82%)	787.6 (47.82%)	0.000
Edema	2063 (26.54%)	872 (25.02%)	0.035	418.0 (25.38%)	418.0 (25.38%)	0.000
Hyperkalemia	374 (4.81%)	251 (7.20%)	-0.101	104.3 (6.33%)	104.3 (6.33%)	0.000
Hyperlipidemia	6900 (88.78%)	3118 (89.47%)	-0.022	1477.0 (89.69%)	1477.0 (89.69%)	0.000
Hypertension	7447 (95.82%)	3362 (96.47%)	-0.034	1588.0 (96.42%)	1588.0 (96.42%)	0.000
Hypotension	477 (6.14%)	244 (7.00%)	-0.035	107.5 (6.53%)	107.5 (6.53%)	0.000
Implantable cardioverter defibrillator	71 (0.91%)	25 (0.72%)	0.022	13.6 (0.83%)	13.6 (0.83%)	0.000
Insertion of pacemakers / removal of cardiac lead	42 (0.54%)	30 (0.86%)	-0.038	12.1 (0.74%)	12.1 (0.74%)	0.000
Ischemic stroke	70 (0.90%)	45 (1.29%)	-0.038	17.4 (1.06%)	17.4 (1.06%)	0.000
Myocardial infarction	906 (11.66%)	456 (13.08%)	-0.043	206.7 (12.55%)	206.7 (12.55%)	0.000
Other cardiac dysrhythmia	2881 (37.07%)	1342 (38.51%)	-0.030	611.3 (37.12%)	611.3 (37.12%)	0.000
Peripheral vascular disease diagnosis or surgery	1264 (16.26%)	728 (20.89%)	-0.119	312.6 (18.98%)	312.6 (18.98%)	0.000
Previous cardiac procedure (CABG, PTCA, Stent)	274 (3.53%)	128 (3.67%)	-0.008	61.1 (3.71%)	61.1 (3.71%)	0.000
Pulmonary hypertension	823 (10.59%)	332 (9.53%)	0.035	160.8 (9.76%)	160.8 (9.76%)	0.000
Transient ischemic attack	193 (2.48%)	106 (3.04%)	-0.034	41.7 (2.53%)	41.7 (2.53%)	0.000
Valve disorders	1965 (25.28%)	955 (27.40%)	-0.048	445.6 (27.06%)	445.6 (27.06%)	0.000
Valve replacement	311 (4.00%)	164 (4.71%)	-0.035	77.1 (4.68%)	77.1 (4.68%)	0.000
Venous thromboembolism	328 (4.22%)	140 (4.02%)	0.010	67.1 (4.07%)	67.1 (4.07%)	0.000
Renal-related conditions						
Acute kidney injury	971 (12.49%)	613 (17.59%)	-0.143	247.0 (15.00%)	247.0 (15.00%)	0.000
Chronic kidney disease stage 1-2	663 (8.53%)	350 (10.04%)	-0.052	159.2 (9.67%)	159.2 (9.67%)	0.000
Chronic kidney disease stage 3-4	2197 (28.27%)	1283 (36.81%)	-0.183	557.4 (33.84%)	557.4 (33.84%)	0.000
Unspecified chronic kidney disease	979 (12.60%)	561 (16.10%)	-0.100	237.1 (14.40%)	237.1 (14.40%)	0.000
Hypertensive nephropathy	1945 (25.03%)	1157 (33.20%)	-0.181	494.5 (30.02%)	494.5 (30.02%)	0.000
Urolithiasis (kidney and urinary stone)	418 (5.38%)	191 (5.48%)	-0.005	89.5 (5.43%)	89.5 (5.43%)	0.000
Urinary tract infections	1372 (17.65%)	698 (20.03%)	-0.061	310.7 (18.87%)	310.7 (18.87%)	0.000
Genital infections	207 (2.66%)	93 (2.67%)	0.000	44.6 (2.71%)	44.6 (2.71%)	0.000
Other comorbidities						
Anemia	2173 (27.96%)	1230 (35.29%)	-0.158	526.8 (31.99%)	526.8 (31.99%)	0.000
Asthma	1404 (18.06%)	458 (13.14%)	0.136	245.8 (14.92%)	245.8 (14.92%)	0.000
COPD	2167 (27.88%)	963 (27.63%)	0.006	472.2 (28.67%)	472.2 (28.67%)	0.000
Obstructive sleep apnea	3962 (50.98%)	1053 (30.22%)	0.433	629.6 (38.23%)	629.6 (38.23%)	0.000
Serious bacterial infections	371 (4.77%)	198 (5.68%)	-0.041	85.4 (5.19%)	85.4 (5.19%)	0.000
Pneumonia	694 (8.93%)	373 (10.70%)	-0.060	161.1 (9.78%)	161.1 (9.78%)	0.000
Influenza	193 (2.48%)	81 (2.32%)	0.010	40.1 (2.44%)	40.1 (2.44%)	0.000
Delirium or psychosis	126 (1.62%)	111 (3.19%)	-0.102	39.7 (2.41%)	39.7 (2.41%)	0.000
Dementia	310 (3.99%)	379 (10.88%)	-0.265	108.9 (6.61%)	108.9 (6.61%)	0.000
Depression	1860 (23.93%)	721 (20.69%)	0.078	352.6 (21.41%)	352.6 (21.41%)	0.000
Osteoporosis	414 (5.33%)	246 (7.06%)	-0.072	103.7 (6.30%)	103.7 (6.30%)	0.000
Fractures / Falls	615 (7.91%)	348 (9.99%)	-0.073	153.4 (9.32%)	153.4 (9.32%)	0.000
Hyperthyroidism and other thyroid gland disorders	2453 (31.56%)	1050 (30.13%)	0.031	505.9 (30.72%)	505.9 (30.72%)	0.000
Hypothyroidism	1982 (25.50%)	887 (25.45%)	0.001	421.9 (25.62%)	421.9 (25.62%)	0.000
Gastroparesis	112 (1.44%)	45 (1.29%)	0.013	24.5 (1.49%)	24.5 (1.49%)	0.000
Bowel obstruction	18 (0.23%)	6 (0.17%)	0.013	1.9 (0.12%)	1.9 (0.12%)	0.000
Liver disease	1733 (22.30%)	762 (21.87%)	0.010	370.4 (22.49%)	370.4 (22.49%)	0.000
MASH/MASLD	874 (11.25%)	274 (7.86%)	0.115	147.4 (8.95%)	147.4 (8.95%)	0.000
Pancreatitis	9 (0.12%)	7 (0.20%)	-0.021	2.3 (0.14%)	2.3 (0.14%)	0.000
Biliary disease	18 (0.23%)	15 (0.43%)	-0.035	4.6 (0.28%)	4.6 (0.28%)	0.000
Urinary incontinence	580 (7.46%)	288 (8.26%)	-0.030	131.2 (7.97%)	131.2 (7.97%)	0.000
Diabetes medications						
Metformin	4301 (55.34%)	2196 (63.01%)	-0.157	1002.8 (60.89%)	1002.8 (60.89%)	0.000
Insulins	2719 (34.98%)	965 (27.69%)	0.158	518.1 (31.46%)	518.1 (31.46%)	0.000
Dipeptidyl peptidase-4 inhibitors	256 (3.29%)	75 (2.15%)	0.070	43.3 (2.63%)	43.3 (2.63%)	0.000
Sulfonylureas	1652 (21.26%)	1276 (36.61%)	-0.344	500.8 (30.41%)	500.8 (30.41%)	0.000
Sodium-glucose cotransporter 2 inhibitors	2533 (32.59%)	1049 (30.10%)	0.054	534.3 (32.45%)	534.3 (32.45%)	0.000
Any other glucose-lowering agents	525 (6.76%)	360 (10.33%)	-0.128	153.4 (9.32%)	153.4 (9.32%)	0.000
Heart failure medications						
Angiotensin-converting enzyme inhibitors / Angiotensin II receptor blockers	5522 (71.05%)	2550 (73.17%)	-0.047	1192.3 (72.40%)	1192.3 (72.40%)	0.000
Angiotensin Receptor-Neprilysin Inhibitors	637 (8.20%)	211 (6.05%)	0.083	110.8 (6.73%)	110.8 (6.73%)	0.000
Beta-blockers	3783 (48.67%)	1824 (52.34%)	-0.073	842.3 (51.14%)	842.3 (51.14%)	0.000
Calcium channel blockers	3056 (39.32%)	1522 (43.67%)	-0.088	688.4 (41.80%)	688.4 (41.80%)	0.000
Digoxin / Digitoxin	122 (1.57%)	80 (2.30%)	-0.053	33.5 (2.04%)	33.5 (2.04%)	0.000
Loop diuretics	4267 (54.90%)	1728 (49.58%)	0.107	867.2 (52.66%)	867.2 (52.66%)	0.000
Thiazides	2383 (30.66%)	1018 (29.21%)	0.032	491.6 (29.85%)	491.6 (29.85%)	0.000
Intravenous diuretics	392 (5.04%)	141 (4.05%)	0.048	71.6 (4.35%)	71.6 (4.35%)	0.000
Other diuretics	1674 (21.54%)	587 (16.84%)	0.119	306.1 (18.59%)	306.1 (18.59%)	0.000
Nitrates	1233 (15.86%)	559 (16.04%)	-0.005	271.3 (16.48%)	271.3 (16.48%)	0.000
Other medications						
Anti-arrhythmics	572 (7.36%)	231 (6.63%)	0.029	114.3 (6.94%)	114.3 (6.94%)	0.000
Anti-depressants	3525 (45.36%)	1329 (38.13%)	0.147	679.2 (41.24%)	679.2 (41.24%)	0.000
Antiplatelet agents	1576 (20.28%)	757 (21.72%)	-0.035	354.7 (21.54%)	354.7 (21.54%)	0.000
Antipsychotics	423 (5.44%)	195 (5.60%)	-0.007	91.9 (5.58%)	91.9 (5.58%)	0.000

Anxiolytics/hypnotics, benzos	2271 (29.22%)	770 (22.09%)	0.164	402.4 (24.43%)	402.4 (24.43%)	0.000
COPD/Asthma medications	3857 (49.63%)	1490 (42.75%)	0.138	759.7 (46.13%)	759.7 (46.13%)	0.000
Laxatives	372 (4.79%)	152 (4.36%)	0.020	74.4 (4.52%)	74.4 (4.52%)	0.000
Nonsteroidal anti-inflammatory drugs	2677 (34.44%)	1017 (29.18%)	0.113	522.5 (31.73%)	522.5 (31.73%)	0.000
Opioids	3381 (43.50%)	1180 (33.86%)	0.199	631.2 (38.33%)	631.2 (38.33%)	0.000
Oral anticoagulants	2055 (26.44%)	926 (26.57%)	-0.003	439.9 (26.71%)	439.9 (26.71%)	0.000
Oral corticosteroids	3462 (44.54%)	1241 (35.61%)	0.183	648.2 (39.36%)	648.2 (39.36%)	0.000
Osteporosis agents (incl. bisphosphonates)	227 (2.92%)	152 (4.36%)	-0.077	63.6 (3.86%)	63.6 (3.86%)	0.000
Statins	6346 (81.65%)	3007 (86.28%)	-0.126	1411.4 (85.70%)	1411.4 (85.70%)	0.000
PCSK9 inhibitors and other lipid-lowering drugs	1379 (17.74%)	537 (15.41%)	0.063	280.0 (17.00%)	280.0 (17.00%)	0.000
Urinary tract infections antibiotics	4377 (56.32%)	1767 (50.70%)	0.113	876.4 (53.22%)	876.4 (53.22%)	0.000
Healthcare utilization markers						
Number of office visits	12.78 ± 8.19 [11.00, 7.00-17.00]	11.28 ± 7.67 [10.00, 6.00-15.00]	0.190	11.92 ± 7.45 [11.00, 7.00-16.00]	11.92 ± 8.10 [10.00, 6.00-16.00]	0.000
Number of cardiologist visit	3.67 ± 5.01 [2.00, 0.00-5.00]	3.43 ± 5.15 [2.00, 0.00-5.00]	0.048	3.54 ± 4.69 [2.00, 0.00-5.00]	3.54 ± 5.23 [2.00, 0.00-5.00]	0.000
Number of endocriologist visit	0.52 ± 1.87 [0.00, 0.00-0.00]	0.34 ± 1.29 [0.00, 0.00-0.00]	0.111	0.40 ± 1.26 [0.00, 0.00-0.00]	0.40 ± 1.47 [0.00, 0.00-0.00]	0.000
Number of internal/family medicine visits	9.20 ± 10.00 [7.00, 4.00-11.00]	10.28 ± 10.52 [7.00, 4.00-13.00]	-0.105	9.66 ± 10.59 [7.00, 4.00-12.00]	9.66 ± 9.79 [7.00, 4.00-12.00]	0.000
Number of emergency department visit	1.06 ± 2.78 [0.00, 0.00-1.00]	1.24 ± 2.43 [1.00, 0.00-2.00]	-0.069	1.15 ± 3.08 [0.00, 0.00-1.00]	1.15 ± 2.08 [0.00, 0.00-2.00]	0.000
Number of echocardiograms	0.65 ± 0.95 [0.00, 0.00-1.00]	0.65 ± 0.93 [0.00, 0.00-1.00]	-0.003	0.64 ± 0.90 [0.00, 0.00-1.00]	0.64 ± 0.92 [0.00, 0.00-1.00]	0.000
Number electrocardiograms	1.86 ± 2.59 [1.00, 0.00-2.00]	1.88 ± 2.47 [1.00, 0.00-3.00]	-0.007	1.84 ± 2.55 [1.00, 0.00-2.00]	1.84 ± 2.48 [1.00, 0.00-2.00]	0.000
Number of distinct medications	18.40 ± 7.56 [17.00, 13.00-23.00]	17.28 ± 7.05 [16.00, 12.00-21.00]	0.154	17.88 ± 7.12 [17.00, 13.00-22.00]	17.88 ± 7.33 [17.00, 13.00-22.00]	0.000
Out-of-pocket medication cost	761.33 ± 1033.39 [442.96, 155.61-1062.76]	633.37 ± 774.74 [333.71, 118.00-895.69]	0.140	681.97 ± 769.32 [395.38, 141.00-971.32]	681.97 ± 846.42 [356.51, 120.22-976.52]	0.000
Number of unique brand medications*	18.74 ± 7.81 [18.00, 13.00-23.00]	17.59 ± 7.31 [17.00, 12.00-22.00]	0.153	18.20 ± 7.37 [17.00, 13.00-22.00]	18.21 ± 7.60 [17.00, 13.00-22.00]	-0.001
Number of unique generic medications*	18.40 ± 7.56 [17.00, 13.00-23.00]	17.28 ± 7.05 [16.00, 12.00-21.00]	0.154	17.88 ± 7.12 [17.00, 13.00-22.00]	17.88 ± 7.33 [17.00, 13.00-22.00]	0.000
Ratio of brand to generic medications	1.02 ± 0.03 [1.00, 1.00-1.02]	1.02 ± 0.03 [1.00, 1.00-1.00]	0.029	1.02 ± 0.03 [1.00, 1.00-1.00]	1.02 ± 0.03 [1.00, 1.00-1.00]	0.000
Healthy behavior markers						
Colonoscopy, Sigmoidoscopy	819 (10.54%)	303 (8.69%)	0.063	159.7 (9.70%)	159.7 (9.70%)	0.000
Bone mineral density tests	627 (8.07%)	265 (7.60%)	0.017	134.6 (8.17%)	134.6 (8.17%)	0.000
Fecal occult blood test	352 (4.53%)	223 (6.40%)	-0.082	94.9 (5.76%)	94.9 (5.76%)	0.000
Flu vaccine / Pneumococcal vaccine	2644 (34.02%)	1233 (35.38%)	-0.029	572.9 (34.79%)	572.9 (34.79%)	0.000
Mammograms	1840 (23.67%)	672 (19.28%)	0.107	354.1 (21.50%)	354.1 (21.50%)	0.000
PSA test	1851 (23.82%)	723 (20.75%)	0.074	366.7 (22.27%)	366.7 (22.27%)	0.000
Pap smear	342 (4.40%)	86 (2.47%)	0.106	53.7 (3.26%)	53.7 (3.26%)	0.000
Laboratory and diagnostic tests						
Number of HbA1c tests	2.43 ± 1.40 [2.00, 1.00-3.00]	2.40 ± 1.42 [2.00, 1.00-3.00]	0.020	2.44 ± 1.39 [2.00, 1.00-3.00]	2.44 ± 1.40 [2.00, 1.00-3.00]	0.000
Number of creatinine tests	4.00 ± 3.87 [3.00, 2.00-5.00]	4.01 ± 3.36 [3.00, 2.00-5.00]	-0.004	3.99 ± 3.79 [3.00, 2.00-5.00]	3.99 ± 3.19 [3.00, 2.00-5.00]	0.000
Number of urine tests	1.31 ± 1.92 [1.00, 0.00-2.00]	1.40 ± 2.02 [1.00, 0.00-2.00]	-0.048	1.36 ± 1.97 [1.00, 0.00-2.00]	1.36 ± 2.00 [1.00, 0.00-2.00]	0.000
Number of lipid panels	1.73 ± 1.29 [2.00, 1.00-2.00]	1.64 ± 1.21 [1.00, 1.00-2.00]	0.066	1.68 ± 1.22 [1.42, 1.00-2.00]	1.68 ± 1.21 [1.00, 1.00-2.00]	0.000
Lab values						
BMI*	40.46 ± 8.43 [39.06, 34.39-44.76]	35.36 ± 6.47 [34.00, 30.52-38.61]	0.679	38.46 ± 7.90 [37.02, 32.69-42.40]	36.62 ± 6.96 [35.34, 31.32-40.25]	0.246
BNP*	138.47 ± 279.55 [58.90, 25.80-137.00]	169.70 ± 342.93 [61.12, 32.15-141.32]	-0.100	144.56 ± 261.59 [64.08, 28.00-141.93]	149.91 ± 359.87 [54.40, 26.61-109.80]	-0.017
proBNP*	562.41 ± 905.20 [257.00, 91.00-659.50]	811.31 ± 1024.52 [385.00, 162.75-1156.50]	-0.257	594.82 ± 901.16 [292.56, 92.00-697.34]	768.75 ± 1069.29 [290.51, 123.54-922.52]	-0.175
Creatinine*	1.12 ± 0.39 [1.00, 0.81-1.25]	1.19 ± 0.44 [1.06, 0.86-1.37]	-0.179	1.16 ± 0.42 [1.04, 0.84-1.31]	1.17 ± 0.44 [1.04, 0.83-1.33]	-0.037
eGFR*	4925.38 ± 220351.52 [69.00, 52.00-88.00]	3024.04 ± 121696.58 [61.00, 44.00-80.00]	0.011	2358.06 ± 151428.95 [64.00, 48.00-81.87]	3404.82 ± 129199.20 [63.00, 47.00-82.00]	-0.007
Glucose*	155.62 ± 71.81 [137.00, 110.00-180.00]	166.60 ± 67.61 [152.00, 122.00-194.00]	-0.157	158.58 ± 72.98 [140.00, 112.00-184.07]	166.29 ± 67.47 [151.00, 122.00-194.00]	-0.110
HbA1c*	7.56 ± 1.67 [7.10, 6.40-8.30]	7.85 ± 1.60 [7.60, 6.70-8.60]	-0.181	7.63 ± 1.68 [7.20, 6.40-8.40]	7.88 ± 1.61 [7.60, 6.80-8.60]	-0.149
Heart rate*	77.43 ± 21.49 [76.00, 67.00-86.00]	76.90 ± 23.87 [75.00, 67.00-84.00]	0.023	76.73 ± 22.84 [75.00, 67.00-85.00]	76.91 ± 18.18 [76.00, 67.19-85.00]	-0.009
Systolic blood pressure*	129.39 ± 20.06 [130.00, 120.00-139.00]	130.25 ± 20.40 [130.00, 120.00-140.00]	-0.042	130.08 ± 19.56 [130.00, 120.00-140.00]	129.51 ± 20.27 [130.00, 120.00-140.00]	0.029
Burden of comorbidities						
Combined comorbidity index (CCI)	4.27 ± 2.56 [4.00, 2.00-6.00]	4.73 ± 2.79 [5.00, 3.00-7.00]	-0.172	4.51 ± 2.63 [4.00, 3.00-6.00]	4.51 ± 2.68 [4.00, 3.00-6.00]	0.000
Frailty score	0.20 ± 0.06 [0.20, 0.16-0.23]	0.21 ± 0.06 [0.20, 0.17-0.24]	-0.060	0.21 ± 0.06 [0.20, 0.17-0.24]	0.21 ± 0.06 [0.20, 0.17-0.23]	0.000
Baseline hospitalizations and hospital metrics						
Number of any hospitalization	0.33 ± 0.74 [0.00, 0.00-0.00]	0.44 ± 0.89 [0.00, 0.00-1.00]	-0.130	0.38 ± 0.80 [0.00, 0.00-1.00]	0.38 ± 0.81 [0.00, 0.00-1.00]	0.000
Number of heart failure hospitalizations						
Zero	7464 (96.04%)	3322 (95.32%)	0.035	1574.7 (95.62%)	1574.7 (95.62%)	0.000
One	276 (3.55%)	136 (3.90%)	-0.019	62.2 (3.77%)	62.2 (3.77%)	0.000
Two or more	32 (0.41%)	27 (0.77%)	-0.047	10.0 (0.61%)	10.0 (0.61%)	0.000
Number of other hospitalizations						
Zero	6015 (77.39%)	2485 (71.31%)	0.140	1227.4 (74.53%)	1227.4 (74.53%)	0
One	1246 (16.03%)	692 (19.86%)	-0.100	295.1 (17.92%)	295.1 (17.92%)	0
Two or more	511 (6.57%)	308 (8.84%)	-0.085	124.4 (7.55%)	124.4 (7.55%)	0
Calendar year of cohort entry						
2022	504 (6.48%)	895 (25.68%)	-0.541	206.9 (12.57%)	206.9 (12.57%)	0
2023	3166 (40.74%)	1442 (41.38%)	-0.013	735.2 (44.64%)	735.2 (44.64%)	0
2024	4102 (52.78%)	1148 (32.94%)	0.409	704.8 (42.79%)	704.8 (42.79%)	0

* Not used in the PS model