

PPD

PPD

October 28, 2022

PPD

RE: Request for Amendments with FDA requested language for Pediatric MATCH consents

Dear PPD,

The study committee thanks CTEP for forwarding the Amendment Request dated October 17, 2022. In response to the request, please see attached Amendment #3 to APEC1621N. The complete list of changes can be found below.

Please contact us if you have any further questions.

Sincerely,

PPD

SUMMARY OF CHANGES: INFORMED CONSENT

In accordance with the above discussion, the following specific revisions have been made to the consent. Additions are in **boldfaced** font and deletions in ~~strike through~~ font.

#	Section	Page(s)	Change
1.	General	All	Updated version date of consent to match the current version of the protocol.
2.	Why is this study being done?	3	Please know that your eligibility for this trial may have been determined in part on the basis of a laboratory-developed test that has not been reviewed or approved by the FDA was added.

This model informed consent form has been reviewed by the DCT/NCI and is the official consent document for this study. Institutions must use the sections of this document that are in bold type in their entirety. Editorial changes to these sections may be made as long as they do not change information or intent. If the local IRB insists on making deletions or more substantive modifications to any of the sections in bold type, they must be justified in writing by the investigator at the time of the institutional audit.

SAMPLE INFORMED CONSENT / PARENTAL PERMISSION FOR PARTICIPATION IN RESEARCH

APEC1621N

*NCI-COG Pediatric Molecular Analysis for Therapy Choice (MATCH) –
Phase 2 Subprotocol of LOXO-292 in Patients Harboring RET Gene Alterations*

If you are a parent or legal guardian of a child who may take part in this study, permission from you is required. The assent (agreement) of your child may also be required. When we say “you” in this consent form, we mean you or your child; “we” means the doctors and other staff.

Overview

You are being asked to take part in this research study because your tumor results from the NCI-COG Pediatric MATCH screening protocol make you a candidate to receive the study drug called selpercatinib (LOXO-292) that we are testing in this study.

Taking part in this study is voluntary. You may choose not to be in this study. If you decide not to be in this study, you will not be penalized and you will not lose any benefits to which you are entitled. You will still receive medical care.

The overall goal of this study is to test any good and bad effects of the study drug selpercatinib on your tumor.

The treatment involves a cancer fighting medicine called selpercatinib. The treatment on this study takes up to 26 months and is divided into 26 cycles of therapy. A cycle is 28 days (4 weeks).

The dose for the children enrolled on the study will be based on the side effects seen in adults. Between 20 and 49 children will receive selpercatinib. Your dose will not be increased. If you have bad side effects, your dose may be decreased.

All people who receive cancer treatment are at risk of having side effects. In addition to killing tumor cells, cancer chemotherapy can damage normal tissue and produce side effects.

Common side effects of this drug are high blood pressure, change in heart rhythm, headache, diarrhea, dry mouth, and tiredness. The list of risks for study drug selpercatinib are available in the section [“What side effects or risks can I expect from being in the study?”](#)

You can ask your study doctor questions about side effects at any time.

We hope that this study will help you personally, but we do not know if it will. The potential benefits to you are that your tumor could stop growing or shrink for a period of time. Potential benefits are described in detail in the section: [“Are there benefits to taking part in the study?”](#)

You have a choice between another treatment and this clinical trial.

The rest of this form provides detailed information about the study and what to expect should you decide to participate.

Why am I being invited to take part in this study?

You are being asked to take part in this research study because your tumor testing results submitted for the NCI-COG Pediatric MATCH screening protocol make you a candidate to receive the study drug called selpercatinib that we are testing in this study.

This study is called a clinical trial. A clinical trial is a research study involving treatment of a disease in human patients. This study is organized by Children's Oncology Group (COG). COG is an international research group that conducts clinical trials for children and adolescents with cancer. More than 200 hospitals in North America, Australia, New Zealand, and Europe are members of COG. Only hospitals in the United States, Canada, Australia, and New Zealand will participate in this study.

It is common to enroll children and adolescents with cancer in a clinical trial that seeks to improve cancer treatment over time. Clinical trials include only people who choose to take part.

Please take your time to make your decision. You may want to discuss it with your friends and family. We encourage parents to include their child in the discussion and decision to the extent that the child is able to understand and take part.

What is the current standard of treatment for this disease?

When a cancer comes back (recurs) or does not respond to therapy (is refractory), your doctor may recommend other anti-cancer drugs (chemotherapy), surgery, or radiation therapy. For certain cancers, a combination of one or more of these approaches is considered standard treatment. However, for other cancers, the best treatment is not known.

You are being asked to participate in this study because you have a recurrent or refractory tumor without a proven treatment strategy for cure.

Why is this study being done?

This is a Phase 2 study of a drug called selpercatinib. In a Phase 2 study, the goal is to find out what effects, good and/or bad, a drug has on your tumor or type of cancer. Selpercatinib is experimental because it has not been proven to work in a situation like yours.

We are using selpercatinib in this study because it has been shown to block the growth of cancer cells that have specific genetic changes in an important signaling pathway (called the RET pathway) in laboratory experiments and has reduced tumor size in some patients in clinical

studies. Genes in this pathway are frequently changed in many types of cancers. Selpercatinib is currently approved by the FDA (Food and Drug Administration) for use in adults with non-small cell lung cancer and thyroid cancers, as well as children 12 years old or older with thyroid cancers. You are eligible for this study because your tumor was found to have a specific genetic change in one of these genes. Selpercatinib is a study drug in the treatment of your tumor or type of cancer. We do not know if it will work against the type of tumor you have. Please know that your eligibility for this trial may have been determined in part on the basis of a laboratory-developed test that has not been reviewed or approved by the FDA.

A Phase 1 study of selpercatinib has been completed in adults with cancer. In the Phase 1 study, researchers determined the dose of selpercatinib that can be given without too many side effects. There is an ongoing Phase 1/2 study of selpercatinib in children and adolescents but the results are not available yet, so the dose used in this study will be based on the dose used in adults. If you have bad side effects, your dose may be decreased.

The overall goals of this study are to:

- **The main goal is to test any good and bad effects of the study drug selpercatinib on your tumor.**
- **A second goal of the study is to evaluate side effects that might be caused by selpercatinib, which could shrink your cancer but could also cause side effects.**

What will happen on this study that is research?

The treatment involves cancer fighting medicine called selpercatinib. The treatment on this study can last up to 26 months.

Summary of Study Treatments

In this study you will receive selpercatinib twice daily with or without food, for 28 days. A cycle is 28 days (4 weeks). The dose for the children enrolled on the study will be based on the side effects seen in adults. Between 20 and 49 children will receive selpercatinib. Your dose will not be increased. If you have bad side effects, your dose may be decreased.

You will be given specific instructions regarding how to take the study drug. You will also be given a medication diary to fill out at home each time the study drug, selpercatinib is taken. Use the diary to record the date and time you take selpercatinib, and any side effects that you experience. Also record in the diary other medications and/or supplements you are taking and whether you vomited or missed a dose. This diary should be returned to the clinic, along with the medication bottle (even if it is empty) weekly during Cycle 1 and then at the end of every cycle. This will help us know how much of the drug you take and how it made you feel.

Diagram of Treatment

This chart shows the treatment on this study and describes once cycle of study therapy:

Drug	How the drug will be given	Days
selpercatinib (LOXO-292)	by mouth* twice a day	1-28

* If you cannot swallow the pills, your study doctor will tell you how to take the medicine.

Required Research Study Tests and Procedures

The following tests will be done because you are part of this study. If you were not in the study you would probably not have these tests. Some of the scans used to diagnose cancer and determine your response to therapy may be performed more often because you are taking part in this study.

Copies of the scans used to determine the response to therapy will be sent to a central review center as part of COG quality control. The results of these reviews will not be returned to you.

- Heart function test-EKG:
 - Prior to the start of every cycle (maximum of 26 cycles).
 - Day 1 of Cycle 1 (before the study drug is given).
 - Day 1 of Cycle 8 (before the study drug is given).
- Bone X-rays:
 - Prior to the start of the first dose of study drug
 - Prior to the start of Cycle 2, and Cycle 5, then every 6 months thereafter

Refer to [Attachment 1](#) of this consent for a list of standard tests and procedures for all patients.

Optional Research Study Tests**Circulating Tumor DNA Studies**

As part of the screening study of Pediatric MATCH we collected a blood sample. Now that you will receive selipencicatinib we would like to collect additional blood samples (10-20 mL, or about 2-4 teaspoons) at Cycle 5 Day 1 and end of protocol therapy (only if you receive 5 or more cycles of therapy), to see if a blood test can show whether or not the tumor DNA has changed from when the tumor was biopsied. These studies may help children and young adults who receive this drug in the future. The information learned would not change the way you are treated, and the results of these tests will not be given to you.

You do not have to do these tests if you do not want to. You can still be in the study if you do not want to do these tests. At the end of this consent form, there is a place to record your decision about taking part in each test.

What side effects or risks can I expect from being in the study?**Treatment Risks**

All people who receive cancer treatment are at risk of having side effects. In addition to killing tumor cells, cancer chemotherapy can damage normal tissue and produce side effects.

Risks of Study

The treatment used in this study may affect how different parts of your body work such as your liver, kidneys, heart, and blood. The study doctor will be testing your blood and will let you know if changes occur that may affect your health.

There is also a risk that you could have side effects from the study drugs/study approach.

Here are important points about side effects:

Version Date: 10/28/2022

- The study doctors do not know who will or will not have side effects.
- Some side effects may go away soon, some may last a long time, or some may never go away.
- Some side effects may interfere with your ability to have children.
- Some side effects may be serious and may even result in death.

You can ask your study doctor questions about side effects at any time.

Here are important points about how you and the study doctor can make side effects less of a problem:

- Tell the study doctor if you notice or feel anything different so they can see if you are having a side effect.
- The study doctor may be able to treat some side effects.
- The study doctor may adjust the study drugs to try to reduce side effects.
- The study doctor will provide you with information about other drugs you may need to avoid while receiving the study drugs.

There might be other side effects that researchers do not yet know about. If important new side effects are found, the study doctor will discuss these with you.

The use of selpercatinib instead of another treatment may cause more side effects.

The selpercatinib treatment that is being studied could be less effective than another treatment.

The table below show the most common and the most serious side effects that researchers know about selpercatinib. There might be other side effects that researchers do not yet know about. If important new side effects are found, the study doctor will discuss these with you.

Risks and side effects related to selpercatinib (LOXO-292) include those which are:

COMMON, SOME MAY BE SERIOUS	
In 100 people receiving selpercatinib, more than 20 and up to 100 may have:	
<ul style="list-style-type: none"> • Dry mouth • High blood pressure which may cause headaches, dizziness, blurred vision 	
OCCASIONAL, SOME MAY BE SERIOUS	
In 100 people receiving selpercatinib, from 4 to 20 may have:	

<ul style="list-style-type: none"> • Belly pain • Constipation, diarrhea, nausea, vomiting • Swelling of arms, legs • Tiredness • Change in the heart rhythm • Bruising, bleeding • Infection, especially when white blood cell count is low • Changes in taste • Headache • Rash
<p style="text-align: center;">RARE, AND SERIOUS</p> <p style="text-align: center;">In 100 people receiving selpercatinib, 3 or fewer may have:</p> <ul style="list-style-type: none"> • Allergic reaction which may cause rash, low blood pressure, wheezing, shortness of breath, swelling of the face or throat

Please Note:

- **Rarely, patients can develop kidney damage, which may require dialysis.**
- **Rarely, patients can also develop liver damage, which may cause yellowing of eyes and skin, swelling.**
- **Animal data suggests that selpercatinib may affect growing bones. We will be looking at X-rays to see if your child's growth is being affected. We will stop the medication if we see signs of this.**

Some drugs or supplements may interact with your treatment plan. Talk to your doctor, pharmacist, or study team before starting any new prescription or over-the-counter drugs, herbals, or supplements and before making a significant change in your diet. Supplements may come in many forms, such as teas, drinks, juices, liquids, drops, capsules, pills, or dried herbs. All forms should be avoided. Your study doctor will give you a drug information handout and wallet card that lists possible drug interactions. Share this information with your family members, caregivers, other health care providers, and pharmacists.

Reproductive risks:

Women should not become pregnant, and men should not father a baby while on this study and for at least 2 weeks after last dose of selpercatinib because selpercatinib can be bad for an unborn baby. Men should not donate sperm while on this study and for at least 2 weeks after last dose of selpercatinib. If you or your partner can get pregnant, it is important for you to use birth control or not have sex while on this study. Check with your study doctor about what kind of birth control methods to use and how long to use them. Some birth control methods might not be approved for use in this study. If you are a woman and become pregnant or suspect you are pregnant while participating in this study, please inform your treating physician immediately. Women should not breastfeed a baby while on this study. Discontinue breastfeeding during treatment and for at least 2 weeks after the last dose of selpercatinib.

In addition to the risks described above, there may be unknown risks, or risks that we did not anticipate, associated with being in this study.

You may lose time at school, work or home and spend more time in the hospital or doctor's office than usual. You may be asked sensitive or private questions which you normally do not discuss.

Are there benefits to taking part in the study?

We hope that this study will help you personally, but we do not know if it will. The potential benefit of the treatment with selpercatinib is that it may cause your cancer to stop growing or to shrink for a period of time. It may lessen the symptoms, such as pain, that are caused by the cancer. However, we do not know if you will benefit from taking part in this study. Information learned from this study may help future patients with cancer.

What other options are there?

Instead of being in this study, you have these options:

- **Getting treatment or care for your cancer without being in a study**
- **Taking part in another study**
- **Focusing on comfort care (also called palliative care).** This type of care helps reduce pain, tiredness, appetite problems and other problems caused by the cancer. It does not treat the cancer directly. Instead it tries to improve how you feel. Comfort care tries to keep you as active and comfortable as possible.

Please talk to your doctor about these and other options.

How many people will take part in the study?

The total number of people enrolled in this study is expected to be between 20 and 49.

How long is the study?

Although it is difficult to predict which, if any child, may benefit, it is possible that people in this clinical trial may receive treatment on this study for up to 26 months.

We would like to continue to find out about your health for about 30 days after your last dose of selpercatinib. By keeping in touch with you for a while after you complete treatment, we can better understand the long-term effects of the study treatments.

You can stop taking part in the study at any time. However, if you decide to stop participating in the study, we encourage you to talk to the study doctor and your regular doctor first. They will help you stop safely.

Your doctor may decide to take you off this study:

- If your disease does not respond to treatment or gets worse
- If you experience side effects from the treatment that are considered too harmful for you
- You need a treatment that is not allowed on this study
- You are not able to follow study-related treatment instructions
- If new information becomes available that shows another treatment would be better for you
- If he/she believes that this study is not in your best interest
- The study is stopped
- If you are female and get pregnant

What about privacy?

We will do our best to make sure that the personal information in your medical record will be kept private. If information from this study is published or presented at scientific meetings, your name and other personal information will not be used. The Children's Oncology Group has a privacy permit to help protect your records if there is a court case. However, some of your medical information may be given out if required by law. If this should happen, the Children's Oncology

Group will do their best to make sure that any information that goes out to others will not identify who you are. Information about this Certificate of Confidentiality is included in [Attachment 2](#)

Organizations that may look at and/or copy your medical records for research, quality assurance, and data analysis include groups such as:

- **The Children's Oncology Group and research partners**
- **Representatives of the National Cancer Institute (NCI), Food and Drug Administration (FDA), and other U.S. and international governmental regulatory agencies involved in overseeing research**
- **The Institutional Review Board (IRB) of this hospital**
- **The Pediatric Central Institutional Review Board (CIRB) of the National Cancer Institute**
- **The study sponsor and any drug company supporting the study or their designated reviewers**

In addition to storing data in the study database, data from studies that are publicly funded may also be shared broadly for future research with protections for your privacy. The goal of this data sharing is to make more research possible that may improve people's health. Your study records may be stored and shared for future use in public databases. However, your name and other personal information will not be used.

Some types of future research may include looking at your information and information from other patients to see who had side effects across many studies or comparing new study data with older study data. However, right now we don't know what research may be done in the future using your information. This means that:

- You will not be asked if you agree to take part in the specific future research studies using your health information.
- You and your study doctor will not be told when or what type of research will be done.
- You will not get reports or other information about any research that is done using your information.

What are the costs?

Taking part in this study may lead to added costs to you or your insurance company. There are no plans for the study to pay for medical treatment. Please ask about any expected added costs or insurance problems. Staff will be able to assist you with this.

In the case of injury or illness resulting from this study, emergency medical treatment is available but will be provided at the usual charge. No funds have been set aside to compensate you in the event of injury. However by signing this form, you are not giving up any legal rights to seek to obtain compensation for injury.

You or your insurance company will be charged for continuing medical care and/or hospitalization.

The NCI will provide selpercatinib at no charge while you take part in the study. The NCI does not cover the cost of getting selpercatinib ready and giving it to you, so you or your insurance

company may have to pay for this.

Even though it probably won't happen, it is possible that the manufacturer may not be able to continue to provide the selpercatinib to the NCI for some reason. If this does happen, other possible options are:

- You might be able to get the selpercatinib from the manufacturer or your pharmacy but you or your insurance company may have to pay for it.
- If there is no selpercatinib available at all, no one will be able to get more and the study would close.

If a problem with getting selpercatinib occurs, your study doctor will talk to you about these options.

For more information on clinical trials and insurance coverage, you can visit the National Cancer Institute's Web site at <http://www.cancer.gov/clinicaltrials/learningabout>.

You will not be charged for the costs of the special blood studies that are being done for research purposes only, such as the tumor DNA analysis.

Funding support

If you choose to enroll on this study, this institution will receive some money from the Children's Oncology Group to do the research. There are no plans to pay you for taking part in this study.

This study includes providing specimens to the researcher, there are no plans for you to profit from any new product developed from research done on your specimens

What are my rights as a participant?

Taking part in this study is voluntary. You may choose not to be in this study. If you decide not to be in this study, you will not be penalized and you will not lose any benefits to which you are entitled. You will still receive medical care.

You can decide to stop being in the study at any time. Leaving the study will not result in any penalty or loss of benefits to which you are entitled. Your doctor will still take care of you.

We will tell you about new information that may affect your health, welfare, or your willingness to continue in the study. A committee outside of COG closely monitors study reports and notifies COG if changes must be made to the study. Members of COG meet twice a year to discuss results of treatment and to plan new treatments.

During your follow-up visits after treatment, you may ask to be given a summary of the study results, which will only be available after the study is fully completed.

A summary of the study results will also be posted on the Children's Oncology Group website (<http://www.childrensoncologygroup.org/>). To receive the results, you may either (1) go to the COG website to check if results are available or (2) register your information with the COG on its web site and have an email sent to you when the results are available. Your pediatric

oncology team from your hospital can give you additional instructions on how to do this. Please note, that the summary of results may not be available until several years after treatment for all people on the study is completed, and not only when you complete treatment.

Whom do I call if I have questions or problems?

For questions about the study or if you have a research related problem or if you think you have been injured in this study, you may contact Dr. XXXX or your doctor at XXXX.

If you have any questions about your rights as a research participant or any problems that you feel you cannot discuss with the investigators, you may call XXXX Institutional Review Board (IRB) Administrator at XXXX.

If you have any questions or concerns that you feel you would like to discuss with someone who is not on the research team, you may also call the Patient Advocate at XXXX.

Where can I get more information?

The **COG Family Handbook for Children with Cancer** has information about specific cancers, tests, treatment side effects and their management, adjusting to cancer, and resources. Your doctor can get you this Handbook, or you can get it at <https://www.childrensoncologygroup.org/index.php/cog-family-handbook>

Visit the NCI's website at <http://cancer.gov/>

If you are in the United States, you may call the National Cancer Institute's Cancer Information Service at: 1-800-4-CANCER (1-800-422-6237)

Information about long term follow-up after cancer treatment can be found at: <http://www.survivorshipguidelines.org/>.

A description of this clinical trial will be available on <http://www.ClinicalTrials.gov>, as required by U.S. Law. This Web Site will not include information that can identify you. At most, the website will include a summary of the results. You can search this web site at any time.

You will get a copy of this form. You may also ask for a copy of the protocol (full study plan).

Specimens for optional research tests

The choice to let us use blood samples for research is up to you. No matter what you decide to do, it will not affect your care. You can still be a part of the main study even if you say 'No' to taking part in any of these optional research studies.

If you decide that your blood can be used for research, some of your health information may be placed in central databases for researchers to use. The databases will not include your name or contact information.

Signature

I have been given a copy of all ___ pages of this form. The form includes two (2) attachments.

I have reviewed the information and have had my questions answered. I agree to take part in this study.

Participant _____ Date _____

Parent/Guardian _____ Date _____

Parent/Guardian _____ Date _____

Physician/PNP obtaining consent _____ Date _____

Attachment 1**Procedures Common to all Patients on APEC1621N****Standard Tests and Procedures**

The following tests and procedures are part of regular cancer care and may be done even if you do not join the study.

- Urine tests to measure how your kidneys are functioning.
- Pregnancy test for females of childbearing age before treatment begins.
- Physical exam
- Vital signs (blood pressure, pulse, temperature)
- Blood tests- to monitor your blood counts and blood chemistries
- MRI, X-rays, CT scans, or other tests that are needed to check your tumor
- Bone marrow examinations if needed for your type of tumor, to monitor your response to treatment. The bone marrow procedure is described in the COG Family Handbook for Children with Cancer.

Attachment 2**Certificate of Confidentiality**

The Children's Oncology Group has received a Certificate of Confidentiality from the federal government, which will help us protect the privacy of our research subjects. The Certificate protects against the involuntary release of information about subjects collected during the course of our covered studies. The researchers involved in the studies cannot be forced to disclose the identity or any information collected in the study in any legal proceedings at the federal, state, or local level, regardless of whether they are criminal, administrative, or legislative proceedings. However, the subject or the researcher may choose to voluntarily disclose the protected information under certain circumstances. For example, if the subject or his/her guardian requests the release of information in writing, the Certificate does not protect against that voluntary disclosure. Furthermore, federal agencies may review our records under limited circumstances, such as a DHHS request for information for an audit or program evaluation or an FDA request under the Food, Drug and Cosmetics Act.

The Certificate of Confidentiality will not protect against the required reporting by hospital staff of information on suspected child abuse, reportable communicable diseases, and/or possible threat of harm to self or others.